



# W06-P1: add 3 breakpoints for different devices



Blog Demo

127.0.0.1:5500/demo/w06\_91/blog.html

分辨率: 768 x 464 DPR: ... 不限速

**Blogs**

LIFESTYLE  
這是一塊植物  
這是一塊，充滿綠色的，植物。

LIFESTYLE  
這是一塊動物  
這是一塊，充滿綠色的，動物。

LIFESTYLE  
這是一塊海岸  
這是一塊，充滿石頭的，海岸。

檢測器 主控台 除錯器 網路 樣式編輯器 功能 記憶體 儲存空間 幫助功能 應用程式

搜尋 HTML

```
<!DOCTYPE html>
<html lang="en"> (scroll)
  <head>::</head>
  <body> overflow
    <section class="blogs">
      <div class="section-title">::</div>
      <div class="blog-center"> grid overflow
        <article class="blog">::</article>
        <article class="blog">::</article>
        <article class="blog">::</article>
        <article class="blog">::</article>
      </div>
    </section>
  </body>
</html>
```

下午 07:17 2022-10-13

blog.css - 1111-sweb-1N-demo-21141...

blog.html U blog.css U

demo > w06\_91 > blog.css > blog-center

```
44 .blog-center {
45   display: grid;
46   gap: 2rem;
47   grid-template-columns: 1fr;
48   width: var(--fluid-width);
49   max-width: var(--max-width);
50   margin: 0 auto;
51   /*max-width: 500px;*/
52 }
53
54 @media screen and (min-width: 450px){
55   .blog-center{
56     grid-template-columns: repeat(2,1fr);
57   }
58 }
59
60 @media screen and (min-width: 768px){
61   .blog-center{
62     grid-template-columns: repeat(3,1fr);
63   }
64 }
65
66 @media screen and (min-width: 992px){
67   .blog-center{
68     grid-template-columns: repeat(4,1fr);
69   }
70 }
71
72
73 .blog-center2 {
74   display: grid;
75   grid-template-columns: repeat(auto-fit,mi
76   gap: 2rem;
77   /*grid-template-columns: 1fr 1fr 1fr 1fr;
78   width: var(--fluid-width);
79   /*max-width: var(--max-width);*/
80   margin: 0 auto;
81 }
```

Blog Demo

127.0.0.1:5500/demo/w06\_91/blog.html

分辨率: 992 x 464 DPR: ... 不限速

**Blogs**

LIFESTYLE  
這是一塊植物  
這是一塊，充滿綠色的，植物。

LIFESTYLE  
這是一塊動物  
這是一塊，充滿綠色的，動物。

LIFESTYLE  
這是一塊海岸  
這是一塊，充滿石頭的，海岸。

LIFESTYLE  
這是一塊人造建築  
這是一塊，充滿光害的，建築。

檢測器 主控台 除錯器 網路 樣式編輯器 功能 記憶體 儲存空間 幫助功能 應用程式

搜尋 HTML

```
<!DOCTYPE html>
<html lang="en"> (scroll)
  <head>::</head>
  <body> overflow
    <section class="blogs">
      <div class="section-title">::</div>
      <div class="blog-center"> grid overflow
        <article class="blog">::</article>
        <article class="blog">::</article>
        <article class="blog">::</article>
        <article class="blog">::</article>
      </div>
    </section>
  </body>
</html>
```

下午 07:18 2022-10-13

## W06-P2: add navbar for demo links

Screenshot showing the development environment for the "style\_91.css" file. The code defines a "w6-classdemo" class with a width of 100% and a height of calc(100vh - 5rem). The browser preview shows a yellow header with the text "John Doe". A red box highlights the CSS rule for the "w6-classdemo" class.

```

1111-SWEB-IN-DEMO-211410591-VSCode
style_91.css
.w6-classdemo {
    width: 100%;
    height: calc(100vh - 5rem);
}

```

Browser Preview:

John Doe

## W06-P3: run 4 classdemo one by one

Screenshot showing the development environment for the "index.html" file. The code includes a "w6-classdemo" class with a background color of #25FF25 and a container class with a background color of #FF5D4D. The browser preview shows a pink page with a yellow sidebar containing a photo of a person walking on a path. A red box highlights the "w6-classdemo" class definition.

```

index.html
.w6-classdemo {
    background-color: #25FF25;
}
.container {
    background-color: #FF5D4D;
}

```

Browser Preview:

John Doe

姓名:林均壠  
ID:65774315

就讀於江大華文系,沒有朋友,超宅,超窮,如果有人願意捐錢給我,我會給你一滴我會感謝和歡喜的淚水。請透過以下網址幫忙我。

FB

html-translated-fr body .nav .nav-bar

Screenshot showing the development environment for the first card component.

**VS Code (Left):**

- File structure: demo\w1\demo\script\_91.js, demo\w1\demo\style\_91.css, demo\w1\demo\card\_91.html.
- Content of script\_91.js (highlighted in red):

```

1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <meta charset="UTF-8" />
5     <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7     <title>Card Demo</title>
8     <link rel="stylesheet" href="/card_91.css" />
9   </head>
10  <body>
11    <div class="card card-1">
12      <div class="icon"></div>
13      <h2>John Doe</h2>
14      <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Impedit beatae minus quis dolorem saepe in quidem nostrum. Reciendis porro perspiciatis temporibus id incidentia et alias quisquam nobis unde! Quod.</p>
15      <button class="btn btn-1">Sign In</button>
16    </div>
17    <div class="card card-2">
18      <div class="icon"></div>
19      <h2>Second Card</h2>
20      <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Impedit beatae minus quis dolorem saepe in quidem nostrum. Reciendis porro perspiciatis temporibus id incidentia et alias quisquam nobis unde! Quod.</p>
21      <button class="btn btn-2">Sign In</button>
22    </div>
23  </body>
24</html>

```
- Content of style\_91.css (highlighted in red):

```

body {
  font-family: Arial, sans-serif;
}

.card {
  border: 1px solid #ccc;
  padding: 10px;
  width: 200px;
  height: 150px;
  margin: 10px auto;
  border-radius: 10px;
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
}

.icon {
  width: 20px;
  height: 20px;
  border-radius: 50%;
  background-color: #f0f0f0;
  margin-bottom: 10px;
}

h2 {
  margin: 0;
}

p {
  margin: 0;
  font-size: 0.8em;
}

.btn {
  border: 1px solid #ccc;
  padding: 5px 10px;
  border-radius: 5px;
  background-color: #f0f0f0;
  color: #333;
  text-decoration: none;
  font-size: 0.8em;
}

```

**Browser Preview (Top Right):**

- Two cards are displayed: "First Card" and "Second Card".
- Each card has a "Sign In" button at the bottom right.

**Terminal (Bottom Left):**

```

User@DESKTOP-XGNMF: MINGW64 /f/静态網頁作業/IN/1111-sweb-IN-demo-211410591 (main)
$ git push
Enumerating objects: 22, done.
Counting objects: 10000, done.
Delta compression using up to 12 threads
Compressing objects: 100% (13/13), done.
Writing objects: 100% (13/13), 18.80 KB/s, done.
Total 16 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), completed with 4 local objects.
To https://github.com/abc577/1111-sweb-IN-demo-211410591.git
  28@f63...a27a601 main -> main

User@DESKTOP-XGNMF: MINGW64 /f/静态網頁作業/IN/1111-sweb-IN-demo-211410591 (main)
$ 

```

Screenshot showing the development environment for the latest blogs component.

**VS Code (Left):**

- File structure: demo\w2\demo\script\_91.js, demo\w2\demo\style\_91.css, demo\w2\demo\blog.html.
- Content of script\_91.js (highlighted in red):

```

1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <meta charset="UTF-8" />
5     <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7     <title>Blog Demo</title>
8     <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.2.0/css/all.min.css" integrity="sha512-hbz12shoQOgMOMhUcfaISejHdCZJLqV+u+hAqBQhDkZlSpNytr0dPvYd1SpvCA0XKClmTzF8NpIrcAfAzCm98maE4aHK8y5tHgXlo crossorigin="anonymous" />
9     <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-pJyVHg/3.7kGSKI7UkGLuZK4QxWqOo8W2vZ8YU4HdC6F70SsZr4uEaCqC4qQ==" crossorigin="no-referrer" />
10    <link rel="stylesheet" href="/blog.css" />
11  </head>
12  <body>
13    <section class="Blog">
14      <div class="section-title">
15        <h2>Latest Blogs</h2>
16      </div>
17      <div class="Blog-content">
18        <div class="blog-item">
19          
20          <div class="blog-content">
21            <span>fa-solid fa-seedling</span>
22            <p>這是一塊充滿綠色的植物。</p>
23            <a href="#">read more</a>
24          </div>
25        </div>
26        <div class="blog-item">
27          
28          <div class="blog-content">
29            <span>fa-brands fa-twitter</span>
30            <p>這是一塊充滿綠色的動物。</p>
31            <a href="#">read more</a>
32          </div>
33        </div>
34      </div>
35    </section>
36  </body>
37</html>

```
- Content of style\_91.css (highlighted in red):

```

body {
  font-family: Arial, sans-serif;
}

.Blog {
  border: 1px solid #ccc;
  padding: 10px;
  width: 200px;
  height: 150px;
  margin: 10px auto;
  border-radius: 10px;
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
}

.section-title {
  margin: 0;
}

h2 {
  margin: 0;
}

p {
  margin: 0;
  font-size: 0.8em;
}

.blog-item {
  border: 1px solid #ccc;
  padding: 5px;
  border-radius: 5px;
  margin-bottom: 10px;
}

img {
  width: 100px;
  height: 100px;
  border-radius: 50px;
}

.blog-content {
  margin-top: 10px;
}

span {
  font-size: 1.5em;
  color: #ccc;
}

a {
  color: #333;
  text-decoration: none;
  font-size: 0.8em;
}

```

**Browser Preview (Top Right):**

- A section titled "Latest Blogs" displays two cards.
- The first card shows a potted plant and the text "這是一塊充滿綠色的植物".
- The second card shows two parrots and the text "這是一塊充滿綠色的動物".
- Both cards have a "Read More" link at the bottom.

**Terminal (Bottom Left):**

```

User@DESKTOP-XGNMF: MINGW64 /f/静态網頁作業/IN/1111-sweb-IN-demo-211410591 (main)
$ git push
Enumerating objects: 22, done.
Counting objects: 10000, done.
Delta compression using up to 12 threads
Compressing objects: 100% (13/13), done.
Writing objects: 100% (16/16), 338.56 KB | 18.80 MB/s, done.
Total 16 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), completed with 4 local objects.
To https://github.com/abc577/1111-sweb-IN-demo-211410591.git
  28@f63...a27a601 main -> main

User@DESKTOP-XGNMF: MINGW64 /f/静态網頁作業/IN/1111-sweb-IN-demo-211410591 (main)
$ 

```

```

class Blog {
    constructor(title, content, img) {
        this.title = title;
        this.content = content;
        this.img = img;
    }
    show() {
        const blogDiv = document.createElement('div');
        blogDiv.innerHTML = `
            <img alt="${this.img}">
            <p>${this.content}</p>
        `;
        return blogDiv;
    }
}

```

## W06-logs: W4 all logs

```

User@DESKTOP-JGP0AFI MINGW64 /f/靜態網頁作業/1N/1111-sweb-1N-demo-211410591 (main)
$ git log --pretty=format:"%h%x09%an%x09%ad%x09s" --after="2022-10-12"
9a80b74 abc6577 Sat Oct 15 05:17:35 2022 +0800 W06-P3: run 4 classdemo one by one
a27a863 abc6577 Fri Oct 14 19:05:43 2022 +0800 W06-P2: add navbar for demo links
281ef83 abc6577 Thu Oct 13 19:26:16 2022 +0800 W06-P1: add 3 breakpoints for different devices

```

```

$ git log --pretty=format:"%h%x09%an%x09%ad%x09s" --after="2022-10-12"
9a80b74 abc6577 Sat Oct 15 05:17:35 2022 +0800 W06-P3: run 4 classdemo one by one
a27a863 abc6577 Fri Oct 14 19:05:43 2022 +0800 W06-P2: add navbar for demo links
281ef83 abc6577 Thu Oct 13 19:26:16 2022 +0800 W06-P1: add 3 breakpoints for different devices

```