


AZ-104 Dumps

Microsoft Azure Administrator (beta)

https://www.certleader.com/AZ-104-dumps.html





NEW QUESTION 1

- (Exam Topic 2)

Which blade should you instruct the finance department auditors to use?

- A. invoices
- B. partner information
- C. cost analysis
- D. External services

Answer: A


NEW QUESTION 2

- (Exam Topic 4)

You plan to create an Azure virtual machine named VM1 that will be configured as shown in the following exhibit.

The planned disk configurations for VM1 are shown in the following exhibit.

Create a virtual machine




The planned disk configurations for VM1 are shown in the following exhibit.

Disks Networking Management Advanced Review + create Tags

Azure VMs have one operating system disk and a temporary disk for short-term storage. You can attach additional data disks. The size of the VM determines the type of storage you can use and the number of data disks allowed. Learn more

The Leader of IT Certification visit - https://www.certleader.com





You need to ensure that VM1 can be created in an Availability Zone.

Which two settings should you modify? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.


- A. Use managed disks
- B. Availability options
- C. OS disk type
- D. Size
- E. Image

Answer: AE

NEW QUESTION 3

- (Exam Topic 4)

You have several Azure virtual machines on a virtual network named VNet1. You configure an Azure Storage account as shown in the following exhibit.




Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.



The virtual machines on the 10.2.9.0/24 subnet will have network connectivity to the file shares in the storage account.

always
during a backup
never

Azure Backup will be able to back up the umanaged hard disks of the virtual machines in the storage account.



A. MasteredB. Not Mastered


Answer: A

Explanation:

Box 1: always

Endpoint status is enabled. Box 2: Never

After you configure firewall and virtual network settings for your storage account, select Allow trusted Microsoft services to access this storage account as an exception to enable Azure Backup service to access the network restricted storage account.



Reference

https://docs.microsoft.com/en-us/azure/storage/files/storage-how-to-use-files-windows https://azure.microsoft.com/en-us/blog/azure-backup-now-supports-storage-accounts-secured-with-azure-storage

NEW QUESTION 4

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure virtual machine named VM1 that runs Windows Server 2016.

You need to create an alert in Azure when more than two error events are logged to the System log on VM1 within an hour.

Solution: You create an Azure Log Analytics workspace and configure the data settings. You install the Microsoft Monitoring Agent on VM1. You create an alert in Azure Monitor and specify the Log Analytics workspace as the source.

Does this meet the goal?

A. Yes

B. No



Answer: A

Explanation:

Alerts in Azure Monitor can identify important information in your Log Analytics repository. They are created by alert rules that automatically run log searches at regular intervals, and if results of the log search match particular criteria, then an alert record is created and it can be configured to perform an automated response.

The Log Analytics agent collects monitoring data from the guest operating system and workloads of virtual machines in Azure, other cloud providers, and on-premises. It collects data into a Log Analytics workspace.

References:

https://docs.microsoft.com/en-us/azure/azure-monitor/learn/tutorial-response https://docs.microsoft.com/en-us/azure/azure-monitor/platform/agents-overview

NEW QUESTION 5

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

| Name | Type | Location | Resource group |
|-------|-----------------|--------------|----------------|
| RG1 | Resource group | East US | Not applicable |
| RG2 | Resource group | West Europe | Not applicable |
| RG3 | Resource group | North Europe | Not applicable |
| VNET1 | Virtual network | Central US | RG1 |
| VM1 | Virtual machine | West US | RG2 |

VM1 connects to a virtual network named VNET2 by using a network interface named NIC1. You need to create a new network interface named NIC2 for VM1. Solution: You create NIC2 in RG2 and West US. Does this meet the goal?

A. Yes B. NO

Answer: A

Explanation:

The virtual machine you attach a network interface to and the virtual network you connect it to must exist in the same location, here West US, also referred to as a region.

References:

https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface

NEW QUESTION 6

- (Exam Topic 4)

You have an Azure policy as shown in the following exhibit.



| SCOPE | |
|--|--|
| * Scope (Learn more about setting the scope) | |
| Subscription 1 | |
| Exclusions | |
| Subscription 1/ContosoRG1 | |
| BASICS | |
| * Policy definition | |
| Not allowed resource types | |
| * Assignment name • | |
| Not allowed resource types | |
| Assignment ID | |
| /subscriptions/3eb8d0b6-ce3b-4ce0- | A |
| a631-9f5321bedabb/providers/Microsoft.Authorization/policy | Assignments/Debibbobbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbb |
| Description | |
| | |
| | |
| | |
| | |
| | |
| Assigned by: | |
| admin1@contoso.com | |
| | |
| PARAMETERS | |
| *Not allowed resource types • | |
| Microsoft.Sql/servers | ~ |
| | |

What is the effect of the policy? Which of the following statements are true?

- A. You can create Azure SQL servers in ContosoRG1.
- B. You are prevented from creating Azure SQL servers anywhere in Subscription 1.
- C. You are prevented from creating Azure SQL Servers in ContosoRG1 only.
- D. You can create Azure SQL servers in any resource group within Subscription 1.

Answer: A

Explanation:

You are prevented from creating Azure SQL servers anywhere in Subscription 1 with the exception of ContosoRG1

NEW QUESTION 7

- (Exam Topic 4)

You have an Azure subscription named Sub1.

You plan to deploy a multi-tiered application that will contain the tiers shown in the following table.

| Tier | Accessible from the Internet | Number of virtual machines |
|-------------------------------|---------------------------------|----------------------------|
| Front-end web server | Yes | 10 |
| Business logic | No | 100 |
| Microsoft SQL Server database | No | 5 |

You need to recommend a networking solution to meet the following requirements:

- Ensure that communication between the web servers and the business logic tier spreads equally across the virtual machines.
- Protect the web servers from SQL injection attacks.

Which Azure resource should you recommend for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



Ensure that communication between the web servers and the business logic tier spreads equally across the virtual machines:

an application gateway that uses the Standard tier an application gateway that uses the WAF tier an internal load balancer a network security group (NSG) a public load balancer

Protect the web servers from SQL injection attacks:

an application gateway that uses the Standard tier an application gateway that uses the WAF tier an internal load balancer a network security group (NSG) a public load balancer

A. MasteredB. Not Mastered

Answer: A

Explanation:

Box 1: an internal load balancer

Azure Internal Load Balancer (ILB) provides network load balancing between virtual machines that reside inside a cloud service or a virtual network with a regional scope.

Box 2: an application gateway that uses the WAF tier

Azure Web Application Firewall (WAF) on Azure Application Gateway provides centralized protection of your web applications from common exploits and vulnerabilities. Web applications are increasingly targeted

by malicious attacks that exploit commonly known vulnerabilities. References:

https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/ag-overview

NEW QUESTION 8


- (Exam Topic 4)

You have an Azure subscription that contains the resources in the following table.

| Name | Type | Details |
|---------|-----------------|-----------------|
| VNet1 | Virtual network | Not applicable |
| Subnet1 | Subnet | Hosted on VNet1 |
| VM1 | Virtual machine | On Subnet1 |
| VM2 | Virtual machine | On Subnet1 |

VM1 and VM2 are deployed from the same template and host line-of-business applications accessed by using Remote Desktop. You configure the network security group (NSG) shown in the exhibit. (Click the Exhibit button.)





| PRIORITY | NAME | PORT | PROTOCOL | SOURCE | DESTINATION | ACTION | |
|----------|-----------------------|------|----------|----------------|----------------|---------|---------|
| 1000 | DenyWebSites | 80 | TCP | Any | Internet | O Deny | (900) |
| 65000 | Allow/netOutBound | Any | Any | VirtualNetwork | VirtualNetwork | Allow |) here: |
| 65001 | AllowInternetOutBound | Any | Any | Any | Internet | O Allow | |
| 65500 | DenyAllOutBound | Any | Any | Any | Any | O Deny | |

You need to prevent users of VM1 and VM2 from accessing websites on the Internet. What should you do?

- A. Associate the NSG to Subnet1.
- B. Disassociate the NSG from a network interface.
- C. Change the DenyWebSites outbound security rule.
- D. Change the Port_80 inbound security rule.

Answer: A

Explanation:

You can associate or dissociate a network security group from a network interface or subnet.

The NSG has the appropriate rule to block users from accessing the Internet. We just need to associate it with Subnet1.

References: https://docs.microsoft.com/en-us/azure/virtual-network/manage-network-security-group

NEW QUESTION 9

- (Exam Topic 4)

You have an Azure subscription named Subscription1.

You have 5 TB of data that you need to transfer to Subscription1. You plan to use an Azure Import/Export job. What can you use as the destination of the imported data?

A. Azure Data Lake Store

B. a virtual machine

C. the Azure File Sync Storage Sync Service

D. Azure Blob storage

Answer: D

Explanation:

Azure Import/Export service is used to securely import large amounts of data to Azure Blob storage and Azure Files by shipping disk drives to an Azure datacenter. The maximum size of an Azure Files Resource of a file share is 5 TB. Reference:

https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-service

NEW QUESTION 10

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.



After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

| Name | Туре | Location | Resource group |
|-------|-----------------|--------------|----------------|
| RG1 | Resource group | East US | Not applicable |
| RG2 | Resource group | West Europe | Not applicable |
| RG3 | Resource group | North Europe | Not applicable |
| VNET1 | Virtual network | Central US | RG1 |
| VM1 | Virtual machine | West US | RG2 |
| | | | |

VM1 connects to a virtual network named VNET2 by using a network interface named NIC1. You need to create a new network interface named NIC2 for VM1. Solution: You create NIC2 in RG1 and West US. Does this meet the goal?

A. Yes B. NO

Answer: A

Explanation:

The virtual machine you attach a network interface to and the virtual network you connect it to must exist in the same location, here West US, also referred to as a region.

References:

https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface

NEW QUESTION 10

- (Exam Topic 4)

You have an Azure subscription that contains the following resources:

- 100 Azure virtual machines
- 20 Azure SQL databases
- > 50 Azure file shares

You need to create a daily backup of all the resources by using Azure Backup. What is the minimum number of backup policies that you must create?

A. 1

B. 2

C. 3 D. 150

E. 170

Answer: C

Explanation:

There is a limit of 100 VMs that can be associated to the same backup policy from portal. We recommend that for more than 100 VMs, create multiple backup policies with same schedule or different schedule.

One policy for VMS, one for SQL databases, and one for the file shares. References:

https://docs.microsoft.com/en-us/azure/backup/backup-azure-vm-backup-faq

NEW QUESTION 14

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

| Name | Type | Location | Resource group |
|-------|-----------------|--------------|----------------|
| RG1 | Resource group | East US | Not applicable |
| RG2 | Resource group | West Europe | Not applicable |
| RG3 | Resource group | North Europe | Not applicable |
| VNET1 | Virtual network | Central US | RG1 |
| VM1 | Virtual machine | West US | RG2 |
| | | | |

VM1 connects to a virtual network named VNET2 by using a network interface named NIC1. You need to create a new network interface named NIC2 for VM1. Solution: You create NIC2 in RG2 and Central US. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:



The virtual machine you attach a network interface to and the virtual network you connect it to must exist in the same location, here West US, also referred to as a region.

References:

https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface

NEW QUESTION 18

- (Exam Topic 4)

You have an Azure virtual machine named VM1.

You use Azure Backup to create a backup of VM1 named Backup1. After creating Backup1, you perform the following changes to VM1:

- Modify the size of VM1.
- Copy a file named Budget.xls to a folder named Data.
- Reset the password for the built-in administrator account.
- Add a data disk to VM1.

An administrator uses the Replace existing option to restore VM1 from Backup1. You need to ensure that all the changes to VM1 are restored. Which change should you perform again?

- A. Modify the size of VM1.
- B. Add a data disk.
- C. Reset the password for the built-in administrator account.
- D. Copy Budget.xls to Data.

Answer: D

Explanation:

References:

https://docs.microsoft.com/en-us/azure/backup/backup-azure-arm-restore-vms#replace-existing-disks

NEW QUESTION 22

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named Adatum and an Azure Subscription named Subscription1. Adatum contains a group named Developers. Subscription1 contains a resource group named Dev.

You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.

Solution: On Dev, you assign the Logic App Contributor role to the Developers group. Does this meet the goal?

A. Yes B. No

Answer: A

Explanation:The Logic App Contributor role lets you manage logic app, but not access to them. It provides access to view, edit, and update a logic app. References:

https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles

https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-securing-a-logic-app

NEW QUESTION 26

- (Exam Topic 4)

You have an Azure subscription that contains an Azure file share.

You have an on-premises server named Server1 that runs Windows Server 2016. You plan to set up Azure File Sync between Server1 and the Azure file share. You need to prepare the subscription for the planned Azure File Sync.

Which two actions should you perform in the Azure subscription? To answer, drag the appropriate actions to the correct targets. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

| Actions | Answer Area | |
|-----------------------------------|----------------|--------|
| Create a Storage Sync Service | First action: | Action |
| Create a sync group | Second action: | Action |
| Install the Azure File Sync agent | | |
| Run Server Registration | | |

A. Mastered



B. Not Mastered

Answer: A

Explanation:

First action: Create a Storage Sync Service

The deployment of Azure File Sync starts with placing a Storage Sync Service resource into a resource group of your selected subscription.

Second action: Run Server Registration

Registering your Windows Server with a Storage Sync Service establishes a trust relationship between your server (or cluster) and the Storage Sync Service. A server can only be registered to one Storage Sync Service and can sync with other servers and Azure file shares associated with the same Storage Sync Service. The Server Registration UI should open automatically after installation of the Azure File Sync agent.



NEW QUESTION 29

- (Exam Topic 4)

You have a Microsoft 365 tenant and an Azure Active Directory (Azure AD) tenant named contoso.com. You plan to grant three users named User1, User2, and User3 access to a temporary Microsoft SharePoint

document library named Library1.

You need to create groups for the users. The solution must ensure that the groups are deleted automatically after 180 days.

Which two groups should you create? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

A. a Security group that uses the Assigned membership type

B. an Office 365 group that uses the Assigned membership type

C. an Office 365 group that uses the Dynamic User membership type

D. a Security group that uses the Dynamic User membership type

E. a Security group that uses the Dynamic Device membership type

Answer: BC

Explanation:

You can set expiration policy only for Office 365 groups in Azure Active Directory (Azure AD).

Note: With the increase in usage of Office 365 Groups, administrators and users need a way to clean up unused groups. Expiration policies can help remove inactive groups from the system and make things cleaner.

When a group expires, all of its associated services (the mailbox, Planner, SharePoint site, etc.) are also deleted.

You can set up a rule for dynamic membership on security groups or Office 365 groups.

NEW QUESTION 32

- (Exam Topic 4)

You have two Azure virtual machines named VM1 and VM2. You have two Recovery Services vaults named RSV1 and RSV2. VM2 is protected by RSV1.

You need to use RSV2 to protect VM2. What should you do first?

- A. From the RSV1 blade, click Backup items and stop the VM2 backup.
- B. From the RSV1 blade, click Backup Jobs and export the VM2 backup.
- C. From the RSV1 blade, click Backu
- D. From the Backup blade, select the backup for the virtual machine, and then click Backup.
- E. From the VM2 blade, click Disaster recovery, click Replication settings, and then select RSV2 as the Recovery Services vault.

Answer: D

Explanation:

References:

https://docs.microsoft.com/en-us/azure/backup/backup-azure-vms-first-look-arm



NEW QUESTION 36

- (Exam Topic 4)

You have an Azure Linux virtual machine that is protected by Azure Backup. One week ago, two files were deleted from the virtual machine.

You need to restore the deleted files to an on-premises computer as quickly as possible.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

| Actions | Answer Area |
|---|-------------|
| Mount a VHD. | |
| Copy the files by using File Explorer. | |
| Download and run a script. | |
| Select a restore point. |) |
| Copy the files by using AZCopy. |) |
| From the Azure portal, click Restore VM from the vault. | |
| From the Azure portal, click File Recovery from the vault. | |

A. Mastered

B. Not Mastered

Answer: A

Explanation:

To restore files or folders from the recovery point, go to the virtual machine and choose the desired recovery point.

Step 0. In the virtual machine's menu, click Backup to open the Backup dashboard. Step 1. In the Backup dashboard menu, click File Recovery.

Step 2. From the Select recovery point drop-down menu, select the recovery point that holds the files you want. By default, the latest recovery point is already selected.

Step 3: To download the software used to copy files from the recovery point, click Download Executable (for Windows Azure VM) or Download Script (for Linux Azure VM, a python script is generated).

Step 4: Copy the files by using AzCopy

AzCopy is a command-line utility designed for copying data to/from Microsoft Azure Blob, File, and Table storage, using simple commands designed for optimal performance. You can copy data between a file system and a storage account, or between storage accounts.

References: https://docs.microsoft.com/en-us/azure/backup/backup-azure-restore-files-from-vm https://docs.microsoft.com/en-us/azure/storage/common/storage-use-azcopy

NEW QUESTION 37

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- A virtual network that has a subnet named Subnet1
- Two network security groups (NSGs) named NSG-VM1 and NSG-Subnet1
- A virtual machine named VM1 that has the required Windows Server configurations to allow Remote Desktop connections NSG-Subnet1 has the default inbound security rules only.

NSG-VM1 has the default inbound security rules and the following custom inbound security rule:

- Priority: 100
- Source: Any
- Source port range: *
- Destination: *
- Destination port range: 3389
- Protocol: UDP
- Action: Allow
 VM1 connects to Subnet1. NSG1-VM1 is associated to the network interface of VM1. NSG-Subnet1 is associated to Subnet1.

You need to be able to establish Remote Desktop connections from the internet to VM1.

Solution: You add an inbound security rule to NSG-Subnet1 that allows connections from the Internet source to the VirtualNetwork destination for port range 3389 and uses the UDP protocol.

Does this meet the goal?

A. Yes

B. No



Answer: B

NEW QUESTION 42

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com. Multi-factor authentication (MFA) is enabled for all users.

You need to provide users with the ability to bypass MFA for 10 days on devices to which they have successfully signed in by using MFA. What should you do?

- A. From the multi-factor authentication page, configure the users' settings.
- B. From Azure AD, create a conditional access policy.
- C. From the multi-factor authentication page, configure the service settings.
- D. From the MFA blade in Azure AD, configure the MFA Server settings.

Answer: C

Explanation:

Enable remember Multi-Factor Authentication

- Sign in to the Azure portal.
- On the left, select Azure Active Directory > Users.
- Select Multi-Factor Authentication.
- Under Multi-Factor Authentication, select service settings.
- On the Service Settings page, manage remember multi-factor authentication, select the Allow users to remember multi-factor authentication on devices they trust option.
- Select Save.

References:

https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings

NEW QUESTION 44

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named adatum.com. Adatum.com contains the groups in the following table.

| Name | Group type | Membership type | Membership rule |
|--------|-------------------------|-----------------|---------------------------------|
| Group1 | Security | Dynamic user | (user.city -startsWith "m") |
| Group2 | Microsoft Office 365 | Dynamic user | (user.department -notIn ["HR"]) |
| Group3 | Microsoft Office 365 | Assigned | Not applicable |

You create two user accounts that are configured as shown in the following table.

| Name | City | Department | Office 365 license assigned |
|-------|-----------|-----------------|-----------------------------|
| User1 | Montreal | Human resources | Yes |
| User2 | Melbourne | Marketing | No |

To which groups do User1 and User2 belong? To answer. select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

User1

| | • |
|----------------------------|---|
| Group1 only | |
| Group2 only | |
| Group3 only | |
| Group1 and Group2 only | |
| Group1 and Group3 only | |
| Group2 and Group3 only | |
| Group1, Group2, and Group3 | |

User2:

| | • |
|----------------------------|---|
| Group1 only | |
| Group2 only | |
| Group3 only | |
| Group1 and Group2 only | |
| Group1 and Group3 only | |
| Group2 and Group3 only | |
| Group1, Group2, and Group3 | |

A. Mastered

B. Not Mastered



Answer: A

Explanation:

Box 1: Group 1 only First rule applies


Box 2: Group1 and Group2 only Both membership rules apply.

References: https://docs.microsoft.com/en-us/sccm/core/clients/manage/collections/create-collections

NEW QUESTION 49

- (Exam Topic 4)

You create an Azure VM named VM1 that runs Windows Server 2019. VM1 is configured as shown in the exhibit. (Click the Exhibit button.)



You need to enable Desired State Configuration for VM1. What should you do first?

- A. Configure a DNS name for VM1.
- B. Start VM1.
- C. Connect to VM1.
- D. Capture a snapshot of VM1.

Answer: B

Explanation:

Status is Stopped (Deallocated).

The DSC extension for Windows requires that the target virtual machine is able to communicate with Azure. The VM needs to be started.

References:

https://docs.microsoft.com/en-us/azure/virtual-machines/extensions/dsc-windows

NEW QUESTION 51

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure virtual machine named VM1 that runs Windows Server 2016.

You need to create an alert in Azure when more than two error events are logged to the System log on VM1 within an hour.

Solution: You create an event subscription on VM1. You create an alert in Azure Monitor and specify VM1 as the source.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead: You create an Azure Log Analytics workspace and configure the data settings. You install the Microsoft Monitoring Agent on VM1. You create an alert in Azure Monitor and specify the Log Analytics workspace as the source.

References:

https://docs.microsoft.com/en-us/azure/azure-monitor/platform/agents-overview

NEW QUESTION 55

- (Exam Topic 4)

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.



| Name | Туре | Location | Resource group |
|------------|-------------------------|-------------|----------------|
| RG1 | Resource group | East US | Not applicable |
| RG2 | Resource group | West US | Not applicable |
| Vault1 | Recovery Services vault | West Europe | RG1 |
| storage1 | Storage account | East US | RG2 |
| storage2 | Storage account | West US | RG1 |
| storage3 | Storage account | West Europe | RG2 |
| Analytics1 | Log Analytics workspace | East US | RG1 |
| Analytics2 | Log Analytics workspace | West US | RG2 |
| Analytics3 | Log Analytics workspace | West Europe | RG1 |

You plan to configure Azure Backup reports for Vault1.

You are configuring the Diagnostics settings for the AzureBackupReports log.

Which storage accounts and which Log Analytics workspaces can you use for the Azure Backup reports of Vault1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

| Storage | account | s: |
|---------|---------|----|
|---------|---------|----|

| The They they have they they they have | - |
|--|---|
| storage1 only | |
| storage2 only | |
| storage3 only | |
| storage1, storage2, and storage3 | |

Log Analytics workspaces:

| | ▼ |
|--|---|
| Analytics1 only | |
| Analytics2 only | |
| Analytics3 only | |
| Analytics1, Analytics2, and Analytics3 | |

A. MasteredB. Not Mastered

Answer: A

Explanation:

Box 1: storage3 only

Vault1 and storage3 are both in West Europe. Box 2: Analytics3 Vault1 and Analytics3 are both in West Europe. References:

https://docs.microsoft.com/en-us/azure/backup/backup-azure-configure-reports

NEW QUESTION 59

- (Exam Topic 4)

You download an Azure Resource Manager template based on an existing virtual machine. The template will be used to deploy 100 virtual machines. You need to modify the template to reference an administrative password. You must prevent the password from being stored in plain text. What should you create to store the password?

The contract of the contract o

A. Azure Active Directory (AD) Identity Protection and an Azure policy

B. a Recovery Services vault and a backup policy

C. an Azure Key Vault and an access policy

D. an Azure Storage account and an access policy

Answer: C

Explanation:

You can use a template that allows you to deploy a simple Windows VM by retrieving the password that is stored in a Key Vault. Therefore the password is never put in plain text in the template parameter file.

References: https://azure.microsoft.com/en-us/resources/templates/101-vm-secure-password/



NEW QUESTION 61

- (Exam Topic 4)

Your on-premises network contains an Active Directory domain named adatum.com that is synced to Azure Active Directory (Azure AD). Password writeback is disabled.

In adatum.com, you create the users shown in the following table.

| Name Account option | |
|---------------------|---|
| User1 | User must change password at next logon. |
| User2 | Store password by using reversible encryption. |
| User3 | A smart card is required for interactive logon. |

Which users must sign in from a computer joined to adatum.com?

A. User2 only

B. User1 and User3 only

C. User1, User2, and User3

D. User2 and User3 only

E. User1 only

Answer: E

Explanation:

Password writeback is a feature enabled with Azure AD Connect that allows password changes in the cloud to be written back to an existing on-premises directory in real time.

References:

https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-writeback

NEW QUESTION 65

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer named Computer1 that has a point-to-site VPN connection to an Azure virtual network named VNet1. The point-to-site connection uses a self-signed certificate.

From Azure, you download and install the VPN client configuration package on a computer named Computer2.

You need to ensure that you can establish a point-to-site VPN connection to VNet1 from Computer2. Solution: You export the client certificate from Computer1 and install the certificate on Computer2. Does this meet this goal?

A. Yes B. No

Answer: A

Explanation:

Each client computer that connects to a VNet using Point-to-Site must have a client certificate installed. You generate a client certificate from the self-signed root certificate, and then export and install the client certificate. If the client certificate is not installed, authentication fails.

References: https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-certificates-point-to-site

NEW QUESTION 68

IVL



Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-104 Exam with Our Prep Materials Via below:

https://www.certleader.com/AZ-104-dumps.html