KARTHIK
Computerized Lab & X-Rays

Prakash Nursing Home, Chinnadharapuram - 639202. Karur Dt.
Phone : 04320 - 232353, **Cell : 99438 31044**

Pt's Name	: **MISS.DHARSHINI**	LAB. ID No	: 013898
Age & Sex	: 25 y / FEMALE	Collection Date	: 08-01-2026 07:40 AM
Ref by Dr.	: **DR.K.KANAGARAJ., M.B.B.S., P.G.Dip.Diab.,**	Report Date	: 08-01-2026 07:50 AM

COMPLETE BLOOD COUNT

(Done by mindray BC-2800 Fully automated hematological analyser)

Investigation		Analysed Value	Units	Normal range	Pt. Histogram
Hemoglobin	N	12.9	g/dL	11.0 - 15.0	
White Blood Cell Counts					
Total WBCs Count	N	7200	Cells/Cu.mm	4000 - 10000	
GRANULOCYTE	↓	**36.7**	%	50 - 70	
LYMPHOCYTE	↑	**55.8**	%	20 - 40	
EOSINOPHILS	N	7.5	%	3 - 14	
GRA in #	N	2600	Cells/Cu.mm	2000 - 7000	
LYM in #	↑	**4100**	Cells/Cu.mm	800 - 4000	
MID in #	N	500	Cells/Cu.mm	100 - 1200	
Red Blood Cell Counts					
Total RBCs Count	N	4.67	milli/Cu.mm	3.50 - 5.00	
P.C.V	↓	**33.1**	%	37 - 54	
RDWs	N	13.6	%	11.0 - 16.0	
RDWc	↓	**34.5**	fL	35 - 56	
MCV	↓	**70.9**	fL	80 - 100	
MCH	N	27.6	pg	27 - 32	
MCHC	↑	**38.9**	g/dL	32 - 36	
Platelet Counts					
Platelets Count	↓	**105000**	Cells/Cu.mm	150000 - 400000	
PCT	↓	**0.107**	%	0.11 - 0.28	
MPV	N	10.2	fL	6 - 12	
PDWc	N	15.1	%	9.00 - 17.0	

Lab Technician

X-RAY CR ATTACHED, TEST RUN BY FULLY AUTOMATED BIO CHEMISTRY ANALYZER, BIOSYSTEM A15C AND MINDRAY CELL COUNTER

(Under CMC Vellore (EQAS) Quality Control Lab No. 11711)

24HRS SERVICE

KARTHIK
Computerized Lab & X-Rays

Prakash Nursing Home, Chinnadharapuram - 639202. Karur Dt.
Phone : 04320 - 232353, **Cell : 99438 31044**

Pt's Name	: **MISS.DHARSHINI**	LAB. ID No	: 013861
Age & Sex	: 25 y / FEMALE	Collection Date	: 06-01-2026 07:40 AM
Ref by Dr.	: **DR.K.KANAGARAJ., M.B.B.S., P.G.Dip.Diab.,**	Report Date	: 06-01-2026 08:00 AM

COMPLETE BLOOD COUNT

(Done by mindray BC-2800 Fully automated hematological analyser)

Investigation		Analysed Value	Units	Normal range	Pt. Histogram
Hemoglobin	N	12.6	g/dL	11.0 - 15.0	
White Blood Cell Counts					
Total WBCs Count	↑	**11200**	Cells/Cu.mm	4000 - 10000	
GRANULOCYTE	↓	**49.9**	%	50 - 70	
LYMPHOCYTE	N	36.4	%	20 - 40	
EOSINOPHILS	N	13.7	%	3 - 14	
GRA in #	N	5600	Cells/Cu.mm	2000 - 7000	
LYM in #	↑	**4100**	Cells/Cu.mm	800 - 4000	
MID in #	↑	**1500**	Cells/Cu.mm	100 - 1200	
Red Blood Cell Counts					
Total RBCs Count	N	4.49	milli/Cu.mm	3.50 - 5.00	
P.C.V	↓	**31.8**	%	37 - 54	
RDWs	N	13.6	%	11.0 - 16.0	
RDWc	N	35.4	fL	35 - 56	
MCV	↓	**70.9**	fL	80 - 100	
MCH	N	28	pg	27 - 32	
MCHC	↑	**39.6**	g/dL	32 - 36	
Platelet Counts					
Platelets Count	↓	**53000**	Cells/Cu.mm	150000 - 400000	
PCT	↓	**0.054**	%	0.11 - 0.28	
MPV	N	10.3	fL	6 - 12	
PDWc	N	15.3	%	9.00 - 17.0	

Lab Technician

X-RAY CR ATTACHED, TEST RUN BY FULLY AUTOMATED BIO CHEMISTRY ANALYZER, BIOSYSTEM A15C AND MINDRAY CELL COUNTER

(Under CMC Vellore (EQAS) Quality Control Lab No. 11711)

24HRS SERVICE

Prakash Nursing Home, Chinnadharapuram - 639202. Karur Dt.
Phone : 04320 - 232353, **Cell : 99438 31044**

Lab ID No : 2601-00011746
Pt's Name : **Miss.DHARSHINI**
Age & Sex : 25 y / FEMALE
Ref. by Dr. : **DR.K.KANAGARAJ., M.B.B.S., P.G.DIP.DIAB.,**

Collection Date : 06-01-2026 07:40 am
Received Date : 06-01-2026 07:43 am
Report Date : 06-01-2026 08:00 am
Report Status : Final Report

Sample	Investigation	Result	Units	Normal Range & Methods
	SEROLOGY REPORT			
WIDAL TEST (Slide Method)				
Serum	S.TYPHI " O "	Negative (1:20 dil)		
Serum	S.TYPHI " H "	Negative (1:20 dil)		
Serum	S.PARA TYPHI "A(H)"	Negative (1:20 dil)		
Serum	S.PARA TYPHI "B(H)"	Negative (1:20 dil)		

End of Report

Lab Technician

RTHIK
Computerized Lab & X-Rays

Prakash Nursing Home, Chinnadharapuram - 639202. Karur Dt.

Phone : 04320 - 232353, **Cell : 99438 31044**

Pt's Name : **MISS.DHARSHINI**

Age & Sex : 25 Y / FEMALE

Ref by Dr. : **DR.K.KANAGARAJ., M.B.B.S., P.G.Dip.Diab.,**

LAB. ID No : 013881

Collection Date : 07-01-2026 07:20 AM

Report Date : 07-01-2026 07:40 AM

COMPLETE BLOOD COUNT

(Done by mindray BC-2800 Fully automated hematological analyser)

Investigation	Analysed Value		Units	Normal range	Pt. Histogram
Hemoglobin	N	13	g/dL	11.0 - 15.0	
White Blood Cell Counts					
Total WBCs Count	N	7900	Cells/Cu.mm	4000 - 10000	
GRANULOCYTE	↓	**39.3**	%	50 - 70	
LYMPHOCYTE	↑	**51.1**	%	20 - 40	
EOSINOPHILS	N	9.6	%	3 - 14	
GRA in #	N	3100	Cells/Cu.mm	2000 - 7000	
LYM in #	N	4000	Cells/Cu.mm	800 - 4000	
MID in #	N	800	Cells/Cu.mm	100 - 1200	
Red Blood Cell Counts					
Total RBCs Count	N	4.73	milli/Cu.mm	3.50 - 5.00	
P.C.V	↓	**33.7**	%	37 - 54	
RDWs	N	13.6	%	11.0 - 16.0	
RDWc	N	35.4	fL	35 - 56	
MCV	↓	**71.3**	fL	80 - 100	
MCH	N	27.4	pg	27 - 32	
MCHC	↑	**38.5**	g/dL	32 - 36	
Platelet Counts					
Platelets Count	↓	**67000**	Cells/Cu.mm	150000 - 400000	
PCT	↓	**0.069**	%	0.11 - 0.28	
MPV	N	10.3	fL	6 - 12	
PDWc	N	15.1	%	9.00 - 17.0	







BIOCHEMISTRY

C R P	: 1.2	mg/L	< 5.0

Lab Technician

X-RAY CR ATTACHED, TEST RUN BY FULLY AUTOMATED BIO CHEMISTRY ANALYZER, BIOSYSTEM A15C AND MINDRAY CELL COUNTER

(Under CMC Vellore (EQAS) Quality Control Lab No. 11711)

24HRS SERVICE

பிரகாஷ் மருத்துவமனை, சின்னதாராபுரம்.

R Dhanu . 5/01/26

f Neutrophil 0

F Compl 0

RBC 0

Lymph 30

NS 0

K.R.C. பார்மஸி

akash Nursing Home, Chinnadharapuram - 639202. Karur Dt.
Phone : 04320 - 232353, **Cell : 99438 31044**

LAB. ID No : 013857
Collection Date : 05-01-2026 01:00 PM
Report Date : 05-01-2026 01:20 PM

LOOD COUNT

automated hematological analyser)

				Normal range	Pt. Histogram
				11.0 - 15.0	
nm				4000 - 10000	
				50 - 70	
				20 - 40	
				3 - 14	
nm				2000 - 7000	
LYM in #	N	3000	Cells/Cu.mm	800 - 4000	
MID in #	N	900	Cells/Cu.mm	100 - 1200	

Red Blood Cell Counts

Total RBCs Count	N	4.66	milli/Cu.mm	3.50 - 5.00	
P.C.V	↓	**33**	%	37 - 54	
RDWs	N	13.6	%	11.0 - 16.0	
RDWc	N	35.4	fL	35 - 56	
MCV	↓	**70.9**	fL	80 - 100	
MCH	N	27	pg	27 - 32	
MCHC	↑	**38.1**	g/dL	32 - 36	

Platelet Counts

Platelets Count	↓	**50000**	Cells/Cu.mm	150000 - 400000	
PCT	↓	**0.05**	%	0.11 - 0.28	
MPV	N	10.1	fL	6 - 12	
PDWc	N	15	%	9.00 - 17.0	

BIOCHEMISTRY

C R P	: 1.5	mg/L	< 5.0

Lab Technician

X-RAY CR ATTACHED, TEST RUN BY FULLY AUTOMATED BIO CHEMISTRY ANALYZER, BIOSYSTEM A15C AND MINDRAY CELL COUNTER

(Under CMC Vellore (EQAS) Quality Control Lab No. 11711)

24HRS SERVICE

..., சின்னதாராபுரம்.

8/01/26

K.R.C. பார்மஸி

1/1/26 01:01PM

...ரம். 04320 - 232353
80982 98889

...ர்த்தி M.D. (Anes.),
...யல் மற்றும் பொது மருத்துவர்.

...ரவர்த்தி M.S.(O.G.),FMAS.,FIART.,
...ர் மருத்துவர்

...லை மணி 4-00 to 9-00

...தேதி: 04/01/26

உணவுக்கு		காலை	மதியம்	மாலை	இரவு
முன்	பின்				

Temp..... B.P..... Wt. 57 kg

FPS..... PPS..... RBS.....

K.R.C. பார்மஸி ☎ 232153.
விற்ற மருந்துகள் வாபஸ் வாங்கப்படமாட்டாது.
விரைவில் குணம்பெற வாழ்த்துகிறோம்.



...uram - 639202. Karur Dt.
9438 31044

48
1-2026 02:10 PM
1-2026 02:35 PM

Histogram





Platelets Count	↓	95000	Cells/Cu.mm	150000 - 400000
PCT	↓	0.088	%	0.11 - 0.28
MPV	N	9.3	fL	6 - 12
PDWc	N	14.7	%	9.00 - 17.0

1.8



Lab Technician

X-RAY CR ATTACHED, TEST RUN BY FULLY AUTOMATED BIO CHEMISTRY ANALYZER, BIOSYSTEM A15C AND MINDRAY CELL COUNTER

(Under CMC Vellore (EQAS) Quality Control Lab No. 11711)

24HRS SERVICE

Prakash Nursing Home, Chinnadharapuram - 639202. Karur Dt.
Phone : 04320 - 232353, **Cell : 99438 31044**

Pt's Name : **MISS.DHARSHINI**
Age & Sex : 25 y / FEMALE
Ref by Dr. : **DR.K.KANAGARAJ., M.B.B.S., P.G.Dip.Diab.,**

LAB. ID No : 013848
Collection Date : 04-01-2026 02:10 PM
Report Date : 04-01-2026 02:35 PM

COMPLETE BLOOD COUNT

(Done by mindray BC-2800 Fully automated hematological analyser)

Investigation		Analysed Value	Units	Normal range	Pt. Histogram
Hemoglobin	N	13.3	g/dL	11.0 - 15.0	
White Blood Cell Counts					
Total WBCs Count	N	4900	Cells/Cu.mm	4000 - 10000	
GRANULOCYTE	↓	**44.8**	%	50 - 70	
LYMPHOCYTE	↑	**44.1**	%	20 - 40	
EOSINOPHILS	N	11.1	%	3 - 14	
GRA in #	N	2200	Cells/Cu.mm	2000 - 7000	
LYM in #	N	2200	Cells/Cu.mm	800 - 4000	
MID in #	N	500	Cells/Cu.mm	100 - 1200	
Red Blood Cell Counts					
Total RBCs Count	↑	**5.27**	milli/Cu.mm	3.50 - 5.00	
P.C.V	N	37.4	%	37 - 54	
RDWs	N	14.1	%	11.0 - 16.0	
RDWc	N	36.1	fL	35 - 56	
MCV	↓	**71**	fL	80 - 100	
MCH	↓	**25.2**	pg	27 - 32	
MCHC	N	35.5	g/dL	32 - 36	
Platelet Counts					
Platelets Count	↓	**95000**	Cells/Cu.mm	150000 - 400000	
PCT	↓	**0.088**	%	0.11 - 0.28	
MPV	N	9.3	fL	6 - 12	
PDWc	N	14.7	%	9.00 - 17.0	







1.8

Lab Technician

X-RAY CR ATTACHED, TEST RUN BY FULLY AUTOMATED BIO CHEMISTRY ANALYZER, BIOSYSTEM A15C AND MINDRAY CELL COUNTER

(Under CMC Vellore (EQAS) Quality Control Lab No. 11711)

24HRS SERVICE

...terized Lab & X-Rays

Prakash Nursing Home, Chinnadharapuram - 639202. Karur Dt.
Phone : 04320 - 232353, **Cell : 99438 31044**

Lab ID No : 2601-00011699
Pt's Name : **Miss.DHARSHINI**
Age & Sex : 25 Y / FEMALE
Ref. by Dr. : **DR.K.KANAGARAJ., M.B.B.S., P.G.DIP.DIAB.,**

Collection Date : 04-01-2026 02:10 pm
Received Date : 04-01-2026 02:13 pm
Report Date : 04-01-2026 02:35 pm
Report Status : Final Report

Sample	Investigation	Result	Units	Normal Range & Methods
		HAEMATOLOGY REPORT		
Blood	MP Card Test	Negative		
		SEROLOGY REPORT		
SEROLOGICAL TEST				
Serum	C-REACTIVE PROTEIN	1.6	mg/L	Adult: < 5
WIDAL TEST (Slide Method)				
Serum	S.TYPHI " O "	Negative (1:20 dil)		
Serum	S.TYPHI " H "	Negative (1:20 dil)		
Serum	S.PARA TYPHI "A(H)"	Negative (1:20 dil)		
Serum	S.PARA TYPHI "B(H)"	Negative (1:20 dil)		
DENGUE ANTIGEN & ANTIBODY TEST				
Serum	NS1 Antigen	NEGATIVE		
Serum	IgG Antibody	NEGATIVE		
Serum	IgM Antibody	NEGATIVE		
		CLINICAL PATHOLOGY REPORT		
Urine Analysis				
Urine	Colour & Appearance	Straw yellow, Slightly Turbid		
Urine	Glucose (R)	Nil		
Urine	Billirubin	Nil		
Urine	Ketone	Negative		
Urine	Specific Gravity	1.020		1.015 - 1.025
Urine	Blood	Negative		
Urine	pH	**5.5**		

Lab Technician

X-RAY CR ATTACHED, TEST RUN BY FULLY AUTOMATED BIO CHEMISTRY ANALYZER, BIOSYSTEM A15C AND MINDRAY CELL COUNTER

Prakash Nursing Home, Chinnadharapuram - 639202. Karur Dt.
Phone : 04320 - 232353, **Cell : 99438 31044**

Lab ID No : 2601-00011699
Pt's Name : **Miss.DHARSHINI**
Age & Sex : 25 Y / FEMALE
Ref. by Dr. : **DR.K.KANAGARAJ., M.B.B.S., P.G.DIP.DIAB.,**

Collection Date : 04-01-2026 02:10 pm
Received Date : 04-01-2026 02:13 pm
Report Date : 04-01-2026 02:35 pm
Report Status : Final Report

Sample	Investigation	Result	Units	Normal Range & Methods
Urine	Protien	Negative		
Urine	Urobilinogen	NIL E.U/dL		0.2
Urine	Nitrite	Negative		
Deposits (Microscopic Examination)				
Urine	Pus cells	8 - 10 /hpf		
Urine	Epi Cells	2 - 3 /hpf		
Urine	R.B.Cs	Nil /hpf		
Urine	Cast	Nil /hpf		
Urine	Crystal	NIL		
Urine	Other's	Bacteria -Few		

End of Report

Lab Technician

(242)

மனை, சின்னதாராபுரம்.

hanshini

7/01/26.

cin ②
500 Ds. 2ml ①

xin ②
1g Ds. 5ml ②

ox-LBX-②

②

germina-②

பார்மஸி

பிரகாஷ் மருத்துவ

R Miss. D

N8 ①P R.L

Inj. Calciu

C. Microdex

T. Caripill-

Inj. Ampox
1

K.R.C

பிரகாஷ் மருத்துவமனை, சின்னதாராபுரம்.

R Miss. Dhanshini 6/01/26.

Inj. Ampoxin ② 1g Ds. 5ml ②.

C Inj. Amikacin ① 500 Ds-2ml ①

C. Microdex-LBX-②

C T. Caripill-②

Lio: Entrogermina ②.

K.R.C. பார்மஸி