

以太网适配器 以太网 3:

连接特定的 DNS 后缀	:	
IPv6 地址	:	2409:8928:a08:2eb7:7cf6:b060:a63:1f75
临时 IPv6 地址.	:	2409:8928:a08:2eb7:581f:4f8b:e9e4:8f6f
本地链接 IPv6 地址.	:	fe80::7cf6:b060:a63:1f75%3
IPv4 地址	:	192.168.42.207
子网掩码	:	255.255.255.0
默认网关.	:	fe80::cc0b:54ff:fe03:4380%3 192.168.42.129

以太网适配器 以太网 3:

Your Public IP address is:112.17.240.68

Your public IP address was determined by examining the `$_SERVER['REMOTE_ADDR']` superglobal.


```
Elements Console Sources Network >>
<html>
  <head>
    <title>Ip Address demo</title>
  </head>
  <body> == $0
    <h1>Your Public IP address is:112.17.240.68</h1>
    <p>
      "Your public IP address was determined by examining the
      $_SERVER['REMOTE_ADDR'] superglobal."
    </p>
  </body>
</html>
```

html body

Styles Event Listeners DOM Breakpoints Properties Accessibility

Filter :hov .cls +

```
element.style {
}
body {
  display: block;
  margin: 8px;
}
Inherited from html
html {
  color: -internal-root-color;
}
```



The diagram illustrates the box model for the body element. It shows a central content area with dimensions 965.600 x 678.400. This area is surrounded by a padding layer, which is further enclosed by a border. The entire box is surrounded by a margin of 8px. The diagram uses color coding: orange for the margin, yellow for the border, and green for the padding.

```
C:\Users\15372>nslookup -qt=A baidu.com
```

```
服务器: UnKnown
```

```
Address: 192.168.42.129
```

```
非权威应答:
```

```
名称: baidu.com
```

```
Addresses: 39.156.69.79
```

```
220.181.38.148
```

```
C:\Users\15372>nslookup -qt=ns baidu.com
```

```
服务器: UnKnown
```

```
Address: 192.168.42.129
```

```
非权威应答:
```

```
baidu.com      nameserver = dns.baidu.com
```

```
baidu.com      nameserver = ns2.baidu.com
```

```
baidu.com      nameserver = ns3.baidu.com
```

```
baidu.com      nameserver = ns4.baidu.com
```

```
baidu.com      nameserver = ns7.baidu.com
```

```
C:\Users\15372>nslookup baidu.com ns2.baidu.com
```

```
服务器: UnKnown
```

```
Address: 220.181.33.31
```

```
名称: baidu.com
```

```
Addresses: 39.156.69.79
```

```
220.181.38.148
```

```
C:\Users\15372>nslookup 114.114.114.114
```

```
服务器: UnKnown
```

```
Address: 192.168.42.129
```

```
名称: public1.114dns.com
```

```
Address: 114.114.114.114
```

```
element.style {  
}
```

```
head {                                user agent stylesheet  
  display: none;  
}
```

Inherited from [html.expanded](#)

```
html {                                user agent stylesheet  
  color: -internal-root-color;  
}
```

```
C:\Users\15372>tracert baidu.com
```

通过最多 30 个跃点跟踪

到 baidu.com [39.156.69.79] 的路由:

1	<1 毫秒	<1 毫秒	<1 毫秒	LAPTOP-N670SDTL [192.168.42.129]
2	*	*	*	请求超时。
3	51 ms	47 ms	57 ms	192.168.218.134
4	46 ms	57 ms	59 ms	192.168.210.165
5	*	*	*	请求超时。
6	*	*	*	请求超时。
7	*	*	*	请求超时。
8	*	*	*	请求超时。
9	*	*	*	请求超时。
10	*	*	*	请求超时。
11	*	*	*	请求超时。
12	*	*	*	请求超时。
13	*	*	*	请求超时。
14	*	*	*	请求超时。
15	*	*	*	请求超时。
16	*	*	*	请求超时。
17	72 ms	70 ms	66 ms	39.156.69.79

跟踪完成。