

Problem 1:

Compiler Error 1

- Wrong code: `*temp1 = temp + temp1;`
- Correct code: `*temp1 = *temp + *temp1;`
- Reason: If you are updating the value of a pointer, you cannot add two pointers, you must dereference both pointers

Compiler Error 2

- Wrong code: `&My_temp = *res;`
- Correct code: `My_temp = &res;`
- Reason: You cannot assign a value to an address it must be assigned to the variable. Additionally, `res` is not a pointer, so it cannot be used as one.

Runtime Error 1

- Wrong code: `std::cout << "The address of the variable value is " << ptr;`
- Correct code: `std::cout << "The address of the variable value is " << temp;`
- Reason: The statement is asking for the address of the variable value. To display that address, you must use the pointer that points to that address

Runtime Error 2

- Wrong code: `std::cout << "The data stored in the variable res is " << My_temp;`
- Correct code: `std::cout << "The data stored in the variable res is " << *My_temp;`
- Reason: The statement asks for the value of the variable `res`, not the address, so you must dereference the pointer to show the value

Problem 2:

COUT 1: The contents of the variable `count` is 200.

- This is because the `cout` statement comes after a while loop that runs while `count < 100`. The first iteration of the while loop will produce `count = 2`. The second iteration will produce `count = 200`.

COUT 2: The contents of the variable `sum` is 0

- This is because `sum` is initialized to 0 and the variable is never called in the utilized `if` and `else` blocks so it remains at 0 for the entire program.

Problem 3:

Compiler Error 1:

- Wrong code: `*pData2 = pData1 + pData2;`
- Correct code: `*pData2 = *pData1 + *pData2;`

Compiler Error 2

- Wrong code: `&pfData = *fData`
- Correct code: `pfData = &fData`

Runtime Error 1

- Wrong code: `std::cout << "The address of the variable nData1 is " << pData1 << endl;`
- Correct code: `std::cout << "The address of the variable nData1 is " << pData1 << endl;`

Runtime Error 2

- Wrong code: `std::cout << "The data stored in the variable fData" << pfData << endl;`
- Correct code: `std::cout << "The data stored in the variable fData" << *pfData << endl;`