

## Summary

Test script: xthScript

xic-build: OK

Test collection: xic (Test --help)

[: OK

xic (Test --help): 1 out of 1 tests succeeded.

Test collection: xic (Test --typecheck)

ex01.xi: Mismatch detected at line 1 of file ex01.typed.nml

expected: Valid Xi Program

found : : error:

ex02.xi: OK

ex03.xi: OK

ex04.xi: OK

ex05.xi: OK

ex06.xi: OK

ex07.xi: OK

ex08.xi: OK

ex09.xi: OK

ex10.xi: OK

ex11.xi: OK

ex12.xi: OK

spec1-full.xi: OK

spec1.xi: OK

spec2.xi: OK

spec3.xi: OK

gcd.xi: OK

ratadd-full.xi: OK

ratadd.xi: OK

ratadduse-full.xi: OK

ratadduse.xi: OK

insertionsort.xi: OK

arrayinit.xi: OK

arrayinit2-full.xi: OK

arrayinit2.xi: OK

mdarrays.xi: OK

xic (Test --typecheck): 25 out of 26 tests succeeded.

Test collection: xic-ref (--typecheck [basic test])

arracc01.xi: OK

arracc02.xi: OK

arracc03.xi: OK

arracc04.xi: Mismatch detected at line 1 of file arracc04.typed.nml

expected: Valid Xi Program

found : : error:

arracc05.xi: OK

arracc06.xi: Mismatch detected at line 1 of file arracc06.typed.nml

expected: Valid Xi Program

found : : error:

assign01.xi: Mismatch detected at line 1 of file assign01.typed.nml

expected: Valid Xi Program

found : : error:

assign02.xi: OK

assign03.xi: Mismatch detected at line 1 of file assign03.typed.nml

expected: Valid Xi Program

found : : error:

assign04.xi: OK

block01.xi: Mismatch detected at line 1 of file block01.typed.nml

expected: Valid Xi Program

found : : error:

block02.xi: OK

block03.xi: OK

## Summary

```
call01.xi: OK
call02.xi: OK
call03.xi: OK
call04.xi: Mismatch detected at line 1 of file call04.typed.nml
  expected: Valid Xi Program
  found   : : error:
if01.xi: Mismatch detected at line 1 of file if01.typed.nml
  expected: Valid Xi Program
  found   : : error:
if02.xi: Mismatch detected at line 1 of file if02.typed.nml
  expected: Valid Xi Program
  found   : : error:
if03.xi: Mismatch detected at line 1 of file if03.typed.nml
  expected: Valid Xi Program
  found   : : error:
if04.xi: OK
length01.xi: Mismatch detected at line 1 of file length01.typed.nml
  expected: Valid Xi Program
  found   : : error:
length02.xi: Mismatch detected at line 1 of file length02.typed.nml
  expected: Valid Xi Program
  found   : : error:
lit01.xi: OK
lit02.xi: OK
lit03.xi: OK
lit04.xi: OK
lit05.xi: OK
lit06.xi: OK
op01.xi: OK
op02.xi: OK
op03.xi: Mismatch detected at line 1 of file op03.typed.nml
  expected: Valid Xi Program
  found   : : error:
op04.xi: OK
op05.xi: OK
op06.xi: OK
op07.xi: OK
op08.xi: OK
op09.xi: OK
op10.xi: OK
op11.xi: OK
op12.xi: OK
return01.xi: OK
return02.xi: OK
var01.xi: OK
var02.xi: OK
var03.xi: OK
var04.xi: OK
var05.xi: Mismatch detected at line 1 of file var05.typed.nml
  expected: Valid Xi Program
  found   : : error:
var06.xi: Mismatch detected at line 1 of file var06.typed.nml
  expected: Valid Xi Program
  found   : : error:
while01.xi: Mismatch detected at line 1 of file while01.typed.nml
  expected: Valid Xi Program
  found   : : error:
xic-ref (--typecheck [basic test]): 35 out of 50 tests succeeded.
Test collection: xic-ref (--typecheck [use test])
  use01.xi: Mismatch detected at line 1 of file use01.typed.nml
```

## Summary

```
    expected: Valid Xi Program
    found   : : error:
use02.xi: OK
use03.xi: Mismatch detected at line 1 of file use03.typed.nml
    expected: Valid Xi Program
    found   : : error:
use04.xi: Mismatch detected at line 1 of file use04.typed.nml
    expected: Valid Xi Program
    found   : : error:
use05.xi: OK
xic-ref (--typecheck [use test]): 2 out of 5 tests succeeded.
Test collection: xic-ref (--typecheck [basic-syntax-error test])
assign01.xi: OK
assign02.xi: OK
assign03.xi: OK
assign04.xi: OK
block01.xi: OK
block02.xi: OK
call01.xi: OK
call02.xi: OK
call03.xi: OK
codedecl01.xi: OK
codedecl02.xi: OK
codedecl03.xi: OK
codedecl04.xi: OK
codedecl05.xi: OK
codedecl06.xi: OK
codedecl07.xi: OK
codedecl08.xi: OK
codedecl09.xi: OK
codedecl10.xi: OK
codedecl11.xi: OK
codedecl12.xi: OK
codedecl13.xi: OK
codedecl14.xi: OK
codedecl15.xi: OK
codedecl16.xi: OK
codedecl17.xi: OK
empty.xi: Mismatch detected at line 1 of file empty.typed.nml
    expected: : error:
    found   : Valid Xi Program
expr01.xi: OK
expr02.xi: OK
if01.xi: OK
if02.xi: OK
if03.xi: OK
length01.xi: OK
length02.xi: OK
length03.xi: OK
paramdecl01.xi: Mismatch detected at line 1 of file paramdecl01.typed.nml
    expected: : error:
    found   : Valid Xi Program
paramdecl02.xi: Mismatch detected at line 1 of file paramdecl02.typed.nml
    expected: : error:
    found   : Valid Xi Program
paramdecl03.xi: Mismatch detected at line 1 of file paramdecl03.typed.nml
    expected: : error:
    found   : Valid Xi Program
paramdecl04.xi: OK
use01.xi: Mismatch detected at line 1 of file use01.typed.nml
```

## Summary

```
    expected: : error:
    found    : Valid Xi Program
use02.xi: Mismatch detected at line 1 of file use02.typed.nml
    expected: : error:
    found    : Valid Xi Program
vardecl01.xi: Mismatch detected at line 1 of file vardecl01.typed.nml
    expected: : error:
    found    : Valid Xi Program
vardecl02.xi: Mismatch detected at line 1 of file vardecl02.typed.nml
    expected: : error:
    found    : Valid Xi Program
vardecl03.xi: OK
vardecl04.xi: OK
vardecl05.xi: OK
vardecl06.xi: OK
vardecl07.xi: OK
vardecl08.xi: Mismatch detected at line 1 of file vardecl08.typed.nml
    expected: : error:
    found    : Valid Xi Program
xic-ref (--typecheck [basic-syntax-error test]): 40 out of 49 tests succeeded.
Test collection: xic-ref (--typecheck [combo-syntax-error test])
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: Mismatch detected at line 1 of file
XXXXXX.typed.nml
    expected: : error:
    found    : Valid Xi Program
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: Mismatch detected at line 1 of file
XXXXXX.typed.nml
```

## Summary

```
    expected: : error:
    found    : Valid Xi Program
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
XXXXXX.xi: OK
xic-ref (--typecheck [combo-syntax-error test]): 40 out of 42 tests succeeded.
Test collection: xic-ref (--typecheck [extension-syntax-error test (might succeed)])
XXXXXX.xi: OK
vardecl01.xi: OK
xic-ref (--typecheck [extension-syntax-error test (might succeed)]): 2 out of 2 tests
succeeded.
Test collection: xic-ref (--typecheck [basic-expr-error test])
arracc01.xi: OK
arracc02.xi: OK
arracc03.xi: OK
arracc04.xi: OK
arracc05.xi: OK
arracc06.xi: OK
arracc07.xi: OK
call01.xi: OK
call02.xi: OK
call03.xi: OK
call04.xi: OK
call05.xi: OK
call06.xi: OK
call07.xi: OK
call08.xi: OK
call09.xi: OK
call10.xi: OK
call11.xi: OK
call12.xi: OK
length01.xi: OK
length02.xi: OK
length03.xi: OK
length04.xi: OK
length05.xi: OK
length06.xi: OK
length07.xi: OK
length08.xi: OK
length09.xi: OK
length10.xi: OK
lit01.xi: OK
lit02.xi: OK
lit03.xi: OK
lit04.xi: OK
lit05.xi: OK
lit06.xi: Incorrect output format: -1:-1 error:Cannot assign int to int[]
lit07.xi: Incorrect output format: -1:-1 error:Cannot assign bool to int[]
lit08.xi: Incorrect output format: -1:-1 error:Cannot assign bool to int[]
lit09.xi: OK
lit10.xi: OK
lit11.xi: OK
lit12.xi: OK
op01.xi: OK
op02.xi: OK
op03.xi: OK
```

## Summary

op04.xi: OK  
op05.xi: OK  
op06.xi: OK  
op07.xi: OK  
op08.xi: OK  
op09.xi: OK  
op10.xi: OK  
op11.xi: OK  
op12.xi: OK  
op13.xi: OK  
op14.xi: OK  
op15.xi: OK  
op16.xi: OK  
op17.xi: OK  
op18.xi: OK  
op19.xi: OK  
op20.xi: OK  
op21.xi: OK  
op22.xi: OK  
op23.xi: OK  
op24.xi: OK  
op25.xi: OK  
op26.xi: OK  
op27.xi: OK  
op28.xi: OK  
op29.xi: OK  
op30.xi: OK  
op31.xi: OK  
op32.xi: OK  
op33.xi: OK  
op34.xi: OK  
op35.xi: OK  
op36.xi: OK  
op37.xi: OK  
op38.xi: OK  
op39.xi: OK  
op40.xi: OK  
op41.xi: OK  
op42.xi: OK  
op43.xi: OK  
op44.xi: OK  
op45.xi: OK  
op46.xi: OK  
op47.xi: OK  
op48.xi: OK  
op49.xi: OK  
op50.xi: OK  
op51.xi: OK  
op52.xi: OK  
op53.xi: OK  
op54.xi: OK  
op55.xi: OK  
op56.xi: OK  
op57.xi: OK  
op58.xi: OK  
op59.xi: OK  
op60.xi: OK  
var01.xi: OK  
var02.xi: Incorrect output format: -1:-1 error:Cannot assign int to int[]  
var03.xi: Incorrect output format: -1:-1 error:Cannot assign int to bool[]

## Summary

```
var04.xi: OK
var05.xi: Incorrect output format: -1:-1 error:Cannot assign bool to int[]
var06.xi: Incorrect output format: -1:-1 error:Cannot assign bool to bool[]
var07.xi: OK
var08.xi: OK
var09.xi: Incorrect output format: -1:-1 error:Cannot assign int[] to bool[]
var10.xi: Incorrect output format: -1:-1 error:Cannot assign int[] to int[][]
xic-ref (--typecheck [basic-expr-error test]): 102 out of 111 tests succeeded.
Test collection: xic-ref (--typecheck [basic-stmt-error test])
assign01.xi: OK
assign02.xi: OK
assign03.xi: OK
assign04.xi: OK
assign05.xi: OK
assign06.xi: OK
assign07.xi: OK
assign08.xi: OK
assign09.xi: OK
assign10.xi: OK
assign11.xi: OK
assign12.xi: OK
assign13.xi: OK
assign14.xi: OK
assign15.xi: OK
assign16.xi: OK
assign17.xi: OK
assign18.xi: OK
assign19.xi: OK
assign20.xi: OK
assign21.xi: OK
assign22.xi: OK
assign23.xi: OK
assign24.xi: OK
assign25.xi: OK
assign26.xi: OK
assign27.xi: OK
assign28.xi: OK
assign29.xi: OK
assign30.xi: OK
assign31.xi: OK
assign32.xi: OK
assign33.xi: OK
assign34.xi: OK
assign35.xi: OK
assign36.xi: OK
assign37.xi: OK
assign38.xi: OK
assign39.xi: OK
assign40.xi: OK
assign41.xi: OK
assign42.xi: OK
assign43.xi: OK
assign44.xi: OK
assign45.xi: OK
assign46.xi: OK
assign47.xi: OK
assign48.xi: OK
assign49.xi: OK
assign50.xi: OK
assign51.xi: OK
```

## Summary

assign52.xi: OK  
assign53.xi: OK  
assign54.xi: OK  
assign55.xi: OK  
assign56.xi: OK  
assign57.xi: OK  
assign58.xi: OK  
assign59.xi: OK  
assign60.xi: OK  
assign61.xi: OK  
assign62.xi: OK  
assign63.xi: OK  
assign64.xi: OK  
assign65.xi: OK  
assign66.xi: OK  
assign67.xi: OK  
assign68.xi: OK  
assign69.xi: OK  
assign70.xi: OK  
assign71.xi: OK  
assign72.xi: OK  
assign73.xi: Incorrect output format: -1:-1 error:Cannot assign bool to int  
assign74.xi: Mismatch detected at line 1 of file assign74.typed.nml  
    expected: : error:  
    found   : Valid Xi Program  
assign75.xi: Mismatch detected at line 1 of file assign75.typed.nml  
    expected: : error:  
    found   : Valid Xi Program  
block01.xi: OK  
block02.xi: OK  
block03.xi: OK  
call01.xi: OK  
call02.xi: OK  
call03.xi: Mismatch detected at line 1 of file call03.typed.nml  
    expected: : error:  
    found   : Valid Xi Program  
call04.xi: OK  
call05.xi: OK  
call06.xi: Mismatch detected at line 1 of file call06.typed.nml  
    expected: : error:  
    found   : Valid Xi Program  
call07.xi: OK  
call08.xi: OK  
call09.xi: OK  
call10.xi: OK  
call11.xi: OK  
if01.xi: OK  
if02.xi: OK  
if03.xi: OK  
if04.xi: OK  
if05.xi: OK  
return01.xi: OK  
return02.xi: OK  
return03.xi: OK  
return04.xi: OK  
return05.xi: OK  
return06.xi: OK  
return07.xi: OK  
return08.xi: OK  
return09.xi: OK

## Summary

```
return10.xi: OK
return11.xi: OK
return12.xi: OK
return13.xi: OK
return14.xi: OK
return15.xi: OK
return16.xi: OK
return17.xi: OK
return18.xi: OK
var01.xi: OK
var02.xi: OK
var03.xi: Mismatch detected at line 1 of file var03.typed.nml
  expected: : error:
  found    : Valid Xi Program
var04.xi: OK
var05.xi: OK
var06.xi: Mismatch detected at line 1 of file var06.typed.nml
  expected: : error:
  found    : Valid Xi Program
var07.xi: OK
var08.xi: Mismatch detected at line 1 of file var08.typed.nml
  expected: : error:
  found    : Valid Xi Program
var09.xi: Mismatch detected at line 1 of file var09.typed.nml
  expected: : error:
  found    : Valid Xi Program
var10.xi: Mismatch detected at line 1 of file var10.typed.nml
  expected: : error:
  found    : Valid Xi Program
var11.xi: OK
var12.xi: OK
var13.xi: OK
var14.xi: Mismatch detected at line 1 of file var14.typed.nml
  expected: : error:
  found    : Valid Xi Program
var15.xi: OK
var16.xi: Mismatch detected at line 1 of file var16.typed.nml
  expected: : error:
  found    : Valid Xi Program
var17.xi: OK
var18.xi: Mismatch detected at line 1 of file var18.typed.nml
  expected: : error:
  found    : Valid Xi Program
while01.xi: OK
while02.xi: OK
xic-ref (--typecheck [basic-stmt-error test]): 119 out of 132 tests succeeded.
Test collection: xic-ref (--typecheck [use-error test])
decl01.xi: OK
decl02.xi: OK
decl03.xi: OK
decl04.xi: Mismatch detected at line 1 of file decl04.typed.nml
  expected: : error:
  found    : Valid Xi Program
decl05.xi: OK
use01.xi: Mismatch detected at line 1 of file use01.typed.nml
  expected: : error:
  found    : Valid Xi Program
use02.xi: Mismatch detected at line 1 of file use02.typed.nml
  expected: : error:
  found    : Valid Xi Program
```

## Summary

```
use03.xi: OK
use04.xi: Mismatch detected at line 1 of file use04.typed.nml
  expected: : error:
  found    : Valid Xi Program
use05.xi: OK
use06.xi: OK
use07.xi: Mismatch detected at line 1 of file use07.typed.nml
  expected: : error:
  found    : Valid Xi Program
xic-ref (--typecheck [use-error test]): 7 out of 12 tests succeeded.
xthScript: 374 out of 431 tests succeeded.
```

**xic (Test --typecheck): ex01.xi**

Mismatch detected at line 1 of file ex01.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/../../../../xth/tests/pa3/ex01.xi*

```
1 use io
2
3 main(args: int[][]) {
4   print("Hello, Worl\x64!\n")
5   c3po: int = 'x' + 47;
6   r2d2: int = c3po // No Han Solo
7 }
```

**Compiler's standard output:**

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/io.ixi' does not exist  
Type checking result written to:  
/home/vagrant/shared/xthtest/pa3/XXXXXX/ex01.typed

**xic-ref (--typecheck [basic test]): arracc04.xi**

Mismatch detected at line 1 of file arracc04.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/arracc04.xi*

```
1 foo() {  
2   i: int  
3  
4   ai1: int[] = {0, 1, 2,}  
5   i = ai1[0 + 1]  
6   i = ai1[(i)]  
7   i = ai1[-f()]  
8 }  
9  
10 f(): int {  
11   return -1  
12 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/arracc04.typed

**xic-ref (--typecheck [basic test]): arracc06.xi**

Mismatch detected at line 1 of file arracc06.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/arracc06.xi*

```
1 foo() {  
2   i: int  
3  
4   ai1: int[] = {0, 1, 2,}  
5   i = (ai1 + {0})[0]  
6  
7   aai1: int[][] = {{0}, ai1}  
8   i = (aai1[0] + ai1)[1]  
9 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/arracc06.typed

**xic-ref (--typecheck [basic test]): assign01.xi**

Mismatch detected at line 1 of file assign01.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/assign01.xi*

```
1 foo() {
2   i: int = 47
3   ai: int[] = {0,1,2}
4   x: int
5   x = 0
6   x = 'a'
7   x = i
8   x = 0 + 1
9   x = 0 - 1
10  x = 0 * 1
11  x = 0 *>> 1
12  x = 0 / 1
13  x = 0 % 1
14  x = -1
15  x = length({0})
16  x = ai[0]
17  x = f0()
18  x = f1(0)
19  x = f2(0, 1)
20 }
21
22 f0(): int {
23   return 0
24 }
25
26 f1(x: int): int {
27   return 0
28 }
29
30 f2(x: int, y: int): int {
31   return 0
32 }
```

**Compiler's standard output:**

null  
Type checking result written to:  
/home/vagrant/shared/xthtest/pa3/XXXXXX/assign01.typed

**xic-ref (--typecheck [basic test]): assign03.xi**

Mismatch detected at line 1 of file assign03.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/assign03.xi*

```
1 foo() {  
2   aai: int[][] = {{0}, {1}}  
3   x: int[]  
4   x = ""  
5   x = {}  
6   x = {0}  
7   x = aai[0]  
8   x = f0()  
9   x = f1(0)  
10  x = f2(0, 1)  
11  x = {0} + {1}  
12 }  
13  
14 f0(): int[] {  
15   return {0}  
16 }  
17  
18 f1(x: int): int[] {  
19   return {0}  
20 }  
21  
22 f2(x: int, y: int): int[] {  
23   return {0}  
24 }
```

**Compiler's standard output:**

null  
Type checking result written to:  
/home/vagrant/shared/xthtest/pa3/XXXXXX/assign03.typed

**xic-ref (--typecheck [basic test]): block01.xi**

Mismatch detected at line 1 of file block01.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/block01.xi*

```
1 foo() {  
2   foo()  
3   foo()  
4   foo()  
5   return  
6 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/block01.typed

**xic-ref (--typecheck [basic test]): call04.xi**

Mismatch detected at line 1 of file call04.typed.nml

expected: Valid Xi Program

found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/call04.xi*

```
1 foo(): int, bool, int[] {
2   i: int
3   i = f() + f()
4   i = f() - f()
5   i = f() * f()
6   i = f() *>> f()
7   i = f() / f()
8   i = f() % f()
9   i = -f()
10  i = length(h())
11
12  b: bool
13  b = f() == f()
14  b = f() != f()
15  b = f() < f()
16  b = f() <= f()
17  b = f() > f()
18  b = f() >= f()
19  b = g() == g()
20  b = g() != g()
21  b = g() & g()
22  b = g() | g()
23  b = !g()
24  b = h() == h()
25  b = h() != h()
26
27  a: int[]
28  a = {f()}
29  a = h() + h()
30
31  if (g()) p(f(), g(), h())
32  while (g()) p(f(), g(), h())
33  return f(), g(), h()
34 }
35
36 f(): int {
37   return 1
38 }
39
40 g(): bool {
41   return true
42 }
43
44 h(): int[] {
45   return ""
46 }
47
48 p(i: int, b: bool, a: int[]) {
49 }
```

**Compiler's standard output:**

null

Type checking result written to:

**xic-ref (--typecheck [basic test]): call04.xi**

/home/vagrant/shared/xthtest/pa3/XXXXXX/call04.typed

**xic-ref (--typecheck [basic test]): if01.xi**

Mismatch detected at line 1 of file if01.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/if01.xi*

```
1 foo(b: bool) {  
2   if (b) {  
3     return  
4   }  
5   x: int = 1  
6 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/if01.typed

**xic-ref (--typecheck [basic test]): if02.xi**

Mismatch detected at line 1 of file if02.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/if02.xi*

```
1 foo(b: bool) {  
2   if (b) {  
3     return  
4   }  
5   else {  
6   }  
7   x: int = 1  
8 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/if02.typed

**xic-ref (--typecheck [basic test]): if03.xi**

Mismatch detected at line 1 of file if03.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/if03.xi*

```
1 foo(b: bool) {  
2   if (b) {  
3   }  
4   else {  
5     return  
6   }  
7   x: int = 1  
8 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/if03.typed

**xic-ref (--typecheck [basic test]): length01.xi**

Mismatch detected at line 1 of file length01.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/length01.xi*

```
1 f() {  
2   x: int[] = {47}  
3   x01: int = length({})  
4   x02: int = length({1})  
5   x03: int = length({true, false})  
6   x04: int = length("")  
7   x05: int = length(x)  
8 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/length01.typed

**xic-ref (--typecheck [basic test]): length02.xi**

Mismatch detected at line 1 of file length02.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/length02.xi*

```
1 f() {  
2   x: int[] = {47}  
3   x01: int = length({{}})  
4   x02: int = length({{1}})  
5   x03: int = length({{true, false}})  
6   x04: int = length({""})  
7   x05: int = length({x})  
8   x06: int = length({{""}, {{0}}})  
9 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/length02.typed

**xic-ref (--typecheck [basic test]): op03.xi**

Mismatch detected at line 1 of file op03.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/op03.xi*

```
1 f() {  
2   x: int = 47  
3   x01: int = -0  
4   x02: int = -x  
5   x03: int = -(0)  
6   x04: int = -(0 + 1)  
7   x05: int = - -x  
8 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/op03.typed

**xic-ref (--typecheck [basic test]): var05.xi**

Mismatch detected at line 1 of file var05.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/var05.xi*

```
1 foo() {
2   i00: int = f1()
3   _ = f1()
4
5   i01: int, b01: bool = f2();
6   i02: int, _ = f2();
7   _, b03: bool = f2();
8   _, _ = f2();
9
10  i05: int, b05: bool, ai05: int[] = f3();
11  i06: int, b06: bool, _ = f3();
12  i07: int, _, ai07: int[] = f3();
13  i08: int, _, _ = f3();
14  _, b09: bool, ai09: int[] = f3();
15  _, b10: bool, _ = f3();
16  _, _, ai11: int[] = f3();
17  _, _, _ = f3();
18 }
19
20 f1(): int {
21   return 0
22 }
23
24 f2(): int, bool {
25   return 0, true
26 }
27
28 f3(): int, bool, int[] {
29   return 0, true, {1}
30 }
```

**Compiler's standard output:**

Type checking result written to:  
/home/vagrant/shared/xthtest/pa3/XXXXXX/var05.typed

**xic-ref (--typecheck [basic test]): var06.xi**

Mismatch detected at line 1 of file var06.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/var06.xi*

```
1 foo() {  
2   i01: int, b01: bool = f2();  
3   i01 = -i01  
4   b01 = !b01  
5 }  
6  
7 f2(): int, bool {  
8   return 0, true  
9 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var06.typed

**xic-ref (--typecheck [basic test]): while01.xi**

Mismatch detected at line 1 of file while01.typed.nml

expected: Valid Xi Program

found : : error:

**Content of test case:**

*pa/pa3/grading/tests/base/while01.xi*

```
1 foo(b: bool) {  
2   while (b) {  
3     return  
4   }  
5   x: int = 1  
6 }
```

**Compiler's standard output:**

null

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/while01.typed

**xic-ref (--typecheck [use test]): use01.xi**

Mismatch detected at line 1 of file use01.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/use/use01.xi*

```
1 use i01
2
3 foo() {
4   p1()
5   p2(true)
6   p3(0, {1})
7   x01: int = f1()
8   x02: int = f2(true)
9   x03: int = f3(0, {1})
10  x04: int, b04: bool = f4()
11  x05: int, b05: bool = f5(true)
12  x06: int, b06: bool = f6(0, {1})
13 }
```

**Compiler's standard output:**

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/i01.ixi' does not exist  
Type checking result written to:  
/home/vagrant/shared/xthtest/pa3/XXXXXX/use01.typed

**xic-ref (--typecheck [use test]): use03.xi**

Mismatch detected at line 1 of file use03.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/use/use03.xi*

```
1 use i01
2 use i02
3
4 foo() {
5   p1()
6   p2(true)
7   p3(0, {1})
8   x01: int = f1()
9   x02: int = f2(true)
10  x03: int = f3(0, {1})
11  x04: int, b04: bool = f4()
12  x05: int, b05: bool = f5(true)
13  x06: int, b06: bool = f6(0, {1})
14  x07: bool = g1()
15  x08: bool = g2(0)
16 }
```

**Compiler's standard output:**

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/i01.ixi' does not exist  
error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/i02.ixi' does not exist  
Type checking result written to:  
/home/vagrant/shared/xthtest/pa3/XXXXXX/use03.typed

**xic-ref (--typecheck [use test]): use04.xi**

Mismatch detected at line 1 of file use04.typed.nml  
expected: Valid Xi Program  
found : : error:

**Content of test case:**

*pa/pa3/grading/tests/use/use04.xi*

```
1 use i01
2 use i03
3
4 foo() {
5   p1()
6   p2(true)
7   p3(0, {1})
8   x01: int = f1()
9   x02: int = f2(true)
10  x03: int = f3(0, {1})
11  x04: int, b04: bool = f4()
12  x05: int, b05: bool = f5(true)
13  x06: int, b06: bool = f6(0, {1})
14  x07: bool = g1()
15  x08: bool = g2(0)
16 }
```

**Compiler's standard output:**

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/i01.ixi' does not exist  
error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/i03.ixi' does not exist  
Type checking result written to:  
/home/vagrant/shared/xthtest/pa3/XXXXXX/use04.typed

**xic-ref (--typecheck [basic-syntax-error test]): empty.xi**

Mismatch detected at line 1 of file empty.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/base-error/empty.xi*

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/empty.typed

**xic-ref (--typecheck [basic-syntax-error test]): paramdecl01.xi**

Mismatch detected at line 1 of file paramdecl01.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/base-error/paramdecl01.xi*

*1 f(x:int[1]) {}*

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/paramdecl01.typed

**xic-ref (--typecheck [basic-syntax-error test]): paramdecl02.xi**

Mismatch detected at line 1 of file paramdecl02.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/base-error/paramdecl02.xi*

*1 f(x:bool[][2]) {}*

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/paramdecl02.typed

**xic-ref (--typecheck [basic-syntax-error test]): paramdecl03.xi**

Mismatch detected at line 1 of file paramdecl03.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/base-error/paramdecl03.xi*

*1 f(x:int[][3][[]) {}*

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/paramdecl03.typed

**xic-ref (--typecheck [basic-syntax-error test]): use01.xi**

Mismatch detected at line 1 of file use01.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/base-error/use01.xi*

*1 use A*

**Compiler's standard output:**

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/A.ixi' does not exist

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/use01.typed

**xic-ref (--typecheck [basic-syntax-error test]): use02.xi**

Mismatch detected at line 1 of file use02.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/base-error/use02.xi*

*1* use A;

**Compiler's standard output:**

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/A.ixi' does not exist

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/use02.typed

**xic-ref (--typecheck [basic-syntax-error test]): vardecl01.xi**

Mismatch detected at line 1 of file vardecl01.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/base-error/vardecl01.xi*

```
1 f() {  
2   x:bool[][1]  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/vardecl01.typed

**xic-ref (--typecheck [basic-syntax-error test]): vardecl02.xi**

Mismatch detected at line 1 of file vardecl02.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/base-error/vardecl02.xi*

```
1 f() {  
2   x:bool[][1][]  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/vardecl02.typed

**xic-ref (--typecheck [basic-syntax-error test]): vardecl08.xi**

Mismatch detected at line 1 of file vardecl08.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/base-error/vardecl08.xi*

```
1 f() {  
2   x:int[1] = {1}  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/vardecl08.typed

Mismatch detected at line 1 of file XXXXXX.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/combo-error/XXXXXX.xi*

```
1 fail_on_bad_decl() {  
2     x:int[3] = {1, 2, 3} // Will fail because can't initialize indexed array  
3 }
```

**Compiler's standard output:**

Type checking result written to:

Mismatch detected at line 1 of file XXXXXX.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/../../../../pa2/grading/tests/combo-error/XXXXXX.xi*

*1 // Sometimes I like to dig a hole in my backyard and pretend I'm a carrot*

**Compiler's standard output:**

Type checking result written to:

**xic-ref (--typecheck [basic-expr-error test]): lit06.xi**

Incorrect output format: -1:-1 error:Cannot assign int to int[]

**Content of test case:**

*pa/pa3/grading/tests/base-expr-error/lit06.xi*

```
1 f() {  
2   x: int[] = 0  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/lit06.typed

**xic-ref (--typecheck [basic-expr-error test]): lit07.xi**

Incorrect output format: -1:-1 error:Cannot assign bool to int[]

**Content of test case:**

*pa/pa3/grading/tests/base-expr-error/lit07.xi*

```
1 f() {  
2   x: int[] = true  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/lit07.typed

**xic-ref (--typecheck [basic-expr-error test]): lit08.xi**

Incorrect output format: -1:-1 error:Cannot assign bool to int[]

**Content of test case:**

*pa/pa3/grading/tests/base-expr-error/lit08.xi*

```
1 f() {  
2   x: int[] = false  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/lit08.typed

**xic-ref (--typecheck [basic-expr-error test]): var02.xi**

Incorrect output format: -1:-1 error:Cannot assign int to int[]

**Content of test case:**

*pa/pa3/grading/tests/base-expr-error/var02.xi*

```
1 f() {  
2   x: int = 0  
3   y: int[] = x  
4 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var02.typed

**xic-ref (--typecheck [basic-expr-error test]): var03.xi**

Incorrect output format: -1:-1 error:Cannot assign int to bool[]

**Content of test case:**

*pa/pa3/grading/tests/base-expr-error/var03.xi*

```
1 f() {  
2   x: int = 0  
3   y: bool[] = x  
4 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var03.typed

**xic-ref (--typecheck [basic-expr-error test]): var05.xi**

Incorrect output format: -1:-1 error:Cannot assign bool to int[]

**Content of test case:**

*pa/pa3/grading/tests/base-expr-error/var05.xi*

```
1 f() {  
2   x: bool = true  
3   y: int[] = x  
4 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var05.typed

**xic-ref (--typecheck [basic-expr-error test]): var06.xi**

Incorrect output format: -1:-1 error:Cannot assign bool to bool[]

**Content of test case:**

*pa/pa3/grading/tests/base-expr-error/var06.xi*

```
1 f() {  
2   x: bool = true  
3   y: bool[] = x  
4 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var06.typed

**xic-ref (--typecheck [basic-expr-error test]): var09.xi**

Incorrect output format: -1:-1 error:Cannot assign int[] to bool[]

**Content of test case:**

*pa/pa3/grading/tests/base-expr-error/var09.xi*

```
1 f() {  
2   x: int[] = ""  
3   y: bool[] = x  
4 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var09.typed

**xic-ref (--typecheck [basic-expr-error test]): var10.xi**

Incorrect output format: -1:-1 error:Cannot assign int[] to int[][]

**Content of test case:**

*pa/pa3/grading/tests/base-expr-error/var10.xi*

```
1 f() {  
2   x: int[] = ""  
3   y: int[][] = x  
4 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var10.typed

**xic-ref (--typecheck [basic-stmt-error test]): assign73.xi**

Incorrect output format: -1:-1 error:Cannot assign bool to int

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/assign73.xi*

```
1 foo() {  
2   i: int[]  
3   i[0] = true  
4 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/assign73.typed

**xic-ref (--typecheck [basic-stmt-error test]): assign74.xi**

Mismatch detected at line 1 of file assign74.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/assign74.xi*

```
1 foo() {  
2   x: int  
3   x = f()  
4 }  
5  
6 f(): int, bool {  
7   return 0, true  
8 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/assign74.typed

**xic-ref (--typecheck [basic-stmt-error test]): assign75.xi**

Mismatch detected at line 1 of file assign75.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/assign75.xi*

```
1 foo() {  
2   x: int[]  
3   x[0] = f()  
4 }  
5  
6 f(): int, bool {  
7   return 0, true  
8 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/assign75.typed

**xic-ref (--typecheck [basic-stmt-error test]): call03.xi**

Mismatch detected at line 1 of file call03.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/call03.xi*

1 foo() {

2 f()

3 }

4

5 f(): int {

6 return 0

7 }

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/call03.typed

**xic-ref (--typecheck [basic-stmt-error test]): call06.xi**

Mismatch detected at line 1 of file call06.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/call06.xi*

```
1 foo() {  
2   f(0)  
3 }  
4  
5 f(x: int): int {  
6   return 0  
7 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/call06.typed

**xic-ref (--typecheck [basic-stmt-error test]): var03.xi**

Mismatch detected at line 1 of file var03.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/var03.xi*

```
1 foo() {  
2   foo: int  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var03.typed

**xic-ref (--typecheck [basic-stmt-error test]): var06.xi**

Mismatch detected at line 1 of file var06.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/var06.xi*

```
1 foo() {  
2   foo: int = 0  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var06.typed

**xic-ref (--typecheck [basic-stmt-error test]): var08.xi**

Mismatch detected at line 1 of file var08.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/var08.xi*

```
1 foo() {  
2   x: int[true]  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var08.typed

**xic-ref (--typecheck [basic-stmt-error test]): var09.xi**

Mismatch detected at line 1 of file var09.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/var09.xi*

```
1 foo() {  
2   foo: int[0]  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var09.typed

**xic-ref (--typecheck [basic-stmt-error test]): var10.xi**

Mismatch detected at line 1 of file var10.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/var10.xi*

```
1 foo() {  
2   i01: int = f2();  
3 }  
4  
5 f2(): int, bool {  
6   return 0, true  
7 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var10.typed

**xic-ref (--typecheck [basic-stmt-error test]): var14.xi**

Mismatch detected at line 1 of file var14.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/var14.xi*

```
1 foo() {  
2   _ = f2();  
3 }  
4  
5 f2(): int, bool {  
6   return 0, true  
7 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var14.typed

**xic-ref (--typecheck [basic-stmt-error test]): var16.xi**

Mismatch detected at line 1 of file var16.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/var16.xi*

```
1 foo() {  
2   x: int, foo: bool = f2();  
3 }  
4  
5 f2(): int, bool {  
6   return 0, true  
7 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var16.typed

**xic-ref (--typecheck [basic-stmt-error test]): var18.xi**

Mismatch detected at line 1 of file var18.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/base-stmt-error/var18.xi*

```
1 foo() {  
2   x: int = x  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/var18.typed

**xic-ref (--typecheck [use-error test]): decl04.xi**

Mismatch detected at line 1 of file decl04.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/use-error/decl04.xi*

```
1 f(f: int): int {  
2   return 0  
3 }
```

**Compiler's standard output:**

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/decl04.typed

**xic-ref (--typecheck [use-error test]): use01.xi**

Mismatch detected at line 1 of file use01.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/use-error/use01.xi*

1 use x01

2

3 foo() {

4 }

**Compiler's standard output:**

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/x01.ixi' does not exist

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/use01.typed

**xic-ref (--typecheck [use-error test]): use02.xi**

Mismatch detected at line 1 of file use02.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/use-error/use02.xi*

1 use i01

2 use i02

3

4 foo() {

5 }

**Compiler's standard output:**

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/i01.ixi' does not exist

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/i02.ixi' does not exist

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/use02.typed

**xic-ref (--typecheck [use-error test]): use04.xi**

Mismatch detected at line 1 of file use04.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/use-error/use04.xi*

1 use i01

2

3 f() {

4 }

**Compiler's standard output:**

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/i01.ixi' does not exist

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/use04.typed

**xic-ref (--typecheck [use-error test]): use07.xi**

Mismatch detected at line 1 of file use07.typed.nml

expected: : error:

found : Valid Xi Program

**Content of test case:**

*pa/pa3/grading/tests/use-error/use07.xi*

1 use x02

2

3 foo() {

4 }

**Compiler's standard output:**

error: '/home/vagrant/shared/xthtest/pa3/XXXXXX/x02.ixi' does not exist

Type checking result written to:

/home/vagrant/shared/xthtest/pa3/XXXXXX/use07.typed