| Ques | stion 1 | | | 0.85/100 Mark |
|-------------------|--|--|---|---|
| SQL | L stands for | | | |
| Ansv | wers | | | A L |
| 0 | Structured Question La | anguage | A | 100 |
| 0 | Structured Query Lang | uage | 1, 2 | • |
| 0 | Statement Query Langu | ıage | 0-1000 | |
| 0 | Structured Query Learn | ning | Conan S1 | |
| ,,,,,,,,, | | Validate Answer | Reset Answer | |
| | Dleace | Exam Started on: 20 Start Answering by Clicking | | Menu |
| Ques | stion 2 | Start Answering by Circum | garry question in the certifi | 0.85/100 Mark |
| | | | | تظهر العبارة التالية |
| WH Ansv | wers . M | عرفاتها أكبر من عشرة | في كل فئة للكتب التي م | فئات الكتب وأرقام الكتب |
| | vers 500 | عرفانها أكبر من عشرة يد عدد الكتب فيها عن عنا | في كل فئة للفئات التي يز | فئات الكتب وأرقام الكتب فئات الكتب وعدد الكتب ا تعطى العبارة خطأ عند ال |
| | ,50 | عرفاتها أكبر من عشرة يد عدد الكتب فيها عن عنا عرفاتها أكبر من عشرة | في كل فئة للفئات التي يز | فئات الكتب وعدد الكتب العلام العبارة خطأ عند الهام |
| Answ C | | عرفاتها أكبر من عشرة يد عدد الكتب فيها عن عش عرفاتها أكبر من عشرة Validate Answer | فى كل فئة للفئات التي يز تنفيذ | فئات الكتب وعدد الكتب الله عند الهي تعطي العبارة خطأ عند الهي فئات الكتب وعدد الكتب الهي الكتب الهي الكتب الهي الهي الهي الهي الهي الهي الهي الهي |
| Ansv C Ques | stion 3 | Validate Answer | فى كل فئة للفئات التى يز تنفيذ فى كل فئة للكتب التى مع | فئات الكتب وعدد الكتب الله عند الهي تعطي العبارة خطأ عند الهي فئات الكتب وعدد الكتب الهي الكتب الهي الكتب الهي الهي الهي الهي الهي الهي الهي الهي |
| Ques Ques | stion 3 header in CGI script c | Validate Answer | فى كل فئة للفئات التى ير تنفيذ فى كل فئة للكتب التى مع Reset Answer | فئات الكتب وعدد الكتب المحتب العلي العالم العالم العالم العالم العالم الكتب وعدد الكتب المحتب الكتب العالم الكتب العالم الكتب الكت |
| Ansv C Ques | stion 3 header in CGI script c A. format of the | Validate Answer an specify document. | فى كل فئة للفئات التي يز تنفيذ فى كل فئة للكتب التي مع Reset Answer | فئات الكتب وعدد الكتب المنتب وعدد الكتب المنتب وعدد الكتب وغدد الكتب عند المنتب وعدد الكتب الكتب عند الكتب ما 3.42/100 Mark on of the document. |
| Ques Ques | stion 3 header in CGI script c | Validate Answer can specify document. | فى كل فئة للفئات التي يز تنفيذ فى كل فئة للكتب التي مع Reset Answer B. new location D. start of the | فئات الكتب وعدد الكتب المنتب وعدد الكتب المنتب وعدد الكتب وغثات الكتب وعدد الكتب المنتب وعدد الكتب ا |
| Ques A1 | stion 3 header in CGI script c A. format of the C. (A) and (B) | Validate Answer can specify document. | فى كل فئة للفئات التي يز تنفيذ فى كل فئة للكتب التي مع Reset Answer B. new location D. start of the | فئات الكتب وعدد الكتب المنتب وعدد الكتب العالم عند الهيارة خطأ عند الحتب الكتب وعدد الكتب الكتب عليه الكتب الكتب |
| Ques A1 | stion 3 header in CGI script c A. format of the C. (A) and (B) | Validate Answer can specify document. | فى كل فئة للفئات التي يز تنفيذ فى كل فئة للكتب التي مع Reset Answer B. new location D. start of the | فئات الكتب وعدد الكتب المنتب وعدد الكتب المنتب وعدد الكتب وغثات الكتب وعدد الكتب المنتب وعدد الكتب ا |
| Ques Ques | header in CGI script of A. format of the C. (A) and (B) to | Validate Answer can specify document. | فى كل فئة للفئات التي يز تنفيذ فى كل فئة للكتب التي مع Reset Answer B. new location D. start of the | فئات الكتب وعدد الكتب المنتب وعدد الكتب المنتب وعدد الكتب وغثات الكتب وعدد الكتب المنتب وعدد الكتب ا |
| Ques A1 | stion 3 header in CGI script c A. format of the C. (A) and (B) 1 wers A. | Validate Answer can specify document. | فى كل فئة للفئات التي يز تنفيذ فى كل فئة للكتب التي مع Reset Answer | فئات الكتب وعدد الكتب المنتب وعدد الكتب المنتب وعدد الكتب وغثات الكتب وعدد الكتب المنتب وعدد الكتب ا |

MWT_WAT_S15

| 4ac | estion 4 | | 0.85/100 Marks |
|-----|---|--|--|
| | | | ما هو العنصر الغريب عن المج |
| Ans | wers | -0L | |
| | | Sun JavaMi | icroSystem Web Server 🔘 |
| | - 4 | 7 | Apache 💮 |
| | 0 -1000 | Micro | osoft Internet Explorer 🏀 |
| | Conan | Microsoft Intern | net Information Service |
| | | Validate Answer Reset Answer | |
| Que | estion 5 | | 0.85/100 Marks |
| Da | ta mining | | .01 |
| | | | AIVU |
| Ans | wers | or valuable business information in a large datab | 30 data 4 2 2 0 0 0 |
| 0 | data mart. | or valuable business information in a large datab | ase, data maremouse, or |
| 0 | Is a small data wareh | house, designed for the end-user needs. | onari |
| 0 | Is the indiscriminate | e distribution of electronic ads without the p | 1 |
| 0 | | ation organized and processed to convey unders ng and expertise as they apply to a current prol | |
| woo | | Validate Answer Reset Answer | |
| Que | estion 6 | | 0.85/100 Marks |
| Mo | dems convert Outgoir | ng information from | |
| Ans | swers | | m SM |
| 0 | Analog signals to voi | ice signals | 400 |
| 0 | | coded digital signals | 12 |
| (P) | Digital signals to ana | alog signals | No. |
| 0 | Analog signals to dig | gital signal | |
| | | Validate Answer Reset Answer | |
| | | Validate Answer Reset Answer | |
| Out | ection 7 | | 0.05/100 Marks |
| - | estion 7 | | 0.85/100 Marks |
| - | | s clicking a button is called : | 0.85/100 Marks |
| - | | | STATE OF THE PARTY |
| Α | | | THE PARTY OF A SECOND |
| Α | user action such as | | STATE OF THE PARTY |
| Α | user action such as | | STATE OF THE PARTY |
| Α | user action such as swers A condition | s clicking a button is called : Owan | THE PARTY OF A SECOND |


MWT_WAT_S15

| Que | estion 8 | | 3.42/100 Marks |
|---------|---|---|--------------------------------|
| Th | ere is a way of de | scribing XML data, how? | |
| Ans | wers | | $\mathcal{M}^{\mathcal{M}}$ |
| 0 | D. Both A and C. | | . 50 |
| 0 | C. XML uses a des | cription node to describe data | W - |
| 0 | B. XML uses XSL to | o describe data | |
| 0 | A. XML uses a DTD | to describe the data. | n SM |
| | | Validate Answer Reset Answer | |
| Que | estion 9 | | 0.85/100 Marks |
| Tro | ojan horse is | | |
| | | | |
| Ans | swers | E SONES E SONE | •01 |
| Ans | 11. 1000 | m containing a hidden malware that presents so | ecurity risk |
| Ans | A software progra | m containing a hidden malware that presents so f information that web sites store on your com | ecurity risk |
| Ans | A software progra A Small amounts o | m containing a hidden malware that presents so f information that web sites store on your com executed on the Internet | ecurity risk puter. |
| Ans | A software progra A Small amounts o An Illegal activity | m containing a hidden malware that presents of f information that web sites store on your com executed on the Internet ed at preventing a compromise to the system. | ecurity risk gw puter. |
| Ans | A software progra A Small amounts o An Illegal activity | m containing a hidden malware that presents of information that web sites store on your comexecuted on the Internet at preventing a compromise to the system. Validate Answer Reset Answer | C V |
| 0 0 0 | A software progra A Small amounts o An Illegal activity | | puter. Coulon 3.42/100 Marks |
| © © Oue | A software progra A Small amounts of An Illegal activity of The software aimed estion 10 ne language which | has recently become the defacto standard formal database system is B.SQL D.4GI | 3.42/100 Marks |
| Que The | A software progra A Small amounts of An Illegal activity of The software aimed estion 10 ne language which a ograms with relation Oracle | has recently become the defacto standard formal database system is B.SQL D.4GI | 3.42/100 Marks |
| Que The | A software progra A Small amounts of An Illegal activity of The software aimed assignments. The software aimed are language which a lograms with relation of the Coracle DBase. | has recently become the defacto standard formal database system is B.SQL D.4GI | 3.42/100 Marks |
| Que The | A software progra A Small amounts of An Illegal activity of The software aimed assistant 10 The language which longrams with relation Oracle DBase | has recently become the defacto standard formal database system is B.SQL D.4GI | 3.42/100 Marks |
| Que The | A software progra A Small amounts of An Illegal activity of The software aimed estion 10 ne language which a ograms with relation Oracle DBase Swers A. | has recently become the defacto standard formal database system is B.SQL | 3.42/100 Marks |


MWT_WAT_S15

| 1.000,000,000,000,000,000,000,000,000,00 | |
|--|-----------------------------------|
| | من أشهر التقنيات المستخدمة في تطو |
| Conon SM | ,Perl, ASP, PHP, JSP |
| 50 | HTML, DHTML, XHTML |
| · w | Java Script @ |
| a contraction of the contraction | Apache, IIS, Zeus |
| Validate Answer Reset Answer | |
| Question 12 | 0.85/100 Marks |
| DNS stands for | |
| Answers | nan SM |
| O Domain Name System | 600 |
| Directory Network Software | All |
| Directory Name System | NOV. |
| Domain Network System | |
| Validate Answer Reset Answer | |
| Question 13 | 0.85/100 Marks |
| The main Network Topologies are: | |
| Answers | an SM |
| ○ Internet and WAN | 100 |
| Bus, Star, and Ring | , 5 |
| © Computer Networks | ON THE REAL PROPERTY. |
| VPN and Darknet | |
| <u> </u> | |
| Validate Answer Reset Answer Question 14 | 3.42/100 Marks |
| | |
| The statement in SQL which allows to change the definition of | a table is |
| A.Alter B.Update | |
| C.Create D.Select | |
| Answers | -11 |
| | |
| ⊚ C. | |
| O D. | |
| Answers B. C. D. A. | |
| Validate Answer Reset Answer | |

MWT_WAT_S15




MWT_WAT_S15



MWT_WAT_S15

| Question 21 | | 6.84/100 Marks |
|--|---|--|
| has columns (roll_no dept-name). The following insert s Insert into department Insert into department Insert into department Insert into student va Insert into student va | statements were nt values (1, 'Ma nt values(1, 'Phys nt values(1, 'Nav dues (2, 'Ravi', 2 dues (3, 'Gitu', 1 | sics'); in', 1););); |
| A STATE OF THE PARTY OF THE PAR | | retrieved by the following SQL, statement? |
| Select * from studen | 20 HZ | |
| A.0 row and 4 colum | | B.3 rows and 4 columns |
| C.3 rows and 5 colu | mns | D.6 rows and 5 columns |
| Answers | | Conan SM |
| | | 71100 |
| B. | | , 5 |
| Θ A. | | 2 4000 |
| D. | | 10000 |
| | | V |
| | Validate | Answer Reset Answer |
| Question 22 | *************************************** | 0.85/100 Marks |
| The Internet Protocol | IPv4 uses: | |
| Answers | | Conan SM |
| 32-bit IP address | | 4100 |
| 2-byte IP address | | , 5 |
| 1-byte IP address | | a 4000 |
| 32-byte IP address | | 10000 |
| | | |
| | Validate | |
| Question 23 | | 0.85/100 Marks |
| | | any, that use the internet for transmission but is the company, are called |
| Answers | å | Conan SM |
| Extranets | | 2 000 |
| Virtual private net | works | |
| Darknets | | O all Oliv |
| Intranets | | (1,0 ¹) |
| | | |
| | Validate | Answer Reset Answer |


MWT_WAT_S15



MWT_WAT_S15



MWT_WAT_S15



MWT_WAT_S15

| | estion | | | | |
|--|-------------------------|--|----------------|--------------------------|--|
| Answers High Text Transport Protocol Hyper Transport Text Protocol High Transport Text Protocol Hyper Text Transfer Protocol Hyper Text Transfer Protocol | | | | | |
| An | swers | | | | 100 |
| 0 | High ' | Text Transport Protocol | | | 200 |
| 0 | Нуре | r Transport Text Protocol | | AIN | |
| 0 | High ' | Transport Text Protocol | - | aller | |
| 0 | Нуре | r Text Transfer Protocol | ľ | 0- | |
| | 2500000000 | Validat | | Reset Answer | |
| Que | stion 3 | 35 | | | 3.42/100 Mark |
| Ans | wers | | -01 | , | |
| C. | <p></p> | | | <tr></tr> | |
| | | | | | |
| Ans | d respectively. | | 10/ | , | |
| 8 | C. | | | | |
| 9 | | | Sun | | |
| 0 | D. | . 44 | Sur | | |
| 0 | Α. | agnav | 500 | | |
| 9 6 6 6 | 120 | Conar | Sur | | |
| 9 0 0 0 | Α. | Conon | | Reset Answer | |
| © © © Que | Α. | Validat | | | 3.42/100 Mark |
| | A. B. | Validat | | | 3.42/100 Mark |
| 200 | A. B. Stion 3 | Validat | e Answer F | Reset Answer | emputers attach to a central |
| | A. B. Sestion 3 | ork uses a star topology if A. Computers are arrange loop. C. All computers attach to cable. | ed in a closed | B. All co point. D. Comp | emputers attach to a central |
| A | A. B. Stion 3 | ork uses a star topology if A. Computers are arrange loop. C. All computers attach to cable. | ed in a closed | B. All co point. D. Comp | emputers attach to a central outers attach to multiple |
| A | A. B. Sestion 3 | ork uses a star topology if A. Computers are arrange loop. C. All computers attach to cable. | ed in a closed | B. All co point. D. Comp | emputers attach to a central outers attach to multiple |
| A | A. B. Sestion 3 Netwo | ork uses a star topology if A. Computers are arrange loop. C. All computers attach to cable. | ed in a closed | B. All co point. D. Comp | emputers attach to a central outers attach to multiple |
| A | A. B. Netwo | ork uses a star topology if A. Computers are arrange loop. C. All computers attach to cable. | ed in a closed | B. All co point. D. Comp | emputers attach to a central outers attach to multiple |

MWT_WAT_S15

| Question 37 | | 3.42/100 Marks |
|---|---|---------------------|
| To delete a particular co | olumn in a relation the command used is: | |
| A.UPDATE TABLE | B. TRUNCATE COLUMN | Į. |
| C.ALTER , DROP | D.DELETE COLUMN | |
| \$20 | onan SM | |
| Answers | 1100 | |
| | 50 | |
| C. | · M | |
| □ D. □ □ | alla | |
| | ~ | |
| | Validate Answer Reset Answer | |
| Question 38 | | 3.42/100 Marks |
| is a v ir tual | I table that draws its data from the result of an SQI | L SELECT |
| statement | | |
| A.View | B. Synonym | |
| C.Sequence | D.Transaction | |
| Answers | Conan Soll | |
| D. | 2000 | |
| A. | - A. J. | |
| ⊚ C. | 0 - 11000 | |
| ⊚ B. | (1)040 | |
| | Validate Answer Reset Answer | |
| Question 39 | Validate Albital Reset Albital | 3.42/100 Marks |
| A data manipulation co | mmand that combines the records from one or mo | re tables is called |
| A.SELECT | B.PROJECT | ic tables is called |
| C.JOIN | D.PRODUCT | |
| O.JOH V | | |
| Answers | ^0 \/ | |
| | Conan SM | |
| | 1, 2 | |
| Α. | 0 4000 | |
| | (1)040 | |
| | | |
| | Validate Answer Reset Answer | |

MWT_WAT_S15

| | | 0.85/100 Marks |
|--|--|---|
| | | تُغَفَّد قَيِم الكعكة في صفحات الوب |
| | | Cookie |
| | <u>.</u> | |
| Answers | nan Sall | عند الخروج من الموقع |
| | . 50 | م بعد فنرة زمنية محددة |
| | . ON | عند الخروج من الصفحة |
| <i>O</i> o | Mv. | عند إطفاء الحاسب |
| V | The state of the s | |
| Question 41 | Validate Answer Rese | 3.42/100 Marks |
| Question 41 | | 3.42/100 Plans |
| Which of the following | ng statement is true? | |
| A. All the s | tatements are true. | B. All XML elements must have closing tag. |
| | L elements must be lower case. | D. All XML documents must have a DTD. |
| Answers | Conan SM | |
| C. | 1100 | |
| A. | . 50 | |
| B. | - AON | |
| D. | now. | |
| | V | |
| | THE CONTRACTOR OF THE CONTRACT | |
| | Validate Answer Rese | et Answer |
| | Validate Answer Rese | 0.85/100 Marks |
| Question 42 | Validate Answer Rese | - Chail-Chail-Chaile Chaire Chaire Chaire Chaire Chaire Chaire |
| Question 42 SELECT Books.Ca | Validate Answer Reseted | 0.85/100 Marks تظهر العبارة الثالية |
| Question 42 SELECT Books.Car FROM Books GROUP BY Books. | tegory, Count(Books.ID) A | 0.85/100 Marks تظهر العبارة التالية |
| Question 42 SELECT Books.Car FROM Books GROUP BY Books. HAVING (((Count | tegory, Count(Books.ID) A Category (Books.ID))>10)) | 0.85/100 Marks تظهر العبارة التالية |
| Question 42 SELECT Books.Cat FROM Books GROUP BY Books. HAVING (((Count | tegory, Count(Books.ID) A Category (Books.ID))>10)) | 0.85/100 Marks تظهر العبارة التالية |
| Question 42 SELECT Books.Cat FROM Books GROUP BY Books. HAVING (((Count | tegory, Count(Books.ID) A Category (Books.ID))>10)) | 0.85/100 Marks تظهر العبارة التالية |
| Question 42 SELECT Books.Cat FROM Books GROUP BY Books. HAVING (((Count | tegory, Count(Books.ID) A Category (Books.ID))>10)) | 0.85/100 Marks تظهر العبارة التالية S CountOfID |
| Question 42 SELECT Books.Cat FROM Books GROUP BY Books. | tegory, Count(Books.ID) A Category (Books.ID))>10)) | 0.85/100 Marks تظهر العبارة التالية S CountOfID هند التنفيذ (العبارة خطأ عند التنفيذ (العبارة خطأ عند التنفيذ |

MWT_WAT_S15

| Question 43 | | 0.85/100 Mark |
|--|---|--------------------------------|
| | قِع باستخدام الملف | تُحدد البنية الهرمية لصفحات مو |
| Answers | Conan SM | |
| | 2000 | web.config |
| | . 11 | web.ini |
| | O allow | web.sitemap |
| | Con | global.asax 🔘 |
| | Validate Answer Reset Answer | |
| Question 44 | | 0.85/100 Marks |
| 111 | | يطبع البرنامج التالي |
| int x = 0; for (int i = | 1; i <= 5; i++) | ¥ ,C = ,C + |
| x = i + i | i; | |
| Console.Write | | |
| | | |
| Answers | MONTH TOOKS | 7 / . |
| Answers 20 | A | M |
| The state of the s | ,5 | Ju |
| | a nan Si | Ju |
| 205 | Conan S | Ju |
| © 20 © 5 © 10 | Coulom Si Validate Answer Reset Answer | Jv. |
| 20510 | | |
| 2051015 Question 45 | Validate Answer Reset Answer | 3.42/100 Marks |
| 20 5 10 15 Question 45 fun | | 3.42/100 Marks |
| 20 5 10 15 Question 45 fun remainder | Validate Answer Reset Answer | 3.42/100 Marks |
| 20 5 10 15 Question 45 fun | Validate Answer Reset Answer action divides one numeric expression by another B.MOD D.REMAINDER | 3.42/100 Marks |
| 20 5 10 15 Question 45 fun remainder A.POWER | Validate Answer Reset Answer action divides one numeric expression by another B.MOD D.REMAINDER | 3.42/100 Marks |
| ○ 20 ○ 5 ○ 10 ○ 15 Question 45fun remainder A.POWER C.ROUND | Validate Answer Reset Answer action divides one numeric expression by another B.MOD D.REMAINDER | 3.42/100 Marks |
| © 20 © 5 © 10 © 15 Question 45 fun remainder A.POWER C.ROUND Answers | Validate Answer Reset Answer action divides one numeric expression by another B.MOD D.REMAINDER | 3.42/100 Marks |
| ○ 20 ○ 5 ○ 10 ○ 15 Question 45 fun remainder A.POWER C.ROUND Answers ○ D. | Validate Answer Reset Answer action divides one numeric expression by another B.MOD D.REMAINDER | 3.42/100 Marks |

MWT_WAT_S15

| Question 46 | 3.42/100 Marks |
|-------------------------------------|--|
| In IP addressing scheme, class | used for multicasting is: |
| A. Class A | B. Class B |
| C. Class C | D. Class D |
| Answers | an 50M |
| ⊚ C. | 600 |
| 6 D. | ask - |
| | Ma. |
| ⊚ B. | |
| Val | idate Answer Reset Answer |
| Question 47 | 3.42/100 Marks |
| Well formed XML docum | nent means |
| A. It contains a root element | |
| B. It contain an element | |
| C. It contains one or more elem | ents |
| DM | |
| D. Must contain one of more er | ements and root element must contain all other elements |
| Answers | Communication of element must contain all other elements |
| | , 5° |
| ○ A.○ C. | 0 . 11011 |
| D. | 7,000 |
| | |
| Question 48 | lidate Answer Reset Answer 0.85/100 Marks |
| Product School Control | تُخزن قيم الكعكة في صفحات الوب |
| | ., , , , , , , |
| | Cookie |
| | |
| | 9 |
| Answers | 201 |
| في ذاكرة المخدم 🔘 | 2000 |
| في ملف على المخدم 🔘 | A.W |
| في ملف على الزبون 🌎 | a allar |
| في ذاكرة الزبون 🔘 | Conan SM |
| Va | lidate Answer Reset Answer |
| | |

MWT_WAT_S15



MWT_WAT_S15