

Ansible Playbooks

Automation with YAML – Concepts
and Examples

What is an Ansible Playbook?

- A playbook is a YAML file that defines automation steps.
- Used for configuration, deployment, and orchestration.
- Consists of plays, tasks, handlers, variables, and more.
- Written in a human-readable format.

playbook.yml

```
-  
  name: Play 1  
  hosts: localhost  
  tasks:
```

- name: Execute command 'date'
 command: date
- name: Execute script on s
 script: test_script.sh

```
-  
  name: Play 2  
  hosts: localhost  
  tasks:
```

- name: Install web service
 yum:

```
    name: httpd  
    state: present
```

- name: Start web server
 service:
 name: httpd
 state: started

Structure of a Playbook

- - name: Description of the play
- hosts: Targeted hosts or group
- become: yes (to run with sudo)
- tasks: List of tasks to perform

Example:

playbook.yml

```
-  
  name: Play 1  
  hosts: localhost  
  tasks:  
    - name: Execute command 'date'  
      command: date  
  
    - name: Execute script on server  
      script: test_script.sh  
  
    - name: Install httpd service  
      yum:  
        name: httpd  
        state: present  
  
    - name: Start web server  
      service:  
        name: httpd  
        state: started
```

Ansible-playboock options

- Fork
- Limit

Summary

- ✓ Playbooks allow complex automation using YAML.
- ✓ Each play targets specific hosts and runs tasks.
- ✓ Supports variables, conditionals, loops, handlers.
- ✓ Easy to read, write, and maintain.