



# VTSCLOUD Developers API – Export API

Chris Hulse

June 22, 2026  
Version 1.02

## Revision History

| REVISION # | DATE      | REVISED BY  | DESCRIPTION                                          |
|------------|-----------|-------------|------------------------------------------------------|
| 1 – 1.00   | 1/15/2024 | Chris Hulse | Original Document Creation                           |
| 1.02       | 6/22/2026 | Chris Hulse | Update GetTowedVehicleDetails() for more parameters. |
|            |           |             |                                                      |
|            |           |             |                                                      |
|            |           |             |                                                      |
|            |           |             |                                                      |

Any reproduction or distribution of any part of this document without the prior written permission of © CKT Systems is strictly prohibited.

# Table of Contents

**Revision History..... 2**

**Introduction ..... 4**

    Purpose ..... 4

    Scope..... 4

    Background ..... 4

    Document Fluidity..... 4

    Assumptions and Constraints ..... 4

**Current Business Processes ..... 5**

    Common Parameters ..... 5

    Search Requirements..... 5

    Common Response Fields ..... 5

**Schema – Search Vehicle Results – Vehicle Summary..... 7**

**Schema – Search Vehicle Results – Vehicle Line Item Charges..... 10**

**Reference ..... 15**

**Appendix ..... 16**

## Introduction

---

The VTSCLOUD Developer API provides a simple means to access VTSCLOUD impound records and extended Business Logic.

The API is organized around standard Web Services(**asmx**). XML is used for the returned responses, including errors. For future releases JSON and a more extensive security model is to be considered.

### Purpose

This document deals with the requirements necessary to correctly access VTSCLOUD impound records and extended Business Logic.

### Scope

This document will be limited to requirements for accessing VTSCLOUD impound records and extended Business Logic and will not cover or touch on any data areas or processes that are not directly related to this. It is assumed that the developer will access the API using there own custom User Interface(UI) and that all Web Service calls will be consumed within that User Interface(UI) or application.

### Background

At this time, this document is providing requirements for implementation of this effort.

### Document Fluidity

The requirements in this document are derived from VTSCLOUD impound records and current Business Logic. Given this is an operational system, it is likely that changes to tables, calculations and other factors such as customer requests for updates can significantly change how the API can be accessed or the provided output. It is important to note the need for this documentation to remain fluid and the need to keep it up to date.

### Assumptions and Constraints

This document assumes that all processes and methods have been identified and contained in this document.

## Current Business Processes

Currently, there are two environments for VTSCLOUD. The development environment and the production environment with each being accessed with their own unique URL.

The Business Logic web service(s) are named:

- Development - <https://cktsystems.com/vtsCloud/WebServices/exportTowedVehicle.asmx>
- Production - <https://myvtsccloud.net/WebServices/exportTowedVehicle.asmx>

## Common Parameters

For this API Guide we only need to be concerned with the methods exposed for the Web Service **exportTowedVehicle.asmx**. The following are the most common parameters used:

- **appID** – For security purposes this value will be an Application key assigned to the external application developer provided by VTS Systems. **Contact VTS Systems to have a key provided.**
- **VIN** – String value that represents the Vehicle Identification Number commonly referred to as VIN.
- **licensePlate** – String value that represents the Vehicle License Plate..
- **year** – String value that represents the Vehicle Year.
- **vehicleMake** – String value that represents the Vehicle Make.
- **vehicleModel** – String value that represents the Vehicle Model.
- **towedDate** – String value that represents vehicle pick up date before being brought to the Impound.
- **ownerName** – String value that represents Registered Owner of Towed Vehicle.
- **towedVehicle** – Integer value that represents VTS Cloud towed vehicle unique internal ID returned from a previous call to the **getTowedVehicleDetails()** method.
- **emailAddress** – String value that represents the email address to send a Towed Vehicle Receipt.
- **XML** – String value that represents a collection of predefined parameters defined later in this document in a schema section that are required for the **pushTowedVehicleRelease()** method.

## Common Response Fields

For each Web Service method the returned XML collection will always contain some common fields. These common fields will also reside in each record contained in a XML collection of multiple records. The following are common fields that can be used for branch coding for the developer when processing responses from VTSCLOUD Web Services:

- **<errorStatus>** - Returns either true or false as a Boolean value to represent success or failure.
- **<errorMessage>** - Returns either "Success" or "Error Message with details" to represent success or reason for failure.

## Common Page Headings

There are some common headings on the document pages to denote the following:

- **Method** – Discusses the exposed method functionality with parameters to invoke the method.
- **Schema(Parameters)** – Defines the schema via a chart to describe what is **passed** to the method.
- **Schema(Response)** – Defines the schema via a chart to describe what is **returned** from the method.
- **Results(Sample)** – Shows a sample of data confined within the response schema.

## Method – getTowedVehicleDetails()

This method will be used for the developer to gather Vehicle Summary Information along with associated Line Item Detailed Charges Information.

For this exposed API we will have the following parameters to pass to the method:

- **appID** – For security purposes this value will be an Application key assigned to the external application developer provided by VTS Systems. **Contact VTS Systems to have a key provided.**
- **VIN** – String value that represents the Vehicle Identification Number commonly referred to as VIN.
- **licensePlate** – String value that represents the Vehicle License Plate..
- **year** – String value that represents the Vehicle Year.
- **vehicleMake** – String value that represents the Vehicle Make.
- **vehicleModel** – String value that represents the Vehicle Model.
- **towedDate** – String value that represents vehicle pick up date before being brought to the Impound.
- **ownerName** – String value that represents Registered Owner of Towed Vehicle.
- **vehicleInLotOnly** – Bool value(**true / false**) that represents the Towed Vehicle is in the “In Lot” status for a valid searching match.

## Search Requirements

- To perform a valid search there are minimum requirements and restrictions on the result data that is provided in the response. These are the following:
  - **appID** – Value passed must match a valid Application Key and active Impound location within VTSCLOUD.
  - **VIN** – If entered ONLY will meet requirements for a valid search. **NOVIN** is not a valid value.
  - **licensePlate** – If entered ONLY will meet requirements for a valid search. **NOPLATE** is not a valid value.
  - **year / vehicleMake / vehicleModel** – All must be entered to meet requirements for a valid search if no VIN or licensePlate is defined.
  - **ownerName** – If entered ONLY will meet requirements for a valid Search.
  - **towedDate** – If entered will be validated against a proper formatted date. The required format will be **MM-DD-YYYY**. If value passes proper date field validation then filter will be combined with other valid filters. **You cannot search solely by defining the Tow Date it must work in conjunction with another valid filter(s) explained above.**
  - **Aggregates** – All valid filter values passed will be combined to perform the search. This means if you define a VIN and towedDate they will work together for the search for example.
  - **Governance** – For performance and security any search criteria matched will only result in a maximum returned vehicle list of **10** records. The sole purpose of this API is for locating impounded vehicles for registered owners and not for overall data mining of VTSCLOUD.

## Schema(Response) – getTowedVehicleDetails() - Vehicle Details

| Fields                  | Type | Size   | Comment - Example                                                                |
|-------------------------|------|--------|----------------------------------------------------------------------------------|
| ID                      | Int  |        | VTS Cloud internal ID used for Lookup of Line Item Charges associated to Vehicle |
| VIN                     | Text | 20     | VIN # of Vehicle                                                                 |
| VehicleYear             | Int  |        | Vehicle Year - ( <b>Valid values:1900 - 2100</b> )                               |
| VehicleColorName        | Text | 30     | Color of Vehicle - ( <b>Red</b> )                                                |
| VehicleMakeName         | Text | 30     | Vehicle Make Name - ( <b>Lexus</b> )                                             |
| VehicleModelName        | Text | 30     | Vehicle Model Name - ( <b>IS350</b> )                                            |
| VehicleLicensePlate     | Text | 8      | License Plate of Vehicle                                                         |
| VehicleLicenseStateName | Text | 2      | Vehicle License State - ( <b>TX</b> )                                            |
| TowTypeName             | Text | 50     | Type of Tow Name - ( <b>Police Accident</b> )                                    |
| TowReasonName           | Text | 50     | Tow Reason Name - ( <b>Parked near Fire Hydrant</b> )                            |
| TowedStreet             | Text | 100    | Towed From Street – ( <b>1200 Travis</b> )                                       |
| TowedStreetTwo          | Text | 100    | Towed From Street(2) – ( <b>Suite B or Blank</b> )                               |
| TowedCityName           | Text | 50     | Towed From City – ( <b>Houston</b> )                                             |
| TowedStateName          | Text | 2      | Towed From State - ( <b>TX</b> )                                                 |
| TowedZipCode            | Text | 10     | Towed From Zip Code- ( <b>77393 or 77393-0633 or Blank</b> )                     |
| TowedDate               | Date | 10     | Towed Date - ( <b>MM-DD-YYYY</b> )                                               |
| TowedTime               | Int  | 0-1439 | Towed Time - ( <b>Military</b> )                                                 |
| TowedSubTotal           | Int  |        | Towed Amount before Discount and Taxes ( <b>0.00</b> )                           |
| TowedDiscountTotal      | Int  |        | Towed Discount Amount ( <b>0.00</b> )                                            |
| TowedTaxAmount          | Int  |        | Towed Tax Amount ( <b>0.00</b> )                                                 |

| Fields                  | Type | Size   | Comment - Example                                                                                                                                                      |
|-------------------------|------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TowedTotalAmount        | Int  |        | Towed Total Amount ( <b>0.00</b> )                                                                                                                                     |
| TowedPaidAmount         | Int  |        | Towed Paid Amount ( <b>0.00</b> )                                                                                                                                      |
| TowedBalance            | Int  |        | Towed Balance Amount ( <b>0.00</b> )                                                                                                                                   |
| TowedInvoice            | Text | 30     | Towed Invoice # / Driver Ticket #                                                                                                                                      |
| StockNumber             | Text | 10     | Stock # of Impounded Vehicle                                                                                                                                           |
| WreckerCompanyName      | Text | 50     | Wrecker Company Name – ( <b>Triton Towing</b> )                                                                                                                        |
| WreckerDriverName       | Text | 50     | Wrecker Driver Name – ( <b>Drew Pestell</b> )                                                                                                                          |
| StorageStatusName       | Text | 10     | Storage Status – ( <b>In Lot</b> )                                                                                                                                     |
| StorageReceivedDate     | Date | 10     | Impound Received Date - ( <b>MM-DD-YYYY</b> )                                                                                                                          |
| StorageReceivedTime     | Int  | 0-1439 | Impound Received Time - ( <b>Military</b> )                                                                                                                            |
| StorageReleasedDate     | Date | 10     | Impound Released Date - ( <b>MM-DD-YYYY</b> )                                                                                                                          |
| StorageReleasedTime     | Int  | 0-1439 | Impound Released Time - ( <b>Military</b> )                                                                                                                            |
| StorageCompanyName      | Text | 50     | Impound Company Name                                                                                                                                                   |
| StorageCompanyStreet    | Text | 100    | Impound Company Street                                                                                                                                                 |
| StorageCompanyStreetTwo | Text | 100    | Impound Company Street Two                                                                                                                                             |
| StorageCompanyCityName  | Text | 50     | Impound Company City – ( <b>Houston</b> )                                                                                                                              |
| StorageCompanyStateName | Text | 2      | Impound Company State – ( <b>TX</b> )                                                                                                                                  |
| StorageCompanyZipCode   | Text | 10     | Impound Company Zip Code- ( <b>77393 or 77393-0633 or Blank</b> )                                                                                                      |
| StorageCompanyMainPhone | Text | 13     | Impound Company Phone – ( <b>(281)698-0341</b> )                                                                                                                       |
| LegalDetails            | Text |        | Returns a prepared State Compliancy Message(TDLR) with merged information in the body of the message with other legal details pertaining to State Transportation Code. |
| OwnerName               | Text | 50     | Returns the Registered Owner that matches the OwnerName search.                                                                                                        |
| isApproved              | Bool |        | <b>true</b> = Document Approved and <b>false</b> = No Selection                                                                                                        |



| Fields          | Type | Size | Comment - Example                                              |
|-----------------|------|------|----------------------------------------------------------------|
| isDeclined      | Bool |      | <b>true</b> = Document Declined or <b>false</b> = No Selection |
| DeclinedMessage | Text | 100  | Declined Message(Reason) if isDeclined = <b>true</b>           |

## Schema(Response) – getTowedVehicleDetails() - Line Item Charges

| Fields              | Type | Size | Comment - Example                                                       |
|---------------------|------|------|-------------------------------------------------------------------------|
| <b>TowedVehicle</b> | Int  |      | VTs Cloud internal ID used for Lookup of Vehicle Master Record          |
| TowChargesName      | Text | 50   | Line Item Charges Description – ( <b>Towing Fee</b> )                   |
| ChargesQuantity     | Int  |      | Charges Quantity ( <b>1.00</b> )                                        |
| DiscountQuantity    | Int  |      | Discount Quantity ( <b>0.00</b> ) – Normally used for Storage Free Days |
| ChargesRate         | Int  |      | Charges Rate ( <b>22.85</b> ) – Storage Fee per Charges Quantity        |
| DiscountRate        | Int  |      | Discount Rate ( <b>10.00</b> ) – Discount per Discount Quantity         |
| TotalCharges        | Int  |      | Total Charges ( <b>225.00</b> ) – Total Extended Charges for Line Item  |
| DiscountApply       | Bool |      | Line Item Charge Discount is Applied - ( <b>true or false</b> )         |
| ChargesTaxable      | Bool |      | Line Item Charge is Taxable - ( <b>true or false</b> )                  |
| StorageCharge       | Bool |      | Line Item Charge is a Storage Line Item - ( <b>true or false</b> )      |

## Results(Sample) – getTowedVehicleDetails()

To assist with understanding the returned schema a sample is provided below. The search for this vehicle was with filter licensePlate = "COOLDUDE" which returns two(2) records to demonstrate the collection:

```
<?xml version="1.0"?>
<towedVehicleDetailsList>
  <errorStatus>true</errorStatus>
  <errorMessage>Success</errorMessage>
  <count>2</count>
  <vehicles>
    <vehicleDetails>
      <id>1958666</id>
      <VIN>5GAKRCKD7HJ111111</VIN>
      <vehicleYear>2017</vehicleYear>
      <vehicleColorName>Black</vehicleColorName>
      <vehicleMakeName>Buick</vehicleMakeName>
      <vehicleModelName>Enclave</vehicleModelName>
      <vehicleLicensePlate>COOLDUDE</vehicleLicensePlate>
      <vehicleLicenseStateName>TX</vehicleLicenseStateName>
      <towTypeName>Police Abandoned(HCSO)</towTypeName>
      <towReasonName>Abandon Vehicle</towReasonName>
      <towedStreet>1303 Campbell Road</towedStreet>
      <towedStreetTwo/>
      <towedCityName>Katy</towedCityName>
      <towedStateName>TX</towedStateName>
      <towedZipCode/>
      <towedDate>12-26-2023</towedDate>
      <towedTime>23:41</towedTime>
      <towedSubTotal>229.62</towedSubTotal>
      <towedDiscountTotal>0.00</towedDiscountTotal>
      <towedTaxAmount>6.94</towedTaxAmount>
      <towedTotalAmount>236.56</towedTotalAmount>
      <towedPaidAmount>0.00</towedPaidAmount>
      <towedBalance>236.56</towedBalance>
      <towedInvoice>15906</towedInvoice>
      <stockNumber>C312004</stockNumber>
      <wreckerCompanyName>Westway Towing, Inc.</wreckerCompanyName>
      <wreckerDriverName>Andrew Pestell</wreckerDriverName>
      <storageStatusName>In Lot</storageStatusName>
      <storageReceivedDate>12-26-2023</storageReceivedDate>
      <storageReceivedTime>23:41</storageReceivedTime>
      <storageReleaseDate/>
      <storageReleaseTime>00:00</storageReleaseTime>
      <storageCompanyName>Westway Storage</storageCompanyName>
      <storageCompanyStreet>33311 Katy Freeway</storageCompanyStreet>
      <storageCompanyStreetTwo/>
      <storageCompanyCityName>Katy</storageCompanyCityName>
      <storageCompanyStateName>TX</storageCompanyStateName>
      <storageCompanyZipCode>77494</storageCompanyZipCode>
      <storageCompanyMainPhone>(281) 444-0695</storageCompanyMainPhone>
      <legalDetails>TDLR Regulations...</legalDetails>
      <ownerName>Christopher Russ</ownerName>
      <isApproved>false</isApproved>
      <isDeclined>true</isDeclined>
      <declinedMessage>Document Clarity not Acceptable</declinedMessage>
      <vehicleCharges>
        <errorStatus>true</errorStatus>
```

```

<errorMessage>Success</errorMessage>
<count>3</count>
<lineCharges>
  <vehicleChargesDetails>
    <towedVehicle>1958666</towedVehicle>
    <towChargesName>Storage Fee</towChargesName>
    <chargesQuantity>3.00</chargesQuantity>
    <discountQuantity>0.00</discountQuantity>
    <chargesRate>21.03</chargesRate>
    <discountRate>0.00</discountRate>
    <totalCharges>63.09</totalCharges>
    <discountApply>false</discountApply>
    <chargesTaxable>true</chargesTaxable>
    <storageCharge>true</storageCharge>
  </vehicleChargesDetails>
  <vehicleChargesDetails>
    <towedVehicle>1958666</towedVehicle>
    <towChargesName>Impound Fee</towChargesName>
    <chargesQuantity>1.00</chargesQuantity>
    <discountQuantity>0.00</discountQuantity>
    <chargesRate>21.03</chargesRate>
    <discountRate>0.00</discountRate>
    <totalCharges>21.03</totalCharges>
    <discountApply>false</discountApply>
    <chargesTaxable>true</chargesTaxable>
    <storageCharge>true</storageCharge>
  </vehicleChargesDetails>
  <vehicleChargesDetails>
    <towedVehicle>1958666</towedVehicle>
    <towChargesName>Towing Fee</towChargesName>
    <chargesQuantity>1.00</chargesQuantity>
    <discountQuantity>0.00</discountQuantity>
    <chargesRate>145.50</chargesRate>
    <discountRate>0.00</discountRate>
    <totalCharges>145.50</totalCharges>
    <discountApply>false</discountApply>
    <chargesTaxable>false</chargesTaxable>
    <storageCharge>false</storageCharge>
  </vehicleChargesDetails>
</lineCharges>
</vehicleCharges>
</vehicleDetails>
<vehicleDetails>
  <id>1958619</id>
  <VIN>1FTNW20F93EA33333</VIN>
  <vehicleYear>2017</vehicleYear>
  <vehicleColorName>Black</vehicleColorName>
  <vehicleMakeName>Lexus</vehicleMakeName>
  <vehicleModelName>IS 350</vehicleModelName>
  <vehicleLicensePlate>COOLDUDE</vehicleLicensePlate>
  <vehicleLicenseStateName>TX</vehicleLicenseStateName>
  <towTypeName>Police Abandoned(HCSO)</towTypeName>
  <towReasonName>Abandon Vehicle</towReasonName>
  <towedStreet>4422 Campbell Road</towedStreet>
  <towedStreetTwo/>
  <towedCityName>Katy</towedCityName>
  <towedStateName>TX</towedStateName>
  <towedZipCode/>

```

```

<towedDate>10-11-2023</towedDate>
<towedTime>22:05</towedTime>
<towedSubTotal>569.04</towedSubTotal>
<towedDiscountTotal>0.00</towedDiscountTotal>
<towedTaxAmount>31.23</towedTaxAmount>
<towedTotalAmount>600.27</towedTotalAmount>
<towedPaidAmount>0.00</towedPaidAmount>
<towedBalance>600.27</towedBalance>
<towedInvoice>15865</towedInvoice>
<stockNumber>C312003</stockNumber>
<wreckerCompanyName>Westway Towing, Inc.</wreckerCompanyName>
<wreckerDriverName>Andrew Pestell</wreckerDriverName>
<storageStatusName>In Lot</storageStatusName>
<storageReceivedDate>12-26-2023</storageReceivedDate>
<storageReceivedTime>23:31</storageReceivedTime>
<storageReleaseDate/>
<storageReleaseTime>00:00</storageReleaseTime>
<storageCompanyName>Westway Storage</storageCompanyName>
<storageCompanyStreet>33333 Katy Freeway</storageCompanyStreet>
<storageCompanyStreetTwo/>
<storageCompanyCityName>Katy</storageCompanyCityName>
<storageCompanyStateName>TX</storageCompanyStateName>
<storageCompanyZipCode>77494</storageCompanyZipCode>
<storageCompanyMainPhone>(281) 444-0695</storageCompanyMainPhone>
<legalDetails>TDLR Regulations...</legalDetails>
<ownerName>Holly Russ</ownerName>
<vehicleCharges>
  <errorStatus>true</errorStatus>
  <errorMessage>Success</errorMessage>
  <count>4</count>
  <lineCharges>
    <vehicleChargesDetails>
      <towedVehicle>1958619</towedVehicle>
      <towChargesName>Storage Fee</towChargesName>
      <chargesQuantity>17.00</chargesQuantity>
      <discountQuantity>0.00</discountQuantity>
      <chargesRate>21.03</chargesRate>
      <discountRate>0.00</discountRate>
      <totalCharges>357.51</totalCharges>
      <discountApply>false</discountApply>
      <chargesTaxable>true</chargesTaxable>
      <storageCharge>true</storageCharge>
    </vehicleChargesDetails>
    <vehicleChargesDetails>
      <towedVehicle>1958619</towedVehicle>
      <towChargesName>Impound Fee</towChargesName>
      <chargesQuantity>1.00</chargesQuantity>
      <discountQuantity>0.00</discountQuantity>
      <chargesRate>21.03</chargesRate>
      <discountRate>0.00</discountRate>
      <totalCharges>21.03</totalCharges>
      <discountApply>false</discountApply>
      <chargesTaxable>true</chargesTaxable>
      <storageCharge>true</storageCharge>
    </vehicleChargesDetails>
    <vehicleChargesDetails>
      <towedVehicle>1958619</towedVehicle>
      <towChargesName>Towing Fee</towChargesName>

```

```

        <chargesQuantity>1.00</chargesQuantity>
        <discountQuantity>0.00</discountQuantity>
        <chargesRate>145.50</chargesRate>
        <discountRate>0.00</discountRate>
        <totalCharges>145.50</totalCharges>
        <discountApply>false</discountApply>
        <chargesTaxable>false</chargesTaxable>
        <storageCharge>false</storageCharge>
    </vehicleChargesDetails>
    <vehicleChargesDetails>
        <towedVehicle>1958619</towedVehicle>
        <towChargesName>Dollies Fee</towChargesName>
        <chargesQuantity>1.00</chargesQuantity>
        <discountQuantity>0.00</discountQuantity>
        <chargesRate>45.00</chargesRate>
        <discountRate>0.00</discountRate>
        <totalCharges>45.00</totalCharges>
        <discountApply>false</discountApply>
        <chargesTaxable>false</chargesTaxable>
        <storageCharge>false</storageCharge>
    </vehicleChargesDetails>
</lineCharges>
</vehicleCharges>
</vehicleDetails>
</vehicles>
</towedVehicleDetailsList>

```

**Note:**

It is important to note that the <vehicles> and <vehicleDetails> XML collections will be repeated for the number of records that match the search criteria with a limit of **10** records returned per search.

## Reference


---

### Development Platform and Tools

- Database
  - Microsoft SQL Server 2016(Development Server)
  - Microsoft SQL Azure(Production Server)
- Business Logic Platform
  - Web Services – Developed with C# using Microsoft Visual Studio
  - Stored Procedures – Developed with SQL using Microsoft SQL Management Studio
- UI Platform
  - BootStrap
  - Knockout.JS
  - Classic ASPX .Net
  - Javascript
- Mobile Platform
  - iOS (Apple)
  - Andriod (Google)

## Appendix

Invoking the Business Logic Web Services via a browser by typing into the address bar the following URL <https://cktsystems.com/vtsCloud/WebServices/exportTowedVehicle.asmx> to show all available methods:



By clicking the [getTowedVehicleDetails](#) link your browser will then display input boxes to enter arguments and then a button to invoke the Web Service for Development Testing without the need for a UI being built previously.

As previously discussed the focus of this document is centered around the use of the method **getTowedVehicleDetails()** for returning detailed results of vehicles stored in Impounds that are clients of VTSCLOUD.

Technical Support questions for this document can be submitted by email to [techsupport@vts-systems.com](mailto:techsupport@vts-systems.com)