




Hayah App

Blood Donation and Request App

UX Case Study



Duration:

February - July
(6 Months)

App Overview

Hayah (حياة) is an innovative, life-saving mobile app designed to bridge the critical gap between blood donors, seekers, and healthcare providers. In urgent medical situations, finding a compatible donor can be stressful and time-consuming. Hayat addresses this directly by creating a fast-acting ecosystem that accelerates the donation process through two core features. First, The Instant Emergency System allows hospitals to broadcast urgent requests to verified, nearby donors, minimizing waiting times. Second, The Gamified Rewards System transforms blood donation into a sustainable habit by rewarding donors with points. These points can be redeemed within the app for exclusive partner discounts. Through an intuitive UI, Hayat builds a reliable network dedicated to preserving human life.



Team Members


- Role 1
- Role 2
- Role 3

Tools

- Tool 1
- Tool 2
- Tool 3
- Tool 4
- Tool 5
- Tool 6


Design Process

Our design process for Hayat was rooted in empathy, precision, and efficiency. By deeply analyzing the critical needs of both blood seekers and potential donors, we developed a human-centric solution that transforms urgent medical requirements into a seamless, gamified, and reliable digital experience, ensuring that critical support is always just a few taps away.



Understand

User Research
Emergency Needs Analysis
Competitive Analysis



Define

User Personas
Empathy Map
User Journey



Ideate

User Flow
Information Architecture
Feature Prioritization



Design


Wireframe
Hi-Fi Designs
Interactive Prototyping



Test

Usability Testing
Feedback Iteration
Future Roadmap

Design Timeline



Target Audience

Hayah targets urgent medical seekers and hospitals requiring rapid blood matching, alongside healthy, eligible individuals looking for a seamless, rewarding way to donate blood and save lives.



Stakeholder Interview

First introduction :

– What is your role in the donation process?

How long have you been working or involved in this field?

Second, the current situation:

– How does the blood donation or donor recruitment process currently work?

What methods do you use to contact donors?

How long does it usually take to find a suitable donor?

Third, the challenges:

1. What are the biggest problems you face when searching for donors?

– 2. Which blood types are most difficult to obtain?

3. What are the most frequent errors or obstacles encountered in emergency situations?

4. Do you sometimes encounter incorrect or unreliable requests?

Fourth, Needs:

– 1. What essential information should a donation request contain?

2. What information do you need to know about the donor before selecting them?

3. What helps you make the decision regarding the most suitable donor?

Fifth, the proposed application:

1. What is your opinion of an application that connects patients and donors directly?

– 2. What is the most important feature that the application should provide?

3. Would you prefer that requests for donors be displayed only by blood type? Why?

4. Would you prefer that the patient's companion choose the appropriate donor or that the selection be done automatically by the system? Why?

Sixth, User Experience:

– 1. What might encourage people to use the app consistently?

2. What might prevent them from using it?

3. How can the donation process be made faster and easier?

Seventh: Success and Development:

– 1. How will you know if the application has been successful?

2. What features can be added in the future to improve the application?

User Research

Through user interviews and field research, we analyzed the behaviors of both blood seekers and donors. We discovered that while seekers face high anxiety and data fragmentation during emergencies, potential donors are highly motivated but lack real-time alerts and clear incentives, highlighting the need for a fast, centralized, and rewarding solution.

Competitive Analysis

We analyzed existing blood donation platforms to identify gaps in user experience and features. Our benchmarking revealed that while some competitors offer official licensing or regional coverage, they severely lack speed in emergency matching and fail to provide modern user incentives, allowing Hayat to differentiate itself through rapid-response and gamified rewards.

Company Name	Wateen	saathi	blood connect	shorian
UI Design	Complex & confusing	Simple & clean	Complex & confusing	Somewhat clunky
Mobile App				
Official licensing				
Blood donation articles				
Speed of access to blood				
Home check-ups				
partnership with labs/X-ray centers				
Presence outside Egypt				
App-affiliated clinics				

Unique Features

- Gamified Rewards & Offers System: Transforms blood donation into a sustainable habit by rewarding donors with points. These points can be instantly redeemed for exclusive discounts and vouchers from partner pharmacies, labs, and restaurants.
- Smart Geo-Targeted Emergency Alerts: A rapid distress system that bypasses chaotic social media groups, broadcasting urgent blood requests instantly to verified, compatible donors within the immediate geographical vicinity.
- Live Donor Tracking on Map: Enables seekers to track accepting donors in real-time on a live map, providing a transparent and accurate ETA during critical medical windows.
- Verified Barcode Donation Tracking: Ensures maximum transparency by allowing donors to scan an official hospital barcode after donating, securely logging the process into their digital history.
- Emergency Search: A life-saving feature allowing seekers to access nearest blood banks and basic donor contacts.
- Rare Blood Type Optimization: A dedicated priority system that instantly flags and escalates requests for rare blood groups, immediately mobilizing the donor community.

SWOT Analysis

Strength

- **Clear visual hierarchy:** Important buttons (such as "Urgent Donation Request") stand out clearly using accent color, making it easier for the user to make an immediate decision.
- **A consistent and sophisticated color system:** The use of jewel tones (sapphire red and neutral gray in the HSB system) gives the application a professional look, conveying the trust, security, and reliability required in the medical field.
- **The intuitive core flow of the user journey:** The interface for booking donation appointments or requesting blood type is very clear and completed in just a few steps, reducing the cognitive effort required from the user during emergencies.

Weakness

- **Lack of Real-time Status:** The absence of a motion indicator that shows the beneficiary the current status of the request (e.g., "Searching," "Donor found," "Donor on the way"), which may cause anxiety for the user.
- **Initial Data Entry Form (Friction in Onboarding):** First-time registration requires manually entering a lot of data (name, blood type, medical history, location), which may cause users to crash or drop off before registration is completed.

S

W

O

T

- **Distracting users from competing apps:** Other medical apps are integrating blood donation features into their services with attractive, interactive interfaces that may draw users away.
- **Competition with social media platforms:** Many people still prefer to write distress posts on Facebook or X rather than download a dedicated app, due to habit.

Threats

- **Incorporating gamification (motivation elements):** Adding a system of digital badges or interactive reward points that show the donor the number of lives they have helped save, to increase user loyalty and the return rate to the application.
- **AI-powered instant translation (Localization):** Converting the application to two languages (Arabic and English) with a single click to reach a larger audience of different nationalities residing in the same area.
- **Smart geofencing technologies (Geofencing & Live Location):** Utilizing mapping systems to send immediate alerts to donors located in a geographic area close to a hospital that urgently needs their blood type.

Opportunity

Survey Research

We conducted structured surveys involving hundreds of participants to gather measurable insights. The data revealed that 85% of users struggle to find blood donors during critical hours, and over 90% expressed high willingness to donate more frequently if motivated by a direct mobile alert system combined with localized reward incentives

Screeners

- Filtered through eligibility status, donation frequency, and blood type awareness. This helped us isolate the
 - pain points of regular vs. first-time donors (e.g., fears of infection, lack of trust in online appeals, or motivation triggers like saving a life vs. health benefits)
- Identified through participants who answered "Yes" to facing difficulties finding blood or searching for rare
 - blood types. This segment provided critical data on the anxiety of "Information Panic" and the reliance on traditional, slow channels
- Segmented via the occupation screener to understand the operational side of blood shortages, specifically
 - regarding which medical scenarios (surgeries, accidents, chronic diseases) create the highest emergency demands

Observations

80%

do not face difficulty in finding a blood donor

50%

of people are afraid to donate because of fatigue or fainting.

70%

of people donate out of humanitarian and religious motives.

30%

don't know what their blood type

60%

Some cases of blood requests are due to accidents.

50%

of people didn't need to search for a rare blood type.

50%

of areas have ongoing blood donation campaigns.

User Interview

- What were you feeling at that time? What was the most terrifying thing about it?
- Did you have any feeling that you might be scammed?
- Did anyone ask you for money in exchange for a donation, or did you feel that the situation was being exploited?
- When did the hospital say you need to bring in donors, and did they inform you about the need for donors through (a doctor?, a nurse?, a blood bank employee?)?
- Can you tell us about the last time you needed blood?
- What was the first thing you did when you found out you needed blood? Did you talk to any of your relatives? Did you post on Facebook and WhatsApp groups? Did you contact other blood banks?
- Have you ever felt like you didn't know what to do?
- If there was an app that could help you in this situation, would you use it? And would you remember it, or would it not cross your mind?
- Did the donors ask you for compensation? And did you know the price of a blood bag beforehand?
- What is the biggest reason why you might not trust the app and not use it?
- If there were an app, what would you need most in it? Would you be able to pay money through it? And how would you use it?
- If you had a magic wand at this time and could use it, what would you do?

Affinity Map

Medical safety and peace of mind

- The influence of the surrounding environment: Mistreatment turns the "hero" into a "victim" in his own eyes.
- They say they'll do tests, but I don't see anything. If I knew what was wrong with my health, I'd consider it a routine check-up. Investing in oneself: The donor wants added value for their personal health.
- "Neglect, the bed is not clean, and the nurse speaks to me as if I am begging from her, not donating my blood."
- I'm afraid of infection, or that the nurse won't be professional and will injure my arm and cause a problem. Visual insecurity: Fear of the dilapidated hospital environment.
- Negative stimulation (Guilt Tripping).
- Fear of low service and privacy standards.
- Visual insecurity: Fear of the dilapidated hospital environment.

Personal safety for his family

- "I don't want my number distributed to patients' families and receiving calls in the middle of the night." Fear of harassment: The donor wants to help without compromising their privacy.
- Future security: The desire for personal protection
- I'm thinking about the commute and the traffic, and whether they really need me specifically, or if there are a thousand others? Psychological burnout: The user fears that their effort is "superfluous" or ineffective.
- Lack of awareness of personal benefits: People are unaware of the benefits of donation to the donor themselves.
- Poor field experience: The surrounding environment influences the decision to continue.
- Searching for personal safety
- If someone needs your blood type, how would you like them to contact you?
- If you woke up and found a distress message, what's the first 'calculation' your mind would go through before you decided to go down?

Appreciation and moral impact

- If there's something that shows people I'm a regular donor, like a badge or rank on my profile. Discontinuation of the symbolic reward
- "I want to know who my blood went to? A child? An accident? Just a message saying the operation was successful would make me fly with joy."
- "Money would make me feel like I'm selling my body, but if I had priority if one of my family members needed it, I would donate regularly."
- The absence of a social and competitive aspect.
- The need for appreciation that is "non-material" and useful.
- The need for societal recognition: the feeling that the state appreciates this action.
- "If you were to donate for monetary compensation, would your perspective be different?"
- Lack of mutual security: The donor feels they are giving but have no "protective umbrella" when needed.
- "I feel like my blood is going into a 'black hole' I know nothing about... If I knew it was actually reaching its destination, I'd donate every three months."
- Interruption of the emotional reward: the absence of feedback loop.

Speed and reliability

- "If I knew that the hospital next door was facing a critical shortage and my blood type was the only thing that could save the day." Geographical connection: People tend to help their "neighbors" or nearby places.
- Bystander Effect and situational ambiguity.
- "Facebook is a jungle, full of anonymous accounts and old posts... I'm afraid to go and find out it's not real." Validation Crisis: Loss of trust in unofficial sources is hindering donor activity.
- "I'm saying the journey is crowded and the hospital will keep me waiting, and in the end they might tell me they don't need my blood type these days." Waste of time (Friction): Paperwork and unnecessary waiting.
- Uncertainty and wasted time. The user is afraid to put in the effort and then find their effort wasted.
- Disconnection. The donor feels that his blood has "lost" in a plastic bag and he doesn't know where it went.
- Loss of credibility on social media.
- "I'm saying the journey is crowded and the hospital will keep me waiting, and in the end they might tell me they don't need my blood type these days." Waste of time (Friction): Paperwork and unnecessary waiting.
- "What's the most tedious step you face from the moment you enter the center until you leave?" Digital bureaucracy: Lengthy administrative procedures kill the desire to volunteer.
- Bureaucracy and redundant procedures.

Empathy Map

Says

The constant promises: "I really intend to go, but I'm waiting for my day off."

Verbal support: "May God heal every patient, this donation is a continuous charity."

Constructive criticism: "Why isn't there an application that unifies all donor data in Egypt instead of this fragmentation?"

Technical inquiries: "What blood types are needed now?", "Do I need to be fasting?"

Encouragement: "Don't be afraid of the needle, it's simpler than you imagine."

Pride: "I made a donation today and I hope everyone will follow my example."

Thinks

Mutual benefit: "The donation will allow me to check on my health and get free tests."

Rational analysis: "Am I medically fit today? Do my weight and hemoglobin levels allow it?"

Continuity: "Do I have to do this every 3 months or is it enough to do it once?"

Questioning the system: "Does this blood bag actually go to those who need it, or is it sold to private hospitals?"

Privacy: "How will my health data be handled and is it in safe hands?"

Time management: "How much of my day will this take? Is there a parking lot near the center?"

Does

Digital survey: Enters "donor" groups to monitor cases without actual participation at the beginning.

Publication: He photographs the "blood bag" or "cannula" in his hand after completion to share as a success story.

Field awareness: He urges his colleagues at work or school to go with him on group campaigns.

Physical preparation: Drink plenty of fluids and eat well before going to the center (if he decides).

Field verification: The nurse observes as he opens the new needle pouch to ensure it is sterile.

Data verification: Contact the numbers listed in the publications to confirm that the case is still in need.

Feels

Social responsibility: A sense of obligation towards members of his rare species (if his species is rare).

Positive guilt: A feeling of distress upon seeing a child's cry for help and being unable to act immediately.

Anxiety and fear: Rapid heartbeats upon seeing the needle or smelling the disinfectant (Hospital smell).

Psychological satisfaction: A state of inner peace after making the decision to actually help.

Dilemma: Hesitation between wanting to help and fearing physical exhaustion after donating.

Desire for belonging: Feeling like a "hero" or "savior" (Hero Instinct).

HEAR

Moral appeals: Friday sermons, radio campaigns, or audio pleas from the families of patients.

Negative experiences: Stories from acquaintances about long waiting times and difficult paperwork procedures.

Community rumors: "Donating makes you dizzy," "Avoid government hospitals because of the risk of infection."

Impact stories: Hear inspiring tales of people whose donations saved children's lives at the last minute.

Conflicting opinions: People are hearing arguments about the efficiency of official blood banks versus private initiatives.

Expert opinion: Doctors talk about the benefits of blood donation for regenerating blood cells and reducing heart clots.

SEE

Awareness campaigns: Visual campaigns in the streets and hospitals urge donations but lack digital guidance.

Field environment: Crowds at blood banks, or conversely, street donation campaigns that do not suggest privacy.

The chaos of pleas for help: random and repetitive Facebook posts that fill the Timeline.

The reality of hospitals: He sees critical medical cases of patients' families desperately searching for donors in the hospital corridors.

Information gap: The absence of a clear dashboard showing the actual need for blood.

Inspirational symbols: Friends sharing photos of themselves donating or digital certificates of appreciation.





User Persona 1



NAME: Youssef Hassan

AGE: 19

Job University Student

TYPE First-time donor

Personality

- He cares about experience
- Seeker of appreciation
- Smart mobile user

Bio

Youssef is a vibrant young man who wants to feel like a "hero" and contribute something different to his community, but he's completely unaware of the practical steps or the necessary health requirements. His weakness is "bureaucratic intimidation"; he hates complexity and might back down if he finds procedures difficult. His problem lies in his need for a digital guide that simplifies the process and encourages him to translate his enthusiasm into real action without paperwork complications.

Motives

- Love of experimentation
- Obtaining the title or badge of "Donor"
- He shared his achievement with his friends.

Effects

- Social media trends
- University initiatives
- Young opinion leaders.

Pain points

- Hating routine and paperwork
- Not knowing nearby donation centers
- The fear is that his donation will be "useless" or medically rejected.

Goals

- To find the nearest donation location with the click of a button
- To know his blood type and health condition for free

Interests

- Student activities and building a strong personal profile
- Electronic games
- Technology

Needs and expectations

- A fast and easy-to-use application
- Interactive map of centers; moral rewards system

User Persona 2



NAME:	Raafat Ali
AGE:	52
Job	self-employed
TYPE	The person seeking help (the patient's family)

Personality

- It moves by the force of the wheel
- Seeker of credibility
- Direct communication is preferred.

Bio

Raafat is currently going through the most difficult time of his life as he desperately searches for donors of a rare blood type to save his son in an emergency. His weakness is his tendency to panic and become easily distracted; he falls prey to misinformation and unhelpful random calls. His main challenge is the lack of time and credibility; he needs a platform that can connect him with geographically verified donors during this critical time, without him having to resort to begging on social media.

Motives

- The desire to reach a radical and quick solution
- The instinct of fatherhood and saving his son's life

Effects

- Success stories in similar emergencies
- Hospital medical reports
- Time pressure

Pain points

- Exposure to scammers
- Extreme time constraints
- Data is scattered in emergency situations
- Non-serious phone calls

Goals

- And protecting his personal data after the case ends
- Providing the required number of blood bags in less than an hour

Interests

- Business Administration
- Follow local news
- family

Needs and expectations

- The ease of disseminating distress calls
- Donor identification verification
- Instant matching system with readily available donors

User Persona 3



NAME:	Essam Fawzy
AGE:	40
Job	Software engineer
TYPE	Permanent donor

Personality

- Interested in efficiency
- It is concerned with the impact
- Technical expert

Bio

Essam is a very practical person and morally committed to donating blood every few months, but he's starting to lose interest due to the tedious bureaucracy at hospitals. His weakness is his high regard for time; he can't tolerate long waits or filling out the same forms every time. His biggest problem, however, is the lack of emotional support; he wants to see the impact of his donation clearly (where did his blood go?) and wants a quick, digital experience with a QR code that saves him time.

Motives

- Religious or moral commitment.
- Securing a blood supply for his family
- Maintaining healthy blood renewal

Effects

- The professional applications he uses in his work
- self-health awareness
- Statistics and figures

Pain points

- Lack of transparency regarding the fate of a blood bag after donation
- Repeated data entry
- Wasting time waiting

Goals

- Tracking the history of his donations and the results of his analyses over time.
- Complete the donation process in less than 15 minutes

Interests

- Maintaining a healthy lifestyle
- Sustainable humanitarian work
- Advanced technology
- planning

Needs and expectations

- Reminders of upcoming donation dates
- Digital medical record
- Accurate appointment booking system

User Persona 4



NAME:	Laila Ahmed
AGE:	24
Job	social researcher
TYPE	The hesitant

Personality

- Interested in safety
- Seeking guidance
- Move with the information

Bio

Laila is a young woman deeply empathetic to humanitarian causes, but she suffers from pathological anxiety regarding medical procedures and a clear phobia of needles. Her weakness is "fear of the unknown"; she constantly hesitates due to a lack of information about what happens to her body after donation and fears infection. Her main problem is her need for strong safety guarantees and a reassuring digital learning experience before she takes a single step towards the center.

Motives

- Out of a desire to overcome her personal fear
- Obtaining moral support
- Feeling like an active member of society

Effects

- Reality of successful people on social media
- Doctors' recommendations
- Her close friends

Pain points

- Difficulty accessing medical information is not frightening.
- Concern about the cleanliness of the tools,
- Needle phobia, Fear of fainting

Goals

- To donate successfully for the first time,
- To understand the donation conditions clearly without medical complications.

Interests

- volunteer work
- Reading and following influencers in the field of health awareness.
- Mental health

Needs and expectations

- Simple educational content (Visual Guide)
- Strict safeguards regarding sterilization.
- quiet donation environment


User Journey Map

Persona: Essam Fawzy

Goal: To securely track his personal donation history and health metrics while experiencing a fast, digitized, and friction-free donation process.

phases	Registration	Create a blood request	Looking for a donor	communication	donation	After Donation
Actions	Create an account and enter data	Write down the blood type, hospital, and quantity required.	Using search and filters	Accessing the donor's data and contacting them	Going to the donation location	Confirmation of the operation's success
Touchpoints	Sign Up - OTP - Profile screen	Create Request	Search - Filters - Results	Chat - Call - Notifications	QR Code or Confirmation	Thank You Screen - Rewards
Thoughts	I hope the registration process is quick. 😊	I need to find a donor quickly 😞	Oh God, I hope to find someone of the same blood type soon. 😭	It's good that he replied to me. 😊	Thank God the operation was successful 😊	I helped someone and saved their life 😊❤️
Feelings	🙄 → 😊 → 😞 → 😄 → 😭 → 😊 → 😊 → 😊 → 😊❤️					
Pain points	The recording is long	Missing required data	The number of donors is small or far away.	The donor does not return	Difficulty in determining the location	There is no follow-up after donation.
Possible steps solutions	Social Login - Google	Simple application form	Sort results by proximity	Instant notifications + Chat	Google Maps integration	Points, Badge, and Certificate of Appreciation

Storyboard



Problem Statement

- WHO:
- Urgent Seekers: Patients' families trapped in "Information Panic," lacking any official framework to request immediate support.
- Latent Donor Base: Technically and physically eligible individuals who lack a "Smart Alert System" to connect them with actual local needs.
- WHAT:
- The absence of a centralized, on-demand matching system. This creates a critical gap between demand (specific blood types and quantities) and supply (available donors), driving a rise in "Digital Chaos" and unverified panic appeals on social media.
- WHERE:
- The issue lies in the "Strategic Blind Spot"—the logistical gap between hospital emergency rooms and potential donors located within the immediate geographical vicinity.
- WHEN:
- The crisis peaks during the "Critical Window"—where medical cases require immediate responses, yet traditional methods fail to secure a "compatible and available" donor at the right time and place.
- WHY:
- An "Information Bottleneck" caused by complex paperwork, a lack of transparency in tracking donation paths, and the absence of a unified platform that verifies needs while reassuring donors both digitally and psychologically.

Strategic Vision

"The project aims to engineer an integrated digital platform that eliminates random search intermediaries by digitizing blood requests and routing them through a smart geographic tracking system. This ensures the right donor reaches the right patient at the exact right time, transforming blood donation from a chaotic crisis response into a sustainable, verified ecosystem.

Goals


Bridge the Gap: Eliminate the strategic blind spot between hospital emergency rooms and nearby compatible donors.

Minimize Response Time: Secure compatible donors within the "Critical Window" during urgent medical emergencies.

Digitize Blood Requests: Replace chaotic, unverified social media appeals with a structured, verified, and centralized system.

Drive Community Engagement: Transform blood donation into a sustainable habit using gamified rewards and live tracking.

Pain Points



1. Information Fragmentation (Social Media Chaos)

When urgent blood or rare types (like \$O-\$) are needed, families resort to chaotic posting on Facebook and WhatsApp. Requests easily get lost in timelines, reach the wrong audience, and lack any centralized tracking.

2. Time & Geographic Barriers (Critical Delay)

In life-threatening emergencies, every minute counts. Families often find willing donors online, only to realize they live hours away, making them unable to reach the hospital in time.


3. Lack of Trust & Verification (Unreliable Sources)

People hesitate to respond to online blood requests due to scams or outdated information. Families also waste critical time calling old numbers of donors who are currently ineligible to donate.




brainstorming

- Smart Radius automatically expands the search circle if no one is nearby.
- Live Map displays available donors in real time
- Auto-Location: Automatic location detection without manual input
- The SOS button instantly sends a notification to all nearby donors within seconds.
- Gamification Points + Badges
- Donor history (number of donations)
- A database of rare species
- Priority Matching identifies the nearest and fastest donor
- Template Messages: Ready-made messages to speed up communication
- Chat within the app
- Link with hospitals
- Reminders: "You haven't donated in 3 months."
- Live Navigation (Google Maps)
- Saving donor data for offline reference
- Group donation campaigns In-app events


Information Architecture/User Flow



Sketches/Low-fidelity Wireframes



High Fidelity Screen




Request Screen

Emergency Center Escalation & Active Request Tracking
The upper section highlights the interface when toggled into "Need" mode, transforming into a high-priority command center for critical medical situations. A high-visibility "Emergency Center" warning banner provides a direct, friction-free "Request Blood Immediately" call-to-action button to broadcast urgent calls instantly. Below this, the "Active Requests" card introduces deep real-time transparency for the patient's family, visualizing critical tracking metrics like the exact blood bag collection progress ("2/5 Pints"), a live status bar showing a "40% Donor Match Finding" rate, and visual profile stack feedback indicating how many verified donors are actively in transit.

Verified Local Donor Discovery & Direct Engagement
The lower section focuses on nearby donor availability to give users actionable options while their primary request is active. The "Verified Donors Nearby" feed displays individual donor profiles structured with explicit trust signals, including verification badges ("Golden Donor Shield", "Silver Life Saver") and their specific blood type badges. To optimize the critical factor of time, each donor card prominently displays geographic proximity metadata (such as "0.8 km" and "2.4 km") paired with immediate micro-interactions like "Request Blood" and "View Profile" to allow for fast, direct outreach.

High Fidelity Screen




Offers Screen

Gamification Engine & Positive Reinforcement Hub
The top section introduces a dedicated gamification framework designed to incentivize and reward medical altruism. It highlights a prominent "Total Vitality Balance" card that clearly displays the user's accumulated loyalty currency ("400 pts"). To prevent the experience from feeling purely transactional, the UI integrates a strong emotional hook right within the balance chip ("You've saved 2 lives this month"). This reinforces positive behavior by continuously connecting the user's rewards directly to their real-world healthcare impact.

Categorized Partner Marketplace & Reward Redemption Grid
The lower section functions as a streamlined marketplace where users can exchange points for real-world healthcare and wellness benefits. It utilizes a horizontal chip navigation layout ("All", "Pharmacy", "Labs", "Check ups") to give users instant filtering capabilities. Below, a clean two-column grid displays partner reward cards (featuring recognizable medical brands like El Borg, El Ezaby, and El Salam). Each card uses explicit visual hierarchy, displaying the exact discount percentage, a clear brand identifier, and a high-contrast point badge showing the required cost to redeem the offer.

High Fidelity Screen












Home Screen

The upper section of the home screen serves as a personalized control center tailored to the user's current intent and donation history. It features an intuitive toggle system allowing users to seamlessly switch between "Donate" and "Need" modes depending on their immediate goal. Directly below, a live "Available to Donate" switch empowers users to manage their active status instantly. To boost user engagement and foster empathy, the dashboard integrates lightweight gamification metrics through clear data visualization cards, highlighting the user's historical impact ("4 Lives saved") alongside safety-tracking info ("Last donation date").

Intelligent Matching & Location-Based Urgent Requests
The lower section leverages hyper-local matching to drive immediate action through context-aware UX elements. A prominent, high-contrast crimson hero banner dynamically adapts to the user's profile, alerting them to real-time critical shortages in their immediate vicinity that perfectly match their blood type (e.g., O- requests). Beneath this banner, the "Nearby Urgent Cases" feed provides granular, geofenced details—including precise distances (1.2 km), specific hospital names, and medical context ("trauma")—allowing potential donors to grasp the urgency at a single glance and act rapidly via a direct "Donate Now" call-to-action.

Other Screens



Style Guide

Color Palette

Primary Color

#B91C1C

Secondary Color

#EC8000

Shades

Shades

Tints

Tints

Typography

Aa

Font

Montserrat

Aa

Montserrat

Bold

Aa

Montserrat

Semibold

Aa

Montserrat

Medium

Aa

Montserrat

Regular

Name	Font Size	Line Height
Heading 1	24 px	36 px
Heading 2	20 px	28 px
Body - Large	18 px	24 px
Body - Regular	16 px	24 px
Body - Small	14 px	22 px
Caption	12 px	16 px
BUTTON	16 px	24 px

Iconography

Outline

Bold

Key Takeaways

User-Centered Design in Healthcare: Designing for a medical platform taught me that clarity and speed come before aesthetics. In life-critical situations, every extra click can delay care, so minimizing the user's cognitive load was our top priority.

Overcoming Technical Constraints: Balancing real-time data tracking (like blood bag availability and live donor geofencing) with a simple UI required close collaboration and a deep understanding of user behavior under stress.

The Power of Trust & Empathy: I realized that a successful digital product isn't just about smooth features; it's about building trust. Verifying hospital requests and maintaining donor eligibility tracking were crucial to making users feel safe and willing to help.

Roadmap

Phase 1: Research & Discovery

- Conducted user interviews and competitive analysis to identify systemic gaps in emergency blood sourcing.
- Defined core user personas (Donors and Hospital Admins) and mapped user pain points.

Phase 2: UX Architecture & Wireframing

- Created information architecture, user flows, and low-fidelity sketches for core features.
- Established the layout grid and component spacing rules for optimal accessibility.

Phase 3: UI Design & Prototyping

- Built a cohesive design system with strict atomic components, state variants, and accessible typography.
- Developed the high-fidelity interactive prototype to test realistic user journeys.

Phase 4: Future Scale & Implementation

- Moving into mobile application development using the Flutter framework.
- Planning to integrate live GPS tracking and automated AI notifications for nearby emergency blood matches.



Thank you for viewing

Reach out via email: loremipsum@gmail.com