MERAKI ACADEMY · PROJECT 1

XO
the little rivalry


Three ways to play tic-tac-toe, built with HTML, CSS and JavaScript.

Supervised
ENG. Laith Tanerah
Prepared by
AbdAlrahman Majed Alsaafin

What is it?

Two players

Two people, one screen. Each player enters a name and takes turns.



Rounds and score

Round wins, draws and a history of the last rounds are tracked.


Three modes

Class, Prime and Platinum: the same board with different rules.

Three modes


Class

The classic game. First to line up three in a row wins.




Prime

Only three marks each. A fourth mark removes your oldest one.



Platinum

Seven pieces sized 1 to 7. A bigger piece covers a smaller enemy piece, and your own pieces stack.



How it is built

Game logic

X-O--Game.js: the rules of all three modes, written by me. It knows nothing about the page.

Interface

UI file: reads the game state and draws the board, pieces, names and score.

Design

style.css: dark theme, grid layout and colours that change with the mode.

What I learned

Separate logic from UI

The same game logic works from the console or from the page.

Draw from state

One renderAll function redraws everything after every change.

Callbacks

addEventListener and forEach run my function when something happens.

Early return

Guard lines like if (gameOver) return keep the code flat and safe.

Organized code

Small functions with one job each, clear sections and comments.

Small details matter

ids, class names and index offsets must match between files.

Ideas for next steps

Play vs computer

A simple opponent for one player.

Online play

Two players on two devices.

Demo time

github.com/abdalrahman145632-prog/MERAKI_Academy_Project_1

xo-game-in-different-mode.netlify.app

Thank you!