






Charged hadron
Objects
Target
Initial
Fitted
10^6
10^5
10^4
Ratio to target
1.2
1.0
0.8
−1
0
1
2
3
log(p_T/GeV)



Charged hadron
Objects
Target
Initial
Fitted
10^6
10^5
10^4
Ratio to target
1.2
1.0
0.8
−1
0
1
2
3
4
log(E/GeV)



Charged hadron
Objects
Target
Initial
Fitted
3×10^5
2×10^5
10^5
6×10^4
Ratio to target
1.2
1.0
0.8
−2
−1
0
1
2
η



Neutral hadron
Objects
Target
Fitted
Initial
10^6
10^5
10^4
Ratio to target
1.2
1.0
0.8
−1
0
1
2
3
log(p_T/GeV)



Neutral hadron
Objects
Target
Fitted
Initial
10^6
10^5
10^4
Ratio to target
1.2
1.0
0.8
1
2
3
4
5
6
log(E/GeV)



Neutral hadron
Objects
Target
Initial
Fitted
10^6
10^5
10^4
Ratio to target
1.2
1.0
0.8
−4
−2
0
2
4
η



Electron
Objects
Target
Initial
Fitted
10^5
10^4
10^3
Ratio to target
1.2
1.0
0.8
−1
0
1
2
3
4
5
$\log(p_T/\mathrm{GeV})$



Electron
Objects
Target
Initial
Fitted
10^5
10^4
10^3
Ratio to target
1.2
1.0
0.8
0
1
2
3
4
5
6
log(E/GeV)



Electron
Objects
Target
Fitted
Initial
2×10^4
10^4
6×10^3
4×10^3
3×10^3
2×10^3
Ratio to target
1.2
1.0
0.8
−2
−1
0
1
2
η



Muon
Objects
10^5
10^4
10^3
Target
Fitted
Initial
Ratio to target
1.2
1.0
0.8
0
1
2
3
4
5
$\log(p_T/\mathrm{GeV})$



Muon
Objects
10^5
10^4
10^3
Target
Initial
Fitted
Ratio to target
1.2
1.0
0.8
1
2
3
4
5
6
log(E/GeV)



Muon
Objects
Target
Fitted
Initial
2×10^4
10^4
6×10^3
4×10^3
3×10^3
2×10^3
Ratio to target
1.2
1.0
0.8
−2
−1
0
1
2
η



Photon
Target
Fitted
Initial
Objects
10^6
10^5
10^4
Ratio to target
1.2
1.0
0.8
−1
0
1
2
3
4
$\log(p_T/\mathrm{GeV})$



Photon
Objects
Target
Initial
Fitted
10^6
10^5
10^4
Ratio to target
1.2
1.0
0.8
0
1
2
3
4
5
6
log(E/GeV)



Photon
Target
Initial
Fitted
Objects
4×10^5
3×10^5
2×10^5
10^5
6×10^4
4×10^4
3×10^4
Ratio to target
1.2
1.0
0.8
−4
−2
0
2
4
η



Electron pair-mass response (leading 2)
Objects
Target
Fitted
Initial
10^6
10^5
10^4
10^3
10^2
Ratio to target
1.2
1.0
0.8
−3
−2
−1
0
1
$\ln(m_{\text{pair}}^{\text{reco}} / m_{\text{pair}}^{\text{truth}})$


Muon pair-mass response (leading 2)
Objects
Target
Initial
Fitted
10^6
10^5
10^4
10^3
10^2
10^1
Ratio to target
1.2
1.0
0.8
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
$\ln(m_{\mathrm{pair}}^{\mathrm{reco}} / m_{\mathrm{pair}}^{\mathrm{truth}})$


Charged hadron pair-mass response (leading 2)
Objects
Target
Initial
Fitted
10^5
10^4
10^3
Ratio to target
1.2
1.0
0.8
−6
−4
−2
0
2
4
$\ln(m_{\mathrm{pair}}^{\mathrm{reco}} / m_{\mathrm{pair}}^{\mathrm{truth}})$


Electron pair mass (leading 2)
Events
Target
Fitted
Initial
10^5
10^4
10^3
10^2
10^1
Ratio to target
1.2
1.0
0.8
20
40
60
80
m_{ee} [GeV]


Muon pair mass (leading 2)
Events
Target
Initial
Fitted
10^5
10^4
10^3
10^2
10^1
Ratio to target
1.2
1.0
0.8
20
40
60
80
100
$m_{\mu\mu}$ [GeV]


Four-lepton mass (leading 4 e/μ)
Events
Target
Fitted
Initial
10^6
10^5
10^4
10^3
10^2
10^1
Ratio to target
1.2
1.0
0.8
50
75
100
125
150
175
200
225
$m_{4\ell}$ [GeV]