


Problem 1



$$\underline{b}^{[1]} = 0 \quad \underline{b}^{[2]} = 0$$

Forward Propagation

$$a) \quad \underline{z}^{[1]} = \underline{W}^{[1]} \underline{x}^{[0]} + \underline{b}^{[1]}$$

$$\underline{a}^{[1]} = \text{Sigmoid}(\underline{z}^{[1]})$$

$$\underline{z}^{[2]} = \underline{W}^{[2]} \underline{a}^{[1]} + \underline{b}^{[2]}$$

$$\underline{a}^{[2]} = \text{Sigmoid}(\underline{z}^{[2]})$$

dimension of

$$\underline{W}^{[1]} \quad 2 \times 3$$

$$\underline{x}^{[0]} = \underline{a}^{[0]} \quad 3 \times 1$$


$$\underline{z}^{[1]} \& \underline{a}^{[1]} \quad 2 \times 1$$

$$\underline{W}^{[2]} \quad 1 \times 2$$

$$\underline{a}^{[1]} \quad 2 \times 1$$

$$\underline{z}^{[2]} \& \underline{a}^{[2]} = \hat{y} \quad 1 \times 1$$

eqn of Sigmoid $\frac{1}{1 + e^{-x}} = \frac{e^x}{e^x + 1}$



b) Loss (cost) function of binary classification

Cross entropy loss function


$$y \begin{cases} 0 \\ 1 \end{cases}$$

$$\hat{y} \begin{cases} 0 \\ 1 \end{cases}$$

$\hat{y} \rightarrow$ output of sigmoid $[0,1]$

$$L = - [y \log \hat{y} + (1-y) \log (1-\hat{y})]$$

| y | \hat{y} | L |
|---|-----------|-------------------|
| 0 | 0 | 0 No loss ✓ |
| 0 | 1 | big +ve high loss |
| 1 | 0 | big +ve high loss |
| 1 | 1 | 0 No loss ✓ |



c) Back propagation

Required: Minimize loss function w.r.t. W & b

Get:

$$\frac{\partial L}{\partial W^{[2]}} \neq \frac{\partial L}{\partial b^{[2]}} \neq \frac{\partial L}{\partial W^{[1]}} \neq \frac{\partial L}{\partial b^{[1]}}$$

$$\frac{\partial L}{\partial W^{[2]}} = \frac{\partial L}{\partial a^{[2]}} \times \frac{\partial a^{[2]}}{\partial z^{[2]}} \times \frac{\partial z^{[2]}}{\partial W^{[2]}}$$

$\hat{y} \leftarrow a^{[2]}$

$$\begin{aligned} \frac{\partial L}{\partial a^{[2]}} &= \frac{-y}{a^{[2]}} + \frac{(1-y)}{1-a^{[2]}} \\ &= \frac{a^{[2]} - y}{a^{[2]}(1-a^{[2]})} \end{aligned}$$

$$\frac{d}{dx} \ln(x) = \frac{1}{x}$$

$$\frac{\partial L}{\partial z^{(2)}} = \frac{\partial L}{\partial a^{(2)}} \times \frac{\partial a^{(2)}}{\partial z^{(2)}}$$

$$= \frac{a^{(2)} - y}{a^{(2)}(1-a^{(2)})} \times a^{(2)}(1-a^{(2)})$$

$$= a^{(2)} - y$$

$$y = \text{sigmoid}(x)$$

$$= \frac{1}{1+e^{-x}}$$

$$= (1+e^{-x})^{-1}$$

$$= -(1+e^{-x})^{-2}(-e^{-x})$$

$$= \frac{e^{-x}}{(1+e^{-x})^2}$$

$$= \frac{1}{1+e^{-x}} \times \frac{e^{-x}+1-1}{1+e^{-x}}$$

$$= y \times \left[\frac{1+e^{-x}}{1+e^{-x}} - \frac{1}{1+e^{-x}} \right]$$

$$= y \times [1 - y]$$

$$\star \frac{\partial L}{\partial W^{(2)}} = \frac{\partial L}{\partial a^{(2)}} \times \frac{\partial a^{(2)}}{\partial z^{(2)}} \times \frac{\partial z^{(2)}}{\partial W^{(2)}}$$

$$= (a^{(2)} - y) (a^{(2)})^T$$

1x1 should be 1x2

$$\star \frac{\partial L}{\partial b^{(2)}} = \frac{\partial L}{\partial a^{(2)}} \times \frac{\partial a^{(2)}}{\partial z^{(2)}} \times \frac{\partial z^{(2)}}{\partial b^{(2)}}$$

$$= (a^{(2)} - y)$$

$$\frac{\partial L}{\partial a^{(2)}} = \frac{\partial L}{\partial a^{(2)}} \times \frac{\partial a^{(2)}}{\partial z^{(2)}} \times \frac{\partial z^{(2)}}{\partial a^{(2)}}$$

$$= ((a^{(2)} - y) W^{(2)})^T$$

1x1 1x2 → should be 2x1

$$\frac{\partial L}{\partial z^{(1)}} = \text{chain of } \frac{\partial L}{\partial a^{(1)}} \times \frac{\partial a^{(1)}}{\partial z^{(1)}}$$

$$= ((a^{(2)} - y) [W^{(2)}])^T \times a^{(1)}(1-a^{(1)})$$

$$\star \frac{\partial L}{\partial W^{(1)}} = \text{chain of } \frac{\partial L}{\partial z^{(1)}} \times \frac{\partial z^{(1)}}{\partial W^{(1)}}$$

$$= \frac{\partial L}{\partial z^{(1)}} \times (a^{(1)})^T$$

2x3 1x3

$$\star \frac{\partial L}{\partial b^{[1]}} = \frac{\partial L}{\partial z^{[1]}} \star \frac{\partial z^{[1]}}{\partial b^{[1]}}$$

$$= \frac{\partial L}{\partial z^{[1]}} \star \underline{1} = \left((a^{[2]} - y)(w^{[2]})^T \right) \star a^{[1]}(1 - a^{[1]})$$

d) $x = \begin{bmatrix} 3 \\ 0.2 \\ -0.1 \end{bmatrix}$

$$\underline{z} = \underline{W} \underline{x} + b^{[1]}$$

$$= \begin{bmatrix} 0.1 & 0.2 & 0.3 \\ -0.1 & 0 & 0.2 \end{bmatrix} \begin{bmatrix} 3 \\ 0.2 \\ -0.1 \end{bmatrix} = \begin{bmatrix} 0.31 \\ -0.32 \end{bmatrix}$$

$$a^{[1]} = \begin{bmatrix} 0.5769 \\ 0.4207 \end{bmatrix}$$

$$z^{[2]} = [0.2 \quad -0.2] \begin{bmatrix} 0.5769 \\ 0.4207 \end{bmatrix} = 0.03124$$

$$a^{[2]} = 0.5070 \Rightarrow \hat{y}$$

e) $\hat{y} < 0.6 \Rightarrow \text{output: } 0$

f) Cost: $L = - (y \log \hat{y} + (1-y) \log (1-\hat{y}))$

$$= - (1 \times \ln(1 - 0.5070))$$

$$= 0.70887$$

$$g) \frac{\partial L}{\partial w^{[2]}} = (a_i^{[2]} - y)(a_i^{[1]})^T$$

$$= (0.5078 - 0) * [0.5769 \quad 0.4207]$$

$$= [0.2929 \quad 0.2136] \quad \#$$

$$\frac{\partial L}{\partial b^{[2]}} = a^{[2]} - y = 0.5078 \quad \#$$

$$\frac{\partial L}{\partial a^{[1]}} = (0.5078 * [0.2 \quad -0.2])^T = \begin{bmatrix} 0.10156 \\ -0.10156 \end{bmatrix}$$

$$\frac{\partial L}{\partial z^{[1]}} = \begin{bmatrix} 0.10156 \\ -0.10156 \end{bmatrix}$$

$$\otimes \begin{bmatrix} 0.5769 \\ 0.4207 \end{bmatrix}$$

element
wise

$$\otimes \begin{bmatrix} 1-0.5769 \\ 1-0.4207 \end{bmatrix}$$

$$= \begin{bmatrix} 0.0247 \\ -0.0247 \end{bmatrix}$$

$$\frac{\partial L}{\partial w^{[1]}} = \begin{bmatrix} 0.0247 \\ -0.0247 \end{bmatrix} [3 \quad 0.2 \quad -0.1]$$

$$= \begin{bmatrix} 0.0741 & 4.94 \times 10^{-3} & -2.47 \times 10^{-3} \\ -0.0741 & -4.94 \times 10^{-3} & 2.47 \times 10^{-3} \end{bmatrix}$$

#

$$\frac{\partial L}{\partial b^{[1]}} = \begin{bmatrix} 0.0247 \\ -0.0247 \end{bmatrix} \quad \#$$

h) Gradient descent

$$W^{[2]} := W^{[2]} - \alpha \frac{\partial L}{\partial W^{[2]}}$$

$$b^{[2]} := b^{[2]} - \alpha \frac{\partial L}{\partial b^{[2]}}$$

$$W^{[1]} := W^{[1]} - \alpha \frac{\partial L}{\partial W^{[1]}}$$

$$b^{[1]} := b^{[1]} - \alpha \frac{\partial L}{\partial b^{[1]}}$$

α is the learning rate $\alpha = 0.05$

$$\begin{aligned} W^{[2]} &:= [0.2 \quad -0.2] - 0.05 [0.2929 \quad 0.2136] \\ &= [0.1854 \quad 2.136 \times 10^{-3}] \end{aligned}$$

$$b^{[2]} = 0 - 0.05 \times 0.5078 = -0.02539$$

$$\begin{aligned} W^{[1]} &= \begin{bmatrix} 0.1 & 0.2 & 0.3 \\ -0.1 & 0 & 0.2 \end{bmatrix} - 0.05 \begin{bmatrix} 0.0741 & 4.94 \times 10^{-3} & -2.47 \times 10^{-3} \\ -0.0741 & -4.94 \times 10^{-3} & 2.47 \times 10^{-3} \end{bmatrix} \\ &= \begin{bmatrix} 0.0963 & 0.195753 & 0.300125 \\ -0.0763 & 2.47 \times 10^{-4} & 0.19987 \end{bmatrix} \end{aligned}$$

$$b^{[1]} = \begin{bmatrix} 0 \\ 0 \end{bmatrix} - 0.05 \times \begin{bmatrix} 0.0247 \\ -0.0247 \end{bmatrix} = \begin{bmatrix} -1.235 \times 10^{-3} \\ 1.235 \times 10^{-3} \end{bmatrix}$$