

UEFA ECIS Men Master Extraction

Prepared: 2026-05-17

Purpose

- Create a single consolidated men's ECIS extraction target while avoiding duplicate counting across overlapping UEFA surveillance publications.
- Count programme-periods and populations, not papers.
- Use source papers only as field-level provenance unless they define the master all-injury programme-period.

Counting Rule

- One overlapping surveillance programme-period contributes once to high-level counts.
- Topic-specific papers cannot add another all-injury count for the same players, seasons, and method frame.
- Topic-specific papers may add missing field-level values such as burden, RTP, recurrence, diagnosis, location, or severity.
- Do not subtract overlapping periods unless a source directly reports the non-overlapping value.

Source Inventory And Decisions

Study ID	Year	Status	Category	Role	Decision	Title
S002	2011	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Anterior cruciate ligament injury in elite football: a prospective three-cohort study.
S006		uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Epidemiological Data on LCL and PCL Injuries Over 17 Seasons in Men's Professional Soccer: The UEFA Elite Club Injury Study
S007	2015	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Epidemiological and clinical outcome comparison of indirect ('strain') versus direct ('contusion') anterior and posterior thigh muscle injuries in male elite football players: UEFA Elite League study of 2287 thigh injuries (2001-2013)
S011		uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Fewer ligament injuries but no preventive effect on muscle injuries and severe injuries: an 11-year follow-up of the UEFA Champions League injury study
S019	2020	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Ekstrand J. and Spreco A. and Windt J. and Khan K.M. - 2020 - Are Elite Soccer Teams' Preseason Training Sessions Associated With Fewer In-Season Injuries A 15-Y.pdf
S042	2016	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Hamstring injuries have increased by 4% annually in men's professional football, since 2001: a 13-year longitudinal analysis of the UEFA Elite Club injury study
S043	2022	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Hamstring injury rates have increased during recent seasons and now constitute 24% of all injuries in men's professional football: the UEFA Elite Club Injury Study from 2001/02 to 2021/22

Study ID	Year	Status	Category	Role	Decision	Title
S046	2019	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Hip and groin time-loss injuries decreased slightly but injury burden remained constant in men's professional football: the 15-year prospective UEFA Elite Club Injury Study
S056	2022	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Influence of the COVID-19 Lockdown and Restart on the Injury Incidence and Injury Burden in Men's Professional Football Leagues in 2020: The UEFA Elite Club Injury Study
S057	2013	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Injuries affect team performance negatively in professional football: an 11-year follow-up of the UEFA Champions League injury study
S079	2018	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Internal workload and non-contact injury: a one-season study of five teams from the UEFA Elite Club Injury Study
S084	2013	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Bengtsson - 2013 - Muscle injury rates in professional football increase with fixture congestion an 11-year follow-up.pdf
S091	2013	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Gajhede-Knudsen - 2013 - Recurrence of Achilles tendon injuries in elite male football players is more common after early ret.pdf
S106	2013	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Lundblad - 2013 - The UEFA injury study 11-year data concerning 346 MCL injuries and time to return to play..pdf
S107	2013	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Walden - 2013 - Time-trends and circumstances surrounding ankle injuries in men's professional football an 11-year.pdf
S108	2005	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Walden M. and Hagglund M. and Ekstrand J. - 2005 - UEFA Champions League study A prospective study of injuries in professional football during the 200.pdf
S110	2009	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	J Werner - 2009 - UEFA injury study a prospective study of hip and groin injuries in professional football over seven.pdf
S113	2013	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Upper extremity injuries in male elite football players
S175	2022	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Anterior ankle impingement syndrome is less frequent, but associated with a longer absence and higher re-injury rate compared to posterior syndrome: a prospective cohort study of 6754 male professional soccer players
S199	2019	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Ekstrand - 2019 - Elite football teams that do not have a winter break lose on average 303 player-days more per season.pdf
S200	2021	extracted	ECIS men	master anchor	Use as the main all-injury ECIS men source.	Injury rates decreased in men's professional football: an 18-year prospective cohort study of almost 12 000 injuries sustained during 1.8 million hours of play
S201	2008	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Epidemiology of football injuries
S202	2012	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Ekstrand J. and Torstveit M.K. - 2012 - Stress fractures in elite male football players.pdf
S340	2013	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Nilsson M. and Hagglund M. and Ekstrand J. and Walden M. - 2013 - Head and neck injuries in professional soccer.pdf

Study ID	Year	Status	Category	Role	Decision	Title
S358	2013	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Kristenson K. and Walden M. and Ekstrand J. and Hagglund M. - 2013 - Lower injury rates for newcomers to professional soccer a prospective cohort study over 9 consecuti.pdf
S368	2019	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Epidemiology and return to play following isolated syndesmotc injuries of the ankle: a prospective cohort study of 3677 male professional footballers in the UEFA Elite Club Injury Study
S401	2016	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	ACL injuries in men's professional football: a 15-year prospective study on time trends and return-to-play rates reveals only 65% of players still play at the top level 3 years after ACL rupture
S415	2013	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Playing too Many Matches is Negative for both Performance and Player Availability -- Results from the On-Going UEFA Injury Study.
S451	2013	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Fifth metatarsal fractures among male professional footballers: a potential career-ending disease
S509	2019	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Medial collateral ligament injuries of the knee in male professional football players: a prospective three-season study of 130 cases from the UEFA Elite Club Injury Study
S513	2018	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Muscle injury rate in professional football is higher in matches played within 5 days since the previous match: a 14-year prospective study with more than 130 000 match observations.
S527	2020	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Few training sessions between return to play and first match appearance are associated with an increased propensity for injury: a prospective cohort study of male professional football players during 16 consecutive seasons.
S554	2013	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Regional differences in injury incidence in European professional football
S576	2014	uefa	ECIS men	supplement needs confirmation	Review full text before use; default is supplement only.	Sports-related concussion increases the risk of subsequent injury by about 50% in elite male football players
S581	2020	uefa	ECIS men	supplement	Use only for field-level details not already captured by the ECIS men master.	Time before return to play for the most common injuries in professional football: a 16-year follow-up of the UEFA Elite Club Injury Study

Field-Level Provenance Requirements

- Each extracted value must record source study ID, page/table/figure, source role, direct-vs-derived status, and overlap decision.
- If a value is taken from a supplement paper, record why the master source did not already cover that field.
- If the same metric appears in two overlapping papers, prefer the broadest all-injury master unless the supplement reports a more specific row that matches the extraction field.
- If source definitions differ, split into a separate population/programme-period row instead of merging.

Reviewer Checklist

- Confirm all source IDs in the PDF have been reviewed against full text or reliable extracted text.
- Confirm no ordinary UEFA source paper remains in the analytical export alongside this master record.
- Confirm all source-only and already-included papers are marked in the provenance ledger.
- Confirm all live values have field-level provenance before marking the master record review-ready.