Queries' results

KPI Development

```
-- KPI Development
WITH Overview AS(
    SELECT
    COUNT(*) as Total_orders,
    SUM(Price_INR) as `Total_revenue`,
    AVG(Price_INR) as `Average_dish_price`,
    AVG(Rating) as Avg_rating
    FROM fact_swiggy_orders

)
SELECT
    Total_orders,
    CONCAT(ROUND(`Total_revenue`/1000000,2),' Million') AS Total_revenue ,
    ROUND(`Average_dish_price`,2) AS Average_dish_price ,
    Avg_rating
FROM Overview;
```

result

Total_orders	Total_revenue	Average_dish_price	Avg_rating
197401	53.00 Million	268.50	4.34158

Deep-Dive Business Analysis

1- Date-Based Analysis

a-Monthly order trends

```
# Monthly order trends
# Total orders
SELECT
    d.Month_name,
    COUNT(*) AS Total_orders
FROM fact_swiggy_orders f
JOIN dim_date d on f.Date_id=d.Date_id
GROUP BY d.Month_name
ORDER BY Total_orders DESC;

# Monthly Revenue
SELECT
    d.Month_name,
    CONCAT(ROUND(SUM(f.Price_INR)/1000000,2),' M') AS Revenue
FROM fact_swiggy_orders f
JOIN dim_date d on f.Date_id=d.Date_id
GROUP BY d.Month_name
ORDER BY Revenue DESC;
```

Result

1

Month_name	Total_orders ▼ 1
January	25393
August	25227
May	25188
July	24936
April	24584
March	24400
June	24382
February	23291

2

Month_name	Revenue ▼ 1
January	6.82 M
August	6.79 M
May	6.79 M
July	6.65 M
April	6.59 M
March	6.57 M
June	6.51 M
February	6.27 M

b-Quarterly order trends

```
# Quarterly order trends
# Total Order By Quarter
SELECT
    d.Quarter,
    COUNT(*) AS Total_orders
FROM fact_swiggy_orders f
JOIN dim_date d on f.Date_id=d.Date_id
GROUP BY d.Quarter
ORDER BY d.Quarter ;

# Quarterly Revenue
SELECT
    d.Quarter,
    CONCAT(ROUND(SUM(f.Price_INR)/1000000,2),' M') AS Revenue
FROM fact_swiggy_orders f
JOIN dim_date d on f.Date_id=d.Date_id
GROUP BY d.Quarter
ORDER BY d.Quarter DESC;
```

Result

1

Quarter ▲ 1	Total_orders
1	73084
2	74154
3	50163

2

Quarter ▼ 1	Revenue
3	13.44 M
2	19.90 M
1	19.66 M

c-Day-of-week patterns

```
# Day-of-week patterns
# Orders By Days Of Week
SELECT
    d.Day_name,
    COUNT(*) AS Total_orders
FROM fact_swiggy_orders f
JOIN dim_date d on f.Date_id=d.Date_id
GROUP BY d.Day_name
ORDER BY Total_orders DESC;
```

Day_name	Total_orders ▼ 1
Saturday	28933
Sunday	28469
Thursday	28450
Friday	28284
Wednesday	28284
Monday	27568
Tuesday	27413

2-Location-Based Analysis

```
# Top 10 cities by order volume

SELECT
    l.City,
    COUNT(*) AS Total_orders
FROM fact_swiggy_orders f
JOIN dim_location l ON f.Location_id=l.Location_id
GROUP BY l.City
ORDER BY Total_orders DESC
LIMIT 10;

# Revenue contribution by states
SELECT
    l.State,
    CONCAT(ROUND(SUM(f.Price_INR)/1000000,2),' M') AS Revenue
FROM fact_swiggy_orders f
JOIN dim_location l ON f.Location_id=l.Location_id
GROUP BY l.State
ORDER BY Revenue DESC
LIMIT 10;
```

City	Total_orders ▼ 1
Bengaluru	20072
Mumbai	10507
Hyderabad	10308
Jaipur	10285
Lucknow	10192
New Delhi	10191
Ahmedabad	10175
Chandigarh	10060
Kolkata	10044
Chennai	10042

State	Revenue ▼ 1
Karnataka	5.46 M
Uttar Pradesh	3.12 M
Maharashtra	3.02 M
Telangana	3.02 M
Delhi	2.83 M
Gujarat	2.82 M
Punjab	2.80 M
West Bengal	2.66 M
Tamil Nadu	2.64 M
Rajasthan	2.50 M

3-Food Performance

```
# Top 10 restaurants by orders
SELECT
    r.Restaurant_name,
    COUNT(*) AS Total_orders
FROM fact_swiggy_orders f
JOIN dim_restaurant r ON f.Restaurant_id=r.Restaurant_id
GROUP BY r.Restaurant_name
ORDER BY Total_orders DESC
LIMIT 10;

# Most ordered dishes
SELECT
    ds.Dish_name,
    COUNT(*) AS Total_orders
FROM fact_swiggy_orders f
JOIN dim_dish ds ON f.Dish_id=ds.Dish_id
GROUP BY ds.Dish_name
ORDER BY Total_orders DESC
LIMIT 10;
```

Results

Restaurant_name	Total_orders ▼ 1
McDonald's	13528
KFC	12957
Burger King	7115
Pizza Hut	6529
Domino's Pizza	5489
LunchBox - Meals and Thalis	4700
Baskin Robbins - Ice Cream Desserts	4197
Faasos - Wraps, Rolls & Shawarma	3256
Olio - The Wood Fired Pizzeria	3239
The Good Bowl	2665

Dish_name	Total_orders ▼ 1
Veg Fried Rice	321
Choco Lava Cake	303
Jeera Rice	265
Paneer Butter Masala	262
French Fries	248
Chicken Sausage	230
Chicken Fried Rice	228
Butter Naan	218
Margherita Pizza	203
Green Salad	197

```
# Cuisine performance (Orders + Avg Rating)

SELECT
    c.Category,
    COUNT(*) AS Total_orders,
    AVG(f.Rating) AS Avg_rating
FROM fact_swiggy_orders f
JOIN dim_category c ON f.Category_id=c.Category_id
GROUP BY c.Category
ORDER BY Total_orders DESC
LIMIT 10;
```

Category	Total_orders ▼ 1	Avg_rating
Recommended	24097	4.32178
Desserts	3582	4.37164
Main Course	2983	4.31019
Beverages	2682	4.36872
BURGERS	2538	4.32494
Sweets	1954	4.45553
McSaver Combos (2 Pc Meals)	1884	4.41380
Exclusive Deals (Save upto 40%)	1717	4.34881
Starters	1692	4.30485
ROLLS	1652	4.24637

4- Customer Spending Insights

```
-- 4 Customer Spending Insights
-- ----------------------------
SELECT
 CASE
  WHEN f.Price_INR < 100 THEN 'Under 100'
  WHEN f.Price_INR < 200 THEN '100-199'
  WHEN f.Price_INR < 300 THEN '200-299'
  WHEN f.Price_INR < 500 THEN '300-499'
  ELSE '500+'
  END AS Customer_spending,
 COUNT(*) AS Total_orders
FROM fact_swiggy_orders f
GROUP BY Customer_spending
ORDER BY Total_orders DESC;
```

Customer_spending	Total_orders ▼ 1
100-199	56368
200-299	54773
300-499	43768
Under 100	26795
500+	15697