

```
MAC Dest : ff:ff:ff:ff:ff:ff:
MAC Src : 00:00:6c:82:dc:4e:
Type : IPv4 (0x0800)
```

IPv4

```
IP source : 0.0.0.0
IP destination : 255.255.255.255
Header length : 20 bytes
Type of Service : 0x00
Total lenght : 310 octets
Identification : 0x53d2
Fragment offset field : 0x4000 (Dont't fagment flag)
Time to live : 32
Protocol : UDP (17)
Checksum : 0x05e6
```

UDP

```
Source port : 68
Destination port : 67
Udp length : 290
Udp checksum : 0x96C1
```

BOOTP

```
Packet opcode type : (1) Request
Hardware addr type : (0x01) Ethernet
Hardware addr length : 6
Gateway hops : 0
Transaction ID : 0xac2effff
Seconds elapsed : 0 s
Bootp flags : (0x0000) Reserved
Client IP address : 0.0.0.0
'Your' IP address : 0.0.0.0
Server IP address : 0.0.0.0
Gateway IP address : 0.0.0.0
Client MAC address : 00:00:6c:82:dc:4e:
Client hardware address padding: 00:00:00:00:00:00:00:00:00:00:
Server host name : not given
Boot file name : not given
| Magic cookie 0x35010139
| Option 53 : DHCP Discover
| Option 57 : Maximue DHCP Message Size
| Option 55 : Parameter request list
| Option 51 : IP lease time: 3600s
| Option 52 : Option Overload
| Option 56 :
```

```
=====
END SNIFFING
=====
```