CNC Process Pro

How the app works, in 10 minutes

For operators and production team

What does the app do for you?



Right tools

It changes the tool numbers in a program to the tools that are **really in your machine**.



Safer machining

It warns you about tools that are too short and brings the **table to you** when you must turn the part.




Parts counted

Parts made **without a scan** are recorded and counted for you every month.


1. Sign in

1. Open the app on the workshop PC
2. Type **your own** username and password
3. Press **Sign In**

🔑 Change your password with the **key** button at the top right.
Never share your password: everything you do is saved under your name.



2. The main screen



Top bar connection status · time saved · your name · sign out

Tabs Tool Inventory · Tool Remapper · Recent Codes · Part without scan


Prepare a program

Tool Remapper - 5 steps


Step 1 · Load

1. Choose the **machine** (e.g. HAAS-1)
2. **Paste** the program, or press **Import** to open the file
3. Press **Analyze & Remap**

✅ The app checks the program as soon as you paste it.
A green bar tells you what it already fixed.



Step 2 · Check the tools



Missing tool

The tool is not in the machine. **Choose a tool** from the list, or create a new one.

Approximate

A close tool was chosen. **Check it** is OK for the job.


Resolved

The tool is OK.


Step 3 · Confirm

1. When all tools are set, press **Apply & Generate Code**
2. If a tool is **too short**, a red warning appears: stop and check
3. Read the warning and press **Confirm & Generate**

⚠️ The app helps, but **you** make the final check. The tools in the machine must match the program.



Step 4 · Read the result



Green line changed by the app **Orange** approximate tool: check it **Left** original program · **Right** new program

Step 5 · Extract the code

1. Press **Extract Code** (orange button)
2. The file downloads, ready for the machine
3. It is saved in **Recent Codes** automatically

📶 No internet? You can still extract.
The top bar shows **"1 to upload"** and it sends the record when the connection is back.



The table comes to you 🛡️

The app adds `G53 Y0` only where you need the table close

🔄 When you turn the part

```
N16 T13 M6
N17 (MESSERKOPF D93 ...)
N18 (DIAMETER 93.00 MM ...)
N19 G53 Y0
N20 M0 (TEIL 180 GRAD ...)
N22 G52 X-50. Y50. Z-10.5
```

Before the stop (M0) of a part flip (G52).

📦 At the end of the program

```
N31 G00 Z50.
N32 M05
N33 G53 Y0
N34 M30
```

Before M30, so you can take the parts out.


No more stretching to reach the table. If the line is already there, nothing is added.

The other tabs

Tool Inventory


- All tools of each machine: **number, type, diameter, length**
- Click a tool to see or edit it
- An **orange** tool was changed by someone: click it to say "seen"

🔁 A change made on one PC appears on all PCs within ~15 seconds.



Recent Codes


- Every program you extracted
- **Search** by file name or tool number
- Press **Export** to download it again




Part without scan

1. Type the **SAP number**
2. Type the **quantity**
3. Choose **Produced part** (1 point) or **Modification** (0.5 point)
4. Press **Submit Part Entry**

🕑 Your entry is **pending** until the chief approves it. Then it is added to **This month's counter**.



How a part entry is counted




A rejected entry is not counted. Ask your chief if you don't know why.

The top bar

- **Synced** all good
- **1 to upload** waiting for internet, keep working
- **Offline** no connection, the app still works with the last tools

🌙☀️ The **moon / sun** button switches between dark and light screen.



Remember

✅ Sign in with **your own** account

✅ Always **check the tools** in the machine

⚠️ Red warning = **stop and check** the tool length

✅ Extract the code from the app, not by hand

✅ Enter parts without scan **the same day**

⚠️ Something looks wrong? **Ask before running**



Questions?

Thank you. Safe and good work 👷