



Your project accounts

Tick each box after checking access. **Reuse accounts you already control; do not create duplicates.**

Repository snapshot: 25 September 2026 · Live sign-in, ownership and billing are not verified.

1. Essential access for this web project

Account / where to go	What you need it for	What to confirm
☐ Owner email inbox Your email provider	Receive account recovery, security notices and invoices. An existing personal or institutional inbox can be used.	You can access it and recover it without this computer.
☐ GitHub abdelmac/Q-pro	Source code, history, Actions and configured GitHub Pages hosting. Pages uses the same GitHub account. [1]	Your account has repository administration access; abdelmac is the configured owner.
☐ Supabase owner/team Open configured project	Database, staff authentication, backups, settings and billing. CI project reference: txrvbkdcfyhataouvng	Confirm the correct organization and project. This is not the app's admin login.
☐ Website admin Open site → Admin portal	Read research and manage specialty content/weights. Requires a Supabase Auth user and enabled portal access .	Previously requested email: sasaola59@gmail.com Current access/role unverified.

Portal roles: researcher = read research; doctor = also edit drafts; professor = also publish/restore. Give each staff member their own authorized login. Quiz participants do not need accounts.

2. Additional accounts — only when needed

☐ Cloudflare	Only if choosing Cloudflare Pages hosting or its DNS. Documented hosting alternative; no active deployment/account confirmed. Not needed just to keep GitHub Pages. [2]
☐ Domain registrar / DNS	Only for your own domain. Record the registrar, DNS provider and renewal owner. A custom domain is not required for the configured GitHub Pages URL.
☐ Email delivery / SMTP	For production staff invitations and password-reset emails: an approved SMTP service, possibly your institution's. Supabase's default sender is limited and not for production. Provider not confirmed. [3]
☐ Google Play Console	Only to publish Android on Google Play: Google account plus developer registration. Not required for the website/PWA or local Android testing. [4]
☐ Apple Developer	Only for App Store/TestFlight distribution: Apple Account plus Developer Program membership. Not required for the website/PWA. iOS builds also need a Mac/Xcode. [5]

3. Keep access recoverable

Record privately, in a password manager: each login email, sign-in method (password or linked account), account/organization ID, permissions, billing owner, MFA recovery codes and renewal dates. Use MFA on provider accounts where available. Keep an approved **encrypted off-site backup destination** and its recovery key separately; these may use existing institutional services.

Project owner: _____

Recovery contact: _____

Supabase login email: _____

Last access check: _____

No passwords or keys belong on this sheet or in Git. Replace any password previously shared in chat if it is still in use. Supabase public frontend keys are not account logins. Never put database passwords or privileged keys in **VITE_*** variables.

No separate service account needed: React, TypeScript, Vite, Tailwind, Capacitor or the custom map. No OpenAI, Google Maps or Mapbox API account is used by the current app.

Evidence: Git remote; .github/workflows/deploy-pages.yml; SUPABASE.md (roles); docs/OPERATIONS.md and MOBILE.md; user-supplied admin email. Numbered links point to official provider guidance checked 25 September 2026. Keep any privately completed copy outside the repository.