```
MINGW64:/c/Users/lenovo
 enovo@Abdelmageed MINGW64 ~
$ git config --global user.name "Abdelmageed Afwat"
lenovo@Abdelmageed MINGW64 ~
 git config --global user.email "abdoafwat2@gmail.com"
 enovo@Abdelmageed MINGW64 ~
 git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Abdelmageed Afwat
user.email=abdoafwat2@gmail.com
```

```
MINGW64:/c/Users/lenovo/Desktop/sprints tasks
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks
$ get clone https://github.com/abdelmageedafwat/Sprints-SWCM-Task.git
bash: get: command not found
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks
$ git clone https://github.com/abdelmageedafwat/Sprints-SWCM-Task.git
Cloning into 'Sprints-SWCM-Task'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (6/6), done.
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks
```

ent - Fullstack BootCamp W2 45.45% Learnt	Journey Page	My Program	ns
MINGW64:/c/Users/lenovo/Desktop/sprints tasks/Sprints-SWCM-Task	- .	_ ×	
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main) \$ git status Descon branch main Your branch is up to date with 'origin/main'.			Qui
Untracked files: (use "git add <file>" to include in what will be committed) sprints.txt</file>		Ĺ	
nothing added to commit but untracked files present (use "git add" to track)			
mand Prompt (or Git Ballenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main) Windows Command P\$ git add sprints.txt			
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main) \$ git commit -m "best of luck" [main f463ad0] best of luck ruser name and email 1 file changed, 1 insertion(+) create mode 100644 sprints.txt			
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main) \$ git log called 'Sprints SWCM commit f463ad0493c2d6066b8c5521812e655385072546 (HEAD -> main) Author: Abdelmageed Afwat <abdoafwat2@gmail.com> Date: Thu May 4 22:11:38 2023 +0300</abdoafwat2@gmail.com>			
best of luck de and write any senter is using `git status` using `git add` Int using `git commit` not using `git commit` not using `git commit` not using `git commit` not the committed local best of luck commit 4cd3bc61cf747581518a1396f7737a582eaa47e3 (origin/main, origin/HEAD) Author: abdelmageedafwat <47229685+abdelmageedafwat@users.noreply.github.com> Update README.md commit 48f36c9e60d1cb4f2e1154692bc0ad26e0cf8ba2 Author: abdelmageedafwat <47229685+abdelmageedafwat@users.noreply.github.com> Date: Thu May 4 21:55:09 2023 +0300			
of the committed local Date: Thu May 4 21:55:09 2023 +0300 Initial commit			
		nt	S
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main) h`to verify that you ha			
commit history	Letudiad this l	lavean (

```
MINGW64:/c/Users/lenovo/Desktop/sprints tasks/Sprints-SWCM-Task
```

enovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main) git add sprints.txt enovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main) git commit -m "best of luck" [main f463ad0] best of luck 1 file changed, 1 insertion(+) create mode 100644 sprints.txt enovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main) git log commit f463ad0493c2d6066b8c5521812e655385072546 (HEAD -> main) Author: Abdelmageed Afwat <abdoafwat2@gmail.com> Thu May 4 22:11:38 2023 +0300 Date: best of luck commit 4cd3bc61cf747581518a1396f7737a582eaa47e3 (origin/main, origin/HEAD) Author: abdelmageedafwat <47229685+abdelmageedafwat@users.noreply.github.com> Thu May 4 21:58:14 2023 +0300 Date: Update README.md commit 48f36c9e60d1cb4f2e1154692bc0ad26e0cf8ba2 Author: abdelmageedafwat <47229685+abdelmageedafwat@users.noreply.github.com> Thu May 4 21:55:09 2023 +0300 Date: Initial commit enovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main) \$ git push Enumerating objects: 4, done. Counting objects: 100% (4/4), done. Delta compression using up to 12 threads Compressing objects: 100% (2/2), done. Writing objects: 100% (3/3), 297 bytes | 297.00 KiB/s, done. Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 To https://github.com/abdelmageedafwat/Sprints-SWCM-Task.git 4cd3bc6..f463ad0 main -> main enovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main)

```
MINGW64:/c/Users/lenovo/Desktop/sprints tasks/Sprints-SWCM-Task
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (featureX)
 git add sprints.txt
 enovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (featureX)
 git commit -m "new featureX"
featureX baca7c5] new featureX
1 file changed, 2 insertions(+), 1 deletion(-)
 enovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (featureX)
$ git checkout -b featureY
Switched to a new branch 'featureY'
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (featurey)
git add sprints.txt
 enovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (featureY)
 git commit -m "new featureY"
featureY 84aedadl new featureY
1 file changed, 2 insertions(+), 1 deletion(-)
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (featureY)
s ait loa
commit 84aedad19f0194c2ca44c65d850494d973c0dbee (HEAD -> featureY)
Author: Abdelmageed Afwat <abdoafwat2@gmail.com>
Date: Fri May 5 00:05:52 2023 +0300
   new featureY
commit baca7c50ae966b82094c773862810b4130af9d0b (featureX)
Author: Abdelmageed Afwat <abdoafwat2@gmail.com>
Date: Fri May 5 00:01:46 2023 +0300
   new featureX
commit f463ad0493c2d6066b8c5521812e655385072546 (origin/main, origin/HEAD, main/main, main)
Author: Abdelmageed Afwat <abdoafwat2@gmail.com>
Date: Thu May 4 22:11:38 2023 +0300
   best of luck
commit 4cd3bc61cf747581518a1396f7737a582eaa47e3
Author: abdelmageedafwat <47229685+abdelmageedafwat@users.noreply.github.com>
Date: Thu May 4 21:58:14 2023 +0300
 ...skipping...
commit 84aedad19f0194c2ca44c65d850494d973c0dbee (HEAD -> featureY)
Author: Abdelmageed Afwat <abdoafwat2@gmail.com>
Date: Fri May 5 00:05:52 2023 +0300
    new featureY
```

```
MINGW64:/c/Users/lenovo/Desktop/sprints tasks/Sprints-SWCM-Task
$ git branch main
fatal: a branch named 'main' already exists
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (featureY)
 git main
git: 'main' is not a git command. See 'git --help'.
The most similar command is
        mailinfo
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (featureY)
 git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main)
 git merge featureX
Updating f463ad0..baca7c5
Fast-forward
sprints.txt | 3 ++-
1 file changed, 2 insertions(+), 1 deletion(-)
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main)
```

```
MINGW64:/c/Users/lenovo/Desktop/sprints tasks/Sprints-SWCM-Task
commit baca7c50ae966b82094c773862810b4130af9d0b (featureX)
Author: Abdelmageed Afwat <abdoafwat2@gmail.com>
        Fri May 5 00:01:46 2023 +0300
Date:
    new featureX
commit f463ad0493c2d6066b8c5521812e655385072546 (origin/main, origin/HEAD, main/
main)
Author: Abdelmageed Afwat <abdoafwat2@gmail.com>
        Thu May 4 22:11:38 2023 +0300
Date:
    best of luck
commit 4cd3bc61cf747581518a1396f7737a582eaa47e3
Author: abdelmageedafwat <47229685+abdelmageedafwat@users.noreply.github.com>
        Thu May 4 21:58:14 2023 +0300
Date:
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main)
 git branch --delete featureY
Deleted branch featureY (was 84aedad).
lenovo@Abdelmageed MINGW64 ~/Desktop/sprints tasks/Sprints-SWCM-Task (main)
```