




CH-07 Toxicology Homework Answers



01

Acute poisoning refers to:

A. Low dose exposure over many years

B. Rapid absorption in a short period

C. Exposure to highly toxic materials over a month or less

D. Low dose exposures over a short period



02

A classic example of synergism, in regard to toxic effect, involves asbestos coupled with a synergistic agent to produce lung cancer. What is this synergistic agent?

A. Water

B. Polyvinyl chloride

C. Dust

D. Cigarette smoke



03

Metal fume fever is a delayed type of disease with flu-like symptoms. It has been associated with exposure to all of the following EXCEPT:

- A. Magnesium oxide fumes
- B. Nascent zinc oxide fumes
- C. Zinc oxide fumes
- D. Thorium oxide**



04

The time that elapses between exposure and the first manifestations of disease or illness is called:

A. Manifestation period

B. Latency period

C. Metastasis period

D. Etiology period



05

Toxicity recognizes several different mechanisms of multiple chemical interaction.
What is potentiation?

- A. A substance which does not have a toxic effect upon a system or organ, but when in combination with another chemical, makes that chemical much more toxic**
- B. Two substances, which when together, interfere with each other's actions
- C. The combined effect of these two chemicals is much greater than the sum effect of each agent acting independently
- D. Both 2 and 3



06

What is the first observed chronic health effect of occupational exposure to cadmium and cadmium compounds?

A. kidney damage

B. muscle tremors

C. muscle degeneration

D. brain tumor

07

Arsenic has a reported oral LD50 for rats of about 15 mg/kg. How much arsenic must one 2 kg rat consume in order to have a 50% chance of dying?

A. 7.5 mg

B. 15 mg

C. 30 mg

D. 30 kg

