

**CH-11 Biological
Hazards
Homework Answers**



01

Which of the following sources of indoor air pollution in an office environment can be lethal?

A. Microorganisms

B. Formaldehyde

C. Carbon dioxide

D. Poor ventilation



02

What is tuberculosis caused by?

A. Virus

B. Bacteria

C. Protozoa

D. Spirochete



03

A person infected with TB:

- A. Always shows symptoms
- B. Not always test positive
- C. Can spread disease with no symptoms
- D. May never show symptoms**



04

Disinfection means:

A. Killing/removing all organisms

B. Reducing the number of organisms so there is no threat of disease

C. Removing microorganisms from skin or living tissue

D. Stops growth of microorganisms



05

In late 1991, which vaccine was made mandatory by OSHA for personnel at risk of exposure to bloodborne pathogens?

A. Tetanus

B. HIV

C. HBV

D. HAV



06

What is the protocol utilized to prevent the transmission of the HIV virus?

A. Aids Quarantine

B. Universal Precautions

C. Aids Awareness

D. HBV vaccination



07

In the scrubbing of biosafety cabinet effluent, what is the most universal scrubbing technology utilized?

- A. Entry of effluent into chemical scrubber
- B. HEPA filtration**
- C. Incineration
- D. Chemical sanitation



08

What biosafety level should be used when working with blood and blood products?

A. 1

B. 2

C. 3

D. 4



09

Biohazards can be transmitted to a person by:

- A. Inhalation or accidental injection
- B. Inhalation, ingestion, or absorption
- C. Physical contact
- D. All of the above**



10

Biological hazard exposures controlled by safe work practice, safety equipment use, and facility design are example of:

- A. Accepted minimum practices.
- B. Hierarchy of controls
- C. Containment**
- D. Engineering controls