




Ch-26 Risk Assessment and Management Homework Answers



01

Name the two key components in assessing risks.

- A. Probability of the event and frequency of the event
- B. Probability of the event and severity of the event**
- C. Severity of the event and event mitigating factors
- D. Bayesian exposure analysis and injury/illness probability



02

What is the best definition of “hazard”?

- A. The measure of the severity and probability of an event.
- B. An event that is not expected, foreseen or intended.
- C. An unsafe condition.**
- D. How dire the consequences will be if an event happens.



03

What is the first choice to protect an employee from exposure to chlorine gas in a water treatment facility?

- A. Required the use of Self-Contained Breathing Apparatus (SCBA)
- B. Substitute ozone for chlorine**
- C. Install a local exhaust ventilation system in the chlorine storage room
- D. Train employees in proper operating and emergency response procedures for chlorine.



04

Risk Analysis generally consists of all of the following steps EXCEPT:

- A. Estimation of the likelihood of events
- B. Construction of a fault tree**
- C. Estimation of the consequences
- D. Selection of specific scenarios



05

Conducting an onsite visual inspection of the work area is what part of risk management?

- A. Assessment of the Hazard
- B. Controls Development
- C. Hazard Identification**
- D. Controls Implementation



06

A hazard analysis is:

- A. Conducted by safety staff only
- B. The final stage of accident investigation
- C. A system used to identify hazards after a process or chemical change
- D. A tool used to identify and evaluate hazards in order to eliminate or control them**



07

When implementing a job safety analysis program, what should be analyzed first?

- A. Jobs generating the most employee complaints
- B. Jobs moving through each department
- C. Jobs exposing the most workers
- D. Jobs contributing to high incident rates**



08

What role does insurance play in risk treatment?

A. It eliminates the hazard causing the risk.

B. It transfers the financial risk associated with a hazard to another party.

C. It reduces the likelihood of a hazard occurring.

D. It identifies new hazard



09

The hierarchy of controls for a safety and health hazards are typically represented by:

- A. Safety, health and security
- B. Separation, substitution and simplification
- C. Engineering controls, management system and persona; protective equipment**
- D. 5-why analysis, corrective action implementation and senior management reporting



10

Choose the greatest risk from the choices below.

- A. An auto accident with an annual probability of 0.06 that will cost \$2,500**
- B. A diagnosis of lung cancer with an annual probability of 0.00074 that will cost \$35,000
- C. A disabling accident at home with an annual probability of 0.012 that will cost \$12,000
- D. A fire-related injury in the home with an annual probability of 0.000052 that will cost \$60,000



10

Answer	S	P	Risk (S x P)
A	2500	0.06	150
B	35000	0.00074	25.9
C	12000	0.012	144
D	60000	0.000052	3.12