AMS FOR ELECTRICAL DESIGN AND SHOP DRAWINGS

ABDELRHMAN SHABAN

TABLE OF CONTENTS



01.
INTRODUCTION

02.
OUR PROJECTS

03.
ABOUT US

INTRODUCTION

- Experienced leader with a proven track record of driving success in student activities both within and outside of university settings. As a president of numerous teams, I excel in decision-making, ambition, and hard work. My versatility is showcased through roles in media, management, and primarily engineering. With a passion for learning, I've supplemented my experience with various courses in my field
- **Bachelor’s Degree of Engineering Mansoura University . Egypt 2024 • Department: Electrical power and machine • Grade: Very Good**
- **Graduation Project : Electrical Distribution and energy management for Hospital**





WHO WE ARE?

Electrical design engineer with experience in design and shop drawings in electrical system and light current



WHAT WE DO?

Design and shop drawings for any system for power system or light current .

WHAT WE OFFER

CAD DESIGN

SHOP DRAWNGS

CAD OR REVIT .

REVIT DESIGN

LOD 500.

BOQ AND ALL DRAFT

OUR PROJECTS

WORKED IN MANY PROJECTS UNTILL NOW 5 PROJECT
VARY BETWWEN MANY FIELDS LIKE

- HEALTHCARE
- WATER SYPPLY PLANET
- ADMENSTRATION
- COMMERCIAL

My experience

10/2024 | now
Pioneer Engineering Consultancy LLC
Elrctrical Bim Engineer

07/2024 | now
Shelekami for building
Bim technical office

2024 | 09/2024
Eduneers
Team Manager and coordinator

2023 | 2024
Aldar Consulting Office
Electrical Design Engineer

PROJECT 1

SOLIMAN FAKEEH HOSIBTAL

Area of building 6000-meter square IN SUIDI ARABIA

Scope of work

LOD 500 shop drawings for 17 Electrical system


Power


(Lighting -Small power and HVAC feeding -Cable routing)

Light current


(fire alarm –sound system-clk-Quei-parking system-nurse call system-bms –lighting control-IPTV-Structured cabling system-CCTV-ACCSESS)


LIGHTING DESIGN







LIGHTING DESIGN







SOCKETS







FIRE ALARM


1- GROUND FLOOR PART
2 MFACP
20 mme (2X1.5)mm2 FIRE RESISTANT CABLE (OR AS APPROVE MATERIALS) INSIDEPVC CONDUIT Ø3/4" EMBEDDED IN CONCRETE CEILING SLAB AND / OR WALL PVC CON@ 3400
20 mme (2X1.5)mm2 FIRE RESISTANT CABLE (OR AS APPROVE MATERIALS) INSIDEPVC CONDUIT Ø3/4" EMBEDDED IN CONCRETE CEILING SLAB AND / OR WALL PVC CON@ 3228
20 mme (2X1.5)mm2 FIRE RESISTANT CABLE (OR AS APPROVE MATERIALS) INSIDEPVC CONDUIT Ø3/4" EMBEDDED IN CONCRETE CEILING SLAB AND / OR WALL 3228
MFACP@ 4100ES Master Controller Assembly with LCD and operator interface, 3 A system power supply/battery charger (SPS), 250 point IDNet interface, 3 NACs, auxiliary relay, and external RUI communications interface Simplex_Fire Alarm Control Panel_4100ES-4100-9111
REMOTE PHONE JACK W/LED Simplex_Firefighter_Phone Phone_2084-9023
FIRE ALARM DEVICE
SYM
DESCRIPTION
MAIN ADDRESSABLE FIRE ALARM CONTROL PANEL.
FIREALARM/REPEATER (ANNUNCIATOR) PANEL.
ADDRESSABLE INTELLIGENT OPTICAL SMOKE DETECTOR.
DITTO BUT ABOVE CEILING
ADDRESSABLE INTELLIGENT MULTI-SENSOR (SMOKE+HEAT) DETECTOR.
ADDRESSABLE INTELLIGENT HEAT DETECTOR.
ADDRESSABLE GAS DETECTOR.
ADDRESSABLE FLAME DETECTOR.
ADDRESSABLE INTELLIGENT FIRE FIGHTER TELEPHONE MODULE (1200mm HEIGHT FROM FFL)
ADDRESSABLE INTELLIGENT MANUAL FIRE ALARM PULL STATION (1350mm HEIGHT FROM FFL)
FIRE ALARM SIREN WITH STROBE LIGHT (2200mm HEIGHT FROM FFL)
- dB LEVEL:- SHALL BE AT LEAST 15 dB ABOVE THE AMBIENT SOUND LEVEL
- CANDELA RATING:- THE VISUAL NOTIFICATION APPLIANCES SHALL BE AS INDICATED IN FIRE ALARM TABLE BELOW (AS PER NFPA 72)
REQUIRED dB LEVEL AND THE CANDELA RATING PER EACH SPECIFIED SPACE.
STROBE LIGHT (2200mm HEIGHT FROM FFL) - CANDELA RATING:- THE VISUAL NOTIFICATION APPLIANCES SHALL BE AS INDICATED IN FIRE ALARM TABLE BELOW (AS PER NFPA 72).
ADDRESSABLE INTELLIGENT CONTROL MODULE (2200mm HEIGHT FROM 4" WALL MOUNTED)
DITTO, BUT MINITOR MODULE
ADDRESSABLE FIRE INTERFACE UNIT INCLUDING 2 MONITOR MODULES
DOOR HOLDER (1600mm HEIGHT FROM FFL.
CONDUIT AND WIRE
ADDRESSABLE FIRE ALARM CABLE (2+1.5MM Sh. 2CORE PVC CON EMBEDDED IN CEILING)
ADDRESSABLE SC CABLE (1+1.5MM Sh. 2CORE PVC CON EMBEDDED IN CEILING)
ADDRESSABLE TELE PHONE CABLE (4c. 20AWG PVC CON EMBEDDED IN CEILING)
FIRE ALARM CONTROL CABLE CLASS A CONNECTION
COMMUNICATION CABLE, RS-485



2- GROUND FLOOR PART
89L02MFACP@ IDNET SUPERVISED IAM Simplex_Modules Module_4100-9001
20 mme (2X1.5)mm2 FIRE RESISTANT CABLE (OR AS APPROVE MATERIALS) INSIDEPVC CONDUIT Ø3/4" EMBEDDED IN CONCRETE CEILING SLAB AND / OR WALL FAQ 3400
20 mme (2X1.5)mm2 FIRE RESISTANT CABLE (OR AS APPROVE MATERIALS) INSIDEPVC CONDUIT Ø3/4" EMBEDDED IN CONCRETE CEILING SLAB AND / OR WALL 3228
20 mme (2X1.5)mm2 FIRE RESISTANT CABLE (OR AS APPROVE MATERIALS) INSIDEPVC CONDUIT Ø3/4" EMBEDDED IN CONCRETE CEILING SLAB AND / OR WALL 3128
89L02MFACP@ Addressable Manual Station - Double Action Simplex_Pullstations Double_Action-Push
4007ES Hybrid with 4 conventional 3 A NACs and a 6 A output power supply/battery charger; includes IDNet+ communications for 100 addressable points and 1, 4007-9001 Zone/Relay module Simplex_Fire Alarm Control Panel_4007ES 4007-9101
FIRE ALARM DEVICE
SYM
DESCRIPTION
MAIN ADDRESSABLE FIRE ALARM CONTROL PANEL.
FIREALARM/REPEATER (ANNUNCIATOR) PANEL.
ADDRESSABLE INTELLIGENT OPTICAL SMOKE DETECTOR.
DITTO BUT ABOVE CEILING
ADDRESSABLE INTELLIGENT MULTI-SENSOR (SMOKE+HEAT) DETECTOR.
ADDRESSABLE INTELLIGENT HEAT DETECTOR.
ADDRESSABLE GAS DETECTOR.
ADDRESSABLE FLAME DETECTOR.
ADDRESSABLE INTELLIGENT FIRE FIGHTER TELEPHONE MODULE (1200mm HEIGHT FROM FFL)
ADDRESSABLE INTELLIGENT MANUAL FIRE ALARM PULL STATION (1350mm HEIGHT FROM FFL)
FIRE ALARM SIREN WITH STROBE LIGHT (2200mm HEIGHT FROM FFL)
- dB LEVEL:- SHALL BE AT LEAST 15 dB ABOVE THE AMBIENT SOUND LEVEL
- CANDELA RATING:- THE VISUAL NOTIFICATION APPLIANCES SHALL BE AS INDICATED IN FIRE ALARM TABLE BELOW (AS PER NFPA 72)
REQUIRED dB LEVEL AND THE CANDELA RATING PER EACH SPECIFIED SPACE.
STROBE LIGHT (2200mm HEIGHT FROM FFL) - CANDELA RATING:- THE VISUAL NOTIFICATION APPLIANCES SHALL BE AS INDICATED IN FIRE ALARM TABLE BELOW (AS PER NFPA 72).
ADDRESSABLE INTELLIGENT CONTROL MODULE (2200mm HEIGHT FROM 4" WALL MOUNTED)
DITTO, BUT MINITOR MODULE
ADDRESSABLE FIRE INTERFACE UNIT INCLUDING 2 MONITOR MODULES
DOOR HOLDER (1600mm HEIGHT FROM FFL.
CONDUIT AND WIRE
ADDRESSABLE FIRE ALARM CABLE (2+1.5MM Sh. 2CORE PVC CON EMBEDDED IN CEILING)
ADDRESSABLE SC CABLE (1+1.5MM Sh. 2CORE PVC CON EMBEDDED IN CEILING)
ADDRESSABLE TELE PHONE CABLE (4c. 20AWG PVC CON EMBEDDED IN CEILING)
FIRE ALARM CONTROL CABLE CLASS A CONNECTION
COMMUNICATION CABLE, RS-485


SOUND SYSTEM







IPTV


SYM
DISCRIPTION
RJ.45 DATA OUTLET, WALL MOUNTED TYPE, FOR IP-TV SYSTEM IN COORDINATION WITH TV SETS.
DATA DEVICE
XX.XX#XX/SCR.XX/XX
DEVICE NUMBER
DEVICE FLOOR
DEVICE NUMBER
FLOOR PART
FLOOR NUMBER
STRUCTRURE CABLE RACK
4- GROUND FLOOR PART3
1NO. (4 PAIRS UTP CAT6A CABLE) OR AS APPROVED MATERIALINSIDE PVC CONDUIT 3/4" EMBEDDED IN ,WALL 25 mmø@ 1600
CABLE TRUNK 300 mmx100 mm
1600 TV DATA OUTLET
TV UNIT



SYM
DISCRIPTION
RJ.45 DATA OUTLET, WALL MOUNTED TYPE, FOR IP-TV SYSTEM IN COORDINATION WITH TV SETS.
DATA DEVICE
XX.XX#XX/SCR.XX/XX
DEVICE NUMBER
DEVICE FLOOR
DEVICE NUMBER
FLOOR PART
FLOOR NUMBER
STRUCTRURE CABLE RACK
4- GROUND FLOOR PART2
1NO. (4 PAIRS UTP CAT6A CABLE) OR AS APPROVED MATERIALINSIDE PVC CONDUIT 3/4" EMBEDDED IN ,CELLING 25 mmø@ 3400
CABLE TRUNK 200x100
1600 TV DATA OUTLET
BACK TO BACK DATA OUTLET


CCTV


4- GROUND FLOOR PART
1NO. (4 PAIRS UTP CAT6A CABLE) OR AS APPROVED MATERIALINSIDE PVC CONDUIT
Ø3/4" EMBEDDED IN CONCRETE CEILING SLAB,WALL@ 25 mmø
Camera_Security_Bosch_Fixed_Dome_FLEXIDOME_IP_micro_3000i_Indoor_2MP
arch view of cctv celing



4- GROUND FLOOR PART1
1NO. (4 PAIRS UTP CAT6A CABLE) OR AS APPROVED MATERIALINSIDE PVC CONDUIT
Ø3/4" EMBEDDED IN CONCRETE CEILING SLAB,WALL@ 25 mmø
DATA OUTLET IN JUNCTIOBOX

STRCURED CABLING SYSTEM






CLK



Mark	Description	Manufacturer	Type Comments
P1	SAP Series IP Round Clock (V6.0	Synchronized Clock Systems	WALL MOUNTED
P1	SAP Series IP Round Clock (V6.0	Synchronized Clock Systems	DOUBLE FACE

PROJECT 2

- **Administration Building in Egypt**
- Elec System
- Lighting with lux calc in dialux evo
- Power (small power and bulk equipment)
- Shop drawings to system
- Cable routing
- LC (fire alarm-Public address-data and telephone –access control)



PROJECT 3

- **Administration Building in Egypt –LOD 500**

Elec System

Lighting

Power (small power and bulk equipment)


Shop drawings to system


Cable routing

LC (fire alarm-Public address-data and telephone –access control





LIGHTING







Power










Clash solution and panel schedule »»



Switchboard: SMDB

Location: Space 26
Supply From: MDB
Mounting:
Enclosure:

Volts: 380/220
Phases: 3
Wires: 4

A.I.C. Rating:
Mains Type:
Mains Rating: 1000 A
MCB Rating: 1 A

Notes:

CKT	Circuit Description	# of Poles	Frame Size	Trip Rating	Load	Remarks
1	PP-GF	3	400 A	20 A	14220 VA	
2	LP-GF	3	400 A	20 A	4371 VA	
3						
4	LP-F1	3	400 A	20 A	0 VA	
5	PP-F1	3	400 A	20 A	17050 VA	
6	LP-F2	3	400 A	20 A	0 VA	
7	PP-F2	3	400 A	20 A	17390 VA	
8	LP-F3	3	400 A	20 A	0 VA	
9	PP-F3	3	400 A	20 A	21214 VA	
10	LP-F4	3	400 A	20 A	0 VA	
11	PP-F4	3	400 A	20 A	16080 VA	
12	LP-F5	3	400 A	20 A	0 VA	
13	PP-F5	3	400 A	20 A	16080 VA	
14						
15						
16						
17						
18						
19						
20						
				Total Conn. Load:	106375 VA	
				Total Amps:	162 A	

Legend:

PROJECT 4

- **CONTROL Building in Egypt**

Elec System

Lighting


Power (small power and bulk equipment)


Shop drawings to system


LC (fire alarm)




Lighting and dialux evo works











Power and light current system





PROJECT 5

- **Villa in Egypt**

Elec System

Lighting with indoor design idea


Power (small power and bulk equipment)


Shop drawings to system





dialux evo works







MAIDS BATHROOM
R-02
MAIDS ROOM
R-03
LOBBY
R-01
DN
BOQE AREA
R-06
LAUNDRY
R-04
SERVICE AREA
R-05
Y9/PP-GF
B8/PP-GF
Y8/PP-GF
R9/PP-GF
B9/PP-GF
ROOF FLOOR



Y6/PP-GF
BEDROOM
F-05
R6/PP-GF
B6/PP-GF
MASTER BEDROOM
F-01
R7/PP-GF
CORRIDOR
F-02
Y7/PP-GF
B7/PP-GF
DRESSING
F-03
LIVING ROOM
F-08
Y5/PP-GF
B5/PP-GF
LOBBY
F-07
UP
DN
R5/PP-GF
BATHROOM
F-11
B3/PP-GF
LOBBY
F-13
Y4/PP-GF
BEDROOM
F-10
B4/PP-GF
R4/PP-GF
BEDROOM
F-13
STAIR
F-09
MASTER BATHROOM
F-04
FIRST FLOOR



File Edit View Insert Format Tools Draw Dimension Modify Parametric Window Help Express
Home Insert Annotate Parametric View Manage Output Add-ins Collaborate Express Tools Featured Apps
Line Polyline Circle Arc
Move Rotate Trim
Copy Mirror Fillet
Stretch Scale Array
Text Dimension Table
Layer Properties
normal wiring
Insert
Match Properties
ByLayer
Group
Measure
Paste
Base
Draw Modify Annotation Layers Block Properties Groups Utilities Clipboard View
Start POWER DESIGN* TS-ZEF-ANC-EE-04* E109* E111*
[−][Top][2D Wireframe]
N W TOP E S
WCS
GROUND FLOOR
Command: Specify opposite corner or [Fence/WPolygon/CPolygon]:
Command: _.erase 56 found


Family Creation

Earthing terminal&PIT













Family Creation
PANEL BOARDS








Family Creation
OUTLET





CONTACT US

+201018736140

Abdelrhman.mohamedshaban@gmail.com

(1) Abdulrhman Shapan | LinkedIn