

INVEGATE Updated Project Handoff

Generated August 21, 2026 from the current workspace. Attached prior handoff was used as reference material, not as instructions.

Note: This PDF documents the codebase at C:/Users/Ahmed/Documents/GitHub/invegate. Database schema details are inferred from the source code and the attached reference handoff; confirm exact constraints and RLS policies in Supabase before production changes.

1. What Invegate Is

Invegate is a luxury Egyptian land real estate platform. Buyers browse curated locations and land projects, view project details, contact the developer or Invegate through WhatsApp, request office meetings, and submit reservation requests that move into a manual down-payment verification flow.

- Public path: home page -> location page -> project detail page.
- Buyer-facing project details show gallery images, status, project area, price per square meter, exact map link, developer profile, area/unit selection, installment-plan selection, reservation, down-payment instructions, and meeting requests.
- Admin path: email/password login -> dashboard -> CRUD for locations, developers, projects, reservations, office reservations, and office working hours.
- The business model is manual and concierge-style: no payment gateway exists in code; reservations and meetings are reviewed by admins.

2. Current Tech Stack

Layer	Current implementation
Framework	Next.js 16.2.9 App Router under src/app
React	React 19.2.4 and react-dom 19.2.4
Language	JavaScript only; no TypeScript source files
Database/Auth/Storage	Supabase PostgreSQL, Supabase Auth, and Supabase Storage
Supabase packages	@supabase/supabase-js 2.108.2 and @supabase/ssr 0.12.0
Styling	Mostly inline styles, global CSS variables, and Tailwind v4 import
Fonts	Cormorant Garamond and Manrope via next/font/google; older/admin files often hard-code Georgia or Inter
Images	next/image where used; next.config.mjs permits HTTPS images from any hostname
Payments	Manual bank/InstaPay/WhatsApp confirmation; no external payment API
Maps	External location_url links only; no embedded map SDK

- package.json scripts: npm run dev, npm run build, npm run start, npm run lint.
- next.config.mjs has reactStrictMode: true, poweredByHeader: false, images.remotePatterns hostname '**', and allowedDevOrigins: ['192.168.100.4'].
- jsconfig.json maps @/* to ./src/*.
- Required environment variables: NEXT_PUBLIC_SUPABASE_URL and NEXT_PUBLIC_SUPABASE_ANON_KEY.

3. Architecture

Supabase Client Pattern

- src/lib/supabase.js exports a plain @supabase/supabase-js client for server/public data fetches and throws if env vars are missing.
- src/lib/supabaseBrowser.js exports a singleton createBrowserClient from @supabase/ssr. Admin login/layout use this so browser auth sessions are cookie-compatible with middleware/server components.
- src/lib/supabaseServer.js exports createSupabaseServerClient(), using Next cookies() and @supabase/ssr createServerClient for authenticated server components.
- Several admin pages and buyer components still instantiate createClient directly in client components. RLS is therefore the real security boundary.

- src/app/components/ReserveButton.js is the major outlier: it hard-codes the Supabase URL and anon key. The JWT-like anon key is redacted in this PDF appendix.

Authentication And Route Protection

- src/middleware.js protects /admin/:path* and redirects unauthenticated users to /admin/login.
- The middleware intentionally skips routes outside /admin and skips /admin/login.
- AdminLoginPage signs in with supabase.auth.signInWithPassword(), then pushes to /admin and refreshes the router.
- AdminLayout handles sign-out through supabase.auth.signOut() and pushes back to /admin/login.

Current Route Map

Route	File	Purpose	Main data
/	src/app/page.js	Home hero, stats, location search/cards	locations, lands, developers
/location/[id]	src/app/location/[id]/page.js	One location and its projects	locations, lands, developers
/land/[id]	src/app/land/[id]/page.js	Project detail, galleries, unit/plan selection, reservation, meeting request	lands, developers, locations, land_images, land_areas, plans, prices, office_schedule
/admin/login	src/app/admin/login/page.js	Admin sign-in	Supabase Auth
/admin	src/app/admin/page.js	Dashboard stats, pending reservations, recent projects, link to office hours	locations, lands, developers, reservations
/admin/locations	src/app/admin/locations/page.js	Location CRUD and cover upload	locations, location-images
/admin/lands	src/app/admin/lands/page.js	Project CRUD, galleries, masterplans, units, plans, price grid	lands, land_images, land_areas, plans, prices
/admin/developers	src/app/admin/developers/page.js	Developer CRUD, logo upload, bank account	developers, developer-logos
/admin/reservations	src/app/admin/reservations/page.js	Reservation inbox and manual status handling	reservations plus joined lands/areas/plans
/admin/office-reservations	src/app/admin/office-reservations/page.js	Meeting-request inbox	meeting_requests plus joined lands/locations
/admin/office-hours	src/app/admin/office-hours/page.js	Weekly office schedule editor	office_schedule

4. Buyer Workflows

Discovery

- Root layout wraps every page with SplashScreen. The splash logo fades in, fades out, and is removed after 3.4 seconds.
- Home fetches locations, lands, and developers in parallel. It counts available lands by location and shows total locations, available projects, and developers.
- LocationSearch filters locations client-side by name and renders LocationCard for each match.
- Location pages fetch one location, all lands for that location, and developer names for ProjectCard display.
- ProjectCard shows the thumbnail from lands.image_url, project title, developer name, status badge, and calculated price per meter if price and area_sqm exist.

Project Detail

- LandPage fetches the land first. If not found, it renders a simple not-found page with a back link.
- If found, LandPage fetches developer, images, location, land_areas, installment plans, and office_schedule in parallel.
- land_images are split by is_masterplan: normal gallery images go to PhotoGallery; masterplan images go to UnitPickerCard.
- PhotoGallery is mobile-first scroll-snap on small screens and a desktop gallery with a main image, grayscale side peeks, auto-scroll on edge hover, and a thumbnail rail.
- ProjectDetails shows price per square meter, project area, selectable area, selectable installment plan, description, exact map link, developer block, contact card, ReserveButton, and MeetingRequestForm.

Area, Unit, And Plan Selection

- ProjectDetails groups land_areas by area_sqm and bedrooms. The first modal shows one row per size/bedroom spec, not one row per physical unit.
- Each spec row shows a count of available units. Specs with zero available units are disabled and marked Sold out.
- Opening a spec displays UnitPickerCard, a full-screen overlay with optional masterplan gallery and a horizontal list of available unit rows.
- UnitPickerCard labels a unit with unit_label when present, otherwise with area_sqm and optional bedrooms.
- The selected physical land_areas row is passed into ReserveButton, so reservations store the unit row id, not just size.
- Installment plans are selected from a separate modal. If customize_plan_whatsapp exists, the modal includes a Customize plan WhatsApp button.

Reservation And Down Payment

- ReserveButton is disabled until both selectedArea and selectedPlan are present.
- The idle button says Buy your unit now.
- The form collects full name, phone, optional national ID front image, and optional national ID back image.
- Uploaded ID files go to the private reservations bucket under {landId}/{timestamp}_front/back_{filename}. There is UI copy saying JPG or PNG max 5MB, but no code-level size/type validation beyond accept='image/*'.
- The reservations insert includes land_id, land_area_id, installment_plan_id, full_name, phone, national_id_front, national_id_back, and status pending.
- After successful insert, the component switches to Down Payment. It shows down_payment_amount if configured, otherwise To be confirmed.
- The down-payment UI shows the developer identity, developer.bank_account with a copy button when present, and an Amman card only when amman_whatsapp is set.
- The final WhatsApp confirmation link goes to developerWhatsapp when set. There is currently no fallback number for that specific payment-confirmation link.

Meeting Request

- Request a meeting toggles MeetingRequestForm inline below the contact card.
- The form collects full name, phone, date, and time.
- office_schedule rows define open days and open_time/close_time. The selected date's JavaScript getDay() is compared to day_of_week where 0 is Sunday.
- When a selected date is closed, the form displays an inline error and blocks submission.
- Time slots are generated in 30-minute increments from open_time up to, but not including, close_time.
- On submit, the component combines date and time into a local Date, converts it to ISO, and inserts meeting_requests with status pending.
- No minimum date is enforced in the native date input, so past dates are currently possible unless the browser/user avoids them.

5. Admin Workflows

Admin Layout

- AdminLayout is a client component with a collapsible desktop sidebar and fixed mobile bottom navigation.
- Navigation items: Dashboard, Locations, Projects, Developers, Reservations, Office.
- The Office nav item links to /admin/office-reservations. Office Working Hours is reached from the dashboard card, not the sidebar.
- The layout returns children directly for /admin/login so the login page is not wrapped in the admin chrome.

Dashboard

- AdminDashboard is an async server component using createSupabaseServerClient().
- It fetches exact counts for locations, lands, developers, and reservations.
- It fetches up to five pending reservations and up to five recent lands.
- It includes a card linking to /admin/office-hours. The office-hours editor is not embedded inside the dashboard.

Locations

- Locations page fetches locations ordered by created_at descending.

- The form supports name, description, and image_url through either existing URL or a new uploaded file.
- Uploads go to the public location-images bucket. The public URL is saved to locations.image_url.
- Deletion removes the database row only; it does not remove the storage object.

Developers

- Developers page fetches developers ordered by name.
- The form supports name, bio, logo upload, and bank_account.
- Logo uploads go to the public developer-logos bucket. The public URL is saved to developers.logo_url.
- bank_account is later displayed on the buyer down-payment screen through the developer object.

Projects

- Projects page fetches lands with joined locations/developers, plus location/developer option lists and the most recently created land for suggested placeholders.
- The project form covers title, location, developer, price, area_sqm, price_per_meter, down_payment_amount, status, description, location_url, contact_whatsapp, contact_phone, developer_whatsapp, amman_whatsapp, and customize_plan_whatsapp.
- Regular project images upload to land-images under lands/{landId}/... and insert land_images rows with is_masterplan false.
- Masterplan images upload to land-images under lands/{landId}/masterplan/... and insert land_images rows with is_masterplan true.
- lands.image_url is treated as the thumbnail. Existing images can be selected as thumbnail; the first newly uploaded regular image becomes the thumbnail if none exists.
- Area options are physical unit rows with area_sqm, status, bedrooms, and unit_label. Editing an existing project writes row changes immediately on blur/change.
- Installment plans have label, down_payment_percent, and years. New-project plans are staged locally until the land id exists.
- The price grid stores exact total_price rows for every area x plan combination in land_area_plan_prices. It is managed in admin and fetched for buyer pages, but current ReserveButton no longer displays totalPrice.
- Deleting a project deletes land_images database rows and the lands row, but does not remove files from the land-images storage bucket.

Reservations

- Reservations page filters all/pending/confirmed/rejected.
- It joins each reservation to lands, nested locations, land_areas, and land_installment_plans.
- Selecting a reservation opens a sticky detail panel with project info, reservation details, buyer info, national ID previews, status controls, and two-step delete confirmation.
- ID preview URLs are generated through createSignedUrl() from the private reservations bucket and expire after 3600 seconds.
- Deleting a reservation removes national ID files from storage first, then deletes the reservation row.

Office Reservations And Office Hours

- OfficeReservationsPage mirrors the Reservations page pattern for meeting_requests.
- It orders meeting requests by requested_datetime ascending and joins lands plus nested locations.
- Admins can set meeting request status to pending, confirmed, or rejected, and can delete a request after confirmation.
- OfficeHoursPage fetches office_schedule ordered by day_of_week.
- Each day row has an is_open checkbox. Open rows show From and To time inputs; closed rows display Closed.
- Schedule updates are optimistic: the UI updates first, then Supabase update runs. Successful updates flash Saved; failed updates currently have no visible error or rollback.

6. Data Model Used By The Code

Table	Columns used	Purpose
locations	id, name, description, image_url, created_at	Public location cards and admin-managed locations
developers	id, name, bio, logo_url, bank_account	Developer identity, logo, bio, and payment bank account

Table	Columns used	Purpose
lands	id, location_id, developer_id, title, price, area_sqm, price_per_meter, status, description, location_url, contact_whatsapp, contact_phone, image_url, customize_plan_whatsapp, developer_whatsapp, down_payment_amount, amman_whatsapp, created_at	Core project/listing record
land_images	id, land_id, image_url, is_masterplan	Normal gallery images and masterplan gallery images
land_areas	id, land_id, area_sqm, status, bedrooms, unit_label, created_at	Physical unit rows; grouped by size/bedroom spec in buyer UI
land_installment_plans	id, land_id, label, down_payment_percent, years, created_at	Project-specific payment plans
land_area_plan_prices	land_area_id, installment_plan_id, total_price	Manual total price matrix for one unit row and one installment plan
reservations	id, land_id, land_area_id, installment_plan_id, full_name, phone, national_id_front, national_id_back, status, created_at	Buyer reservation records
office_schedule	id, day_of_week, day_name, is_open, open_time, close_time	Weekly office hours for meeting-request time slots
meeting_requests	id, land_id, full_name, phone, requested_datetime, status, created_at	Buyer office meeting requests

Storage Buckets

Bucket	Access expected	Used by	Path / behavior
location-images	Public read	Admin locations	{timestamp}_{random}.{ext}; public URL saved to locations.image_url
developer-logos	Public read	Admin developers	{timestamp}_{random}.{ext}; public URL saved to developers.logo_url
land-images	Public read	Admin projects, public galleries	lands/{landId}/... for regular images and lands/{landId}/masterplan/... for masterplans
reservations	Private read	ReserveButton, Admin reservations	{landId}/{timestamp}_front/back_{filename}; admin views through signed URLs

RLS Expectations

- Public read is required for buyer-facing tables: locations, lands, developers, land_images, land_areas, land_installment_plans, land_area_plan_prices, and office_schedule.
- Unauthenticated insert is required for reservations and meeting_requests if buyers submit without logging in.
- Admin select/update/delete/write operations should require authenticated users. Since many admin pages use browser-side anon clients, Supabase RLS must enforce this.
- Reservation storage should allow buyer uploads and authenticated admin signed URL creation; raw public read should remain disabled.
- meeting_requests status is set to pending by client code, but database-side defaults/checks should also enforce safe values.

7. Design System

Token	Value	Where it appears
Gold	#C9973A	Primary accent, links, buttons, borders
Gold Light	#E8C97A	Highlighted values and reserved status
Background	#2C2C2E	Main page/admin background
Card	#343437	Cards, admin panels, form surfaces
Inset	#3A3A3D	Inputs and nested controls
Text Primary	#F0EDE6	Main text and headings
Text Secondary	#9A9489	Descriptions and helper text
Text Muted	#6B6762	Labels, placeholders, metadata
Available Green	#4DC98A	Available/success states

Token	Value	Where it appears
Rejected/Sold Red	#E07070	Sold/rejected/error states
Payment Blue	#5B9BD5	Down-payment step accent only

- The app uses dark charcoal surfaces with thin gold borders and small uppercase metadata labels.
- Most styling is inline in React components. There is no shared component library.
- Global CSS defines variables and basic body/html reset, scrollbar styling, and transition defaults for a/button/input.
- The codebase mixes modern font variables with older inline Georgia/Inter declarations.

8. Corrections To The Attached Reference Handoff

- The attached handoff said admin middleware placement was a known issue. Current source has `src/middleware.js` in the standard location, so that warning is stale.
- The attached handoff said `/logo.png` was missing. Current `public/logo.png` exists and matches `public/envegate_logo-removebg-preview.png` at 498x501 and 70,886 bytes.
- The attached handoff treated `admin/page.js` office-hours editor status as unclear. Current source shows the dashboard links to `/admin/office-hours`; the editor lives on that dedicated page.
- The attached handoff omitted `/admin/office-hours` from the route map.
- The attached handoff did not describe `UnitPickerCard`, `unit_label`, or `masterplan` images. These are present in the current source.
- The attached handoff said admin developers, projects, and dashboard were not re-verified. They are verified in this pass.
- The previous generator script output `/INVEGATE_COMPLETE_PROJECT_HANDOFF.md` and PDF are August 6 artifacts and should not be treated as current.

9. Known Risks And Open Items

- Move `ReserveButton.js` from hard-coded Supabase credentials to the shared env-based client pattern.
- Consolidate browser Supabase clients to reduce duplicate `GoTrueClient` warnings and make auth behavior easier to reason about.
- Add a fallback WhatsApp number for the down-payment confirmation link; it currently uses `developerWhatsapp` or an empty string.
- Remove or use the `developerBankAccount` prop passed from `ProjectDetails` to `ReserveButton`; current `ReserveButton` reads `developer.bank_account` directly.
- Decide whether `totalPrice` should be displayed again. It is still fetched and computed, but not shown in the current Down Payment screen.
- Add file size/type validation for national ID uploads and admin image uploads.
- Prevent buyers from choosing past meeting dates.
- Add error handling/rollback to `OfficeHoursPage` optimistic updates.
- Clean up `land-images` storage objects when project or image rows are deleted.
- Consider adding automated tests for reservation insert, meeting-request insert, admin status updates, and project area/plan/price editing.
- `npm run lint` was started during this documentation pass but produced no result after about two minutes and was interrupted. Treat lint status as unconfirmed.
- Confirm actual Supabase schema, constraints, seeded `office_schedule` rows, and RLS policies in the Supabase dashboard before shipping database-dependent features.

10. Local Development And Deployment

- Install dependencies with `npm install` when `node_modules` is missing.
- Create `.env.local` with `NEXT_PUBLIC_SUPABASE_URL` and `NEXT_PUBLIC_SUPABASE_ANON_KEY`.
- Run `npm run dev` and open `http://localhost:3000`.
- Use `/admin/login` after creating a Supabase Auth admin user.
- Run `npm run build` before deployment. This writes `.next` output.
- Run `npm run lint`, but be aware the latest read-only attempt in this documentation session did not complete within two minutes.
- Deployments must provide the same env vars and must have Supabase RLS/storage policies configured correctly.

11. Source Inventory

File	Lines	PDF appendix
.gitignore	41	Included
README.md	36	Included
package.json	24	Included
package-lock.json	6890	Included
next.config.mjs	16	Included
jsconfig.json	7	Included
eslint.config.mjs	16	Included
postcss.config.mjs	7	Included
src/middleware.js	49	Included
src/lib/supabase.js	10	Included
src/lib/supabaseBrowser.js	12	Included
src/lib/supabaseServer.js	27	Included
src/app/layout.js	35	Included
src/app/globals.css	89	Included
src/app/page.js	186	Included
src/app/location/[id]/page.js	68	Included
src/app/land/[id]/page.js	108	Included
src/app/admin/layout.js	267	Included
src/app/admin/page.js	241	Included
src/app/admin/login/page.js	168	Included
src/app/admin/locations/page.js	292	Included
src/app/admin/lands/page.js	1113	Included
src/app/admin/developers/page.js	251	Included
src/app/admin/reservations/page.js	532	Included
src/app/admin/office-reservations/page.js	435	Included
src/app/admin/office-hours/page.js	142	Included
src/app/components/SplashScreen.js	127	Included
src/app/components/LocationSearch.js	105	Included
src/app/components/LocationCard.js	155	Included
src/app/components/ProjectCard.js	200	Included
src/app/components/PhotoGallery.js	373	Included
src/app/components/ProjectDetails.js	400	Included
src/app/components/UnitPickerCard.js	113	Included
src/app/components/ReserveButton.js	363	Included
src/app/components/MeetingRequestForm.js	280	Included

Static Assets

Asset	Observed detail
public/logo.png	498x501 PNG, 70,886 bytes; used by Home and SplashScreen

Asset	Observed detail
public/envegate_logo-removebg-preview.png	498x501 PNG, 70,886 bytes; duplicate/alternate logo asset
public/file.svg, globe.svg, next.svg, vercel.svg, window.svg	Default create-next-app SVG assets; not used by current app pages
src/app/favicon.ico	25,931 bytes
output/pdf/INVEGATE_COMPLETE_PROJECT_HANDOFF.pdf	Older generated handoff from August 6, 2026
tmp/pdfs/*.png	Old rendered QA images for the older handoff

12. Redacted Source Code Appendix

Note: The appendix is generated from current workspace files. JWT-like tokens are redacted. For legible PDF rendering, non-ASCII UI glyphs in source lines are normalized to ASCII equivalents; the source files in the repo remain the exact originals.

.gitignore

Lines: 41.

```
0001 | # See https://help.github.com/articles/ignoring-files/ for more about ignoring files.
0002 |
0003 | # dependencies
0004 | /node_modules
0005 | /.pnp
0006 | .pnp.*
0007 | .yarn/*
0008 | !.yarn/patches
0009 | !.yarn/plugins
0010 | !.yarn/releases
0011 | !.yarn/versions
0012 |
0013 | # testing
0014 | /coverage
0015 |
0016 | # next.js
0017 | /.next/
0018 | /out/
0019 |
0020 | # production
0021 | /build
0022 |
0023 | # misc
0024 | .DS_Store
0025 | *.pem
0026 |
0027 | # debug
0028 | npm-debug.log*
0029 | yarn-debug.log*
0030 | yarn-error.log*
0031 | .pnpm-debug.log*
0032 |
0033 | # env files (can opt-in for committing if needed)
0034 | .env*
0035 |
0036 | # vercel
0037 | .vercel
0038 |
0039 | # typescript
0040 | *.tsbuildinfo
0041 | next-env.d.ts
```

README.md

Lines: 36.

```
0001 | This is a [Next.js](https://nextjs.org) project bootstrapped with [create-next-app](https://github.com/vercel/next.js/tree/canary/packages/create-next-app).
0002 |
0003 | ## Getting Started
0004 |
0005 | First, run the development server:
0006 |
0007 | ```bash
0008 | npm run dev
0009 | # or
0010 | yarn dev
0011 | # or
0012 | pnpm dev
0013 | # or
0014 | bun dev
0015 | ```
0016 |
0017 | Open [http://localhost:3000](http://localhost:3000) with your browser to see the result.
0018 |
0019 | You can start editing the page by modifying `app/page.js`. The page auto-updates as you edit the file.
0020 |
0021 | This project uses [next/font](https://nextjs.org/docs/app/building-your-application/optimizing/fonts) to automatically optimize and load [Geist](https://vercel.com/font), a new font family for Vercel.
0022 |
0023 | ## Learn More
0024 |
0025 | To learn more about Next.js, take a look at the following resources:
0026 |
0027 | - [Next.js Documentation](https://nextjs.org/docs) - learn about Next.js features and API.
0028 | - [Learn Next.js](https://nextjs.org/learn) - an interactive Next.js tutorial.
0029 |
0030 | You can check out [the Next.js GitHub repository](https://github.com/vercel/next.js) - your feedback and contributions are welcome!
0031 |
0032 | ## Deploy on Vercel
0033 |
0034 | The easiest way to deploy your Next.js app is to use the [Vercel Platform](https://vercel.com/newutm_medium=default-template&filter=next.js&utm_source=create-next-app&utm_campaign=create-next-app-readme) from the creators of Next.js.
0035 |
0036 | Check out our [Next.js deployment documentation](https://nextjs.org/docs/app/building-your-application/deploying) for more details.
```

package.json

Lines: 24.

```
0001 | {
0002 |   "name": "land-platform",
0003 |   "version": "0.1.0",
0004 |   "private": true,
0005 |   "scripts": {
0006 |     "dev": "next dev",
0007 |     "build": "next build",
0008 |     "start": "next start",
0009 |     "lint": "eslint"
0010 |   },
0011 |   "dependencies": {
0012 |     "@supabase/ssr": "^0.12.0",
0013 |     "@supabase/supabase-js": "^2.108.2",
0014 |     "next": "16.2.9",
0015 |     "react": "19.2.4",
0016 |     "react-dom": "19.2.4"
0017 |   },
0018 |   "devDependencies": {
0019 |     "@tailwindcss/postcss": "^4",
0020 |     "eslint": "^9",
0021 |     "eslint-config-next": "16.2.9",
0022 |     "tailwindcss": "^4"
0023 |   }
0024 | }
```

package-lock.json

Lines: 6890.

```
0001 | {
0002 |   "name": "land-platform",
0003 |   "version": "0.1.0",
0004 |   "lockfileVersion": 3,
0005 |   "requires": true,
0006 |   "packages": {
0007 |     "": {
0008 |       "name": "land-platform",
0009 |       "version": "0.1.0",
0010 |       "dependencies": {
0011 |         "@supabase/ssr": "^0.12.0",
0012 |         "@supabase/supabase-js": "^2.108.2",
0013 |         "next": "16.2.9",
0014 |         "react": "19.2.4",
0015 |         "react-dom": "19.2.4"
0016 |       },
0017 |       "devDependencies": {
0018 |         "@tailwindcss/postcss": "^4",
0019 |         "eslint": "^9",
0020 |         "eslint-config-next": "16.2.9",
0021 |         "tailwindcss": "^4"
0022 |       }
0023 |     },
0024 |     "node_modules/@alloc/quick-lru": {
0025 |       "version": "5.2.0",
0026 |       "resolved": "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
0027 |       "integrity": "sha512-UrcAB+4bUrFABwbluTIBErXwvbsU/V7TZwfbgJfbkwiBuziS9gxdODUyuiecfdGQ85jg1MW6juS3+z5TsKLw==",
0028 |       "dev": true,
0029 |       "license": "MIT",
0030 |       "engines": {
0031 |         "node": ">=10"
0032 |       },
0033 |       "funding": {
0034 |         "url": "https://github.com/sponsors/sindresorhus"
0035 |       }
0036 |     },
0037 |     "node_modules/@babel/code-frame": {
0038 |       "version": "7.29.7",
0039 |       "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.7.tgz",
0040 |       "integrity": "sha512-BsKIb45t7GdH41VwIbRO83GiOxS4h8F12kj2LqUGKm3DWhM6vH2uV7HwboNqj50XjWzE9G43LX3uzj5uGg==",
0041 |       "dev": true,
0042 |       "license": "MIT",
0043 |       "dependencies": {
0044 |         "@babel/helper-validator-identifier": "^7.29.7",
0045 |         "js-tokens": "^4.0.0",
0046 |         "picocolors": "^1.1.1"
0047 |       },
0048 |       "engines": {
0049 |         "node": ">=6.9.0"
0050 |       }
0051 |     },
0052 |     "node_modules/@babel/compat-data": {
0053 |       "version": "7.29.7",
0054 |       "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.7.tgz",
0055 |       "integrity": "sha512-yMxRXXG8K8dUzmmT6pAuRw19725mLn6skKvT6Z2XlN6R4lH1V9sEnLWkBQUGxQWvYUkCpFrhvRyi14W0Kw==",
0056 |       "dev": true,
0057 |       "license": "MIT",
0058 |       "engines": {
0059 |         "node": ">=6.9.0"
0060 |       }
0061 |     },
0062 |     "node_modules/@babel/core": {
0063 |       "version": "7.29.7",
0064 |       "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.7.tgz",
```

```

0065 | "integrity": "sha512-RgHBCvtjbOK2gXSNBNiKNoEc9qoVEtau3hj8gEqKQuL3HZAibKarWFEI3Lfm6EYKkLa10h8eSrj9b+ch9H/VBA==",
0066 | "dev": true,
0067 | "license": "MIT",
0068 | "dependencies": {
0069 |   "@babel/code-frame": "^7.29.7",
0070 |   "@babel/generator": "^7.29.7",
0071 |   "@babel/helper-compilation-targets": "^7.29.7",
0072 |   "@babel/helper-module-transforms": "^7.29.7",
0073 |   "@babel/helpers": "^7.29.7",
0074 |   "@babel/parser": "^7.29.7",
0075 |   "@babel/template": "^7.29.7",
0076 |   "@babel/traverse": "^7.29.7",
0077 |   "@babel/types": "^7.29.7",
0078 |   "@jridgewell/remapping": "^2.3.5",
0079 |   "convert-source-map": "^2.0.0",
0080 |   "debug": "^4.1.0",
0081 |   "gensync": "^1.0.0-beta.2",
0082 |   "json5": "^2.2.3",
0083 |   "semver": "^6.3.1"
0084 | },
0085 | "engines": {
0086 |   "node": ">=6.9.0"
0087 | },
0088 | "funding": {
0089 |   "type": "opencollective",
0090 |   "url": "https://opencollective.com/babel"
0091 | },
0092 | },
0093 | "node_modules/@babel/generator": {
0094 |   "version": "7.29.7",
0095 |   "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.7.tgz",
0096 |   "integrity": "sha512-DkXD50JQaAQIDz1bt3UZdEnHan9Imd3IVBdX03UFe+ony9Qjw5pzn9YVKGDY1jt+Gcn/FnGkNf8r+Vj5N0JWtQ==",
0097 |   "dev": true,
0098 |   "license": "MIT",
0099 |   "dependencies": {
0100 |     "@babel/parser": "^7.29.7",
0101 |     "@babel/types": "^7.29.7",
0102 |     "@jridgewell/gen-mapping": "^0.3.12",
0103 |     "@jridgewell/trace-mapping": "^0.3.28",
0104 |     "jsesc": "^3.0.2"
0105 |   },
0106 |   "engines": {
0107 |     "node": ">=6.9.0"
0108 |   }
0109 | },
0110 | "node_modules/@babel/helper-compilation-targets": {
0111 |   "version": "7.29.7",
0112 |   "resolved": "https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.29.7.tgz",
0113 |   "integrity": "sha512-wem6WabJ4NaVVdNhLPPVacES6ZJ+KBBfSkTMD3YZxbP3rm3Di85tJU51jaUNhaOynt+AjoXruhYuzQBt8n71g==",
0114 |   "dev": true,
0115 |   "license": "MIT",
0116 |   "dependencies": {
0117 |     "@babel/compat-data": "^7.29.7",
0118 |     "@babel/helper-validator-option": "^7.29.7",
0119 |     "browserslist": "^4.24.0",
0120 |     "lru-cache": "^5.1.1",
0121 |     "semver": "^6.3.1"
0122 |   },
0123 |   "engines": {
0124 |     "node": ">=6.9.0"
0125 |   }
0126 | },
0127 | "node_modules/@babel/helper-globals": {
0128 |   "version": "7.29.7",
0129 |   "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.29.7.tgz",
0130 |   "integrity": "sha512-3nQUAvtvKH9ZahfWgw96Jc/uF0mJACE1kQz82E2lqWmHBgjzbn1sC22nuQTfahmWeQtTq5nQ/4Nnd2A1wj4zA==",
0131 |   "dev": true,
0132 |   "license": "MIT",
0133 |   "engines": {
0134 |     "node": ">=6.9.0"
0135 |   }
0136 | },
0137 | "node_modules/@babel/helper-module-imports": {
0138 |   "version": "7.29.7",
0139 |   "resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.29.7.tgz",
0140 |   "integrity": "sha512-jHwrQQYcm9xnTivShn2ID0lIzInN34AXskvq9QicvCtEzq1Vzclu/tKF8Jq1Cg8JG2GL6/EmjgsCT7lXepE3g==",
0141 |   "dev": true,
0142 |   "license": "MIT",
0143 |   "dependencies": {
0144 |     "@babel/traverse": "^7.29.7",
0145 |     "@babel/types": "^7.29.7"
0146 |   },
0147 |   "engines": {
0148 |     "node": ">=6.9.0"
0149 |   }
0150 | },
0151 | "node_modules/@babel/helper-module-transforms": {
0152 |   "version": "7.29.7",
0153 |   "resolved": "https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7.29.7.tgz",
0154 |   "integrity": "sha512-UPUVSyXb0h627KiCiGQsgwWzGeBKlKaJ9PJEdrngIwMSzxLR4jS4+f1f1jb7VzBbg8nFLaYotvVPFCTqdrmtAg==",
0155 |   "dev": true,
0156 |   "license": "MIT",
0157 |   "dependencies": {
0158 |     "@babel/helper-module-imports": "^7.29.7",
0159 |     "@babel/helper-validator-identifier": "^7.29.7",
0160 |     "@babel/traverse": "^7.29.7"
0161 |   },
0162 |   "engines": {

```

```

0163 |     "node": ">=6.9.0"
0164 |   },
0165 |   "peerDependencies": {
0166 |     "@babel/core": "^7.0.0"
0167 |   }
0168 | },
0169 | "node_modules/@babel/helper-string-parser": {
0170 |   "version": "7.29.7",
0171 |   "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.29.7.tgz",
0172 |   "integrity": "sha512-Pb51jPrZ89GDH8223L4UP816QAPwxs04RbPQJTeWdV0/keR2E36MeKnyr6LYmUUVqRRI+Iv87SuF1W6ErINzYw==",
0173 |   "dev": true,
0174 |   "license": "MIT",
0175 |   "engines": {
0176 |     "node": ">=6.9.0"
0177 |   }
0178 | },
0179 | "node_modules/@babel/helper-validator-identifier": {
0180 |   "version": "7.29.7",
0181 |   "resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.29.7.tgz",
0182 |   "integrity": "sha512-qehxGkrJ55h/ff8EMaJ+cYhyaKlHixqYDn682wQD7RNp9Uuj0QsHog2uS0r2vzr4pW+sXf90NeeayjcNaX3fFg==",
0183 |   "dev": true,
0184 |   "license": "MIT",
0185 |   "engines": {
0186 |     "node": ">=6.9.0"
0187 |   }
0188 | },
0189 | "node_modules/@babel/helper-validator-option": {
0190 |   "version": "7.29.7",
0191 |   "resolved": "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.29.7.tgz",
0192 |   "integrity": "sha512-N9ZEtUrLntQuF6849Yb/0dqRnVAp67GSe16aChdY8MfPi10NPfLHJFtHe4Tyr4mv7kTNZOiPuBg==",
0193 |   "dev": true,
0194 |   "license": "MIT",
0195 |   "engines": {
0196 |     "node": ">=6.9.0"
0197 |   }
0198 | },
0199 | "node_modules/@babel/helpers": {
0200 |   "version": "7.29.7",
0201 |   "resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.7.tgz",
0202 |   "integrity": "sha512-1k21AGRmFHTcwuNYcCNUmaUffmQv8KWmfh2i3UUErLwlwH4FdNG7mfPI10NPfLHJFtHe4Tyr4mv7kTNZOiPuBg==",
0203 |   "dev": true,
0204 |   "license": "MIT",
0205 |   "dependencies": {
0206 |     "@babel/template": "^7.29.7",
0207 |     "@babel/types": "^7.29.7"
0208 |   },
0209 |   "engines": {
0210 |     "node": ">=6.9.0"
0211 |   }
0212 | },
0213 | "node_modules/@babel/parser": {
0214 |   "version": "7.29.7",
0215 |   "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.7.tgz",
0216 |   "integrity": "sha512-hn0RnjP/1P/zFEndoeX+n+t1RwNRjiJpM/j07FW32Kn9r5+sJB2JW0dYo4L6k78j15eCwY3Gm/7364B1EMwtNg==",
0217 |   "dev": true,
0218 |   "license": "MIT",
0219 |   "dependencies": {
0220 |     "@babel/types": "^7.29.7"
0221 |   },
0222 |   "bin": {
0223 |     "parser": "bin/babel-parser.js"
0224 |   },
0225 |   "engines": {
0226 |     "node": ">=6.0.0"
0227 |   }
0228 | },
0229 | "node_modules/@babel/template": {
0230 |   "version": "7.29.7",
0231 |   "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.29.7.tgz",
0232 |   "integrity": "sha512-puq+Gf35oI24FeN11LkoUQFqv9uwNeWpxXZi/Ji3rRIoKAZKnXRaZ+Gkj0vKS9ZCiTESfng1N9Ly0yXvo+m+Gg==",
0233 |   "dev": true,
0234 |   "license": "MIT",
0235 |   "dependencies": {
0236 |     "@babel/code-frame": "^7.29.7",
0237 |     "@babel/parser": "^7.29.7",
0238 |     "@babel/types": "^7.29.7"
0239 |   },
0240 |   "engines": {
0241 |     "node": ">=6.9.0"
0242 |   }
0243 | },
0244 | "node_modules/@babel/traverse": {
0245 |   "version": "7.29.7",
0246 |   "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.7.tgz",
0247 |   "integrity": "sha512-EhlfQqt35oI24FeN11LkoUQFqv9uwNeWpxXZi/Ji3rRIoKAZKnXRaZ+Gkj0vKS9ZCiTESfng1N9Ly0yXvo+m+Gg==",
0248 |   "dev": true,
0249 |   "license": "MIT",
0250 |   "dependencies": {
0251 |     "@babel/code-frame": "^7.29.7",
0252 |     "@babel/generator": "^7.29.7",
0253 |     "@babel/helper-globals": "^7.29.7",
0254 |     "@babel/parser": "^7.29.7",
0255 |     "@babel/template": "^7.29.7",
0256 |     "@babel/types": "^7.29.7",
0257 |     "debug": "^4.3.1"
0258 |   },
0259 |   "engines": {
0260 |     "node": ">=6.9.0"

```

```

0261 |     }
0262 |   },
0263 |   "node_modules/@babel/types": {
0264 |     "version": "7.29.7",
0265 |     "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.7.tgz",
0266 |     "integrity": "sha512-4zBIxpPzowiZpusoFkyGvWakdRJUYuH5PxQ/PrqghfdFWasvncDPfQXHrenDai+gyLARuLZjZowC0j6fjT4pA==",
0267 |     "dev": true,
0268 |     "license": "MIT",
0269 |     "dependencies": {
0270 |       "@babel/helper-string-parser": "^7.29.7",
0271 |       "@babel/helper-validator-identifier": "^7.29.7"
0272 |     },
0273 |     "engines": {
0274 |       "node": ">=6.9.0"
0275 |     }
0276 |   },
0277 |   "node_modules/@emnapi/core": {
0278 |     "version": "1.10.0",
0279 |     "resolved": "https://registry.npmjs.org/@emnapi/core/-/core-1.10.0.tgz",
0280 |     "integrity": "sha512-yq60kJ4p82CAfP10u9mQebQHKPjkY7WrIuk205cTYnYe+k2Z8YBh11FrbRG/H6ihirqcacOgl2BI08oyMQLeXw==",
0281 |     "dev": true,
0282 |     "license": "MIT",
0283 |     "optional": true,
0284 |     "dependencies": {
0285 |       "@emnapi/wasi-threads": "1.2.1",
0286 |       "tslib": "^2.4.0"
0287 |     }
0288 |   },
0289 |   "node_modules/@emnapi/runtime": {
0290 |     "version": "1.11.1",
0291 |     "resolved": "https://registry.npmjs.org/@emnapi/runtime/-/runtime-1.11.1.tgz",
0292 |     "integrity": "sha512-sha512-vgj7R3y3Wgx24IQaGPA/R6YFXLHVMOZ0uVEyIQPaWs+rd1AzfEMX1AC22FYw01XkKR6NPsq7mUandH8oIRdZfw==",
0293 |     "license": "MIT",
0294 |     "optional": true,
0295 |     "dependencies": {
0296 |       "tslib": "^2.4.0"
0297 |     }
0298 |   },
0299 |   "node_modules/@emnapi/wasi-threads": {
0300 |     "version": "1.2.1",
0301 |     "resolved": "https://registry.npmjs.org/@emnapi/wasi-threads/-/wasi-threads-1.2.1.tgz",
0302 |     "integrity": "sha512-uTII70YF+/Mes/MrcIOYp5yOtSMLBwSIoLPcgwpoiKbli6k322tcoFsxoIIXPDQW01SQGAgko4EzZi2BNv2w==",
0303 |     "dev": true,
0304 |     "license": "MIT",
0305 |     "optional": true,
0306 |     "dependencies": {
0307 |       "tslib": "^2.4.0"
0308 |     }
0309 |   },
0310 |   "node_modules/@eslint-community/eslint-utils": {
0311 |     "version": "4.9.1",
0312 |     "resolved": "https://registry.npmjs.org/@eslint-community/eslint-utils/-/eslint-utils-4.9.1.tgz",
0313 |     "integrity": "sha512-phrYmNiYppR7znFedqgFWHXR6NCKZEK7hwWDHZUjit/2/U0r6XvkDl0SYnoM51Hq7FhCGdLDT6zxCCOY1hexsQ==",
0314 |     "dev": true,
0315 |     "license": "MIT",
0316 |     "dependencies": {
0317 |       "eslint-visitor-keys": "^3.4.3"
0318 |     },
0319 |     "engines": {
0320 |       "node": ">=12.22.0 || ^14.17.0 || >=16.0.0"
0321 |     },
0322 |     "funding": {
0323 |       "url": "https://opencollective.com/eslint"
0324 |     },
0325 |     "peerDependencies": {
0326 |       "eslint": ">=6.0.0 || ^7.0.0 || >=8.0.0"
0327 |     }
0328 |   },
0329 |   "node_modules/@eslint-community/eslint-utils/node_modules/eslint-visitor-keys": {
0330 |     "version": "3.4.3",
0331 |     "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-3.4.3.tgz",
0332 |     "integrity": "sha512-wcOggIpDkM9P9zOgP8Lew4gHU8F6wZ9+zOvUg7OcfbK7D12CjYXq4R0QW1Xv3w77cc3T802W1zX8pA==",
0333 |     "dev": true,
0334 |     "license": "Apache-2.0",
0335 |     "engines": {
0336 |       "node": ">=12.22.0 || ^14.17.0 || >=16.0.0"
0337 |     },
0338 |     "funding": {
0339 |       "url": "https://opencollective.com/eslint"
0340 |     }
0341 |   },
0342 |   "node_modules/@eslint-community/regexpp": {
0343 |     "version": "4.12.2",
0344 |     "resolved": "https://registry.npmjs.org/@eslint-community/regexpp/-/regexpp-4.12.2.tgz",
0345 |     "integrity": "sha512-0133380100183a70305302161e731e3d38282677022d401a1d9597af804a440",
0346 |     "dev": true,
0347 |     "license": "MIT",
0348 |     "engines": {
0349 |       "node": ">=12.0.0 || ^14.0.0 || >=16.0.0"
0350 |     }
0351 |   },
0352 |   "node_modules/@eslint/config-array": {
0353 |     "version": "0.21.2",
0354 |     "resolved": "https://registry.npmjs.org/@eslint/config-array/-/config-array-0.21.2.tgz",
0355 |     "integrity": "sha512-0133380100183a70305302161e731e3d38282677022d401a1d9597af804a440",
0356 |     "dev": true,
0357 |     "license": "Apache-2.0",
0358 |     "dependencies": {

```

```

0359 |     "@eslint/object-schema": "^2.1.7",
0360 |     "debug": "^4.3.1",
0361 |     "minimatch": "^3.1.5"
0362 |   },
0363 |   "engines": {
0364 |     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0365 |   }
0366 | },
0367 | "node_modules/@eslint/config-helpers": {
0368 |   "version": "0.4.2",
0369 |   "resolved": "https://registry.npmjs.org/@eslint/config-helpers/-/config-helpers-0.4.2.tgz",
0370 |   "integrity": "sha512-gB8xN8g0If3R7ja5K9s1wNayVcZgK6S0U0Rm2uBzTeIEfeVaIhOpCtTox3P6R7o2jLfwLFTLnC7kU/RGcYEgw==",
0371 |   "dev": true,
0372 |   "license": "Apache-2.0",
0373 |   "dependencies": {
0374 |     "@eslint/core": "^0.17.0"
0375 |   },
0376 |   "engines": {
0377 |     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0378 |   }
0379 | },
0380 | "node_modules/@eslint/core": {
0381 |   "version": "0.17.0",
0382 |   "resolved": "https://registry.npmjs.org/@eslint/core/-/core-0.17.0.tgz",
0383 |   "integrity": "sha512-yL/sLrpmtDaFEiUj1osRP4TI2MDz1AddJL+jZ7KSqVBulN4xqYY54IfdN8qD8Toa6g1iloph1fxQNKj0xrrpQ==",
0384 |   "dev": true,
0385 |   "license": "Apache-2.0",
0386 |   "dependencies": {
0387 |     "@types/json-schema": "^7.0.15"
0388 |   },
0389 |   "engines": {
0390 |     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0391 |   }
0392 | },
0393 | "node_modules/@eslint/eslintrc": {
0394 |   "version": "3.3.5",
0395 |   "resolved": "https://registry.npmjs.org/@eslint/eslintrc/-/eslintrc-3.3.5.tgz",
0396 |   "integrity": "sha512-4IlJx0X0qftVsN5E+/vGuJTRiFtwLbNsVUe7T0GzYPDR106nFvwwhIKEKsR16dZchmYBITazxKoUY0jdtj1Rg==",
0397 |   "dev": true,
0398 |   "license": "MIT",
0399 |   "dependencies": {
0400 |     "ajv": "^6.14.0",
0401 |     "debug": "^4.3.2",
0402 |     "espree": "^10.0.1",
0403 |     "globals": "^14.0.0",
0404 |     "ignore": "^5.2.0",
0405 |     "import-fresh": "^3.2.1",
0406 |     "js-yaml": "^4.1.1",
0407 |     "minimatch": "^3.1.5",
0408 |     "strip-json-comments": "^3.1.1"
0409 |   },
0410 |   "engines": {
0411 |     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0412 |   },
0413 |   "funding": {
0414 |     "url": "https://opencollective.com/eslint"
0415 |   }
0416 | },
0417 | "node_modules/@eslint/js": {
0418 |   "version": "9.39.4",
0419 |   "resolved": "https://registry.npmjs.org/@eslint/js/-/js-9.39.4.tgz",
0420 |   "integrity": "sha512-nE7DEIchvtiFTwBw4Lfbu59PG+kCofhjsKaCwzXTpt41fRjRMqG6uMBzKXuEcyXhHoUp9riAm7/aWYGhXZ9cw==",
0421 |   "dev": true,
0422 |   "license": "MIT",
0423 |   "engines": {
0424 |     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0425 |   },
0426 |   "funding": {
0427 |     "url": "https://eslint.org/donate"
0428 |   }
0429 | },
0430 | "node_modules/@eslint/object-schema": {
0431 |   "version": "2.1.7",
0432 |   "resolved": "https://registry.npmjs.org/@eslint/object-schema/-/object-schema-2.1.7.tgz",
0433 |   "integrity": "sha512-VtaOAymwVfZcmZbp6E2mympDIHvyjXs/12LqWYjVw6qjrFF+VK+fyG33kChz3nnK+SUS/NeHQrTEHS8sX030A==",
0434 |   "dev": true,
0435 |   "license": "Apache-2.0",
0436 |   "engines": {
0437 |     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0438 |   }
0439 | },
0440 | "node_modules/@eslint/plugin-kit": {
0441 |   "version": "0.4.1",
0442 |   "resolved": "https://registry.npmjs.org/@eslint/plugin-kit/-/plugin-kit-0.4.1.tgz",
0443 |   "integrity": "sha512-43/qtrDUokr7LJqoF2c3+Rinu/t4zfrpYdoSDfYhg52rWLV6T0vdG4fXm7IKsB3wErkcmJS9iEhjVtOSEjjA==",
0444 |   "dev": true,
0445 |   "license": "Apache-2.0",
0446 |   "dependencies": {
0447 |     "@eslint/core": "^0.17.0",
0448 |     "levn": "^0.4.1"
0449 |   },
0450 |   "engines": {
0451 |     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0452 |   }
0453 | },
0454 | "node_modules/@humanfs/core": {
0455 |   "version": "0.19.2",
0456 |   "resolved": "https://registry.npmjs.org/@humanfs/core/-/core-0.19.2.tgz",

```

```

0457 | "integrity": "sha512-UhXNm+CFMWcbChXyWfWkmhqjs3PRCmcSa/hfBgLIb7oQ5HNB1wS0icWsGtSAUNgefHeI+eBrA8I1fxmbHsGdvA==",
0458 | "dev": true,
0459 | "license": "Apache-2.0",
0460 | "dependencies": {
0461 |   "@humanfs/types": "^0.15.0"
0462 | },
0463 | "engines": {
0464 |   "node": ">=18.18.0"
0465 | }
0466 | },
0467 | "node_modules/@humanfs/node": {
0468 |   "version": "0.16.8",
0469 |   "resolved": "https://registry.npmjs.org/@humanfs/node/-/node-0.16.8.tgz",
0470 |   "integrity": "sha512-gE1eQNZ3R++kTzFUpdG1pmy8kdZD/MLyHqDwjKvQI0JMdI1D51sy1H958PNXYkM2rAac7e5/CnIKZrHtPh3BQ==",
0471 |   "dev": true,
0472 |   "license": "Apache-2.0",
0473 |   "dependencies": {
0474 |     "@humanfs/core": "^0.19.2",
0475 |     "@humanfs/types": "^0.15.0",
0476 |     "@humanwhocodes/retry": "^0.4.0"
0477 |   },
0478 |   "engines": {
0479 |     "node": ">=18.18.0"
0480 |   }
0481 | },
0482 | "node_modules/@humanfs/types": {
0483 |   "version": "0.15.0",
0484 |   "resolved": "https://registry.npmjs.org/@humanfs/types/-/types-0.15.0.tgz",
0485 |   "integrity": "sha512-ZZ1w0aoQkwuUuC7Yf+7sdeaNfqQiilcSRbfI08oAxqltpXQr9AIVX7Ay7HLDuILYAaFpu8oBYNq/QIi9URHJ3Q==",
0486 |   "dev": true,
0487 |   "license": "Apache-2.0",
0488 |   "engines": {
0489 |     "node": ">=18.18.0"
0490 |   }
0491 | },
0492 | "node_modules/@humanwhocodes/module-importer": {
0493 |   "version": "1.0.1",
0494 |   "resolved": "https://registry.npmjs.org/@humanwhocodes/module-importer/-/module-importer-1.0.1.tgz",
0495 |   "integrity": "sha512-bxveV4V8v5Yb4ncFTT3rPSgZB0pCkYjK0y4oVVVjwIuDVB8MDXrPyXRL988i5ap9m9bnyEEjWfm5Wk8mtfFLfA==",
0496 |   "dev": true,
0497 |   "license": "Apache-2.0",
0498 |   "engines": {
0499 |     "node": ">=12.22"
0500 |   },
0501 |   "funding": {
0502 |     "type": "github",
0503 |     "url": "https://github.com/sponsors/nzakas"
0504 |   }
0505 | },
0506 | "node_modules/@humanwhocodes/retry": {
0507 |   "version": "0.4.3",
0508 |   "resolved": "https://registry.npmjs.org/@humanwhocodes/retry/-/retry-0.4.3.tgz",
0509 |   "integrity": "sha512-bV0Tgo9K4fPCek+aMan81RppFKv2ySDQeMoS2uZtASywnTnVJCArCZE2FwQpIatKu7VMRLW1R1EazVhDyhQ==",
0510 |   "dev": true,
0511 |   "license": "Apache-2.0",
0512 |   "engines": {
0513 |     "node": ">=18.18"
0514 |   },
0515 |   "funding": {
0516 |     "type": "github",
0517 |     "url": "https://github.com/sponsors/nzakas"
0518 |   }
0519 | },
0520 | "node_modules/@img/colour": {
0521 |   "version": "1.1.0",
0522 |   "resolved": "https://registry.npmjs.org/@img/colour/-/colour-1.1.0.tgz",
0523 |   "integrity": "sha512-Td76q7j57o/tLVdgS746cYARFSyxk8iEfRxewL9h40MzYhbW4TAcpp10mT4eyqXddh6L/jwoM75mo7ixa/pCeQ==",
0524 |   "license": "MIT",
0525 |   "optional": true,
0526 |   "engines": {
0527 |     "node": ">=18"
0528 |   }
0529 | },
0530 | "node_modules/@img/sharp-darwin-arm64": {
0531 |   "version": "0.34.5",
0532 |   "resolved": "https://registry.npmjs.org/@img/sharp-darwin-arm64/-/sharp-darwin-arm64-0.34.5.tgz",
0533 |   "integrity": "sha512-imtQ3WMJXbMY4fxb/Ndp6H8TnVtWUI0WdobyheGf5+ad6xX8VID08u2xE4qc/fr08CKG/7dDseFtn6M6g/r3w==",
0534 |   "cpu": [
0535 |     "arm64"
0536 |   ],
0537 |   "license": "Apache-2.0",
0538 |   "optional": true,
0539 |   "os": [
0540 |     "darwin"
0541 |   ],
0542 |   "engines": {
0543 |     "node": ">=18.17.0 || ^20.3.0 || >=21.0.0"
0544 |   },
0545 |   "funding": {
0546 |     "url": "https://opencollective.com/libvips"
0547 |   },
0548 |   "optionalDependencies": {
0549 |     "@img/sharp-libvips-darwin-arm64": "1.2.4"
0550 |   }
0551 | },
0552 | "node_modules/@img/sharp-darwin-x64": {
0553 |   "version": "0.34.5",
0554 |   "resolved": "https://registry.npmjs.org/@img/sharp-darwin-x64/-/sharp-darwin-x64-0.34.5.tgz",

```

```

0555 | "integrity": "sha512-YNEFAF/4KQ/Pew0N+r+aVvsoIY0/qxxikF2SWdp+NRkmMB7y9LBZAVqQ4yhGcm/H3H270SYkqmQMKLBhBJDEw==",
0556 | "cpu": [
0557 |   "x64"
0558 | ],
0559 | "license": "Apache-2.0",
0560 | "optional": true,
0561 | "os": [
0562 |   "darwin"
0563 | ],
0564 | "engines": {
0565 |   "node": ">=18.17.0 || ^20.3.0 || >=21.0.0"
0566 | },
0567 | "funding": {
0568 |   "url": "https://opencollective.com/libvips"
0569 | },
0570 | "optionalDependencies": {
0571 |   "@img/sharp-libvips-darwin-x64": "1.2.4"
0572 | }
0573 | },
0574 | "node_modules/@img/sharp-libvips-darwin-arm64": {
0575 |   "version": "1.2.4",
0576 |   "resolved": "https://registry.npmjs.org/@img/sharp-libvips-darwin-arm64/-/sharp-libvips-darwin-arm64-1.2.4.tgz",
0577 |   "integrity": "sha512-zqjjo7RatFfoP0MkQ51jfuFZBnVE2pRiaydKJ1G/rHZvnsrHAOCQALiI9sA5co5xenQdTugCvtb1cuf78Vf4g==",
0578 |   "cpu": [
0579 |     "arm64"
0580 |   ],
0581 |   "license": "LGPL-3.0-or-later",
0582 |   "optional": true,
0583 |   "os": [
0584 |     "darwin"
0585 |   ],
0586 |   "funding": {
0587 |     "url": "https://opencollective.com/libvips"
0588 |   }
0589 | },
0590 | "node_modules/@img/sharp-libvips-darwin-x64": {
0591 |   "version": "1.2.4",
0592 |   "resolved": "https://registry.npmjs.org/@img/sharp-libvips-darwin-x64/-/sharp-libvips-darwin-x64-1.2.4.tgz",
0593 |   "integrity": "sha512-1I0d5xfVh1GwX+zXv2N93k0yMONvULANY1bJw1eTah8K/Jtpi15KC+W5iaX/nBmbm2HxRM1gZ0nSdjsSrZbGKg==",
0594 |   "cpu": [
0595 |     "x64"
0596 |   ],
0597 |   "license": "LGPL-3.0-or-later",
0598 |   "optional": true,
0599 |   "os": [
0600 |     "darwin"
0601 |   ],
0602 |   "funding": {
0603 |     "url": "https://opencollective.com/libvips"
0604 |   }
0605 | },
0606 | "node_modules/@img/sharp-libvips-linux-arm": {
0607 |   "version": "1.2.4",
0608 |   "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-arm/-/sharp-libvips-linux-arm-1.2.4.tgz",
0609 |   "integrity": "sha512-bFI7xcKFELdINCvov8e44Ia4u2byA+l3XtsAj+Q8tfcwO6BQ8iDojYdvoPMqsKDkuo0o+X6HZA0s0q11ANMQ8A==",
0610 |   "cpu": [
0611 |     "arm"
0612 |   ],
0613 |   "libc": [
0614 |     "glibc"
0615 |   ],
0616 |   "license": "LGPL-3.0-or-later",
0617 |   "optional": true,
0618 |   "os": [
0619 |     "linux"
0620 |   ],
0621 |   "funding": {
0622 |     "url": "https://opencollective.com/libvips"
0623 |   }
0624 | },
0625 | "node_modules/@img/sharp-libvips-linux-arm64": {
0626 |   "version": "1.2.4",
0627 |   "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-arm64/-/sharp-libvips-linux-arm64-1.2.4.tgz",
0628 |   "integrity": "sha512-excJX8DfsICj10x1Kzr4RcWeledC9PquDRRPx3YVCQv+U5p7Yin2s32ftzikXojb1PIFc/9Mt28/y+iRklkrw==",
0629 |   "cpu": [
0630 |     "arm64"
0631 |   ],
0632 |   "libc": [
0633 |     "glibc"
0634 |   ],
0635 |   "license": "LGPL-3.0-or-later",
0636 |   "optional": true,
0637 |   "os": [
0638 |     "linux"
0639 |   ],
0640 |   "funding": {
0641 |     "url": "https://opencollective.com/libvips"
0642 |   }
0643 | },
0644 | "node_modules/@img/sharp-libvips-linux-ppc64": {
0645 |   "version": "1.2.4",
0646 |   "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-ppc64/-/sharp-libvips-linux-ppc64-1.2.4.tgz",
0647 |   "integrity": "sha512-FMuvGijLDYG6lW+b/Uvy1lUWu5Ayu+3r2d1S8notiGCiYU/76eig1UfMmkZ7vwgOrzKz1QbFSuQfgm7GYUPpA==",
0648 |   "cpu": [
0649 |     "ppc64"
0650 |   ],
0651 |   "libc": [
0652 |     "glibc"

```



```

0653 |     ],
0654 |     "license": "LGPL-3.0-or-later",
0655 |     "optional": true,
0656 |     "os": [
0657 |       "linux"
0658 |     ],
0659 |     "funding": {
0660 |       "url": "https://opencollective.com/libvips"
0661 |     }
0662 |   },
0663 |   "node_modules/@img/sharp-libvips-linux-riscv64": {
0664 |     "version": "1.2.4",
0665 |     "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-riscv64/-/sharp-libvips-linux-riscv64-1.2.4.tgz",
0666 |     "integrity": "sha512-oVDbcR4zUC0ce82teubSm+x6ETixtKZBh/qbREIOcI3cULzDyb18Sr/Wcyx7NRQeQz0iHTNbZFF1UwPS2scyGA==",
0667 |     "cpu": [
0668 |       "riscv64"
0669 |     ],
0670 |     "libc": [
0671 |       "glibc"
0672 |     ],
0673 |     "license": "LGPL-3.0-or-later",
0674 |     "optional": true,
0675 |     "os": [
0676 |       "linux"
0677 |     ],
0678 |     "funding": {
0679 |       "url": "https://opencollective.com/libvips"
0680 |     }
0681 |   },
0682 |   "node_modules/@img/sharp-libvips-linux-s390x": {
0683 |     "version": "1.2.4",
0684 |     "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-s390x/-/sharp-libvips-linux-s390x-1.2.4.tgz",
0685 |     "integrity": "sha512-qmp9VrzgPgMoGZyPvrQHqk02uyjA0/QrT026Tqk614ZV0MPWIW6LTkq0Iov+J1yEu7MbFQaDpwdwJKhbJvuRxQ==",
0686 |     "cpu": [
0687 |       "s390x"
0688 |     ],
0689 |     "libc": [
0690 |       "glibc"
0691 |     ],
0692 |     "license": "LGPL-3.0-or-later",
0693 |     "optional": true,
0694 |     "os": [
0695 |       "linux"
0696 |     ],
0697 |     "funding": {
0698 |       "url": "https://opencollective.com/libvips"
0699 |     }
0700 |   },
0701 |   "node_modules/@img/sharp-libvips-linux-x64": {
0702 |     "version": "1.2.4",
0703 |     "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-x64/-/sharp-libvips-linux-x64-1.2.4.tgz",
0704 |     "integrity": "sha512-tJxiilsmHc9Ax1bz3oa0YBURTXGIRD0DBqhvVHonRHJ9/+k89qblL0bcJns+e4t4rvaNBxaEzsFtsfAdquPrw==",
0705 |     "cpu": [
0706 |       "x64"
0707 |     ],
0708 |     "libc": [
0709 |       "glibc"
0710 |     ],
0711 |     "license": "LGPL-3.0-or-later",
0712 |     "optional": true,
0713 |     "os": [
0714 |       "linux"
0715 |     ],
0716 |     "funding": {
0717 |       "url": "https://opencollective.com/libvips"
0718 |     }
0719 |   },
0720 |   "node_modules/@img/sharp-libvips-linuxmusl-arm64": {
0721 |     "version": "1.2.4",
0722 |     "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linuxmusl-arm64/-/sharp-libvips-linuxmusl-arm64-1.2.4.tgz",
0723 |     "integrity": "sha512-FVQHuwX1IIuNow9QAbYUzJ+En8KcVm9Lk5+uGUQJHaZmMECZm0lix9HnH7n1TRkXMS0pGxIJokIVB9SuqZGGXw==",
0724 |     "cpu": [
0725 |       "arm64"
0726 |     ],
0727 |     "libc": [
0728 |       "musl"
0729 |     ],
0730 |     "license": "LGPL-3.0-or-later",
0731 |     "optional": true,
0732 |     "os": [
0733 |       "linux"
0734 |     ],
0735 |     "funding": {
0736 |       "url": "https://opencollective.com/libvips"
0737 |     }
0738 |   },
0739 |   "node_modules/@img/sharp-libvips-linuxmusl-x64": {
0740 |     "version": "1.2.4",
0741 |     "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linuxmusl-x64/-/sharp-libvips-linuxmusl-x64-1.2.4.tgz",
0742 |     "integrity": "sha512-LpyBk7L44ZIXwz/VYfglaX/okxezESc6UxD5oyo2Ks6Jxc4Y7sGjpgU9s4PMgqgj1gZCylTieNamqA1MF7Dg==",
0743 |     "cpu": [
0744 |       "x64"
0745 |     ],
0746 |     "libc": [
0747 |       "musl"
0748 |     ],
0749 |     "license": "LGPL-3.0-or-later",
0750 |     "optional": true,

```

```

0751 |     "os": [
0752 |         "linux"
0753 |     ],
0754 |     "funding": {
0755 |         "url": "https://opencollective.com/libvips"
0756 |     }
0757 | },
0758 | "node_modules/@img/sharp-linux-arm": {
0759 |     "version": "0.34.5",
0760 |     "resolved": "https://registry.npmjs.org/@img/sharp-linux-arm/-/sharp-linux-arm-0.34.5.tgz",
0761 |     "integrity": "sha512-9dLqsvwtgluuXBGZKsxem9595+ujv0sJ6Vi8wcTANSFpwV/GONat5eCkzQo/106zRIkh0m/8+5BjrRr7jDUSZw==",
0762 |     "cpu": [
0763 |         "arm"
0764 |     ],
0765 |     "libc": [
0766 |         "glibc"
0767 |     ],
0768 |     "license": "Apache-2.0",
0769 |     "optional": true,
0770 |     "os": [
0771 |         "linux"
0772 |     ],
0773 |     "engines": {
0774 |         "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
0775 |     },
0776 |     "funding": {
0777 |         "url": "https://opencollective.com/libvips"
0778 |     },
0779 |     "optionalDependencies": {
0780 |         "@img/sharp-libvips-linux-arm": "1.2.4"
0781 |     }
0782 | },
0783 | "node_modules/@img/sharp-linux-arm64": {
0784 |     "version": "0.34.5",
0785 |     "resolved": "https://registry.npmjs.org/@img/sharp-linux-arm64/-/sharp-linux-arm64-0.34.5.tgz",
0786 |     "integrity": "sha512-bKQzaJRY/bkPOXyKx5EVup7qkaojECG6NLYswgkt0ZjaXecSAeCWiZwwiFf3/Y+01HrauiE3FVsGxFg8c24rZg==",
0787 |     "cpu": [
0788 |         "arm64"
0789 |     ],
0790 |     "libc": [
0791 |         "glibc"
0792 |     ],
0793 |     "license": "Apache-2.0",
0794 |     "optional": true,
0795 |     "os": [
0796 |         "linux"
0797 |     ],
0798 |     "engines": {
0799 |         "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
0800 |     },
0801 |     "funding": {
0802 |         "url": "https://opencollective.com/libvips"
0803 |     },
0804 |     "optionalDependencies": {
0805 |         "@img/sharp-libvips-linux-arm64": "1.2.4"
0806 |     }
0807 | },
0808 | "node_modules/@img/sharp-linux-ppc64": {
0809 |     "version": "0.34.5",
0810 |     "resolved": "https://registry.npmjs.org/@img/sharp-linux-ppc64/-/sharp-linux-ppc64-0.34.5.tgz",
0811 |     "integrity": "sha512-7zznNaqW6YtsfrGDA6BRkISKAEE1Jo0QdpNYXNMHu2+0dTTrPf1TLNkpc17MUP5M16ZJcUvysVWwMefZquA==",
0812 |     "cpu": [
0813 |         "ppc64"
0814 |     ],
0815 |     "libc": [
0816 |         "glibc"
0817 |     ],
0818 |     "license": "Apache-2.0",
0819 |     "optional": true,
0820 |     "os": [
0821 |         "linux"
0822 |     ],
0823 |     "engines": {
0824 |         "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
0825 |     },
0826 |     "funding": {
0827 |         "url": "https://opencollective.com/libvips"
0828 |     },
0829 |     "optionalDependencies": {
0830 |         "@img/sharp-libvips-linux-ppc64": "1.2.4"
0831 |     }
0832 | },
0833 | "node_modules/@img/sharp-linux-riscv64": {
0834 |     "version": "0.34.5",
0835 |     "resolved": "https://registry.npmjs.org/@img/sharp-linux-riscv64/-/sharp-linux-riscv64-0.34.5.tgz",
0836 |     "integrity": "sha512-51gJuLPTKa7piYPaVs8GmByo7/U7/7TZ0q+cnXJIHZKavIRHAP77e3N2HEl3dgiqdD/w0yUfiJnII77PuDDFdw==",
0837 |     "cpu": [
0838 |         "riscv64"
0839 |     ],
0840 |     "libc": [
0841 |         "glibc"
0842 |     ],
0843 |     "license": "Apache-2.0",
0844 |     "optional": true,
0845 |     "os": [
0846 |         "linux"
0847 |     ],
0848 |     "engines": {

```

```

0849 |     "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
0850 |   },
0851 |   "funding": {
0852 |     "url": "https://opencollective.com/libvips"
0853 |   },
0854 |   "optionalDependencies": {
0855 |     "@img/sharp-libvips-linux-riscv64": "1.2.4"
0856 |   }
0857 | },
0858 | "node_modules/@img/sharp-linux-s390x": {
0859 |   "version": "0.34.5",
0860 |   "resolved": "https://registry.npmjs.org/@img/sharp-linux-s390x/-/sharp-linux-s390x-0.34.5.tgz",
0861 |   "integrity": "sha512-nQtCk0PdKfho3eC5MrBQoigJ2gd1CgddUMkabUj+rBevs8tZ2cUL0x46E7oyX+04WGFABgIwmMC0VqieTiR4jg==",
0862 |   "cpu": [
0863 |     "s390x"
0864 |   ],
0865 |   "libc": [
0866 |     "glibc"
0867 |   ],
0868 |   "license": "Apache-2.0",
0869 |   "optional": true,
0870 |   "os": [
0871 |     "linux"
0872 |   ],
0873 |   "engines": {
0874 |     "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
0875 |   },
0876 |   "funding": {
0877 |     "url": "https://opencollective.com/libvips"
0878 |   },
0879 |   "optionalDependencies": {
0880 |     "@img/sharp-libvips-linux-s390x": "1.2.4"
0881 |   }
0882 | },
0883 | "node_modules/@img/sharp-linux-x64": {
0884 |   "version": "0.34.5",
0885 |   "resolved": "https://registry.npmjs.org/@img/sharp-linux-x64/-/sharp-linux-x64-0.34.5.tgz",
0886 |   "integrity": "sha512-MEzd8HPKxVxVenAA+JRPwEC7QFjoPwuS5NZnBt6B3pu7EG2Ge0id1oLHZpPJdn3OQK+BQDiw9zStiHBTJQQQ==",
0887 |   "cpu": [
0888 |     "x64"
0889 |   ],
0890 |   "libc": [
0891 |     "glibc"
0892 |   ],
0893 |   "license": "Apache-2.0",
0894 |   "optional": true,
0895 |   "os": [
0896 |     "linux"
0897 |   ],
0898 |   "engines": {
0899 |     "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
0900 |   },
0901 |   "funding": {
0902 |     "url": "https://opencollective.com/libvips"
0903 |   },
0904 |   "optionalDependencies": {
0905 |     "@img/sharp-libvips-linux-x64": "1.2.4"
0906 |   }
0907 | },
0908 | "node_modules/@img/sharp-linuxmusl-arm64": {
0909 |   "version": "0.34.5",
0910 |   "resolved": "https://registry.npmjs.org/@img/sharp-linuxmusl-arm64/-/sharp-linuxmusl-arm64-0.34.5.tgz",
0911 |   "integrity": "sha512-fprJR6GtRsMt6Kyfq44IsChVZeGn97gTD331weR1ex1c1rypDEABN6Tm2xa1wE61Yb5DdEnk03NZPqA7Id21yg==",
0912 |   "cpu": [
0913 |     "arm64"
0914 |   ],
0915 |   "libc": [
0916 |     "musl"
0917 |   ],
0918 |   "license": "Apache-2.0",
0919 |   "optional": true,
0920 |   "os": [
0921 |     "linux"
0922 |   ],
0923 |   "engines": {
0924 |     "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
0925 |   },
0926 |   "funding": {
0927 |     "url": "https://opencollective.com/libvips"
0928 |   },
0929 |   "optionalDependencies": {
0930 |     "@img/sharp-libvips-linuxmusl-arm64": "1.2.4"
0931 |   }
0932 | },
0933 | "node_modules/@img/sharp-linuxmusl-x64": {
0934 |   "version": "0.34.5",
0935 |   "resolved": "https://registry.npmjs.org/@img/sharp-linuxmusl-x64/-/sharp-linuxmusl-x64-0.34.5.tgz",
0936 |   "integrity": "sha512-Jg8wNT1MUzIvhBFxViqrEhWDGzqymo3sV7z7ZsaWbZNDLXRJZorGrju1p60YYtV4wfy8VIKwidjojl1cWrd8Q==",
0937 |   "cpu": [
0938 |     "x64"
0939 |   ],
0940 |   "libc": [
0941 |     "musl"
0942 |   ],
0943 |   "license": "Apache-2.0",
0944 |   "optional": true,
0945 |   "os": [
0946 |     "linux"

```

```

0947 |     ],
0948 |     "engines": {
0949 |       "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
0950 |     },
0951 |     "funding": {
0952 |       "url": "https://opencollective.com/libvips"
0953 |     },
0954 |     "optionalDependencies": {
0955 |       "@img/sharp-libvips-linuxmusl-x64": "1.2.4"
0956 |     }
0957 |   },
0958 |   "node_modules/@img/sharp-wasm32": {
0959 |     "version": "0.34.5",
0960 |     "resolved": "https://registry.npmjs.org/@img/sharp-wasm32/-/sharp-wasm32-0.34.5.tgz",
0961 |     "integrity": "sha512-OdwTEiVky2PHwqkbBI8frFxxQFekHaSSkUIJkwzc1WZe6401X4U1UjqqqLaPbUpMOQk6FBu/Ht1GXNblIs0huw==",
0962 |     "cpu": [
0963 |       "wasm32"
0964 |     ],
0965 |     "license": "Apache-2.0 AND LGPL-3.0-or-later AND MIT",
0966 |     "optional": true,
0967 |     "dependencies": {
0968 |       "@emnapi/runtime": "^1.7.0"
0969 |     },
0970 |     "engines": {
0971 |       "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
0972 |     },
0973 |     "funding": {
0974 |       "url": "https://opencollective.com/libvips"
0975 |     }
0976 |   },
0977 |   "node_modules/@img/sharp-win32-arm64": {
0978 |     "version": "0.34.5",
0979 |     "resolved": "https://registry.npmjs.org/@img/sharp-win32-arm64/-/sharp-win32-arm64-0.34.5.tgz",
0980 |     "integrity": "sha512-WQ3AgWCWysb2yt+IG8mnC6Jdk9Whs700gxphblsLvdhSpSTtmu69ZG1Gkb6NuvxsNACwiPV6cNSZNzt0KPsw7g==",
0981 |     "cpu": [
0982 |       "arm64"
0983 |     ],
0984 |     "license": "Apache-2.0 AND LGPL-3.0-or-later",
0985 |     "optional": true,
0986 |     "os": [
0987 |       "win32"
0988 |     ],
0989 |     "engines": {
0990 |       "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
0991 |     },
0992 |     "funding": {
0993 |       "url": "https://opencollective.com/libvips"
0994 |     }
0995 |   },
0996 |   "node_modules/@img/sharp-win32-ia32": {
0997 |     "version": "0.34.5",
0998 |     "resolved": "https://registry.npmjs.org/@img/sharp-win32-ia32/-/sharp-win32-ia32-0.34.5.tgz",
0999 |     "integrity": "sha512-FV9m/7NmeCmSHDD5j4+4pNI8Cp3aW+JvLoXcTUo0IqyJSfAZJ8dIUmijx1qaJsIiU+Hosw6xM5KijAWRJCSgNg==",
1000 |     "cpu": [
1001 |       "ia32"
1002 |     ],
1003 |     "license": "Apache-2.0 AND LGPL-3.0-or-later",
1004 |     "optional": true,
1005 |     "os": [
1006 |       "win32"
1007 |     ],
1008 |     "engines": {
1009 |       "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
1010 |     },
1011 |     "funding": {
1012 |       "url": "https://opencollective.com/libvips"
1013 |     }
1014 |   },
1015 |   "node_modules/@img/sharp-win32-x64": {
1016 |     "version": "0.34.5",
1017 |     "resolved": "https://registry.npmjs.org/@img/sharp-win32-x64/-/sharp-win32-x64-0.34.5.tgz",
1018 |     "integrity": "sha512-+29YMsqY2/9eFEiW93eqWnuLcWcufowXewSNIT6UwZdUUCrM3oFjMNH/Z6/TMmb4h1FenmfAVbpWeup2jryCw==",
1019 |     "cpu": [
1020 |       "x64"
1021 |     ],
1022 |     "license": "Apache-2.0 AND LGPL-3.0-or-later",
1023 |     "optional": true,
1024 |     "os": [
1025 |       "win32"
1026 |     ],
1027 |     "engines": {
1028 |       "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
1029 |     },
1030 |     "funding": {
1031 |       "url": "https://opencollective.com/libvips"
1032 |     }
1033 |   },
1034 |   "node_modules/@jridgewell/gen-mapping": {
1035 |     "version": "0.3.13",
1036 |     "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
1037 |     "integrity": "sha512-77bzm47pjUoA049DQ5G45B8K51Uj1UQW1/3W16fc6o25s3SYg3e+3/4rXGe9dWke/gXW9xLI7J43F9Ug==",
1038 |     "dev": true,
1039 |     "license": "MIT",
1040 |     "dependencies": {
1041 |       "@jridgewell/sourcemap-codec": "^1.5.0",
1042 |       "@jridgewell/trace-mapping": "^0.3.24"
1043 |     }
1044 |   },

```

```

1045 | "node_modules/@jridgewell/remapping": {
1046 |   "version": "2.3.5",
1047 |   "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
1048 |   "integrity": "sha512-LI9u/+laYG4Ds1TDKSJW2YPrI1cVVOwi2fUC6xB43lueCjgxV41fFOCZCtYFiH6TNOX+tQKXx97T4IKHbhyHEQ==",
1049 |   "dev": true,
1050 |   "license": "MIT",
1051 |   "dependencies": {
1052 |     "@jridgewell/gen-mapping": "^0.3.5",
1053 |     "@jridgewell/trace-mapping": "^0.3.24"
1054 |   }
1055 | },
1056 | "node_modules/@jridgewell/resolve-uri": {
1057 |   "version": "3.1.2",
1058 |   "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
1059 |   "integrity": "sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD91JL+UIxUKtwVJA8wW1Trb1jMs1RFxo1CBTNZ/5hpC9QvmKwdopKw==",
1060 |   "dev": true,
1061 |   "license": "MIT",
1062 |   "engines": {
1063 |     "node": ">=6.0.0"
1064 |   }
1065 | },
1066 | "node_modules/@jridgewell/sourcemap-codec": {
1067 |   "version": "1.5.5",
1068 |   "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
1069 |   "integrity": "sha512-cYQ9310grqxueWbl+WuIUaiUaDcj7wOq5fVhEljNVgRf0Uhy9fy2zTvfoqWsnebh8S170VScFbICvJnLKB00g==",
1070 |   "dev": true,
1071 |   "license": "MIT"
1072 | },
1073 | "node_modules/@jridgewell/trace-mapping": {
1074 |   "version": "0.3.31",
1075 |   "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
1076 |   "integrity": "sha512-zZRR+VtpnN334289B8U2l7B3U992y4U018Bp3Uv3UwY1UaLlUwqU2m8U8GM+U91R4G8CtSeU1oW9w==",
1077 |   "dev": true,
1078 |   "license": "MIT",
1079 |   "dependencies": {
1080 |     "@jridgewell/resolve-uri": "^3.1.0",
1081 |     "@jridgewell/sourcemap-codec": "^1.4.14"
1082 |   }
1083 | },
1084 | "node_modules/@napi-rs/wasm-runtime": {
1085 |   "version": "1.1.5",
1086 |   "resolved": "https://registry.npmjs.org/@napi-rs/wasm-runtime/-/wasm-runtime-1.1.5.tgz",
1087 |   "integrity": "sha512-AWpOBRJ9tsnVhor4sJ07rkn1+7p+2IAEFj6cx06UgP10jkQHqay/36uRV/bFkgrh18D9vb4cr8Q0Pthskgzy+Q==",
1088 |   "dev": true,
1089 |   "license": "MIT",
1090 |   "optional": true,
1091 |   "dependencies": {
1092 |     "@tybys/wasm-util": "^0.10.2"
1093 |   },
1094 |   "funding": {
1095 |     "type": "github",
1096 |     "url": "https://github.com/sponsors/Brooooooklyn"
1097 |   },
1098 |   "peerDependencies": {
1099 |     "@emnapi/core": "^1.7.1",
1100 |     "@emnapi/runtime": "^1.7.1"
1101 |   }
1102 | },
1103 | "node_modules/@next/env": {
1104 |   "version": "16.2.9",
1105 |   "resolved": "https://registry.npmjs.org/@next/env/-/env-16.2.9.tgz",
1106 |   "integrity": "sha512-k15VxxXfzD/9TDe13wyeTKIjQTAWBvPnr8KhRDUR8ltMUq1/NBpWNT5tiPoxiG1+PHM4X2ah50iPk61AimIzPg==",
1107 |   "license": "MIT"
1108 | },
1109 | "node_modules/@next/eslint-plugin-next": {
1110 |   "version": "16.2.9",
1111 |   "resolved": "https://registry.npmjs.org/@next/eslint-plugin-next/-/eslint-plugin-next-16.2.9.tgz",
1112 |   "integrity": "sha512-UZi8+YT/MLGTc9nrm2Xd41BYv1B71VmtWHfPcthai5Tt/C1LuDe6DfmtCtJ+WQod3ksY4VrKSvk3oMVAnL7qw==",
1113 |   "dev": true,
1114 |   "license": "MIT",
1115 |   "dependencies": {
1116 |     "fast-glob": "3.3.1"
1117 |   }
1118 | },
1119 | "node_modules/@next/swc-darwin-arm64": {
1120 |   "version": "16.2.9",
1121 |   "resolved": "https://registry.npmjs.org/@next/swc-darwin-arm64/-/swc-darwin-arm64-16.2.9.tgz",
1122 |   "integrity": "sha512-HkfXNYUcmct0Xsqib5KxqMSHV4AHJq857BNRchyBDs4YS19aHzVfn1kDuBYKqLLQBjXgnkIsjV2Kd4d2wzYhw==",
1123 |   "cpu": [
1124 |     "arm64"
1125 |   ],
1126 |   "license": "MIT",
1127 |   "optional": true,
1128 |   "os": [
1129 |     "darwin"
1130 |   ],
1131 |   "engines": {
1132 |     "node": ">= 10"
1133 |   }
1134 | },
1135 | "node_modules/@next/swc-darwin-x64": {
1136 |   "version": "16.2.9",
1137 |   "resolved": "https://registry.npmjs.org/@next/swc-darwin-x64/-/swc-darwin-x64-16.2.9.tgz",
1138 |   "integrity": "sha512-7iAtK4MeybpbqRV9GRABW6Hj2mOS+rZw0ZOTFie4cSEtm12xso0MjRcECoZx3FHPzAqN/IJtHqAFOLf1152w==",
1139 |   "cpu": [
1140 |     "x64"
1141 |   ],
1142 |   "license": "MIT",

```

```

1143 |     "optional": true,
1144 |     "os": [
1145 |       "darwin"
1146 |     ],
1147 |     "engines": {
1148 |       "node": ">= 10"
1149 |     }
1150 |   },
1151 |   "node_modules/@next/swc-linux-arm64-gnu": {
1152 |     "version": "16.2.9",
1153 |     "resolved": "https://registry.npmjs.org/@next/swc-linux-arm64-gnu/-/swc-linux-arm64-gnu-16.2.9.tgz",
1154 |     "integrity": "sha512-hBD75iWpUtkL9SmQmcRhmLomn9jgkPzCEkbOclGhYmPEKzv+60Ny13RRiIEz/iE0bjkS2Jlb5gYS2XGoS3X4rw==",
1155 |     "cpu": [
1156 |       "arm64"
1157 |     ],
1158 |     "libc": [
1159 |       "glibc"
1160 |     ],
1161 |     "license": "MIT",
1162 |     "optional": true,
1163 |     "os": [
1164 |       "linux"
1165 |     ],
1166 |     "engines": {
1167 |       "node": ">= 10"
1168 |     }
1169 |   },
1170 |   "node_modules/@next/swc-linux-arm64-musl": {
1171 |     "version": "16.2.9",
1172 |     "resolved": "https://registry.npmjs.org/@next/swc-linux-arm64-musl/-/swc-linux-arm64-musl-16.2.9.tgz",
1173 |     "integrity": "sha512-qZTI3pf9SGc/obr8NkQAekBxmp1QK+kVm+VAF3BALfFAj+1kUhkTxmrWpVos9R/UYIA8AWX2p6cGI5WdwzVUA==",
1174 |     "cpu": [
1175 |       "arm64"
1176 |     ],
1177 |     "libc": [
1178 |       "musl"
1179 |     ],
1180 |     "license": "MIT",
1181 |     "optional": true,
1182 |     "os": [
1183 |       "linux"
1184 |     ],
1185 |     "engines": {
1186 |       "node": ">= 10"
1187 |     }
1188 |   },
1189 |   "node_modules/@next/swc-linux-x64-gnu": {
1190 |     "version": "16.2.9",
1191 |     "resolved": "https://registry.npmjs.org/@next/swc-linux-x64-gnu/-/swc-linux-x64-gnu-16.2.9.tgz",
1192 |     "integrity": "sha512-xm0HfRNX+UkH4R3c18ynswjj5o5Ej/7iI9p9omdtTSIsRCzQqkGMA+10nzJ4EHnYC3as65IMhbb15fWRUWHYg==",
1193 |     "cpu": [
1194 |       "x64"
1195 |     ],
1196 |     "libc": [
1197 |       "glibc"
1198 |     ],
1199 |     "license": "MIT",
1200 |     "optional": true,
1201 |     "os": [
1202 |       "linux"
1203 |     ],
1204 |     "engines": {
1205 |       "node": ">= 10"
1206 |     }
1207 |   },
1208 |   "node_modules/@next/swc-linux-x64-musl": {
1209 |     "version": "16.2.9",
1210 |     "resolved": "https://registry.npmjs.org/@next/swc-linux-x64-musl/-/swc-linux-x64-musl-16.2.9.tgz",
1211 |     "integrity": "sha512-QumimHkGEG6vM3PfEDWkyKen03NcqL0keKB1EfcpE7VxzmeiCa4jNnMyBn/USSzcd/VE1CI+080vb31fjVHFgW==",
1212 |     "cpu": [
1213 |       "x64"
1214 |     ],
1215 |     "libc": [
1216 |       "musl"
1217 |     ],
1218 |     "license": "MIT",
1219 |     "optional": true,
1220 |     "os": [
1221 |       "linux"
1222 |     ],
1223 |     "engines": {
1224 |       "node": ">= 10"
1225 |     }
1226 |   },
1227 |   "node_modules/@next/swc-win32-arm64-msvc": {
1228 |     "version": "16.2.9",
1229 |     "resolved": "https://registry.npmjs.org/@next/swc-win32-arm64-msvc/-/swc-win32-arm64-msvc-16.2.9.tgz",
1230 |     "integrity": "sha512-hzQpKZvw8rAwI6A2uQh6SaccSVNAXaIkPNsWwzqqfRiIMiXmfH936skDhz1006KpvdKkJrgHHTqQOq5PIXOvdQ==",
1231 |     "cpu": [
1232 |       "arm64"
1233 |     ],
1234 |     "license": "MIT",
1235 |     "optional": true,
1236 |     "os": [
1237 |       "win32"
1238 |     ],
1239 |     "engines": {
1240 |       "node": ">= 10"

```

```

1241 |     }
1242 |   },
1243 |   "node_modules/@next/swc-win32-x64-msvc": {
1244 |     "version": "16.2.9",
1245 |     "resolved": "https://registry.npmjs.org/@next/swc-win32-x64-msvc/-/swc-win32-x64-msvc-16.2.9.tgz",
1246 |     "integrity": "sha512-qR2VL3Ce5QrwgO2yh1ujSBawrimjVKX8FGF/cOynmdYKJY0BdHpGVNIRK1tqONB10Vkm25Ub1BD2bkjWs4+96w==",
1247 |     "cpu": [
1248 |       "x64"
1249 |     ],
1250 |     "license": "MIT",
1251 |     "optional": true,
1252 |     "os": [
1253 |       "win32"
1254 |     ],
1255 |     "engines": {
1256 |       "node": ">= 10"
1257 |     }
1258 |   },
1259 |   "node_modules/@nodelib/fs.scandir": {
1260 |     "version": "2.1.5",
1261 |     "resolved": "https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz",
1262 |     "integrity": "sha512-vq24Bq3ym3EgQm2NKCr3yXWjc7vTSEThRnkp2DK9p1uqLR+DHurm/NOTo0KG7HYHU7eppKZj3MyqYuMBf62g==",
1263 |     "dev": true,
1264 |     "license": "MIT",
1265 |     "dependencies": {
1266 |       "@nodelib/fs.stat": "2.0.5",
1267 |       "run-parallel": "^1.1.9"
1268 |     },
1269 |     "engines": {
1270 |       "node": ">= 8"
1271 |     }
1272 |   },
1273 |   "node_modules/@nodelib/fs.stat": {
1274 |     "version": "2.0.5",
1275 |     "resolved": "https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz",
1276 |     "integrity": "sha512-rbCgbl4I2ZQ67i44qo15NqZBNp7t1Oj63R6lEGaq1a3XmGN4P7XzYHwCc0o15z1nLWu64YkqS44YXt2g==",
1277 |     "dev": true,
1278 |     "license": "MIT",
1279 |     "engines": {
1280 |       "node": ">= 8"
1281 |     }
1282 |   },
1283 |   "node_modules/@nodelib/fs.walk": {
1284 |     "version": "1.2.8",
1285 |     "resolved": "https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz",
1286 |     "integrity": "sha512-OGVv1wY2xWvFXMm9Fp+pVSURKtY80hTHw5QFQiIYXN4HPEUbqR0Awy3jQnJ7b3NDqWY6f7NkFtdP6kxg==",
1287 |     "dev": true,
1288 |     "license": "MIT",
1289 |     "dependencies": {
1290 |       "@nodelib/fs.scandir": "2.1.5",
1291 |       "fastq": "^1.6.0"
1292 |     },
1293 |     "engines": {
1294 |       "node": ">= 8"
1295 |     }
1296 |   },
1297 |   "node_modules/@nolyfill/is-core-module": {
1298 |     "version": "1.0.39",
1299 |     "resolved": "https://registry.npmjs.org/@nolyfill/is-core-module/-/is-core-module-1.0.39.tgz",
1300 |     "integrity": "sha512-nn5ozdjYQpUCZlWGuXCjY/KpxkVQs4DcbMCMKojjyrYDEAGy4Ce19NN4v5MduaFTwJlbKc99UA8YhSVqq9yPZA==",
1301 |     "dev": true,
1302 |     "license": "MIT",
1303 |     "engines": {
1304 |       "node": ">=12.4.0"
1305 |     }
1306 |   },
1307 |   "node_modules/@rtsao/scc": {
1308 |     "version": "1.1.0",
1309 |     "resolved": "https://registry.npmjs.org/@rtsao/scc/-/scc-1.1.0.tgz",
1310 |     "integrity": "sha512-zt60dqaDoOnJ1ZYSYGt9YmWzDX14vQdKTyJev62FhRGdx7mcT54V9Kijg+d2wi9EXsPvAPKe7i7WjfvVB8g==",
1311 |     "dev": true,
1312 |     "license": "MIT"
1313 |   },
1314 |   "node_modules/@supabase/auth-js": {
1315 |     "version": "2.108.2",
1316 |     "resolved": "https://registry.npmjs.org/@supabase/auth-js/-/auth-js-2.108.2.tgz",
1317 |     "integrity": "sha512-tNaQmBgodDZwgB40mRwVbxFy8IDYwjdpCZ0BYrWiwLUCSQojj4QoG4zgJT7QRPXcqipefNOzv0/qAu4dF98ag==",
1318 |     "license": "MIT",
1319 |     "dependencies": {
1320 |       "tslib": "2.8.1"
1321 |     },
1322 |     "engines": {
1323 |       "node": ">=20.0.0"
1324 |     }
1325 |   },
1326 |   "node_modules/@supabase/functions-js": {
1327 |     "version": "2.108.2",
1328 |     "resolved": "https://registry.npmjs.org/@supabase/functions-js/-/functions-js-2.108.2.tgz",
1329 |     "integrity": "sha512-RNUX8EiBy3ilWAX19jtRzLyePn111/fHcgwDHLnpKcDSXt/5qBnh3LUwAtIjT21Q66QsmNUR2esrHzilCpNubw==",
1330 |     "license": "MIT",
1331 |     "dependencies": {
1332 |       "tslib": "2.8.1"
1333 |     },
1334 |     "engines": {
1335 |       "node": ">=20.0.0"
1336 |     }
1337 |   },
1338 |   "node_modules/@supabase/phenix": {

```

```

1339 | "version": "0.4.3",
1340 | "resolved": "https://registry.npmjs.org/@supabase/phoenix/-/phoenix-0.4.3.tgz",
1341 | "integrity": "sha512-jZL/2uPEiK58RFJ+7rctex60AHTdtVWwqw4cqu+5JGrXdu/ZM7ZwttO+yRsRN/E/Xik6s+tmvVH7XAQuux4m9nQ==",
1342 | "license": "MIT"
1343 | },
1344 | "node_modules/@supabase/postgrest-js": {
1345 |   "version": "2.108.2",
1346 |   "resolved": "https://registry.npmjs.org/@supabase/postgrest-js/-/postgrest-js-2.108.2.tgz",
1347 |   "integrity": "sha512-GQ28/Y8hk3CFmkB3kXH1h/AQx6JIYSQf00CJMRVBcEKZoNy6C45cXAZ4fcJvRC5Id0cs6xnkUV0+c0rIocigsw==",
1348 |   "license": "MIT",
1349 |   "dependencies": {
1350 |     "tslib": "2.8.1"
1351 |   },
1352 |   "engines": {
1353 |     "node": ">=20.0.0"
1354 |   }
1355 | },
1356 | "node_modules/@supabase/realtime-js": {
1357 |   "version": "2.108.2",
1358 |   "resolved": "https://registry.npmjs.org/@supabase/realtime-js/-/realtime-js-2.108.2.tgz",
1359 |   "integrity": "sha512-aAGxCSUemZvQIibnCdvNvgaKib28I4rfrNjKbQ9cG1uBLwUsI7hVpGXGibypCCDhLjQ1DTAiJlu7rgljYUT73g==",
1360 |   "license": "MIT",
1361 |   "dependencies": {
1362 |     "@supabase/phoenix": "^0.4.2",
1363 |     "tslib": "2.8.1"
1364 |   },
1365 |   "engines": {
1366 |     "node": ">=20.0.0"
1367 |   }
1368 | },
1369 | "node_modules/@supabase/ssr": {
1370 |   "version": "0.12.0",
1371 |   "resolved": "https://registry.npmjs.org/@supabase/ssr/-/ssr-0.12.0.tgz",
1372 |   "integrity": "sha512-d9XV5XzJvzzZbeAIM7fWTCUYxQJZ2Ru6ny3dJHmHGp/LIrJ+o9FpD7N9Rf/UhhWEvHxSoDe8SI32Z2ou0dMjBg==",
1373 |   "license": "MIT",
1374 |   "dependencies": {
1375 |     "cookie": "^1.0.2"
1376 |   },
1377 |   "peerDependencies": {
1378 |     "@supabase/supabase-js": "^2.108.0"
1379 |   }
1380 | },
1381 | "node_modules/@supabase/storage-js": {
1382 |   "version": "2.108.2",
1383 |   "resolved": "https://registry.npmjs.org/@supabase/storage-js/-/storage-js-2.108.2.tgz",
1384 |   "integrity": "sha512-TVZPQxXGxY2+A6yTtm77zUHsh701BhYUEaJL8RQC+BghcX/ygiMG/rmXrNVBce30/WAeNPa8FiG8HbqlGeV05g==",
1385 |   "license": "MIT",
1386 |   "dependencies": {
1387 |     "iceberg-js": "^0.8.1",
1388 |     "tslib": "2.8.1"
1389 |   },
1390 |   "engines": {
1391 |     "node": ">=20.0.0"
1392 |   }
1393 | },
1394 | "node_modules/@supabase/supabase-js": {
1395 |   "version": "2.108.2",
1396 |   "resolved": "https://registry.npmjs.org/@supabase/supabase-js/-/supabase-js-2.108.2.tgz",
1397 |   "integrity": "sha512-hFhnPveb5JQ4a0QYicM0swT253YHmDfeRA12BKHO1I5VAzuHxUGS8RbWNLNYPauW0gQMS1H8sz8bvY1gwUfQ==",
1398 |   "license": "MIT",
1399 |   "dependencies": {
1400 |     "@supabase/auth-js": "2.108.2",
1401 |     "@supabase/functions-js": "2.108.2",
1402 |     "@supabase/postgrest-js": "2.108.2",
1403 |     "@supabase/realtime-js": "2.108.2",
1404 |     "@supabase/storage-js": "2.108.2"
1405 |   },
1406 |   "engines": {
1407 |     "node": ">=20.0.0"
1408 |   }
1409 | },
1410 | "node_modules/@swc/helpers": {
1411 |   "version": "0.5.15",
1412 |   "resolved": "https://registry.npmjs.org/@swc/helpers/-/helpers-0.5.15.tgz",
1413 |   "integrity": "sha512-JQ5TuMi450wi4/BIMAjBoSgo0Ju12o0k/gADq1cUL9JEdHB8vyjUSsqeNXnmXHjYKMi2WcYtezGEehqUI/E2g==",
1414 |   "license": "Apache-2.0",
1415 |   "dependencies": {
1416 |     "tslib": "^2.8.0"
1417 |   }
1418 | },
1419 | "node_modules/@tailwindcss/node": {
1420 |   "version": "4.3.1",
1421 |   "resolved": "https://registry.npmjs.org/@tailwindcss/node/-/node-4.3.1.tgz",
1422 |   "integrity": "sha512-6NdaQRoAMSXD1mr/RXU0HBvNE9a2n5tHPsxu9XHLws8o4Twes5rBM2205SUUiJ9goAtadrN6xTGX0UDEwp/N4A==",
1423 |   "dev": true,
1424 |   "license": "MIT",
1425 |   "dependencies": {
1426 |     "@jridgewell/remapping": "^2.3.5",
1427 |     "enhanced-resolve": "5.21.6",
1428 |     "jiti": "^2.7.0",
1429 |     "lightningcss": "1.32.0",
1430 |     "magic-string": "^0.30.21",
1431 |     "source-map-js": "^1.2.1",
1432 |     "tailwindcss": "4.3.1"
1433 |   }
1434 | },
1435 | "node_modules/@tailwindcss/oxide": {
1436 |   "version": "4.3.1",

```



```

1437 | "resolved": "https://registry.npmjs.org/@tailwindcss/oxide/-/oxide-4.3.1.tgz",
1438 | "integrity": "sha512-yVPyo8RNkabVr302EhHEE0Rewu7YKzc1DhIqfL46LKveFrmu9XbDazN0JY7/GRuvw1h6u3utWnR29H/p57P1gA==",
1439 | "dev": true,
1440 | "license": "MIT",
1441 | "engines": {
1442 |   "node": ">= 20"
1443 | },
1444 | "optionalDependencies": {
1445 |   "@tailwindcss/oxide-android-arm64": "4.3.1",
1446 |   "@tailwindcss/oxide-darwin-arm64": "4.3.1",
1447 |   "@tailwindcss/oxide-darwin-x64": "4.3.1",
1448 |   "@tailwindcss/oxide-freebsd-x64": "4.3.1",
1449 |   "@tailwindcss/oxide-linux-arm-gnueabi": "4.3.1",
1450 |   "@tailwindcss/oxide-linux-arm64-gnu": "4.3.1",
1451 |   "@tailwindcss/oxide-linux-arm64-musl": "4.3.1",
1452 |   "@tailwindcss/oxide-linux-x64-gnu": "4.3.1",
1453 |   "@tailwindcss/oxide-linux-x64-musl": "4.3.1",
1454 |   "@tailwindcss/oxide-wasm32-wasi": "4.3.1",
1455 |   "@tailwindcss/oxide-win32-arm64-msvc": "4.3.1",
1456 |   "@tailwindcss/oxide-win32-x64-msvc": "4.3.1"
1457 | }
1458 | },
1459 | "node_modules/@tailwindcss/oxide-android-arm64": {
1460 |   "version": "4.3.1",
1461 |   "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-android-arm64/-/oxide-android-arm64-4.3.1.tgz",
1462 |   "integrity": "sha512-SVlyf61g37415cHyg8x9kf5xmLc0axv0TsbqDnSsDJaK0EFZ7GCVi84VAVGpxojY0s1+3K6M0UjXfqPU8vmOQ==",
1463 |   "cpu": [
1464 |     "arm64"
1465 |   ],
1466 |   "dev": true,
1467 |   "license": "MIT",
1468 |   "optional": true,
1469 |   "os": [
1470 |     "android"
1471 |   ],
1472 |   "engines": {
1473 |     "node": ">= 20"
1474 |   }
1475 | },
1476 | "node_modules/@tailwindcss/oxide-darwin-arm64": {
1477 |   "version": "4.3.1",
1478 |   "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-arm64/-/oxide-darwin-arm64-4.3.1.tgz",
1479 |   "integrity": "sha512-hVnWlw+e/17c4WkyVtHvIPvYdqWHjRB3MDIqARynzFtnQg85kmQEFcbV9Ja0VVx4xXTiDwY60Y7iz/iNoDA==",
1480 |   "cpu": [
1481 |     "arm64"
1482 |   ],
1483 |   "dev": true,
1484 |   "license": "MIT",
1485 |   "optional": true,
1486 |   "os": [
1487 |     "darwin"
1488 |   ],
1489 |   "engines": {
1490 |     "node": ">= 20"
1491 |   }
1492 | },
1493 | "node_modules/@tailwindcss/oxide-darwin-x64": {
1494 |   "version": "4.3.1",
1495 |   "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-x64/-/oxide-darwin-x64-4.3.1.tgz",
1496 |   "integrity": "sha512-Cf7abu0WVgbhU7ANGPUnSAvm7nCVmweusHb8FnaHlLfV/Caq4GYaEZg7ZImzmjx4lIAfuS8q+eLIS7A7IzxIg==",
1497 |   "cpu": [
1498 |     "x64"
1499 |   ],
1500 |   "dev": true,
1501 |   "license": "MIT",
1502 |   "optional": true,
1503 |   "os": [
1504 |     "darwin"
1505 |   ],
1506 |   "engines": {
1507 |     "node": ">= 20"
1508 |   }
1509 | },
1510 | "node_modules/@tailwindcss/oxide-freebsd-x64": {
1511 |   "version": "4.3.1",
1512 |   "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-freebsd-x64/-/oxide-freebsd-x64-4.3.1.tgz",
1513 |   "integrity": "sha512-ZZqzX2Y+GxtXf5fpJhDm60OzFvLHLCgm+J7NVqgHHjJG/m9ugZi77RwTsVd4fnBJuCFP6Ae6kTJb71UdS8g==",
1514 |   "cpu": [
1515 |     "x64"
1516 |   ],
1517 |   "dev": true,
1518 |   "license": "MIT",
1519 |   "optional": true,
1520 |   "os": [
1521 |     "freebsd"
1522 |   ],
1523 |   "engines": {
1524 |     "node": ">= 20"
1525 |   }
1526 | },
1527 | "node_modules/@tailwindcss/oxide-linux-arm-gnueabi": {
1528 |   "version": "4.3.1",
1529 |   "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm-gnueabi/-/oxide-linux-arm-gnueabi-4.3.1.tgz",
1530 |   "integrity": "sha512-Ah/xik0LaMYfV9DZ0S/t4pB1BNyOcqRwusjgovHkvT8ixueWCLyJjsaF5kQIckjb4IT8Q6K6p/iPmZMixYgg==",
1531 |   "cpu": [
1532 |     "arm"
1533 |   ],
1534 |   "dev": true,

```

```

1535 |     "license": "MIT",
1536 |     "optional": true,
1537 |     "os": [
1538 |       "linux"
1539 |     ],
1540 |     "engines": {
1541 |       "node": ">= 20"
1542 |     }
1543 |   },
1544 |   "node_modules/@tailwindcss/oxide-linux-arm64-gnu": {
1545 |     "version": "4.3.1",
1546 |     "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-gnu/-/oxide-linux-arm64-gnu-4.3.1.tgz",
1547 |     "integrity": "sha512-gqdFovJlw444GvpnhZLHmvTzSxI/cOUUh2KSNejQjTcYk0625VD+En0rUgD+QV91bz1XGIGtt1Hjd48xUGbQ==",
1548 |     "cpu": [
1549 |       "arm64"
1550 |     ],
1551 |     "dev": true,
1552 |     "libc": [
1553 |       "glibc"
1554 |     ],
1555 |     "license": "MIT",
1556 |     "optional": true,
1557 |     "os": [
1558 |       "linux"
1559 |     ],
1560 |     "engines": {
1561 |       "node": ">= 20"
1562 |     }
1563 |   },
1564 |   "node_modules/@tailwindcss/oxide-linux-arm64-musl": {
1565 |     "version": "4.3.1",
1566 |     "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-musl/-/oxide-linux-arm64-musl-4.3.1.tgz",
1567 |     "integrity": "sha512-Bwv9KwOvE0Vka86xPFif9b9c3Y1Nx0V1P0glti/IYwEsQYZXD1xfGEtA8mdDZ7SG3wyNXAWYT5SIn3giL57oA==",
1568 |     "cpu": [
1569 |       "arm64"
1570 |     ],
1571 |     "dev": true,
1572 |     "libc": [
1573 |       "musl"
1574 |     ],
1575 |     "license": "MIT",
1576 |     "optional": true,
1577 |     "os": [
1578 |       "linux"
1579 |     ],
1580 |     "engines": {
1581 |       "node": ">= 20"
1582 |     }
1583 |   },
1584 |   "node_modules/@tailwindcss/oxide-linux-x64-gnu": {
1585 |     "version": "4.3.1",
1586 |     "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-gnu/-/oxide-linux-x64-gnu-4.3.1.tgz",
1587 |     "integrity": "sha512-Ymi808T15HYQdOUUtTI6ldN0neHP85FC+Qz32xTcZ7iJXtem/x8ITev0e9e5rkqj4lONZFTRLvkm1n+tKg==",
1588 |     "cpu": [
1589 |       "x64"
1590 |     ],
1591 |     "dev": true,
1592 |     "libc": [
1593 |       "glibc"
1594 |     ],
1595 |     "license": "MIT",
1596 |     "optional": true,
1597 |     "os": [
1598 |       "linux"
1599 |     ],
1600 |     "engines": {
1601 |       "node": ">= 20"
1602 |     }
1603 |   },
1604 |   "node_modules/@tailwindcss/oxide-linux-x64-musl": {
1605 |     "version": "4.3.1",
1606 |     "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-musl/-/oxide-linux-x64-musl-4.3.1.tgz",
1607 |     "integrity": "sha512-M+P/91qJ6uILLw4k2G93GMDRAXj61SMvFYt39AqvUqYgExPpLL5aepfns7sj4H1AQeolirQF9E01zRvdf4zPQ==",
1608 |     "cpu": [
1609 |       "x64"
1610 |     ],
1611 |     "dev": true,
1612 |     "libc": [
1613 |       "musl"
1614 |     ],
1615 |     "license": "MIT",
1616 |     "optional": true,
1617 |     "os": [
1618 |       "linux"
1619 |     ],
1620 |     "engines": {
1621 |       "node": ">= 20"
1622 |     }
1623 |   },
1624 |   "node_modules/@tailwindcss/oxide-wasm32-wasi": {
1625 |     "version": "4.3.1",
1626 |     "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-wasm32-wasi/-/oxide-wasm32-wasi-4.3.1.tgz",
1627 |     "integrity": "sha512-zsM8u0eqvVGHsAXsJxst28ttosFahLJKLOTUBqRatKnVgSRitds9T432QiT8b77Yga7JIBku1IRR1JPtYhRA==",
1628 |     "bundleDependencies": [
1629 |       "@napi-rs/wasm-runtime",
1630 |       "@emnapi/core",
1631 |       "@emnapi/runtime",
1632 |       "@tybys/wasm-util",

```

```

1633 |     "@emnapi/wasi-threads",
1634 |     "tslib"
1635 | ],
1636 | "cpu": [
1637 |     "wasm32"
1638 | ],
1639 | "dev": true,
1640 | "license": "MIT",
1641 | "optional": true,
1642 | "dependencies": {
1643 |     "@emnapi/core": "^1.10.0",
1644 |     "@emnapi/runtime": "^1.10.0",
1645 |     "@emnapi/wasi-threads": "^1.2.1",
1646 |     "@napi-rs/wasm-runtime": "^1.1.4",
1647 |     "@tybys/wasm-util": "^0.10.2",
1648 |     "tslib": "^2.8.1"
1649 | },
1650 | "engines": {
1651 |     "node": ">=14.0.0"
1652 | }
1653 | },
1654 | "node_modules/@tailwindcss/oxide-win32-arm64-msvc": {
1655 |     "version": "4.3.1",
1656 |     "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-arm64-msvc/-/oxide-win32-arm64-msvc-4.3.1.tgz",
1657 |     "integrity": "sha512-aiNvSq9BsVk8V513lDKlrcfAgf8qBMPZTpgEhInL+NwQqs97mYmupVMrPrgBB5L8Pv/0zXu9MrMF9rMun1ZeNg==",
1658 |     "cpu": [
1659 |         "arm64"
1660 |     ],
1661 |     "dev": true,
1662 |     "license": "MIT",
1663 |     "optional": true,
1664 |     "os": [
1665 |         "win32"
1666 |     ],
1667 |     "engines": {
1668 |         "node": ">= 20"
1669 |     }
1670 | },
1671 | "node_modules/@tailwindcss/oxide-win32-x64-msvc": {
1672 |     "version": "4.3.1",
1673 |     "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-x64-msvc/-/oxide-win32-x64-msvc-4.3.1.tgz",
1674 |     "integrity": "sha512-xDEyu1rg290472FEgaKHnzyDyh5QH+AlWvsU5hMoMtPpzKlRI0jaYKcGSHDYtaQWZOYbMaduSyCwFwY4n1HmA==",
1675 |     "cpu": [
1676 |         "x64"
1677 |     ],
1678 |     "dev": true,
1679 |     "license": "MIT",
1680 |     "optional": true,
1681 |     "os": [
1682 |         "win32"
1683 |     ],
1684 |     "engines": {
1685 |         "node": ">= 20"
1686 |     }
1687 | },
1688 | "node_modules/@tailwindcss/postcss": {
1689 |     "version": "4.3.1",
1690 |     "resolved": "https://registry.npmjs.org/@tailwindcss/postcss/-/postcss-4.3.1.tgz",
1691 |     "integrity": "sha512-dNJUNbDEJT/SwRuXTYP1wSame1sz3ztKuSdtWQPjrexysrTpaEPM40P/71knXiXLYEojqPOEGitVLLpPMS5T6A==",
1692 |     "dev": true,
1693 |     "license": "MIT",
1694 |     "dependencies": {
1695 |         "@alloc/quick-lru": "^5.2.0",
1696 |         "@tailwindcss/node": "4.3.1",
1697 |         "@tailwindcss/oxide": "4.3.1",
1698 |         "postcss": "8.5.15",
1699 |         "tailwindcss": "4.3.1"
1700 |     }
1701 | },
1702 | "node_modules/@tybys/wasm-util": {
1703 |     "version": "0.10.2",
1704 |     "resolved": "https://registry.npmjs.org/@tybys/wasm-util/-/wasm-util-0.10.2.tgz",
1705 |     "integrity": "sha512-RoBvJ2X0wuklWF1jrwffGw1IqZHKQqzIchKadZZfnNpsAYp2mM0h36JtPCjNDAHGgYez/15uMBpfGwchhiMgg==",
1706 |     "dev": true,
1707 |     "license": "MIT",
1708 |     "optional": true,
1709 |     "dependencies": {
1710 |         "tslib": "^2.4.0"
1711 |     }
1712 | },
1713 | "node_modules/@types/estree": {
1714 |     "version": "1.0.9",
1715 |     "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.9.tgz",
1716 |     "integrity": "sha512-GhdPy1e14/ImP05X05Uw4cw2/M93BCUmEvWZNstlCzEKME4Fkk+YpoA50iHNQmoS7Cafb8Xa3Pya8m1Qrzeg==",
1717 |     "dev": true,
1718 |     "license": "MIT"
1719 | },
1720 | "node_modules/@types/json-schema": {
1721 |     "version": "7.0.15",
1722 |     "resolved": "https://registry.npmjs.org/@types/json-schema/-/json-schema-7.0.15.tgz",
1723 |     "integrity": "sha512-5+fP8P8MFNC+AyZCDxrB2pkZFPgZqQUzPSeuuVLvm8VMcorNYavBqoFcXK8bQz4Qsbn4oUEEm4wDLfcysGHA==",
1724 |     "dev": true,
1725 |     "license": "MIT"
1726 | },
1727 | "node_modules/@types/json5": {
1728 |     "version": "0.0.29",
1729 |     "resolved": "https://registry.npmjs.org/@types/json5/-/json5-0.0.29.tgz",
1730 |     "integrity": "sha512-dRLjCWHyG4oaA77cx0640a0+7JwCwnIzkZPdrC71jQmQt1hM556pwKo5bUzqvZndkVbeFLIIi+9TC40JNF5hNQ==",

```

```

1731 |     "dev": true,
1732 |     "license": "MIT"
1733 |   },
1734 |   "node_modules/@typescript-eslint/eslint-plugin": {
1735 |     "version": "8.61.1",
1736 |     "resolved": "https://registry.npmjs.org/@typescript-eslint/eslint-plugin/-/eslint-plugin-8.61.1.tgz",
1737 |     "integrity": "sha512-ZP1Vl3PB3et/59Ne0fv/sci6ZXz4T4Hp4nTJ56i/Y0gR89ARb+KphojTq6j+56E5PIezmOIO0WYy+aWQFd+IkQ==",
1738 |     "dev": true,
1739 |     "license": "MIT",
1740 |     "dependencies": {
1741 |       "@eslint-community/regexpp": "^4.12.2",
1742 |       "@typescript-eslint/scope-manager": "8.61.1",
1743 |       "@typescript-eslint/type-utils": "8.61.1",
1744 |       "@typescript-eslint/visitor-keys": "8.61.1",
1745 |       "@typescript-eslint/visitor-keys": "8.61.1",
1746 |       "ignore": "^7.0.5",
1747 |       "natural-compare": "^1.4.0",
1748 |       "ts-api-utils": "^2.5.0"
1749 |     },
1750 |     "engines": {
1751 |       "node": ">=18.18.0 || ^20.9.0 || >=21.1.0"
1752 |     },
1753 |     "funding": {
1754 |       "type": "opencollective",
1755 |       "url": "https://opencollective.com/typescript-eslint"
1756 |     },
1757 |     "peerDependencies": {
1758 |       "@typescript-eslint/parser": "8.61.1",
1759 |       "eslint": ">=8.57.0 || ^9.0.0 || ^10.0.0",
1760 |       "typescript": ">=4.8.4 <6.1.0"
1761 |     }
1762 |   },
1763 |   "node_modules/@typescript-eslint/eslint-plugin/node_modules/ignore": {
1764 |     "version": "7.0.5",
1765 |     "resolved": "https://registry.npmjs.org/ignore/-/ignore-7.0.5.tgz",
1766 |     "integrity": "sha512-Hs59xBNFUunMFgAbGX5cq6893IbWg4KnrjbYwX3tx0ZtorVgTDA6B2sxf8eJHJ4wz8BqGUMY1nzNBer5NvGg==",
1767 |     "dev": true,
1768 |     "license": "MIT",
1769 |     "engines": {
1770 |       "node": ">= 4"
1771 |     }
1772 |   },
1773 |   "node_modules/@typescript-eslint/parser": {
1774 |     "version": "8.61.1",
1775 |     "resolved": "https://registry.npmjs.org/@typescript-eslint/parser/-/parser-8.61.1.tgz",
1776 |     "integrity": "sha512-PJ5vePq5/ognBBrIcoC5+SH05dfpeLPzP9fLkzWrguoYQEeSjl3pVwOp01JRSTE17dRcwNy4h4dzV70PqHcg==",
1777 |     "dev": true,
1778 |     "license": "MIT",
1779 |     "dependencies": {
1780 |       "@typescript-eslint/scope-manager": "8.61.1",
1781 |       "@typescript-eslint/types": "8.61.1",
1782 |       "@typescript-eslint/typescript-estree": "8.61.1",
1783 |       "@typescript-eslint/visitor-keys": "8.61.1",
1784 |       "debug": "^4.4.3"
1785 |     },
1786 |     "engines": {
1787 |       "node": ">=18.18.0 || ^20.9.0 || >=21.1.0"
1788 |     },
1789 |     "funding": {
1790 |       "type": "opencollective",
1791 |       "url": "https://opencollective.com/typescript-eslint"
1792 |     },
1793 |     "peerDependencies": {
1794 |       "eslint": ">=8.57.0 || ^9.0.0 || ^10.0.0",
1795 |       "typescript": ">=4.8.4 <6.1.0"
1796 |     }
1797 |   },
1798 |   "node_modules/@typescript-eslint/project-service": {
1799 |     "version": "8.61.1",
1800 |     "resolved": "https://registry.npmjs.org/@typescript-eslint/project-service/-/project-service-8.61.1.tgz",
1801 |     "integrity": "sha512-PrC4JYGmR2411YnfhmKGTxKfQv8+ymbTFgSAY0fVXpY82/QkMw5TZPl+vGzuDDU2QYJk9fID0BTntf+yDv9LEA==",
1802 |     "dev": true,
1803 |     "license": "MIT",
1804 |     "dependencies": {
1805 |       "@typescript-eslint/tsconfig-utils": "8.61.1",
1806 |       "@typescript-eslint/types": "8.61.1",
1807 |       "debug": "^4.4.3"
1808 |     },
1809 |     "engines": {
1810 |       "node": ">=18.18.0 || ^20.9.0 || >=21.1.0"
1811 |     },
1812 |     "funding": {
1813 |       "type": "opencollective",
1814 |       "url": "https://opencollective.com/typescript-eslint"
1815 |     },
1816 |     "peerDependencies": {
1817 |       "typescript": ">=4.8.4 <6.1.0"
1818 |     }
1819 |   },
1820 |   "node_modules/@typescript-eslint/scope-manager": {
1821 |     "version": "8.61.1",
1822 |     "resolved": "https://registry.npmjs.org/@typescript-eslint/scope-manager/-/scope-manager-8.61.1.tgz",
1823 |     "integrity": "sha512-L2bdIeoQS8F1KAvONAr20w60cLXEB+qiDKbAooS9A0Ben+iSIkBef0FqxqWYqt5sa0i4KJtxVYVmhMy1KzF5w==",
1824 |     "dev": true,
1825 |     "license": "MIT",
1826 |     "dependencies": {
1827 |       "@typescript-eslint/types": "8.61.1",
1828 |       "@typescript-eslint/visitor-keys": "8.61.1"

```

```

1829 |     },
1830 |     "engines": {
1831 |       "node": ">=18.18.0 || ^20.9.0 || >=21.1.0"
1832 |     },
1833 |     "funding": {
1834 |       "type": "opencollective",
1835 |       "url": "https://opencollective.com/typescript-eslint"
1836 |     }
1837 |   },
1838 |   "node_modules/@typescript-eslint/tsconfig-utils": {
1839 |     "version": "8.61.1",
1840 |     "resolved": "https://registry.npmjs.org/@typescript-eslint/tsconfig-utils/-/tsconfig-utils-8.61.1.tgz",
1841 |     "integrity": "sha512-UN/H4di+007EWx2ovME+8t31Y0+KVNK0RRKEHR3k0t21/Ay8B0q3M10MvWs5vNiqcFCYGYoxK3MPZzmMUE+yg==",
1842 |     "dev": true,
1843 |     "license": "MIT",
1844 |     "engines": {
1845 |       "node": ">=18.18.0 || ^20.9.0 || >=21.1.0"
1846 |     },
1847 |     "funding": {
1848 |       "type": "opencollective",
1849 |       "url": "https://opencollective.com/typescript-eslint"
1850 |     },
1851 |     "peerDependencies": {
1852 |       "typescript": ">=4.8.4 <6.1.0"
1853 |     }
1854 |   },
1855 |   "node_modules/@typescript-eslint/type-utils": {
1856 |     "version": "8.61.1",
1857 |     "resolved": "https://registry.npmjs.org/@typescript-eslint/type-utils/-/type-utils-8.61.1.tgz",
1858 |     "integrity": "sha512-GYRiKMK0C4fsKgaACakn0UAQ90a2kwsjnpFhFcS/5p4Ht5IP90VLbgIgcK4SRk92nVHF1uurg1lumD9d8cLw==",
1859 |     "dev": true,
1860 |     "license": "MIT",
1861 |     "dependencies": {
1862 |       "@typescript-eslint/types": "8.61.1",
1863 |       "@typescript-eslint/typescript-estree": "8.61.1",
1864 |       "@typescript-eslint/utils": "8.61.1",
1865 |       "debug": "^4.4.3",
1866 |       "ts-api-utils": "^2.5.0"
1867 |     },
1868 |     "engines": {
1869 |       "node": ">=18.18.0 || ^20.9.0 || >=21.1.0"
1870 |     },
1871 |     "funding": {
1872 |       "type": "opencollective",
1873 |       "url": "https://opencollective.com/typescript-eslint"
1874 |     },
1875 |     "peerDependencies": {
1876 |       "eslint": ">=8.57.0 || ^9.0.0 || ^10.0.0",
1877 |       "typescript": ">=4.8.4 <6.1.0"
1878 |     }
1879 |   },
1880 |   "node_modules/@typescript-eslint/types": {
1881 |     "version": "8.61.1",
1882 |     "resolved": "https://registry.npmjs.org/@typescript-eslint/types/-/types-8.61.1.tgz",
1883 |     "integrity": "sha512-G+CRlPqLv7Bz1IZVs03x5K59F1veqL0EJUR0AdGhKsEq8q0iRiZbI+HU0jPq5l0fEGOKMod9br6l0bhB8zkoA==",
1884 |     "dev": true,
1885 |     "license": "MIT",
1886 |     "engines": {
1887 |       "node": ">=18.18.0 || ^20.9.0 || >=21.1.0"
1888 |     },
1889 |     "funding": {
1890 |       "type": "opencollective",
1891 |       "url": "https://opencollective.com/typescript-eslint"
1892 |     }
1893 |   },
1894 |   "node_modules/@typescript-eslint/typescript-estree": {
1895 |     "version": "8.61.1",
1896 |     "resolved": "https://registry.npmjs.org/@typescript-eslint/typescript-estree/-/typescript-estree-8.61.1.tgz",
1897 |     "integrity": "sha512-u+QD3BqYwPc8YVZab4vaJE1JuwOLPRc10Jm1o/qS+6Qwen14HCWwx0Seo4LnSn2wx2Ik8DxPt2/FHmuhrg==",
1898 |     "dev": true,
1899 |     "license": "MIT",
1900 |     "dependencies": {
1901 |       "@typescript-eslint/project-service": "8.61.1",
1902 |       "@typescript-eslint/tsconfig-utils": "8.61.1",
1903 |       "@typescript-eslint/types": "8.61.1",
1904 |       "@typescript-eslint/visitor-keys": "8.61.1",
1905 |       "debug": "^4.4.3",
1906 |       "minimatch": "^10.2.2",
1907 |       "semver": "^7.7.3",
1908 |       "tinyglobby": "^0.2.15",
1909 |       "ts-api-utils": "^2.5.0"
1910 |     },
1911 |     "engines": {
1912 |       "node": ">=18.18.0 || ^20.9.0 || >=21.1.0"
1913 |     },
1914 |     "funding": {
1915 |       "type": "opencollective",
1916 |       "url": "https://opencollective.com/typescript-eslint"
1917 |     },
1918 |     "peerDependencies": {
1919 |       "typescript": ">=4.8.4 <6.1.0"
1920 |     }
1921 |   },
1922 |   "node_modules/@typescript-eslint/typescript-estree/node_modules/balanced-match": {
1923 |     "version": "4.0.4",
1924 |     "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-4.0.4.tgz",
1925 |     "integrity": "sha512-B+Lq7a9V+tbf9JLh8vDyH40zXVWzU009XjRyVl6VUgQKs8azk8+0q0sXjP8oR4LsH8I1bYU5BYWpZGAA==",
1926 |     "dev": true,

```



```

2025 |     "funding": {
2026 |         "url": "https://opencollective.com/eslint"
2027 |     }
2028 | },
2029 | "node_modules/@unrs/resolver-binding-android-arm-eabi": {
2030 |     "version": "1.12.2",
2031 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-android-arm-eabi/-/resolver-binding-android-arm-eabi-1.12.2.tgz",
2032 |     "integrity": "sha512-g5T90pgg1bo/7mytQx6F4iBNC0Wsh9cu+z9veDbFjc7HjpesJFWD7QMS0NGStXM075+7dJPPVvBbpZ1nrDpi/w==",
2033 |     "cpu": [
2034 |         "arm"
2035 |     ],
2036 |     "dev": true,
2037 |     "license": "MIT",
2038 |     "optional": true,
2039 |     "os": [
2040 |         "android"
2041 |     ]
2042 | },
2043 | "node_modules/@unrs/resolver-binding-android-arm64": {
2044 |     "version": "1.12.2",
2045 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-android-arm64/-/resolver-binding-android-arm64-1.12.2.tgz",
2046 |     "integrity": "sha512-YGCRZv/9GLhwmz6mYDeTsm/92BAyR2816c2ReweVW5pWgfsitWLY8upvfR1GdoyD8HjeTHSYJWYzGD4KJA/nFQ==",
2047 |     "cpu": [
2048 |         "arm64"
2049 |     ],
2050 |     "dev": true,
2051 |     "license": "MIT",
2052 |     "optional": true,
2053 |     "os": [
2054 |         "android"
2055 |     ]
2056 | },
2057 | "node_modules/@unrs/resolver-binding-darwin-arm64": {
2058 |     "version": "1.12.2",
2059 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-darwin-arm64/-/resolver-binding-darwin-arm64-1.12.2.tgz",
2060 |     "integrity": "sha512-u9DiNT1auQM020A9SyTuG3wUgQWB9Z7KjAg0uFuCDR1FsAY8A0C2S6JpHS1xwm/w1G08bjXZDcyOCjv1WAm2w==",
2061 |     "cpu": [
2062 |         "arm64"
2063 |     ],
2064 |     "dev": true,
2065 |     "license": "MIT",
2066 |     "optional": true,
2067 |     "os": [
2068 |         "darwin"
2069 |     ]
2070 | },
2071 | "node_modules/@unrs/resolver-binding-darwin-x64": {
2072 |     "version": "1.12.2",
2073 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-darwin-x64/-/resolver-binding-darwin-x64-1.12.2.tgz",
2074 |     "integrity": "sha512-f7rPLi/T1HVKZu/u6t871roib16n8vrSzcYxI7lg4BG09UF26KhQL4sd9e0UgrTYhvxTWOIZT5PejdPyJfUA==",
2075 |     "cpu": [
2076 |         "x64"
2077 |     ],
2078 |     "dev": true,
2079 |     "license": "MIT",
2080 |     "optional": true,
2081 |     "os": [
2082 |         "darwin"
2083 |     ]
2084 | },
2085 | "node_modules/@unrs/resolver-binding-freebsd-x64": {
2086 |     "version": "1.12.2",
2087 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-freebsd-x64/-/resolver-binding-freebsd-x64-1.12.2.tgz",
2088 |     "integrity": "sha512-BpcOjWCJub6nRZUS2zA20pmLvjtqAtGejETaIyRLiZiQf++cbrjltLA5NN/xAXfqe0BOS1MFbemI15/S5t1jmg==",
2089 |     "cpu": [
2090 |         "x64"
2091 |     ],
2092 |     "dev": true,
2093 |     "license": "MIT",
2094 |     "optional": true,
2095 |     "os": [
2096 |         "freebsd"
2097 |     ]
2098 | },
2099 | "node_modules/@unrs/resolver-binding-linux-arm-gnueabi": {
2100 |     "version": "1.12.2",
2101 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm-gnueabi/-/resolver-binding-linux-arm-gnueabi-1.12.2.tgz",
2102 |     "integrity": "sha512-vZTDvdSISZjX660zJqts0hzifbqRjbmI1Mnu49fQDwog5GtdI4QidRiEAYbZCRj9C8YZEW+3ZjqsY9GR4k2A==",
2103 |     "cpu": [
2104 |         "arm"
2105 |     ],
2106 |     "dev": true,
2107 |     "license": "MIT",
2108 |     "optional": true,
2109 |     "os": [
2110 |         "linux"
2111 |     ]
2112 | },
2113 | "node_modules/@unrs/resolver-binding-linux-arm-musleabi": {
2114 |     "version": "1.12.2",
2115 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm-musleabi/-/resolver-binding-linux-arm-musleabi-1.12.2.tgz",
2116 |     "integrity": "sha512-BiPI+IrIlwc4nLLMM21+B1dFPzd55yAVgVGrDgJNef+ch03GdxrcyaIz8X9SsQirh/kCQ7mviyW1Mxdh2D7g==",
2117 |     "cpu": [
2118 |         "arm"
2119 |     ],
2120 |     "dev": true,
2121 |     "license": "MIT",
2122 |     "optional": true,

```

```

2123 |     "os": [
2124 |         "linux"
2125 |     ]
2126 | },
2127 | "node_modules/@unrs/resolver-binding-linux-arm64-gnu": {
2128 |     "version": "1.12.2",
2129 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm64-gnu/-/resolver-binding-linux-arm64-gnu-1.12.2.tgz",
2130 |     "integrity": "sha512-zJc0H99FEpOfFSrNpa91HYfxzfAJCr502oxNK1cfdC9hlaFI43RT+JFCann9JUGZmLzzntChHyn13Sgn9ljHNg==",
2131 |     "cpu": [
2132 |         "arm64"
2133 |     ],
2134 |     "dev": true,
2135 |     "libc": [
2136 |         "glibc"
2137 |     ],
2138 |     "license": "MIT",
2139 |     "optional": true,
2140 |     "os": [
2141 |         "linux"
2142 |     ]
2143 | },
2144 | "node_modules/@unrs/resolver-binding-linux-arm64-musl": {
2145 |     "version": "1.12.2",
2146 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm64-musl/-/resolver-binding-linux-arm64-musl-1.12.2.tgz",
2147 |     "integrity": "sha512-KQ3Lki6l+Pz1k/eBipN41ES+YUK30beLGB9YqcB10542cyLCNE6GaxrFcY3T6EzmGGk84wb5XyO9loTM9tkcA==",
2148 |     "cpu": [
2149 |         "arm64"
2150 |     ],
2151 |     "dev": true,
2152 |     "libc": [
2153 |         "musl"
2154 |     ],
2155 |     "license": "MIT",
2156 |     "optional": true,
2157 |     "os": [
2158 |         "linux"
2159 |     ]
2160 | },
2161 | "node_modules/@unrs/resolver-binding-linux-loong64-gnu": {
2162 |     "version": "1.12.2",
2163 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-loong64-gnu/-/resolver-binding-linux-loong64-gnu-1.12.2.tgz",
2164 |     "integrity": "sha512-3SjGEh1DborhG6pyxvhPzCT4bbSIVihvgJc13P1bHG7KLdNDaf9T3gsTwFc7Jw/5Y5/iW0jkEx7Zy0NvCGX3Q==",
2165 |     "cpu": [
2166 |         "loong64"
2167 |     ],
2168 |     "dev": true,
2169 |     "libc": [
2170 |         "glibc"
2171 |     ],
2172 |     "license": "MIT",
2173 |     "optional": true,
2174 |     "os": [
2175 |         "linux"
2176 |     ]
2177 | },
2178 | "node_modules/@unrs/resolver-binding-linux-loong64-musl": {
2179 |     "version": "1.12.2",
2180 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-loong64-musl/-/resolver-binding-linux-loong64-musl-1.12.2.tgz",
2181 |     "integrity": "sha512-jiuG/0bbe17uw1PwHNFfrkiKhLAF6mnyZ6aw10AVN9WqKm8v00FGnciJIHu8+CMvXLQ8AD51LPzAoUFT21D5Ew==",
2182 |     "cpu": [
2183 |         "loong64"
2184 |     ],
2185 |     "dev": true,
2186 |     "libc": [
2187 |         "musl"
2188 |     ],
2189 |     "license": "MIT",
2190 |     "optional": true,
2191 |     "os": [
2192 |         "linux"
2193 |     ]
2194 | },
2195 | "node_modules/@unrs/resolver-binding-linux-ppc64-gnu": {
2196 |     "version": "1.12.2",
2197 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-ppc64-gnu/-/resolver-binding-linux-ppc64-gnu-1.12.2.tgz",
2198 |     "integrity": "sha512-q7xRvPmcfel+LlZg8Pbbo6QaTzWdU5BaGZbwfhkEsXJn3Was8xYfE0RBH266xZt0rM6B7i8xAYIvjtHuUIWHg==",
2199 |     "cpu": [
2200 |         "ppc64"
2201 |     ],
2202 |     "dev": true,
2203 |     "libc": [
2204 |         "glibc"
2205 |     ],
2206 |     "license": "MIT",
2207 |     "optional": true,
2208 |     "os": [
2209 |         "linux"
2210 |     ]
2211 | },
2212 | "node_modules/@unrs/resolver-binding-linux-riscv64-gnu": {
2213 |     "version": "1.12.2",
2214 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-riscv64-gnu/-/resolver-binding-linux-riscv64-gnu-1.12.2.tgz",
2215 |     "integrity": "sha512-0CVdx61cnt3Q9inOH8tsMIOJ6Imnd1lMjqJHg8RLVdB7Vq4SfEX19mCSsVNuNA4MCYycRicUXPCabVHJRr6A==",
2216 |     "cpu": [
2217 |         "riscv64"
2218 |     ],
2219 |     "dev": true,
2220 |     "libc": [

```



```

2221 |     "glibc"
2222 |   ],
2223 |   "license": "MIT",
2224 |   "optional": true,
2225 |   "os": [
2226 |     "linux"
2227 |   ]
2228 | },
2229 | "node_modules/@unrs/resolver-binding-linux-riscv64-musl": {
2230 |   "version": "1.12.2",
2231 |   "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-riscv64-musl/-/resolver-binding-linux-riscv64-musl-1.12.2.tgz",
2232 |   "integrity": "sha512-i0w1Ro9vnp6R6ohHQS11n0NfdXx/omhkocmIfaPRpQhKZ+3BDMkkdRVh53qjkFkpPddf+FETA28NwGN7151+w==",
2233 |   "cpu": [
2234 |     "riscv64"
2235 |   ],
2236 |   "dev": true,
2237 |   "libc": [
2238 |     "musl"
2239 |   ],
2240 |   "license": "MIT",
2241 |   "optional": true,
2242 |   "os": [
2243 |     "linux"
2244 |   ]
2245 | },
2246 | "node_modules/@unrs/resolver-binding-linux-s390x-gnu": {
2247 |   "version": "1.12.2",
2248 |   "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-s390x-gnu/-/resolver-binding-linux-s390x-gnu-1.12.2.tgz",
2249 |   "integrity": "sha512-HYJtLfXq94q8iZNFt11knx258w1kkWhZeUXJRqzKB8UJ00CvZ+N33zgbCqimLjsyw5Va6uUxhVa12mI+kaveEw==",
2250 |   "cpu": [
2251 |     "s390x"
2252 |   ],
2253 |   "dev": true,
2254 |   "libc": [
2255 |     "glibc"
2256 |   ],
2257 |   "license": "MIT",
2258 |   "optional": true,
2259 |   "os": [
2260 |     "linux"
2261 |   ]
2262 | },
2263 | "node_modules/@unrs/resolver-binding-linux-x64-gnu": {
2264 |   "version": "1.12.2",
2265 |   "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-x64-gnu/-/resolver-binding-linux-x64-gnu-1.12.2.tgz",
2266 |   "integrity": "sha512-mPsUhunkKDih5096Y6enDQyHc1SqBPLY1E/SfMwDM3EdJ95Z9CArPeCVwCCqbP451jvvdEk8Fxn+S1b1rDAJQ==",
2267 |   "cpu": [
2268 |     "x64"
2269 |   ],
2270 |   "dev": true,
2271 |   "libc": [
2272 |     "glibc"
2273 |   ],
2274 |   "license": "MIT",
2275 |   "optional": true,
2276 |   "os": [
2277 |     "linux"
2278 |   ]
2279 | },
2280 | "node_modules/@unrs/resolver-binding-linux-x64-musl": {
2281 |   "version": "1.12.2",
2282 |   "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-x64-musl/-/resolver-binding-linux-x64-musl-1.12.2.tgz",
2283 |   "integrity": "sha512-azrt6+5ydl8Vt210AAf1s/1ZevSfPw93EJRIJG+xPu4WCJ8K0kppCTpMyLPcKT7H15M4Jnt2tMp5b0vCkRC6A==",
2284 |   "cpu": [
2285 |     "x64"
2286 |   ],
2287 |   "dev": true,
2288 |   "libc": [
2289 |     "musl"
2290 |   ],
2291 |   "license": "MIT",
2292 |   "optional": true,
2293 |   "os": [
2294 |     "linux"
2295 |   ]
2296 | },
2297 | "node_modules/@unrs/resolver-binding-openharmony-arm64": {
2298 |   "version": "1.12.2",
2299 |   "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-openharmony-arm64/-/resolver-binding-openharmony-arm64-1.12.2.tgz",
2300 |   "integrity": "sha512-YZ9hP408X9PQb8e0980qmlNGH4zT3I9+SZTdt0Pr0YyGuQhYK0ZkV02Vzry0ZJ5xI3UFIenKkUkGg8GjgWQ==",
2301 |   "cpu": [
2302 |     "arm64"
2303 |   ],
2304 |   "dev": true,
2305 |   "license": "MIT",
2306 |   "optional": true,
2307 |   "os": [
2308 |     "openharmony"
2309 |   ]
2310 | },
2311 | "node_modules/@unrs/resolver-binding-wasm32-wasi": {
2312 |   "version": "1.12.2",
2313 |   "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-wasm32-wasi/-/resolver-binding-wasm32-wasi-1.12.2.tgz",
2314 |   "integrity": "sha512-tYFDIkMxSf1fEc/h922WnsZlHswgimbNHS03PL2JWQHfCuC2q316jMyYU9TIWZsFK2bQwyK5VAdYgn8ygPj69A==",
2315 |   "cpu": [
2316 |     "wasm32"
2317 |   ],
2318 |   "dev": true,

```

```

2319 |     "license": "MIT",
2320 |     "optional": true,
2321 |     "dependencies": {
2322 |       "@emnapi/core": "1.10.0",
2323 |       "@emnapi/runtime": "1.10.0",
2324 |       "@napi-rs/wasm-runtime": "^1.1.4"
2325 |     },
2326 |     "engines": {
2327 |       "node": ">=14.0.0"
2328 |     }
2329 |   },
2330 |   "node_modules/@unrs/resolver-binding-wasm32-wasi/node_modules/@emnapi/runtime": {
2331 |     "version": "1.10.0",
2332 |     "resolved": "https://registry.npmjs.org/@emnapi/runtime/-/runtime-1.10.0.tgz",
2333 |     "integrity": "sha512-ewvYlk86xUoGI0zQRNq/mC+16R1QeDlKQy21Ki3oSYXNgLb45GV1P6A0M+/s6nyCuNDqe5VpaY84BzXGwVbwFA==",
2334 |     "dev": true,
2335 |     "license": "MIT",
2336 |     "optional": true,
2337 |     "dependencies": {
2338 |       "tslib": "^2.4.0"
2339 |     }
2340 |   },
2341 |   "node_modules/@unrs/resolver-binding-win32-arm64-msvc": {
2342 |     "version": "1.12.2",
2343 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-win32-arm64-msvc/-/resolver-binding-win32-arm64-msvc-1.12.2.tgz",
2344 |     "integrity": "sha512-qzNyg3xL0VPQmCaUh+N5jSitce6k+uCBfMDesWRnLUL0ZaqUkaJ0ybdT+Uq1AWJoJqufIU/0Ptx9bteN4D82g==",
2345 |     "cpu": [
2346 |       "arm64"
2347 |     ],
2348 |     "dev": true,
2349 |     "license": "MIT",
2350 |     "optional": true,
2351 |     "os": [
2352 |       "win32"
2353 |     ]
2354 |   },
2355 |   "node_modules/@unrs/resolver-binding-win32-ia32-msvc": {
2356 |     "version": "1.12.2",
2357 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-win32-ia32-msvc/-/resolver-binding-win32-ia32-msvc-1.12.2.tgz",
2358 |     "integrity": "sha512-WD9sY000fpHVGfsnHZoA8jVT+esS/Bg8z8jzxp5BnDCjjwsuKsPQrzswwpFy4J1AUJbXPRfkpcX0mXrZeXW79g==",
2359 |     "cpu": [
2360 |       "ia32"
2361 |     ],
2362 |     "dev": true,
2363 |     "license": "MIT",
2364 |     "optional": true,
2365 |     "os": [
2366 |       "win32"
2367 |     ]
2368 |   },
2369 |   "node_modules/@unrs/resolver-binding-win32-x64-msvc": {
2370 |     "version": "1.12.2",
2371 |     "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-win32-x64-msvc/-/resolver-binding-win32-x64-msvc-1.12.2.tgz",
2372 |     "integrity": "sha512-nAB74NfSNkknqQ1RrYj6uz8FcXomu/MATJZxh/x+BARzN2U3Jb0YC0APyUIGhVY3m5hRx8VPNdPB0G8tx1A==",
2373 |     "cpu": [
2374 |       "x64"
2375 |     ],
2376 |     "dev": true,
2377 |     "license": "MIT",
2378 |     "optional": true,
2379 |     "os": [
2380 |       "win32"
2381 |     ]
2382 |   },
2383 |   "node_modules/acorn": {
2384 |     "version": "8.17.0",
2385 |     "resolved": "https://registry.npmjs.org/acorn/-/acorn-8.17.0.tgz",
2386 |     "integrity": "sha512-xRQbD9BnWdYFYnN6VwL839DVVjqXYb1XVGtWAZ1kcDc6iWAL4hg3B1dZLriuENFe02H53gFG3in621AdERVag==",
2387 |     "dev": true,
2388 |     "license": "MIT",
2389 |     "bin": {
2390 |       "acorn": "bin/acorn"
2391 |     },
2392 |     "engines": {
2393 |       "node": ">=0.4.0"
2394 |     }
2395 |   },
2396 |   "node_modules/acorn-jsx": {
2397 |     "version": "5.3.2",
2398 |     "resolved": "https://registry.npmjs.org/acorn-jsx/-/acorn-jsx-5.3.2.tgz",
2399 |     "integrity": "sha512-rq9s+JNhF0IchjtDXx1l17g41oZk5S1Xtp0LHwyA5cejwn7vKmkP4pPri6YEePv2PU6S5AsegbXtIinmDFDXQ==",
2400 |     "dev": true,
2401 |     "license": "MIT",
2402 |     "peerDependencies": {
2403 |       "acorn": "^6.0.0 || ^7.0.0 || ^8.0.0"
2404 |     }
2405 |   },
2406 |   "node_modules/ajv": {
2407 |     "version": "6.15.0",
2408 |     "resolved": "https://registry.npmjs.org/ajv/-/ajv-6.15.0.tgz",
2409 |     "integrity": "sha512-0g9Xn+ZsajUAy109u6YqG+XAC7EMJhycSKtoTtY9Gsu+g68VPk3P6/zrzFEQ1ZC5+l0Ub01F0VWwR4PDM2w==",
2410 |     "dev": true,
2411 |     "license": "MIT",
2412 |     "dependencies": {
2413 |       "fast-deep-equal": "^3.1.1",
2414 |       "fast-json-stable-stringify": "^2.0.0",
2415 |       "json-schema-traverse": "^0.4.1",
2416 |       "uri-js": "^4.2.2"

```

```

2417 |     },
2418 |     "funding": {
2419 |       "type": "github",
2420 |       "url": "https://github.com/sponsors/epoberezkin"
2421 |     }
2422 |   },
2423 |   "node_modules/ansi-styles": {
2424 |     "version": "4.3.0",
2425 |     "resolved": "https://registry.npmjs.org/ansi-styles/-/ansi-styles-4.3.0.tgz",
2426 |     "integrity": "sha512-zbB9rCJAT1rbjiVDb2hqKFHNYLxgtk8NURxZ3IZwD3F6NtxbXZQCnnSi1Lkx+IDohdP1Fp222wVALIheZJQSEg==",
2427 |     "dev": true,
2428 |     "license": "MIT",
2429 |     "dependencies": {
2430 |       "color-convert": "^2.0.1"
2431 |     },
2432 |     "engines": {
2433 |       "node": ">=8"
2434 |     },
2435 |     "funding": {
2436 |       "url": "https://github.com/chalk/ansi-stylessponsor=1"
2437 |     }
2438 |   },
2439 |   "node_modules/argparse": {
2440 |     "version": "2.0.1",
2441 |     "resolved": "https://registry.npmjs.org/argparse/-/argparse-2.0.1.tgz",
2442 |     "integrity": "sha512-8+9WqebBFzpx90R+wa6029asIogerMzcGtAINDpMHYAg10f05aSFVBbcEqGf/PXw1EjAZ+q2/bEBg3DvurK3Q==",
2443 |     "dev": true,
2444 |     "license": "Python-2.0"
2445 |   },
2446 |   "node_modules/aria-query": {
2447 |     "version": "5.3.2",
2448 |     "resolved": "https://registry.npmjs.org/aria-query/-/aria-query-5.3.2.tgz",
2449 |     "integrity": "sha512-COR0pnaoap1E2F00S62r6A60uHZnmlvomfyT2D1TcrY10rBKn2Uhh7qn5wTC9zMvD0AY7cscdPSNwKP+7WiQw==",
2450 |     "dev": true,
2451 |     "license": "Apache-2.0",
2452 |     "engines": {
2453 |       "node": ">= 0.4"
2454 |     }
2455 |   },
2456 |   "node_modules/array-buffer-byte-length": {
2457 |     "version": "1.0.2",
2458 |     "resolved": "https://registry.npmjs.org/array-buffer-byte-length/-/array-buffer-byte-length-1.0.2.tgz",
2459 |     "integrity": "sha512-LHE+8BuR7RYGDKvnrncuSqtDckv90FEXQt/HpbZhY7V6h0z1UXutAD8GiFx9rdieCMjktcsPqBwgUl1Iiw==",
2460 |     "dev": true,
2461 |     "license": "MIT",
2462 |     "dependencies": {
2463 |       "call-bound": "^1.0.3",
2464 |       "is-array-buffer": "^3.0.5"
2465 |     },
2466 |     "engines": {
2467 |       "node": ">= 0.4"
2468 |     },
2469 |     "funding": {
2470 |       "url": "https://github.com/sponsors/ljharb"
2471 |     }
2472 |   },
2473 |   "node_modules/array-includes": {
2474 |     "version": "3.1.9",
2475 |     "resolved": "https://registry.npmjs.org/array-includes/-/array-includes-3.1.9.tgz",
2476 |     "integrity": "sha512-8tM6zGtCjWtV88Tjszlu71dCCZqIE8U888i91nJ5163DqYk3vZd22XrtgKsDpQuK2Jz01Nc7bXXbXUw==",
2477 |     "dev": true,
2478 |     "license": "MIT",
2479 |     "dependencies": {
2480 |       "call-bind": "^1.0.8",
2481 |       "call-bound": "^1.0.4",
2482 |       "define-properties": "^1.2.1",
2483 |       "es-abstract": "^1.24.0",
2484 |       "es-object-atoms": "^1.1.1",
2485 |       "get-intrinsic": "^1.3.0",
2486 |       "is-string": "^1.1.1",
2487 |       "math-intrinsics": "^1.1.0"
2488 |     },
2489 |     "engines": {
2490 |       "node": ">= 0.4"
2491 |     },
2492 |     "funding": {
2493 |       "url": "https://github.com/sponsors/ljharb"
2494 |     }
2495 |   },
2496 |   "node_modules/array.prototype.findlast": {
2497 |     "version": "1.2.5",
2498 |     "resolved": "https://registry.npmjs.org/array.prototype.findlast/-/array.prototype.findlast-1.2.5.tgz",
2499 |     "integrity": "sha512-1o11T1xP0B63L3YX1W5E8ZPLrQZ+10m7S8iUd7NSfwy0rP1L71r8wXQ9kTLXI0zFkX1oZC4U+g0EYQ==",
2500 |     "dev": true,
2501 |     "license": "MIT",
2502 |     "dependencies": {
2503 |       "call-bind": "^1.0.7",
2504 |       "define-properties": "^1.2.1",
2505 |       "es-abstract": "^1.23.2",
2506 |       "es-errors": "^1.3.0",
2507 |       "es-object-atoms": "^1.0.0",
2508 |       "es-shim-unscopables": "^1.0.2"
2509 |     },
2510 |     "engines": {
2511 |       "node": ">= 0.4"
2512 |     },
2513 |     "funding": {
2514 |       "url": "https://github.com/sponsors/ljharb"

```



```

2613 |     "url": "https://github.com/sponsors/ljharb"
2614 |   }
2615 | },
2616 | "node_modules/ast-types-flow": {
2617 |   "version": "0.0.8",
2618 |   "resolved": "https://registry.npmjs.org/ast-types-flow/-/ast-types-flow-0.0.8.tgz",
2619 |   "integrity": "sha512-0H/2E5Fg20h2aPrbe+QL8JZQFko0YZaF+j4mnQ7BGhfav07OpSLa8a0y9sBwomHdSbkhTS8TQNayBfnW5DwbvQ==",
2620 |   "dev": true,
2621 |   "license": "MIT"
2622 | },
2623 | "node_modules/async-function": {
2624 |   "version": "1.0.0",
2625 |   "resolved": "https://registry.npmjs.org/async-function/-/async-function-1.0.0.tgz",
2626 |   "integrity": "sha512-HsuU18Ae8CDTR6Kgu9DYf0EbCr/a5iGL0rytQDobUcdpYOKokk8LEjVphnXkDkgpi0wYVysqrXuP0bZJaTqdg0A==",
2627 |   "dev": true,
2628 |   "license": "MIT",
2629 |   "engines": {
2630 |     "node": ">= 0.4"
2631 |   }
2632 | },
2633 | "node_modules/available-typed-arrays": {
2634 |   "version": "1.0.7",
2635 |   "resolved": "https://registry.npmjs.org/available-typed-arrays/-/available-typed-arrays-1.0.7.tgz",
2636 |   "integrity": "sha512-wvUjBtSGN7+7SjNpq/9M2Tg350UZD3q62IFZLbRAR1bSM1Co1ZaeW+BJ+D090e4hIIZLBCTDWe4Mh4jvUDajzQ==",
2637 |   "dev": true,
2638 |   "license": "MIT",
2639 |   "dependencies": {
2640 |     "possible-typed-array-names": "^1.0.0"
2641 |   },
2642 |   "engines": {
2643 |     "node": ">= 0.4"
2644 |   },
2645 |   "funding": {
2646 |     "url": "https://github.com/sponsors/ljharb"
2647 |   }
2648 | },
2649 | "node_modules/axe-core": {
2650 |   "version": "4.12.1",
2651 |   "resolved": "https://registry.npmjs.org/axe-core/-/axe-core-4.12.1.tgz",
2652 |   "integrity": "sha512-s7iGf5GaVMxEG0ENN9x+xT7GFZCb1ZP/1uATUpCEK2X78nDB3RwbTfCo9pGaf9ru+VwoQ464DkaLEeRM08wJA==",
2653 |   "dev": true,
2654 |   "license": "MPL-2.0",
2655 |   "engines": {
2656 |     "node": ">=4"
2657 |   }
2658 | },
2659 | "node_modules/axobject-query": {
2660 |   "version": "4.1.0",
2661 |   "resolved": "https://registry.npmjs.org/axobject-query/-/axobject-query-4.1.0.tgz",
2662 |   "integrity": "sha512-1PT6v2mE9AH2zlnADJD/2tC6E0hgmhUOfEB6greHPAfLRSufHqROIUTkw6E+M3lH0PTQ==",
2663 |   "dev": true,
2664 |   "license": "Apache-2.0",
2665 |   "engines": {
2666 |     "node": ">= 0.4"
2667 |   }
2668 | },
2669 | "node_modules/balanced-match": {
2670 |   "version": "1.0.2",
2671 |   "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-1.0.2.tgz",
2672 |   "integrity": "sha512-3oSeU00TMV67hN1AmbXsK4yaqU7tjiH1bxRDZOpH0KW9+CeX4bRAA0Anxt0tx2MrpRpWwQaPwI1ISEJhYU5Pw==",
2673 |   "dev": true,
2674 |   "license": "MIT"
2675 | },
2676 | "node_modules/baseline-browser-mapping": {
2677 |   "version": "2.10.37",
2678 |   "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-2.10.37.tgz",
2679 |   "integrity": "sha512-girxaJ7WZssDOFhzCGZTDK0Ta1gk6A1TbflaYTPykLJ4UUFz9kx1aREM8JCuoVHbL8X8T/mJg7w2oYSq720ig==",
2680 |   "license": "Apache-2.0",
2681 |   "bin": {
2682 |     "baseline-browser-mapping": "dist/cli.cjs"
2683 |   },
2684 |   "engines": {
2685 |     "node": ">=6.0.0"
2686 |   }
2687 | },
2688 | "node_modules/brace-expansion": {
2689 |   "version": "1.1.15",
2690 |   "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-1.1.15.tgz",
2691 |   "integrity": "sha512-XNdRrAB1oqG1EaTdJLkubXlRmPy1q71Za9g0vNJdtgA6J00s9L0H7iZrWY7UH8qgME8m618uUwKfD0iF7A==",
2692 |   "dev": true,
2693 |   "license": "MIT",
2694 |   "dependencies": {
2695 |     "balanced-match": "^1.0.0",
2696 |     "concat-map": "0.0.1"
2697 |   }
2698 | },
2699 | "node_modules/braces": {
2700 |   "version": "3.0.3",
2701 |   "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
2702 |   "integrity": "sha512-yQbXyOoBMhIxL28ja54nT4kuQ4kuX51wV9H23G6nVkJPyJtDUOo4VLI/BSljW77xagdaHl55UBAk4mhB8A==",
2703 |   "dev": true,
2704 |   "license": "MIT",
2705 |   "dependencies": {
2706 |     "fill-range": "^7.1.1"
2707 |   },
2708 |   "engines": {
2709 |     "node": ">=8"
2710 |   }

```



```

2809 | "integrity": "sha512-hG1bReV+0UU+MOqK4t/ZWI0tZ0yz3rqS9Xuh0Uz1cIcbwBKj0yJEJuw9ER5JuNyqXnk8u/JUVbGibBOL1yrjFw==",
2810 | "funding": [
2811 |   {
2812 |     "type": "opencollective",
2813 |     "url": "https://opencollective.com/browserslist"
2814 |   },
2815 |   {
2816 |     "type": "tidelift",
2817 |     "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
2818 |   },
2819 |   {
2820 |     "type": "github",
2821 |     "url": "https://github.com/sponsors/ai"
2822 |   }
2823 | ],
2824 | "license": "CC-BY-4.0"
2825 | },
2826 | "node_modules/chalk": {
2827 |   "version": "4.1.2",
2828 |   "resolved": "https://registry.npmjs.org/chalk/-/chalk-4.1.2.tgz",
2829 |   "integrity": "sha512-oKnbnfYRIXpUuez8iBMMyEa4nbj4IIOQyuhc/wy9kV7/WPcwI09VA668Pu8Rk07+0G76SLROeyw9CpQ066114mA==",
2830 |   "dev": true,
2831 |   "license": "MIT",
2832 |   "dependencies": {
2833 |     "ansi-styles": "^4.1.0",
2834 |     "supports-color": "^7.1.0"
2835 |   },
2836 |   "engines": {
2837 |     "node": ">=10"
2838 |   },
2839 |   "funding": {
2840 |     "url": "https://github.com/chalk/chalksponsor=1"
2841 |   }
2842 | },
2843 | "node_modules/client-only": {
2844 |   "version": "0.0.1",
2845 |   "resolved": "https://registry.npmjs.org/client-only/-/client-only-0.0.1.tgz",
2846 |   "integrity": "sha512-IV30u0jS5MzZrd3pZ48nLkT9DA7Ag1pnPzaiQhpW7c3RbcqqzvzVu+L8gfgMp/8IM2MQtSiqaCxrccfu8I8rMA==",
2847 |   "license": "MIT"
2848 | },
2849 | "node_modules/color-convert": {
2850 |   "version": "2.0.1",
2851 |   "resolved": "https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz",
2852 |   "integrity": "sha512-REECpsj7iu/xb5oKYcsFHSppFNnsj/52OVTRKb4zP5onXwVF3zVmmToNcOfGC+CRDpfK/U584fMg38ZHCaElKQ==",
2853 |   "dev": true,
2854 |   "license": "MIT",
2855 |   "dependencies": {
2856 |     "color-name": "~1.1.4"
2857 |   },
2858 |   "engines": {
2859 |     "node": ">=7.0.0"
2860 |   }
2861 | },
2862 | "node_modules/color-name": {
2863 |   "version": "1.1.4",
2864 |   "resolved": "https://registry.npmjs.org/color-name/-/color-name-1.1.4.tgz",
2865 |   "integrity": "sha512-d0y+3AuW3a2wNbZHIuMZpTcgjGuLU/uBL/ubcZF9OXbDo8ff408yVp5Bf0efS8uEoYo5q4Fx7dY90gQGxGA==",
2866 |   "dev": true,
2867 |   "license": "MIT"
2868 | },
2869 | "node_modules/concat-map": {
2870 |   "version": "0.0.1",
2871 |   "resolved": "https://registry.npmjs.org/concat-map/-/concat-map-0.0.1.tgz",
2872 |   "integrity": "sha512-/Srv4dswyQNBfohGpz9o6Yb3Gz3SrUDqBH5rTuhGR7aht1bYKnVxw2bCFMR1jaA7EXHaX28wsHdodFvbkKmqg==",
2873 |   "dev": true,
2874 |   "license": "MIT"
2875 | },
2876 | "node_modules/convert-source-map": {
2877 |   "version": "2.0.0",
2878 |   "resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
2879 |   "integrity": "sha512-kTbXjvj0DfGueHxh9L8Ww6B9/78zXJdUuXV9T8/9rhG2114HtG08fjBeGt/M+hFI911ttB1XaUe1d4Q==",
2880 |   "dev": true,
2881 |   "license": "MIT"
2882 | },
2883 | "node_modules/cookie": {
2884 |   "version": "1.1.1",
2885 |   "resolved": "https://registry.npmjs.org/cookie/-/cookie-1.1.1.tgz",
2886 |   "integrity": "sha512-1Lg3C/jzjJJ74g1UgM3xS9OR04d1jybV2UxWU+3f2ZLWU+3fjZ1LH2Uxh3dG1Uq2f2K1sG08W114Q==",
2887 |   "license": "MIT",
2888 |   "engines": {
2889 |     "node": ">=18"
2890 |   },
2891 |   "funding": {
2892 |     "type": "opencollective",
2893 |     "url": "https://opencollective.com/express"
2894 |   }
2895 | },
2896 | "node_modules/cross-spawn": {
2897 |   "version": "7.0.6",
2898 |   "resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
2899 |   "integrity": "sha512-uVzQ0WP2nWzsy2aMp8aRibhi9dLzF5Hgh55HaB90iTGeyDTiJjyx0uy51QXdyWbtAHNua4XJzUKca30zKUd3vA==",
2900 |   "dev": true,
2901 |   "license": "MIT",
2902 |   "dependencies": {
2903 |     "path-key": "^3.1.0",
2904 |     "shebang-command": "^2.0.0",
2905 |     "which": "^2.0.1"
2906 |   },

```

```

2907 |     "engines": {
2908 |       "node": ">= 8"
2909 |     }
2910 |   },
2911 |   "node_modules/damrau-levenshtein": {
2912 |     "version": "1.0.8",
2913 |     "resolved": "https://registry.npmjs.org/damrau-levenshtein/-/damrau-levenshtein-1.0.8.tgz",
2914 |     "integrity": "sha512-sdQSFb7+11fUcQUHQ3+B8ERRj0a4w9POWMI/puGtuf7gFyWgmkaLCElnudfTiKZV+NvHqL0ifzdrI8Ro7ESA==",
2915 |     "dev": true,
2916 |     "license": "BSD-2-Clause"
2917 |   },
2918 |   "node_modules/data-view-buffer": {
2919 |     "version": "1.0.2",
2920 |     "resolved": "https://registry.npmjs.org/data-view-buffer/-/data-view-buffer-1.0.2.tgz",
2921 |     "integrity": "sha512-EmK05V30LXh1rtK2wgXRansak1/mTVdUEiEI0W8RkvGT05kfxaH29PliLnpLP73yY06142Q72QNa8Wx/A5CqQ==",
2922 |     "dev": true,
2923 |     "license": "MIT",
2924 |     "dependencies": {
2925 |       "call-bound": "^1.0.3",
2926 |       "es-errors": "^1.3.0",
2927 |       "is-data-view": "^1.0.2"
2928 |     },
2929 |     "engines": {
2930 |       "node": ">= 0.4"
2931 |     },
2932 |     "funding": {
2933 |       "url": "https://github.com/sponsors/ljharb"
2934 |     }
2935 |   },
2936 |   "node_modules/data-view-byte-length": {
2937 |     "version": "1.0.2",
2938 |     "resolved": "https://registry.npmjs.org/data-view-byte-length/-/data-view-byte-length-1.0.2.tgz",
2939 |     "integrity": "sha512-tuhGbE6CfTM9+5ANGf+oQb72Ky/0+s3xKUphvShfiz2RxMfGFPjsXuRLBVMtvM5awe45SRb83D6wH4ew6w1Q==",
2940 |     "dev": true,
2941 |     "license": "MIT",
2942 |     "dependencies": {
2943 |       "call-bound": "^1.0.3",
2944 |       "es-errors": "^1.3.0",
2945 |       "is-data-view": "^1.0.2"
2946 |     },
2947 |     "engines": {
2948 |       "node": ">= 0.4"
2949 |     },
2950 |     "funding": {
2951 |       "url": "https://github.com/sponsors/inspect-js"
2952 |     }
2953 |   },
2954 |   "node_modules/data-view-byte-offset": {
2955 |     "version": "1.0.1",
2956 |     "resolved": "https://registry.npmjs.org/data-view-byte-offset/-/data-view-byte-offset-1.0.1.tgz",
2957 |     "integrity": "sha512-BS8PfmtDGnrgYdOonGZQdLZs1WIeCGFP9tpan0hi1Co2Zr2NKADsvGYA8XxuG/4UWgJ6Cjtv+YJnB6MM69QG1Q==",
2958 |     "dev": true,
2959 |     "license": "MIT",
2960 |     "dependencies": {
2961 |       "call-bound": "^1.0.2",
2962 |       "es-errors": "^1.3.0",
2963 |       "is-data-view": "^1.0.1"
2964 |     },
2965 |     "engines": {
2966 |       "node": ">= 0.4"
2967 |     },
2968 |     "funding": {
2969 |       "url": "https://github.com/sponsors/ljharb"
2970 |     }
2971 |   },
2972 |   "node_modules/debug": {
2973 |     "version": "4.4.3",
2974 |     "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
2975 |     "integrity": "sha512-RGwvWwVvKvFavKvT2FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYryrTlLpuvgI9GiiJltAjNbcqA==",
2976 |     "dev": true,
2977 |     "license": "MIT",
2978 |     "dependencies": {
2979 |       "ms": "^2.1.3"
2980 |     },
2981 |     "engines": {
2982 |       "node": ">=6.0"
2983 |     },
2984 |     "peerDependenciesMeta": {
2985 |       "supports-color": {
2986 |         "optional": true
2987 |       }
2988 |     }
2989 |   },
2990 |   "node_modules/deep-is": {
2991 |     "version": "0.1.4",
2992 |     "resolved": "https://registry.npmjs.org/deep-is/-/deep-is-0.1.4.tgz",
2993 |     "integrity": "sha512-oIPzksmTg4/MriiaYG0+okXDT7ztn/w3Eptv/+gSIdMdKsJo0u4CfYnFPy+4SKMuCqGw2wxnA+URMg3t8a/bQ==",
2994 |     "dev": true,
2995 |     "license": "MIT"
2996 |   },
2997 |   "node_modules/define-data-property": {
2998 |     "version": "1.1.4",
2999 |     "resolved": "https://registry.npmjs.org/define-data-property/-/define-data-property-1.1.4.tgz",
3000 |     "integrity": "sha512-BRMV6gFqk34KtqXWz8t6T8s3/2Rt6DMFwTtPCxYqQW3qUW0hMMF3NLaeyI8MK9HIN7hyIAtV/1q2i9kA==",
3001 |     "dev": true,
3002 |     "license": "MIT",
3003 |     "dependencies": {
3004 |       "es-define-property": "^1.0.0",

```



```

3005 |     "es-errors": "^1.3.0",
3006 |     "gopd": "^1.0.1"
3007 |   },
3008 |   "engines": {
3009 |     "node": ">= 0.4"
3010 |   },
3011 |   "funding": {
3012 |     "url": "https://github.com/sponsors/ljharb"
3013 |   }
3014 | },
3015 | "node_modules/define-properties": {
3016 |   "version": "1.2.1",
3017 |   "resolved": "https://registry.npmjs.org/define-properties/-/define-properties-1.2.1.tgz",
3018 |   "integrity": "sha512-8QmQKqEASLd5nx0U1B1okLElBUuuttJ/AnYmRXbbbGDwh6uS208EjD4Xqq/I9wK7u0v6008XhTWnt5XtEbR6Dg==",
3019 |   "dev": true,
3020 |   "license": "MIT",
3021 |   "dependencies": {
3022 |     "define-data-property": "^1.0.1",
3023 |     "has-property-descriptors": "^1.0.0",
3024 |     "object-keys": "^1.1.1"
3025 |   },
3026 |   "engines": {
3027 |     "node": ">= 0.4"
3028 |   },
3029 |   "funding": {
3030 |     "url": "https://github.com/sponsors/ljharb"
3031 |   }
3032 | },
3033 | "node_modules/detect-libc": {
3034 |   "version": "2.1.2",
3035 |   "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
3036 |   "integrity": "sha512-Btj2B00083o3WYH59e8MgXsxEQVcarkUOpEyrbB0urwnN10yQ364rsiByU11nZ1qWYZm05i/of7io4mzihBtQ==",
3037 |   "devOptional": true,
3038 |   "license": "Apache-2.0",
3039 |   "engines": {
3040 |     "node": ">=8"
3041 |   }
3042 | },
3043 | "node_modules/doctrine": {
3044 |   "version": "2.1.0",
3045 |   "resolved": "https://registry.npmjs.org/doctrine/-/doctrine-2.1.0.tgz",
3046 |   "integrity": "sha512-35mSku4ZXK0vfcUHEdAwT55dg2jNajHZ1odvF+8SSr82EsZY4QmXfuWso8oEd8zRhV0bSN18aM0CjSdoBX7zIw==",
3047 |   "dev": true,
3048 |   "license": "Apache-2.0",
3049 |   "dependencies": {
3050 |     "esutils": "^2.0.2"
3051 |   },
3052 |   "engines": {
3053 |     "node": ">=0.10.0"
3054 |   }
3055 | },
3056 | "node_modules/dunder-proto": {
3057 |   "version": "1.0.1",
3058 |   "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
3059 |   "integrity": "sha512-KIN/nDJJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmJYjmQIHgiJ9U5MFvrqkUL5FbtyyzZu0e0t0zdeRe4UY7ct+A==",
3060 |   "dev": true,
3061 |   "license": "MIT",
3062 |   "dependencies": {
3063 |     "call-bind-apply-helpers": "^1.0.1",
3064 |     "es-errors": "^1.3.0",
3065 |     "gopd": "^1.2.0"
3066 |   },
3067 |   "engines": {
3068 |     "node": ">= 0.4"
3069 |   }
3070 | },
3071 | "node_modules/electron-to-chromium": {
3072 |   "version": "1.5.374",
3073 |   "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.374.tgz",
3074 |   "integrity": "sha512-HCF5i7izveksHSGqa7mhDh6tr3Uz9Dar2RAjwuh69bw3QGPV0bjQIGLwQWe0/Rxp9/r0KdboKy9RbpQD197fjg==",
3075 |   "dev": true,
3076 |   "license": "ISC"
3077 | },
3078 | "node_modules/emoji-regex": {
3079 |   "version": "9.2.2",
3080 |   "resolved": "https://registry.npmjs.org/emoji-regex/-/emoji-regex-9.2.2.tgz",
3081 |   "integrity": "sha512-L18DaJsXSuk2+42pv8mLs5jJT2hqFkFE4j21wOmgbUqsZ2hL72NsUU785g9RXgo3s0ZNgV142TiHp3ZtOv/Vyg==",
3082 |   "dev": true,
3083 |   "license": "MIT"
3084 | },
3085 | "node_modules/enhanced-resolve": {
3086 |   "version": "5.21.6",
3087 |   "resolved": "https://registry.npmjs.org/enhanced-resolve/-/enhanced-resolve-5.21.6.tgz",
3088 |   "integrity": "sha512-aNnGcvbJ/RiYwo1IuhNdVjnNF+EjH9wpzNHT+ci/m9He9LJvUN8wCcXjp9cwsGNAuvSpVFTx/vraAFQ8qGjQ==",
3089 |   "dev": true,
3090 |   "license": "MIT",
3091 |   "dependencies": {
3092 |     "graceful-fs": "^4.2.4",
3093 |     "tapable": "^2.3.3"
3094 |   },
3095 |   "engines": {
3096 |     "node": ">=10.13.0"
3097 |   }
3098 | },
3099 | "node_modules/es-abstract": {
3100 |   "version": "1.24.2",
3101 |   "resolved": "https://registry.npmjs.org/es-abstract/-/es-abstract-1.24.2.tgz",
3102 |   "integrity": "sha512-2FpH9Q512RRwyEP1Ay1Xe6nYLR50haJTzwm1cP0dL/+JCbpg7yyEo/sEK6HeGZRF3dFpWwThaRHVApXSkw3xeg==",

```

```

3103 |     "dev": true,
3104 |     "license": "MIT",
3105 |     "dependencies": {
3106 |       "array-buffer-byte-length": "^1.0.2",
3107 |       "arraybuffer.prototype.slice": "^1.0.4",
3108 |       "available-typed-arrays": "^1.0.7",
3109 |       "call-bind": "^1.0.8",
3110 |       "call-bound": "^1.0.4",
3111 |       "data-view-buffer": "^1.0.2",
3112 |       "data-view-byte-length": "^1.0.2",
3113 |       "data-view-byte-offset": "^1.0.1",
3114 |       "es-define-property": "^1.0.1",
3115 |       "es-errors": "^1.3.0",
3116 |       "es-object-atoms": "^1.1.1",
3117 |       "es-set-tostringtag": "^2.1.0",
3118 |       "es-to-primitive": "^1.3.0",
3119 |       "function.prototype.name": "^1.1.8",
3120 |       "get-intrinsic": "^1.3.0",
3121 |       "get-proto": "^1.0.1",
3122 |       "get-symbol-description": "^1.1.0",
3123 |       "globalthis": "^1.0.4",
3124 |       "gopd": "^1.2.0",
3125 |       "has-property-descriptors": "^1.0.2",
3126 |       "has-proto": "^1.2.0",
3127 |       "has-symbols": "^1.1.0",
3128 |       "hasown": "^2.0.2",
3129 |       "internal-slot": "^1.1.0",
3130 |       "is-array-buffer": "^3.0.5",
3131 |       "is-callable": "^1.2.7",
3132 |       "is-data-view": "^1.0.2",
3133 |       "is-negative-zero": "^2.0.3",
3134 |       "is-regex": "^1.2.1",
3135 |       "is-set": "^2.0.3",
3136 |       "is-shared-array-buffer": "^1.0.4",
3137 |       "is-string": "^1.1.1",
3138 |       "is-typed-array": "^1.1.15",
3139 |       "is-weakref": "^1.1.1",
3140 |       "math-intrinsics": "^1.1.0",
3141 |       "object-inspect": "^1.13.4",
3142 |       "object-keys": "^1.1.1",
3143 |       "object.assign": "^4.1.7",
3144 |       "own-keys": "^1.0.1",
3145 |       "regexp.prototype.flags": "^1.5.4",
3146 |       "safe-array-concat": "^1.1.3",
3147 |       "safe-push-apply": "^1.0.0",
3148 |       "safe-regex-test": "^1.1.0",
3149 |       "set-proto": "^1.0.0",
3150 |       "stop-iteration-iterator": "^1.1.0",
3151 |       "string.prototype.trim": "^1.2.10",
3152 |       "string.prototype.trimend": "^1.0.9",
3153 |       "string.prototype.trimstart": "^1.0.8",
3154 |       "typed-array-buffer": "^1.0.3",
3155 |       "typed-array-byte-length": "^1.0.3",
3156 |       "typed-array-byte-offset": "^1.0.4",
3157 |       "typed-array-length": "^1.0.7",
3158 |       "unbox-primitive": "^1.1.0",
3159 |       "which-typed-array": "^1.1.19"
3160 |     },
3161 |     "engines": {
3162 |       "node": ">= 0.4"
3163 |     },
3164 |     "funding": {
3165 |       "url": "https://github.com/sponsors/ljharb"
3166 |     }
3167 |   },
3168 |   "node_modules/es-abstract-get": {
3169 |     "version": "1.0.0",
3170 |     "resolved": "https://registry.npmjs.org/es-abstract-get/-/es-abstract-get-1.0.0.tgz",
3171 |     "integrity": "sha512-6PMWpxdshVvFp+FowYs1EvG1Nj0tvk0dZM+XcK0xMEM1czRvcP6ohqPWHy6qPagSpC8j4+p89WX1T+xxJs/fg==",
3172 |     "dev": true,
3173 |     "license": "MIT",
3174 |     "dependencies": {
3175 |       "es-errors": "^1.3.0",
3176 |       "es-object-atoms": "^1.1.2",
3177 |       "is-callable": "^1.2.7",
3178 |       "object-inspect": "^1.13.4"
3179 |     },
3180 |     "engines": {
3181 |       "node": ">= 0.4"
3182 |     },
3183 |     "funding": {
3184 |       "url": "https://github.com/sponsors/ljharb"
3185 |     }
3186 |   },
3187 |   "node_modules/es-define-property": {
3188 |     "version": "1.0.1",
3189 |     "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
3190 |     "integrity": "sha512-0326E1R101fQ8T0DQ8R80D133vBfQsUx1hAoN2ZKtQ9Vmt86Ym5ZQvD+QIAKsGg8uWUln08365o1F01g==",
3191 |     "dev": true,
3192 |     "license": "MIT",
3193 |     "engines": {
3194 |       "node": ">= 0.4"
3195 |     }
3196 |   },
3197 |   "node_modules/es-errors": {
3198 |     "version": "1.3.0",
3199 |     "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
3200 |     "integrity": "sha512-0103p5qvB3aE93Ff4P4T4az9147J4jJnNkj413zB8Yk8q+c3A2e2H2Z5l1U5H2s3X4U60d882W5U638g==",

```

```

3201 |     "dev": true,
3202 |     "license": "MIT",
3203 |     "engines": {
3204 |       "node": ">= 0.4"
3205 |     }
3206 |   },
3207 |   "node_modules/es-iterator-helpers": {
3208 |     "version": "1.3.3",
3209 |     "resolved": "https://registry.npmjs.org/es-iterator-helpers/-/es-iterator-helpers-1.3.3.tgz",
3210 |     "integrity": "sha512-0PuBxFi+4uPanB97iDxCLWuHeYud2FALrw5HFZGtAF38UpJDbDC8frwp2cnDyae692CQ0dou60UwWfhgsa4U/g==",
3211 |     "dev": true,
3212 |     "license": "MIT",
3213 |     "dependencies": {
3214 |       "call-bind": "^1.0.9",
3215 |       "call-bound": "^1.0.4",
3216 |       "define-properties": "^1.2.1",
3217 |       "es-abstract": "^1.24.2",
3218 |       "es-errors": "^1.3.0",
3219 |       "es-set-tostringtag": "^2.1.0",
3220 |       "function-bind": "^1.1.2",
3221 |       "get-intrinsic": "^1.3.0",
3222 |       "globalthis": "^1.0.4",
3223 |       "gopd": "^1.2.0",
3224 |       "has-property-descriptors": "^1.0.2",
3225 |       "has-proto": "^1.2.0",
3226 |       "has-symbols": "^1.1.0",
3227 |       "internal-slot": "^1.1.0",
3228 |       "iterator.prototype": "^1.1.5",
3229 |       "math-intrinsics": "^1.1.0"
3230 |     },
3231 |     "engines": {
3232 |       "node": ">= 0.4"
3233 |     }
3234 |   },
3235 |   "node_modules/es-object-atoms": {
3236 |     "version": "1.1.2",
3237 |     "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.2.tgz",
3238 |     "integrity": "sha512-HMcBoN6NileqtsyK2FqHbS/LoDd2pqrnQHlyJzBj4kOp/Ky2MMMN694xOfkK8/SnUsW2DH7EfyVlydKCsm1Zw==",
3239 |     "dev": true,
3240 |     "license": "MIT",
3241 |     "dependencies": {
3242 |       "es-errors": "^1.3.0"
3243 |     },
3244 |     "engines": {
3245 |       "node": ">= 0.4"
3246 |     }
3247 |   },
3248 |   "node_modules/es-set-tostringtag": {
3249 |     "version": "2.1.0",
3250 |     "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
3251 |     "integrity": "sha512-j6vWzfrGVfyXxge+00x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+t0AngR08ODMNwbVRdVlmGZQL2YS3yR8bIUA==",
3252 |     "dev": true,
3253 |     "license": "MIT",
3254 |     "dependencies": {
3255 |       "es-errors": "^1.3.0",
3256 |       "get-intrinsic": "^1.2.6",
3257 |       "has-tostringtag": "^1.0.2",
3258 |       "hasown": "^2.0.2"
3259 |     },
3260 |     "engines": {
3261 |       "node": ">= 0.4"
3262 |     }
3263 |   },
3264 |   "node_modules/es-shim-uncopables": {
3265 |     "version": "1.1.0",
3266 |     "resolved": "https://registry.npmjs.org/es-shim-uncopables/-/es-shim-uncopables-1.1.0.tgz",
3267 |     "integrity": "sha512-d9T8ucEhh8BiiwoXCf+TIKDIROLG5WCkxg8geBCbk22kzwc5G20nXVM06FUsvQlgUUXQ2itephWDLqDzbeCw==",
3268 |     "dev": true,
3269 |     "license": "MIT",
3270 |     "dependencies": {
3271 |       "hasown": "^2.0.2"
3272 |     },
3273 |     "engines": {
3274 |       "node": ">= 0.4"
3275 |     }
3276 |   },
3277 |   "node_modules/es-to-primitive": {
3278 |     "version": "1.3.1",
3279 |     "resolved": "https://registry.npmjs.org/es-to-primitive/-/es-to-primitive-1.3.1.tgz",
3280 |     "integrity": "sha512-Q62t/KBzF0E74d5J05Lg01eOP1Yhg3E085qB9jX35IIkx7CDBVbnhZs1Fi94s4S4rDkHU7Kq22D6r4g==",
3281 |     "dev": true,
3282 |     "license": "MIT",
3283 |     "dependencies": {
3284 |       "es-abstract-get": "^1.0.0",
3285 |       "es-errors": "^1.3.0",
3286 |       "is-callable": "^1.2.7",
3287 |       "is-date-object": "^1.1.0",
3288 |       "is-symbol": "^1.1.1"
3289 |     },
3290 |     "engines": {
3291 |       "node": ">= 0.4"
3292 |     }
3293 |   },
3294 |   "funding": {
3295 |     "url": "https://github.com/sponsors/ljharb"
3296 |   },
3297 |   "node_modules/escalade": {
3298 |     "version": "3.2.0",

```

```

3299 | "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
3300 | "integrity": "sha512-WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTl1pgECz3JesAii0Kotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
3301 | "dev": true,
3302 | "license": "MIT",
3303 | "engines": {
3304 |   "node": ">=6"
3305 | },
3306 | },
3307 | "node_modules/escape-string-regexp": {
3308 |   "version": "4.0.0",
3309 |   "resolved": "https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-4.0.0.tgz",
3310 |   "integrity": "sha512-TtpcN3XAZx3Gq8sWRzJJaVajRs0uVxA2Yakdb1jm2YkPz4G6egUFAYa3n5vtEIZefPk5Wa4UXbKuS5fKkJWdGA==",
3311 |   "dev": true,
3312 |   "license": "MIT",
3313 |   "engines": {
3314 |     "node": ">=10"
3315 |   },
3316 |   "funding": {
3317 |     "url": "https://github.com/sponsors/sindresorhus"
3318 |   }
3319 | },
3320 | "node_modules/eslint": {
3321 |   "version": "9.39.4",
3322 |   "resolved": "https://registry.npmjs.org/eslint/-/eslint-9.39.4.tgz",
3323 |   "integrity": "sha512-XoMjdBOwe/esVgEvLmNsD3IRHkm7fbKIUGvr1e1oJXUZgDHig2IPWnNiv+GwjyJXzuNqVjlr5+4yVUZjycJwFQ==",
3324 |   "dev": true,
3325 |   "license": "MIT",
3326 |   "dependencies": {
3327 |     "@eslint-community/eslint-utils": "^4.8.0",
3328 |     "@eslint-community/regexpp": "^4.12.1",
3329 |     "@eslint/config-array": "^0.21.2",
3330 |     "@eslint/config-helpers": "^0.4.2",
3331 |     "@eslint/core": "^0.17.0",
3332 |     "@eslint/eslintrc": "^3.3.5",
3333 |     "@eslint/js": "9.39.4",
3334 |     "@eslint/plugin-kit": "^0.4.1",
3335 |     "@humanfs/node": "^0.16.6",
3336 |     "@humanwhocodes/module-importer": "^1.0.1",
3337 |     "@humanwhocodes/retry": "^0.4.2",
3338 |     "@types/estree": "^1.0.6",
3339 |     "ajv": "^6.14.0",
3340 |     "chalk": "^4.0.0",
3341 |     "cross-spawn": "^7.0.6",
3342 |     "debug": "^4.3.2",
3343 |     "escape-string-regexp": "^4.0.0",
3344 |     "eslint-scope": "^8.4.0",
3345 |     "eslint-visitor-keys": "^4.2.1",
3346 |     "espree": "^10.4.0",
3347 |     "esquery": "^1.5.0",
3348 |     "esutils": "^2.0.2",
3349 |     "fast-deep-equal": "^3.1.3",
3350 |     "file-entry-cache": "^8.0.0",
3351 |     "find-up": "^5.0.0",
3352 |     "glob-parent": "^6.0.2",
3353 |     "ignore": "^5.2.0",
3354 |     "imurmurhash": "^0.1.4",
3355 |     "is-glob": "^4.0.0",
3356 |     "json-stable-stringify-without-jsonify": "^1.0.1",
3357 |     "lodash.merge": "^4.6.2",
3358 |     "minimatch": "^3.1.5",
3359 |     "natural-compare": "^1.4.0",
3360 |     "optionator": "^0.9.3"
3361 |   },
3362 |   "bin": {
3363 |     "eslint": "bin/eslint.js"
3364 |   },
3365 |   "engines": {
3366 |     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
3367 |   },
3368 |   "funding": {
3369 |     "url": "https://eslint.org/donate"
3370 |   },
3371 |   "peerDependencies": {
3372 |     "jiti": "*"
3373 |   },
3374 |   "peerDependenciesMeta": {
3375 |     "jiti": {
3376 |       "optional": true
3377 |     }
3378 |   }
3379 | },
3380 | "node_modules/eslint-config-next": {
3381 |   "version": "16.2.9",
3382 |   "resolved": "https://registry.npmjs.org/eslint-config-next/-/eslint-config-next-16.2.9.tgz",
3383 |   "integrity": "sha512-olGtBrS07bQchpaJWeqbk9GaMoU0oGmN/pyNEBXSbfKngb5uHnPe37X6tVeh6DJfaWfQildvinGE0ro1o5fmmw==",
3384 |   "dev": true,
3385 |   "license": "MIT",
3386 |   "dependencies": {
3387 |     "@next/eslint-plugin-next": "16.2.9",
3388 |     "eslint-import-resolver-node": "^0.3.6",
3389 |     "eslint-import-resolver-typescript": "^3.5.2",
3390 |     "eslint-plugin-import": "^2.32.0",
3391 |     "eslint-plugin-jsx-a11y": "^6.10.0",
3392 |     "eslint-plugin-react": "^7.37.0",
3393 |     "eslint-plugin-react-hooks": "^7.0.0",
3394 |     "globals": "16.4.0",
3395 |     "typescript-eslint": "^8.46.0"
3396 |   },

```

```

3397 |     "peerDependencies": {
3398 |       "eslint": ">=9.0.0",
3399 |       "typescript": ">=3.3.1"
3400 |     },
3401 |     "peerDependenciesMeta": {
3402 |       "typescript": {
3403 |         "optional": true
3404 |       }
3405 |     }
3406 |   },
3407 |   "node_modules/eslint-config-next/node_modules/globals": {
3408 |     "version": "16.4.0",
3409 |     "resolved": "https://registry.npmjs.org/globals/-/globals-16.4.0.tgz",
3410 |     "integrity": "sha512-ob/2LcVvAVGCYN+r14cnwnoDPuufjiYgSqRhIFD0Q1iI40dora5RE8Iv1D24hAz5oMophRGkGz+yuvQmmUMnMw==",
3411 |     "dev": true,
3412 |     "license": "MIT",
3413 |     "engines": {
3414 |       "node": ">=18"
3415 |     },
3416 |     "funding": {
3417 |       "url": "https://github.com/sponsors/sindresorhus"
3418 |     }
3419 |   },
3420 |   "node_modules/eslint-import-resolver-node": {
3421 |     "version": "0.3.10",
3422 |     "resolved": "https://registry.npmjs.org/eslint-import-resolver-node/-/eslint-import-resolver-node-0.3.10.tgz",
3423 |     "integrity": "sha512-tRrkqfyCaKict5h0d244sL6EQFNycnMQnBe+j8uGnXyZsImGbGUU4ibtoaBmv5FLwJwcFJNeg1GeVjQfbMrDQ==",
3424 |     "dev": true,
3425 |     "license": "MIT",
3426 |     "dependencies": {
3427 |       "debug": "^3.2.7",
3428 |       "is-core-module": "^2.16.1",
3429 |       "resolve": "^2.0.0-next.6"
3430 |     }
3431 |   },
3432 |   "node_modules/eslint-import-resolver-node/node_modules/debug": {
3433 |     "version": "3.2.7",
3434 |     "resolved": "https://registry.npmjs.org/debug/-/debug-3.2.7.tgz",
3435 |     "integrity": "sha512-CFjzYYAi4ThfiQvizrFQevTTXHtnCqWfe7x1AhgEscTz6ZbLbfoLRLPugTQyBth6f8ZERVUSyWHFD/7Wu4t1XQ==",
3436 |     "dev": true,
3437 |     "license": "MIT",
3438 |     "dependencies": {
3439 |       "ms": "^2.1.1"
3440 |     }
3441 |   },
3442 |   "node_modules/eslint-import-resolver-typescript": {
3443 |     "version": "3.10.1",
3444 |     "resolved": "https://registry.npmjs.org/eslint-import-resolver-typescript/-/eslint-import-resolver-typescript-3.10.1.tgz",
3445 |     "integrity": "sha512-A1rHYb06zjMGAXdLSkN2FXPBWuSaQ0iO5M/hdyS0Ajj1VBaRp0sPD3dn1FhME3c/JluGFbWsxYcfqdSbtQLAHQ==",
3446 |     "dev": true,
3447 |     "license": "ISC",
3448 |     "dependencies": {
3449 |       "@nolyfill/is-core-module": "1.0.39",
3450 |       "debug": "^4.4.0",
3451 |       "get-tsconfig": "^4.10.0",
3452 |       "is-bun-module": "^2.0.0",
3453 |       "stable-hash": "^0.0.5",
3454 |       "tinyglobby": "^0.2.13",
3455 |       "unrs-resolver": "^1.6.2"
3456 |     },
3457 |     "engines": {
3458 |       "node": ">=14.18.0 || >=16.0.0"
3459 |     },
3460 |     "funding": {
3461 |       "url": "https://opencollective.com/eslint-import-resolver-typescript"
3462 |     },
3463 |     "peerDependencies": {
3464 |       "eslint": "*",
3465 |       "eslint-plugin-import": "*",
3466 |       "eslint-plugin-import-x": "*"
3467 |     },
3468 |     "peerDependenciesMeta": {
3469 |       "eslint-plugin-import": {
3470 |         "optional": true
3471 |       },
3472 |       "eslint-plugin-import-x": {
3473 |         "optional": true
3474 |       }
3475 |     }
3476 |   },
3477 |   "node_modules/eslint-module-utils": {
3478 |     "version": "2.13.0",
3479 |     "resolved": "https://registry.npmjs.org/eslint-module-utils/-/eslint-module-utils-2.13.0.tgz",
3480 |     "integrity": "sha512-bLhSkT6469rRs8czj0tLTD8vaeIS/whvPRJVjDr7IuoTT1k5DYDER1NycjDj/HkO1vQdYurmFZ/g3fG5bgeLQ==",
3481 |     "dev": true,
3482 |     "license": "MIT",
3483 |     "dependencies": {
3484 |       "debug": "^3.2.7"
3485 |     },
3486 |     "engines": {
3487 |       "node": ">=4"
3488 |     },
3489 |     "peerDependenciesMeta": {
3490 |       "eslint": {
3491 |         "optional": true
3492 |       }
3493 |     }
3494 |   },

```

```

3495 | "node_modules/eslint-module-utils/node_modules/debug": {
3496 |   "version": "3.2.7",
3497 |   "resolved": "https://registry.npmjs.org/debug/-/debug-3.2.7.tgz",
3498 |   "integrity": "sha512-CFjzYYA14ThfiQvizrFQevTTXHtnCqWfe7x1AhgEscTz6ZbLbfoLRLPugTQyBth6f8ZERVUSyWHFD/7Wu4t1XQ==",
3499 |   "dev": true,
3500 |   "license": "MIT",
3501 |   "dependencies": {
3502 |     "ms": "^2.1.1"
3503 |   }
3504 | },
3505 | "node_modules/eslint-plugin-import": {
3506 |   "version": "2.32.0",
3507 |   "resolved": "https://registry.npmjs.org/eslint-plugin-import/-/eslint-plugin-import-2.32.0.tgz",
3508 |   "integrity": "sha512-wh0E1hFo/qJDyX4SnXzP4N6z0Wn79WhnCUY/iDR0mPfQZ08wcYE4JClzI2oZrhBnnMUCBCHZh06VQyoBU95mZA==",
3509 |   "dev": true,
3510 |   "license": "MIT",
3511 |   "dependencies": {
3512 |     "@rtsao/scc": "^1.1.0",
3513 |     "array-includes": "^3.1.9",
3514 |     "array.prototype.findlastindex": "^1.2.6",
3515 |     "array.prototype.flat": "^1.3.3",
3516 |     "array.prototype.flatmap": "^1.3.3",
3517 |     "debug": "^3.2.7",
3518 |     "doctrine": "^2.1.0",
3519 |     "eslint-import-resolver-node": "^0.3.9",
3520 |     "eslint-module-utils": "^2.12.1",
3521 |     "hasown": "^2.0.2",
3522 |     "is-core-module": "^2.16.1",
3523 |     "is-glob": "^4.0.3",
3524 |     "minimatch": "^3.1.2",
3525 |     "object.fromentries": "^2.0.8",
3526 |     "object.groupby": "^1.0.3",
3527 |     "object.values": "^1.2.1",
3528 |     "semver": "^6.3.1",
3529 |     "string.prototype.trimend": "^1.0.9",
3530 |     "tsconfig-paths": "^3.15.0"
3531 |   },
3532 |   "engines": {
3533 |     "node": ">=4"
3534 |   },
3535 |   "peerDependencies": {
3536 |     "eslint": "^2 || ^3 || ^4 || ^5 || ^6 || ^7.2.0 || ^8 || ^9"
3537 |   }
3538 | },
3539 | "node_modules/eslint-plugin-import/node_modules/debug": {
3540 |   "version": "3.2.7",
3541 |   "resolved": "https://registry.npmjs.org/debug/-/debug-3.2.7.tgz",
3542 |   "integrity": "sha512-CFjzYYA14ThfiQvizrFQevTTXHtnCqWfe7x1AhgEscTz6ZbLbfoLRLPugTQyBth6f8ZERVUSyWHFD/7Wu4t1XQ==",
3543 |   "dev": true,
3544 |   "license": "MIT",
3545 |   "dependencies": {
3546 |     "ms": "^2.1.1"
3547 |   }
3548 | },
3549 | "node_modules/eslint-plugin-jsx-a11y": {
3550 |   "version": "6.10.2",
3551 |   "resolved": "https://registry.npmjs.org/eslint-plugin-jsx-a11y/-/eslint-plugin-jsx-a11y-6.10.2.tgz",
3552 |   "integrity": "sha512-scb3nz4WmG75pV8+3eRUQOHZINSuHFNq37xnpGRkCCELU3XmVXAxLk1eqWwYE22Ki4Q01FnsW9BA3cJHDPgn2Q==",
3553 |   "dev": true,
3554 |   "license": "MIT",
3555 |   "dependencies": {
3556 |     "aria-query": "^5.3.2",
3557 |     "array-includes": "^3.1.8",
3558 |     "array.prototype.flatmap": "^1.3.2",
3559 |     "ast-types-flow": "^0.0.8",
3560 |     "axe-core": "^4.10.0",
3561 |     "axobject-query": "^4.1.0",
3562 |     "damerau-levenshtein": "^1.0.8",
3563 |     "emoji-regexp": "^9.2.2",
3564 |     "hasown": "^2.0.2",
3565 |     "jsx-ast-utils": "^3.3.5",
3566 |     "language-tags": "^1.0.9",
3567 |     "minimatch": "^3.1.2",
3568 |     "object.fromentries": "^2.0.8",
3569 |     "safe-regex-test": "^1.0.3",
3570 |     "string.prototype.includes": "^2.0.1"
3571 |   },
3572 |   "engines": {
3573 |     "node": ">=4.0"
3574 |   },
3575 |   "peerDependencies": {
3576 |     "eslint": "^3 || ^4 || ^5 || ^6 || ^7 || ^8 || ^9"
3577 |   }
3578 | },
3579 | "node_modules/eslint-plugin-react": {
3580 |   "version": "7.37.5",
3581 |   "resolved": "https://registry.npmjs.org/eslint-plugin-react/-/eslint-plugin-react-7.37.5.tgz",
3582 |   "integrity": "sha512-Qteup0SqU15kd0cexFNAJmVCJEfAq2xUKNV4CC1xVMrIIqEy3SQ/rqyxCWnzfrd3/1dy6HM1D2e0JDVpDg2qIA==",
3583 |   "dev": true,
3584 |   "license": "MIT",
3585 |   "dependencies": {
3586 |     "array-includes": "^3.1.8",
3587 |     "array.prototype.findlast": "^1.2.5",
3588 |     "array.prototype.flatmap": "^1.3.3",
3589 |     "array.prototype.tosorted": "^1.1.4",
3590 |     "doctrine": "^2.1.0",
3591 |     "es-iterator-helpers": "^1.2.1",
3592 |     "estraverse": "^5.3.0",

```



```

3691 |     }
3692 |   },
3693 |   "node_modules/esrecurse": {
3694 |     "version": "4.3.0",
3695 |     "resolved": "https://registry.npmjs.org/esrecurse/-/esrecurse-4.3.0.tgz",
3696 |     "integrity": "sha512-KmfKL3b6G+RxvP8N1vr3Tq1kl/oCfGn2NYXEtqP8/L3pKapUA4G8cFVaoF3SU323CD4XypR/ffioHmkti6/Tag==",
3697 |     "dev": true,
3698 |     "license": "BSD-2-Clause",
3699 |     "dependencies": {
3700 |       "estraverse": "^5.2.0"
3701 |     },
3702 |     "engines": {
3703 |       "node": ">=4.0"
3704 |     }
3705 |   },
3706 |   "node_modules/estraverse": {
3707 |     "version": "5.3.0",
3708 |     "resolved": "https://registry.npmjs.org/estraverse/-/estraverse-5.3.0.tgz",
3709 |     "integrity": "sha512-MMdARuVEQziNTeJD8DgMqmhwR11BRQ/cBP+pLtYdSTnf3MIO8ffeIINEbX36ZdN1FU/7A9f3gUw49B3oQsvwBA==",
3710 |     "dev": true,
3711 |     "license": "BSD-2-Clause",
3712 |     "engines": {
3713 |       "node": ">=4.0"
3714 |     }
3715 |   },
3716 |   "node_modules/esutils": {
3717 |     "version": "2.0.3",
3718 |     "resolved": "https://registry.npmjs.org/esutils/-/esutils-2.0.3.tgz",
3719 |     "integrity": "sha512-kVscvxXk40Cp68S0dkgEKVi6/8ij300KBWTj32P/dYeWTSwK41WyTxa1N1eRmA5Z9UU/LX9D7FWSmV9SAYx6g==",
3720 |     "dev": true,
3721 |     "license": "BSD-2-Clause",
3722 |     "engines": {
3723 |       "node": ">=0.10.0"
3724 |     }
3725 |   },
3726 |   "node_modules/fast-deep-equal": {
3727 |     "version": "3.1.3",
3728 |     "resolved": "https://registry.npmjs.org/fast-deep-equal/-/fast-deep-equal-3.1.3.tgz",
3729 |     "integrity": "sha512-3fsh0u/1C7Hf0yVXrtxU1sa94I7ntUY+Dsu/5DqLvKz9Xj9Nuo/5uiz9Q5hJcgDknLqhKUubkW1+VVFq6Ug==",
3730 |     "dev": true,
3731 |     "license": "MIT"
3732 |   },
3733 |   "node_modules/fast-glob": {
3734 |     "version": "3.3.1",
3735 |     "resolved": "https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.1.tgz",
3736 |     "integrity": "sha512-kNFFvg6eP8nf+vtF1sVlBVgJ6F91GgUeXkqv4GArJr4AsbTceYzMrKkzc90n2quwky99gUvWt8rb906u==",
3737 |     "dev": true,
3738 |     "license": "MIT",
3739 |     "dependencies": {
3740 |       "@nodelib/fs.stat": "^2.0.2",
3741 |       "@nodelib/fs.walk": "^1.2.3",
3742 |       "glob-parent": "^5.1.2",
3743 |       "merge2": "^1.3.0",
3744 |       "micromatch": "^4.0.4"
3745 |     },
3746 |     "engines": {
3747 |       "node": ">=8.6.0"
3748 |     }
3749 |   },
3750 |   "node_modules/fast-glob/node_modules/glob-parent": {
3751 |     "version": "5.1.2",
3752 |     "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
3753 |     "integrity": "sha512-AOIgSQCepiJYWP3ARnGx+5VnTu2HBYdz6GP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkGz4aS9Zow==",
3754 |     "dev": true,
3755 |     "license": "ISC",
3756 |     "dependencies": {
3757 |       "is-glob": "^4.0.1"
3758 |     },
3759 |     "engines": {
3760 |       "node": ">= 6"
3761 |     }
3762 |   },
3763 |   "node_modules/fast-json-stable-stringify": {
3764 |     "version": "2.1.0",
3765 |     "resolved": "https://registry.npmjs.org/fast-json-stable-stringify/-/fast-json-stable-stringify-2.1.0.tgz",
3766 |     "integrity": "sha512-lhd/wF+Lk98HZoTCtlVraHtfhSXYIJ1aJXck7saUtuansDyLXmHhSXEDJqHxd7msR8D0uCMqklwjCV8xvwHw==",
3767 |     "dev": true,
3768 |     "license": "MIT"
3769 |   },
3770 |   "node_modules/fast-levenshtein": {
3771 |     "version": "2.0.6",
3772 |     "resolved": "https://registry.npmjs.org/fast-levenshtein/-/fast-levenshtein-2.0.6.tgz",
3773 |     "integrity": "sha512-DCXu6Ihfqcks7TZKY3Hxp3y6qphY5SJJZmrWMDrKcERSOXWQdMhu9Ig/PYrzyw/u19jOIyh0N4M0tbC5hodg8dw==",
3774 |     "dev": true,
3775 |     "license": "MIT"
3776 |   },
3777 |   "node_modules/fastq": {
3778 |     "version": "1.20.1",
3779 |     "resolved": "https://registry.npmjs.org/fastq/-/fastq-1.20.1.tgz",
3780 |     "integrity": "sha512-bT5zCzOqerlWjK9/pFgEe37gZOtlJcGghl6XcXUw76N8ZiVUWoeY5yHcfVXgXvHvIh8xqbqkBwvV1eA==",
3781 |     "dev": true,
3782 |     "license": "ISC",
3783 |     "dependencies": {
3784 |       "reusify": "^1.0.4"
3785 |     }
3786 |   },
3787 |   "node_modules/file-entry-cache": {
3788 |     "version": "8.0.0",

```



```

3789 | "resolved": "https://registry.npmjs.org/file-entry-cache/-/file-entry-cache-8.0.0.tgz",
3790 | "integrity": "sha512-XTUwCvisa5oacNGRP9SfNtYBNAMi+RPwBFmb1ZEF7N7swHYQ56/Zfk7SRwx4D5j3CH211YNRco1DEMNvFZCnQ==",
3791 | "dev": true,
3792 | "license": "MIT",
3793 | "dependencies": {
3794 |   "flat-cache": "^4.0.0"
3795 | },
3796 | "engines": {
3797 |   "node": ">=16.0.0"
3798 | }
3799 | },
3800 | "node_modules/fill-range": {
3801 |   "version": "7.1.1",
3802 |   "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
3803 |   "integrity": "sha512-YsgEAPYUkqE0K2E8U0K5Sf0LX6NoScwKlUk2HqYNld4bkQ80cc/1Zw9AwnC0i9ztDJitvtQvaI9KaLyKrc+hBW0yg==",
3804 |   "dev": true,
3805 |   "license": "MIT",
3806 |   "dependencies": {
3807 |     "to-regex-range": "^5.0.1"
3808 |   },
3809 |   "engines": {
3810 |     "node": ">=8"
3811 |   }
3812 | },
3813 | "node_modules/find-up": {
3814 |   "version": "5.0.0",
3815 |   "resolved": "https://registry.npmjs.org/find-up/-/find-up-5.0.0.tgz",
3816 |   "integrity": "sha512-7J1sT234kQYrGQbPnNfGlo39aH88vq88wY13bS1Y3v6oQX2Y+i9XaT9fB43wWfTQv6Xl5yXaZi+h3NqUg==",
3817 |   "dev": true,
3818 |   "license": "MIT",
3819 |   "dependencies": {
3820 |     "locate-path": "^6.0.0",
3821 |     "path-exists": "^4.0.0"
3822 |   },
3823 |   "engines": {
3824 |     "node": ">=10"
3825 |   },
3826 |   "funding": {
3827 |     "url": "https://github.com/sponsors/sindresorhus"
3828 |   }
3829 | },
3830 | "node_modules/flat-cache": {
3831 |   "version": "4.0.1",
3832 |   "resolved": "https://registry.npmjs.org/flat-cache/-/flat-cache-4.0.1.tgz",
3833 |   "integrity": "sha512-7wztv1q4E14zZAgN5gzhv0rjSUzZMhIfJ1yP1oX1cDQ7X2GK1xwLzsyIeyHO0f5MiXwpbcjEe/kp5s3W4Q==",
3834 |   "dev": true,
3835 |   "license": "MIT",
3836 |   "dependencies": {
3837 |     "flatted": "^3.2.9",
3838 |     "keyv": "^4.5.4"
3839 |   },
3840 |   "engines": {
3841 |     "node": ">=16"
3842 |   }
3843 | },
3844 | "node_modules/flatted": {
3845 |   "version": "3.4.2",
3846 |   "resolved": "https://registry.npmjs.org/flatted/-/flatted-3.4.2.tgz",
3847 |   "integrity": "sha512-70V1oVPH4v8a8oYxv7Z6Qe/3L7u25TqPzS8U8q8UZLkjzV8qv8q0LkxZ3hZ3lAo8Nq/zsuxjB3et/Y1A==",
3848 |   "dev": true,
3849 |   "license": "ISC"
3850 | },
3851 | "node_modules/for-each": {
3852 |   "version": "0.3.5",
3853 |   "resolved": "https://registry.npmjs.org/for-each/-/for-each-0.3.5.tgz",
3854 |   "integrity": "sha512-EK5ySH28P1Xkz8c0Mh0kK4x1+TqF7wz0zYp4oIhNYs1PJ5F7W3VGIUJNkd9pR7Pz5TQiEz381xNv7v50g==",
3855 |   "dev": true,
3856 |   "license": "MIT",
3857 |   "dependencies": {
3858 |     "is-callable": "^1.2.7"
3859 |   },
3860 |   "engines": {
3861 |     "node": ">= 0.4"
3862 |   },
3863 |   "funding": {
3864 |     "url": "https://github.com/sponsors/ljharb"
3865 |   }
3866 | },
3867 | "node_modules/function-bind": {
3868 |   "version": "1.1.2",
3869 |   "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
3870 |   "integrity": "sha512-7P80w9053785BP98T5W90Y3WheQ5W9IYFheQGj53TFs4kb0Iua1CeUA51VbiYzeqE9+1b178fV56/LEwuqA==",
3871 |   "dev": true,
3872 |   "license": "MIT",
3873 |   "funding": {
3874 |     "url": "https://github.com/sponsors/ljharb"
3875 |   }
3876 | },
3877 | "node_modules/function.prototype.name": {
3878 |   "version": "1.2.0",
3879 |   "resolved": "https://registry.npmjs.org/function.prototype.name/-/function.prototype.name-1.2.0.tgz",
3880 |   "integrity": "sha512-UVLk+1Wp0H0N1mFHWG95LzDPgQ3oYJRt30HwR3oJMkQIyWz83u1kxMh1F0K8KQJG48pZ4qYK1wItw79g==",
3881 |   "dev": true,
3882 |   "license": "MIT",
3883 |   "dependencies": {
3884 |     "call-bind": "^1.0.9",
3885 |     "call-bound": "^1.0.4",
3886 |     "es-define-property": "^1.0.1",

```

```

3887 |     "es-errors": "^1.3.0",
3888 |     "functions-have-names": "^1.2.3",
3889 |     "has-property-descriptors": "^1.0.2",
3890 |     "hasown": "^2.0.4",
3891 |     "is-callable": "^1.2.7",
3892 |     "is-document.all": "^1.0.0"
3893 |   },
3894 |   "engines": {
3895 |     "node": ">= 0.4"
3896 |   },
3897 |   "funding": {
3898 |     "url": "https://github.com/sponsors/ljharb"
3899 |   }
3900 | },
3901 | "node_modules/functions-have-names": {
3902 |   "version": "1.2.3",
3903 |   "resolved": "https://registry.npmjs.org/functions-have-names/-/functions-have-names-1.2.3.tgz",
3904 |   "integrity": "sha512-xckBUxyTIqT97tq2x2AMb+g163b5JFysYk0x4qNFWbfQkmNZoiRhb6sPzI9/QV33WeuvVYBUIiD4NzNiyqaRQ==",
3905 |   "dev": true,
3906 |   "license": "MIT",
3907 |   "funding": {
3908 |     "url": "https://github.com/sponsors/ljharb"
3909 |   }
3910 | },
3911 | "node_modules/generator-function": {
3912 |   "version": "2.0.1",
3913 |   "resolved": "https://registry.npmjs.org/generator-function/-/generator-function-2.0.1.tgz",
3914 |   "integrity": "sha512-SFdf0xUyz2S149F0Dz14a11N3C93e3wX03O+U5HO3y3a2V1HkF54o7nHnN14E8tH+q2XQW1X4W1X4W1X4W==",
3915 |   "dev": true,
3916 |   "license": "MIT",
3917 |   "engines": {
3918 |     "node": ">= 0.4"
3919 |   }
3920 | },
3921 | "node_modules/gensync": {
3922 |   "version": "1.0.0-beta.2",
3923 |   "resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
3924 |   "integrity": "sha512-3hN7NaskYvMDLQY55gnw3NQ+mesEAepTqlg+VEbj7zzjEMBVNhzcGYeqFo/Tlyz6eQIFcp1HcsCZO+nGgS8zg==",
3925 |   "dev": true,
3926 |   "license": "MIT",
3927 |   "engines": {
3928 |     "node": ">=6.9.0"
3929 |   }
3930 | },
3931 | "node_modules/get-intrinsic": {
3932 |   "version": "1.3.0",
3933 |   "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
3934 |   "integrity": "sha512-9fV8edn5uXbXcVq00McF5p8F3l0JMTpTRzP9Rk8ZCQY6wUPhujl9HR3EI3z39j8FD4pK8XgcCk/UZlYk6A==",
3935 |   "dev": true,
3936 |   "license": "MIT",
3937 |   "dependencies": {
3938 |     "call-bind-apply-helpers": "^1.0.2",
3939 |     "es-define-property": "^1.0.1",
3940 |     "es-errors": "^1.3.0",
3941 |     "es-object-atoms": "^1.1.1",
3942 |     "function-bind": "^1.1.2",
3943 |     "get-proto": "^1.0.1",
3944 |     "gopd": "^1.2.0",
3945 |     "has-symbols": "^1.1.0",
3946 |     "hasown": "^2.0.2",
3947 |     "math-intrinsics": "^1.1.0"
3948 |   },
3949 |   "engines": {
3950 |     "node": ">= 0.4"
3951 |   },
3952 |   "funding": {
3953 |     "url": "https://github.com/sponsors/ljharb"
3954 |   }
3955 | },
3956 | "node_modules/get-proto": {
3957 |   "version": "1.0.1",
3958 |   "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
3959 |   "integrity": "sha512-8Z+PQ838O65vWtJg5hZq8s8ZB/0V1l76zOwQV0vZw0V30v8ZuLWfXVZBj0ZocYXbW6tYcrP7UYCg==",
3960 |   "dev": true,
3961 |   "license": "MIT",
3962 |   "dependencies": {
3963 |     "dunder-proto": "^1.0.1",
3964 |     "es-object-atoms": "^1.0.0"
3965 |   },
3966 |   "engines": {
3967 |     "node": ">= 0.4"
3968 |   }
3969 | },
3970 | "node_modules/get-symbol-description": {
3971 |   "version": "1.1.0",
3972 |   "resolved": "https://registry.npmjs.org/get-symbol-description/-/get-symbol-description-1.1.0.tgz",
3973 |   "integrity": "sha512-w9UMqWwJxHNOvONzSj2oP5fwyVcvP7jUvYzhp67yEhTt17ZDBBC1z9pTdGuzjD+EFiLqLSYRweZjqfPzQ06Ebg==",
3974 |   "dev": true,
3975 |   "license": "MIT",
3976 |   "dependencies": {
3977 |     "call-bound": "^1.0.3",
3978 |     "es-errors": "^1.3.0",
3979 |     "get-intrinsic": "^1.2.6"
3980 |   },
3981 |   "engines": {
3982 |     "node": ">= 0.4"
3983 |   },
3984 |   "funding": {

```

```

3985 |     "url": "https://github.com/sponsors/ljharb"
3986 |   }
3987 | },
3988 | "node_modules/get-tsconfig": {
3989 |   "version": "4.14.0",
3990 |   "resolved": "https://registry.npmjs.org/get-tsconfig/-/get-tsconfig-4.14.0.tgz",
3991 |   "integrity": "sha512-yTb+8DXzDREzgvYmh6s9vHsSVChEC0G3PI5bEXNBHtmshPnO+S507qgLEOn0ISQvMy6kpZN8K1NK6yillb93wA==",
3992 |   "dev": true,
3993 |   "license": "MIT",
3994 |   "dependencies": {
3995 |     "resolve-pkg-maps": "^1.0.0"
3996 |   },
3997 |   "funding": {
3998 |     "url": "https://github.com/privatenumber/get-tsconfigsponsor=1"
3999 |   }
4000 | },
4001 | "node_modules/glob-parent": {
4002 |   "version": "6.0.2",
4003 |   "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
4004 |   "integrity": "sha512-XxwI8E0hVQgWp6iDL+3b0r86f4d6AX6zSU55HFB4ydeEuLXc5FcYeu0+nnGftS4TEju/11rt4KJPTMgbfmv4A==",
4005 |   "dev": true,
4006 |   "license": "ISC",
4007 |   "dependencies": {
4008 |     "is-glob": "^4.0.3"
4009 |   },
4010 |   "engines": {
4011 |     "node": ">=10.13.0"
4012 |   }
4013 | },
4014 | "node_modules/globals": {
4015 |   "version": "14.0.0",
4016 |   "resolved": "https://registry.npmjs.org/globals/-/globals-14.0.0.tgz",
4017 |   "integrity": "sha512-OahUrv2H8j7bm8/K8Lx8Xp6WLCbyW/s41sDq6V8j0Qp87q12Nz0FbUvJ2w/MLU/Vt+XCN/CKkzXuY0TeX0==",
4018 |   "dev": true,
4019 |   "license": "MIT",
4020 |   "engines": {
4021 |     "node": ">=18"
4022 |   },
4023 |   "funding": {
4024 |     "url": "https://github.com/sponsors/sindresorhus"
4025 |   }
4026 | },
4027 | "node_modules/globalthis": {
4028 |   "version": "1.0.4",
4029 |   "resolved": "https://registry.npmjs.org/globalthis/-/globalthis-1.0.4.tgz",
4030 |   "integrity": "sha512-DpLKbNU4WylpxJykQujfCcwYWiI/Jhm50Goo0wrILAv5j0r9d+H+UR3PhSCD2rCCEIg0uc+G+muBTwD54JhDQ==",
4031 |   "dev": true,
4032 |   "license": "MIT",
4033 |   "dependencies": {
4034 |     "define-properties": "^1.2.1",
4035 |     "gopd": "^1.0.1"
4036 |   },
4037 |   "engines": {
4038 |     "node": ">= 0.4"
4039 |   },
4040 |   "funding": {
4041 |     "url": "https://github.com/sponsors/ljharb"
4042 |   }
4043 | },
4044 | "node_modules/gopd": {
4045 |   "version": "1.2.0",
4046 |   "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
4047 |   "integrity": "sha512-ZUKRh6/kUFOAiTATYPZJ3hw9wNxx+BIB0ijn1G9PnrJsCcSjs1wyYD6vJpaYtgznDrKYRSqf3006Rfa93xsRg==",
4048 |   "dev": true,
4049 |   "license": "MIT",
4050 |   "engines": {
4051 |     "node": ">= 0.4"
4052 |   },
4053 |   "funding": {
4054 |     "url": "https://github.com/sponsors/ljharb"
4055 |   }
4056 | },
4057 | "node_modules/graceful-fs": {
4058 |   "version": "4.2.11",
4059 |   "resolved": "https://registry.npmjs.org/graceful-fs/-/graceful-fs-4.2.11.tgz",
4060 |   "integrity": "sha512-RbJ5/jmFcNCCDV5o9eTnBLJ/HszW0P73bc+FF4nS/rJj+YaS6IGyi0L0VoBYX+11Wr13k63h/KrH+nhJ0XvQ==",
4061 |   "dev": true,
4062 |   "license": "ISC"
4063 | },
4064 | "node_modules/has-bigints": {
4065 |   "version": "1.1.0",
4066 |   "resolved": "https://registry.npmjs.org/has-bigints/-/has-bigints-1.1.0.tgz",
4067 |   "integrity": "sha512-R3pbpkcIqv2Pm3dUwgjclDRVmwP7JW2DcMzcIhEXe1oh/CEMObMm3KLmRJ0dvhM7o4uQBnwr8pzRK2s3JWlqfg==",
4068 |   "dev": true,
4069 |   "license": "MIT",
4070 |   "engines": {
4071 |     "node": ">= 0.4"
4072 |   },
4073 |   "funding": {
4074 |     "url": "https://github.com/sponsors/ljharb"
4075 |   }
4076 | },
4077 | "node_modules/has-flag": {
4078 |   "version": "4.0.0",
4079 |   "resolved": "https://registry.npmjs.org/has-flag/-/has-flag-4.0.0.tgz",
4080 |   "integrity": "sha512-KeU9kqx7iY691uMr13pJGsXH6cJl69+8wqLvZ4YF7dWdIJbmUW0Mh6lK6/M16Afv3EISleU7qZUzoXDFTAHTDC4NooG/ZxU3Ev1MPQ==",
4081 |   "dev": true,
4082 |   "license": "MIT",

```

```

4083 |     "engines": {
4084 |       "node": ">=8"
4085 |     }
4086 |   },
4087 |   "node_modules/has-property-descriptors": {
4088 |     "version": "1.0.2",
4089 |     "resolved": "https://registry.npmjs.org/has-property-descriptors/-/has-property-descriptors-1.0.2.tgz",
4090 |     "integrity": "sha512-55JNKuIW+4Ke1BjOTjM2YctQIvCT7GFzHwmfZGpG5wnrgkid0YQtnAleFSqumZm4az3n2BS+erby5ipJdgrg==",
4091 |     "dev": true,
4092 |     "license": "MIT",
4093 |     "dependencies": {
4094 |       "es-define-property": "^1.0.0"
4095 |     },
4096 |     "funding": {
4097 |       "url": "https://github.com/sponsors/ljharb"
4098 |     }
4099 |   },
4100 |   "node_modules/has-proto": {
4101 |     "version": "1.2.0",
4102 |     "resolved": "https://registry.npmjs.org/has-proto/-/has-proto-1.2.0.tgz",
4103 |     "integrity": "sha512-KIL7eQPFHQR8+XluaIw7BHUwwqL19bQn4hzNgrd+1wXoU0KKj6rufu47lhY7KbJR2C6T6+PfyN0Ea7wkSS+qQ==",
4104 |     "dev": true,
4105 |     "license": "MIT",
4106 |     "dependencies": {
4107 |       "dunder-proto": "^1.0.0"
4108 |     },
4109 |     "engines": {
4110 |       "node": ">= 0.4"
4111 |     },
4112 |     "funding": {
4113 |       "url": "https://github.com/sponsors/ljharb"
4114 |     }
4115 |   },
4116 |   "node_modules/has-symbols": {
4117 |     "version": "1.1.0",
4118 |     "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
4119 |     "integrity": "sha512-1cDNdwJ2Jaohmb3sg40mKaMBwuC48sYni5HUw2DvsC8LjGTLK9h+eb1X6RyuOHe4t0ULCW68iomhjUoKUq1PQ==",
4120 |     "dev": true,
4121 |     "license": "MIT",
4122 |     "engines": {
4123 |       "node": ">= 0.4"
4124 |     },
4125 |     "funding": {
4126 |       "url": "https://github.com/sponsors/ljharb"
4127 |     }
4128 |   },
4129 |   "node_modules/has-tostringtag": {
4130 |     "version": "1.0.2",
4131 |     "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
4132 |     "integrity": "sha512-1Q41S2iKt9a0q1DOzG1IbQ27VdQWQyR8OjvY1yXtkyf7Vua4Q8MqkKg0wU0g1Vg/857N7oR1PPGw==",
4133 |     "dev": true,
4134 |     "license": "MIT",
4135 |     "dependencies": {
4136 |       "has-symbols": "^1.0.3"
4137 |     },
4138 |     "engines": {
4139 |       "node": ">= 0.4"
4140 |     },
4141 |     "funding": {
4142 |       "url": "https://github.com/sponsors/ljharb"
4143 |     }
4144 |   },
4145 |   "node_modules/hasown": {
4146 |     "version": "2.0.4",
4147 |     "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.4.tgz",
4148 |     "integrity": "sha512-0H2Ns3WZJvKuhAcvtUdjv1Ox9V3188Dnwf48FV7W7YBqjY12/24l380+X6x4LST70O78431o32p4==",
4149 |     "dev": true,
4150 |     "license": "MIT",
4151 |     "dependencies": {
4152 |       "function-bind": "^1.1.2"
4153 |     },
4154 |     "engines": {
4155 |       "node": ">= 0.4"
4156 |     }
4157 |   },
4158 |   "node_modules/hermes-estree": {
4159 |     "version": "0.25.1",
4160 |     "resolved": "https://registry.npmjs.org/hermes-estree/-/hermes-estree-0.25.1.tgz",
4161 |     "integrity": "sha512-0wUoCcLp+5Ev5pDW20riHC2MJCbwLwRx+gAqMTOKGKJJiBCLjtrvy4PWUGn6MIVefecRpozOZ/UV6iGd0r+Cw==",
4162 |     "dev": true,
4163 |     "license": "MIT"
4164 |   },
4165 |   "node_modules/hermes-parser": {
4166 |     "version": "0.25.1",
4167 |     "resolved": "https://registry.npmjs.org/hermes-parser/-/hermes-parser-0.25.1.tgz",
4168 |     "integrity": "sha512-6pEjquH3rqaiI6cYAXYPcz9MS4rY6R4ngRgrgFdshRptUZIC3lw0MCIJIGDj9+mmfyS0uPTH4nrSW99BCvOPIA==",
4169 |     "dev": true,
4170 |     "license": "MIT",
4171 |     "dependencies": {
4172 |       "hermes-estree": "0.25.1"
4173 |     }
4174 |   },
4175 |   "node_modules/iceberg-js": {
4176 |     "version": "0.8.1",
4177 |     "resolved": "https://registry.npmjs.org/iceberg-js/-/iceberg-js-0.8.1.tgz",
4178 |     "integrity": "sha512-1dhVQZxhHje7798IVM+xoo/1ZdVfzOMIc8/rGV5ijRK38EdqO3oGu1a9N/8ZI5RD8QTxNQTK/Gozpr+qUqRRA==",
4179 |     "license": "MIT",
4180 |     "engines": {

```

```

4181 |     "node": ">=20.0.0"
4182 |   }
4183 | },
4184 | "node_modules/ignore": {
4185 |   "version": "5.3.2",
4186 |   "resolved": "https://registry.npmjs.org/ignore/-/ignore-5.3.2.tgz",
4187 |   "integrity": "sha512-hsBTNUqQTDwkWtcdYI2i06Y/nUBEsNEDJKjWdIgLvegy8kDuJAS8uR1pkkcQpyEXL0Z/pjDy5HBmMjRCJ2gq+g==",
4188 |   "dev": true,
4189 |   "license": "MIT",
4190 |   "engines": {
4191 |     "node": ">= 4"
4192 |   }
4193 | },
4194 | "node_modules/import-fresh": {
4195 |   "version": "3.3.1",
4196 |   "resolved": "https://registry.npmjs.org/import-fresh/-/import-fresh-3.3.1.tgz",
4197 |   "integrity": "sha512-TR3KfrTZTYPB6jUjfx6MF9WcWrHL9su5TObk4ZLYgBdWkPOFoSoQIdEuTuR82pmtxH2spWG9h6etwfr1pLBqQ==",
4198 |   "dev": true,
4199 |   "license": "MIT",
4200 |   "dependencies": {
4201 |     "parent-module": "^1.0.0",
4202 |     "resolve-from": "^4.0.0"
4203 |   },
4204 |   "engines": {
4205 |     "node": ">=6"
4206 |   },
4207 |   "funding": {
4208 |     "url": "https://github.com/sponsors/sindresorhus"
4209 |   }
4210 | },
4211 | "node_modules/imurmurhash": {
4212 |   "version": "0.1.4",
4213 |   "resolved": "https://registry.npmjs.org/imurmurhash/-/imurmurhash-0.1.4.tgz",
4214 |   "integrity": "sha512-JmXMZ6wuvDmLiHEmL9ykzQ6LwFbof0GG4IkcGaENdCRDmMvny7s5HSIgHCbaq0w2MyPhDqkhTUGS2LU2PHA==",
4215 |   "dev": true,
4216 |   "license": "MIT",
4217 |   "engines": {
4218 |     "node": ">=0.8.19"
4219 |   }
4220 | },
4221 | "node_modules/internal-slot": {
4222 |   "version": "1.1.0",
4223 |   "resolved": "https://registry.npmjs.org/internal-slot/-/internal-slot-1.1.0.tgz",
4224 |   "integrity": "sha512-4gd7VpWQNB4UKCFFVcp1AVv+FMOgs9NKzjHKusc8jTMhdSeL1NqQqOpE0KzMds804/yH1g1p3uxgluOqAPLw==",
4225 |   "dev": true,
4226 |   "license": "MIT",
4227 |   "dependencies": {
4228 |     "es-errors": "^1.3.0",
4229 |     "hasown": "^2.0.2",
4230 |     "side-channel": "^1.1.0"
4231 |   },
4232 |   "engines": {
4233 |     "node": ">= 0.4"
4234 |   }
4235 | },
4236 | "node_modules/is-array-buffer": {
4237 |   "version": "3.0.5",
4238 |   "resolved": "https://registry.npmjs.org/is-array-buffer/-/is-array-buffer-3.0.5.tgz",
4239 |   "integrity": "sha512-DDFANuIIiG2wC1qawP66q1TugJel5HyZMpfR81LK+jMQiRgzNod0B12cFB/9q838Ru27sBwfw78/rdoU7RERz6A==",
4240 |   "dev": true,
4241 |   "license": "MIT",
4242 |   "dependencies": {
4243 |     "call-bind": "^1.0.8",
4244 |     "call-bound": "^1.0.3",
4245 |     "get-intrinsic": "^1.2.6"
4246 |   },
4247 |   "engines": {
4248 |     "node": ">= 0.4"
4249 |   },
4250 |   "funding": {
4251 |     "url": "https://github.com/sponsors/ljharb"
4252 |   }
4253 | },
4254 | "node_modules/is-async-function": {
4255 |   "version": "2.1.1",
4256 |   "resolved": "https://registry.npmjs.org/is-async-function/-/is-async-function-2.1.1.tgz",
4257 |   "integrity": "sha512-9dgM/cZBnNvjzaMYHVoxxfPj2QXt22Ev7SuuPrs+xav0ukGB0S6d4ydEiM48kLx5kDV+QBPrpVnFyefL8kkQ==",
4258 |   "dev": true,
4259 |   "license": "MIT",
4260 |   "dependencies": {
4261 |     "async-function": "^1.0.0",
4262 |     "call-bound": "^1.0.3",
4263 |     "get-proto": "^1.0.1",
4264 |     "has-tostringtag": "^1.0.2",
4265 |     "safe-regex-test": "^1.1.0"
4266 |   },
4267 |   "engines": {
4268 |     "node": ">= 0.4"
4269 |   },
4270 |   "funding": {
4271 |     "url": "https://github.com/sponsors/ljharb"
4272 |   }
4273 | },
4274 | "node_modules/is-bigint": {
4275 |   "version": "1.1.0",
4276 |   "resolved": "https://registry.npmjs.org/is-bigint/-/is-bigint-1.1.0.tgz",
4277 |   "integrity": "sha512-SaZP82S5zLYXSZbRgaixknj8qSs99aFkAf67F8ojp49/6Hn4BPSQpDv2XKwWMB0uF01S998aWkR0Vz6RQ==",
4278 |   "dev": true,

```

```

4279 |     "license": "MIT",
4280 |     "dependencies": {
4281 |       "has-bigints": "^1.0.2"
4282 |     },
4283 |     "engines": {
4284 |       "node": ">= 0.4"
4285 |     },
4286 |     "funding": {
4287 |       "url": "https://github.com/sponsors/ljharb"
4288 |     }
4289 |   },
4290 |   "node_modules/is-boolean-object": {
4291 |     "version": "1.2.2",
4292 |     "resolved": "https://registry.npmjs.org/is-boolean-object/-/is-boolean-object-1.2.2.tgz",
4293 |     "integrity": "sha512-wa5602/E1JMYqjCjGkXri7it5Fbebw5usLw/nPmCMs5DeZ7eziSYZh5mPRn0txqeW4LnAmQU7FgqLpsEFKM4A==",
4294 |     "dev": true,
4295 |     "license": "MIT",
4296 |     "dependencies": {
4297 |       "call-bound": "^1.0.3",
4298 |       "has-tostringtag": "^1.0.2"
4299 |     },
4300 |     "engines": {
4301 |       "node": ">= 0.4"
4302 |     },
4303 |     "funding": {
4304 |       "url": "https://github.com/sponsors/ljharb"
4305 |     }
4306 |   },
4307 |   "node_modules/is-bun-module": {
4308 |     "version": "2.0.0",
4309 |     "resolved": "https://registry.npmjs.org/is-bun-module/-/is-bun-module-2.0.0.tgz",
4310 |     "integrity": "sha512-gNCgbnnnnFAUGKeZ9PdbyeGYJqewpmc2aKHUEM05nQPWU910mv7jcmQIv+qHD8fXW6W7qfuCwX4rY9LNRjXrkQ==",
4311 |     "dev": true,
4312 |     "license": "MIT",
4313 |     "dependencies": {
4314 |       "semver": "^7.7.1"
4315 |     }
4316 |   },
4317 |   "node_modules/is-bun-module/node_modules/semver": {
4318 |     "version": "7.8.4",
4319 |     "resolved": "https://registry.npmjs.org/semver/-/semver-7.8.4.tgz",
4320 |     "integrity": "sha512-rUCObTnP32Q08R2uuIrt7r9PlEonuTmtuXYcW6Skjdlj3xbnwe+21yXptAUyCMAABlkYYTtnmzb3w3EDZfueA==",
4321 |     "dev": true,
4322 |     "license": "ISC",
4323 |     "bin": {
4324 |       "semver": "bin/semver.js"
4325 |     },
4326 |     "engines": {
4327 |       "node": ">=10"
4328 |     }
4329 |   },
4330 |   "node_modules/is-callable": {
4331 |     "version": "1.2.7",
4332 |     "resolved": "https://registry.npmjs.org/is-callable/-/is-callable-1.2.7.tgz",
4333 |     "integrity": "sha512-BC8B22564aI2gh7N4h29r6F8d80d0FK0FLztSjnZhcKA3WduJxxAPXzPuPtKkjEYUUoEWLX/8fgKeu2S8i9JTA==",
4334 |     "dev": true,
4335 |     "license": "MIT",
4336 |     "engines": {
4337 |       "node": ">= 0.4"
4338 |     },
4339 |     "funding": {
4340 |       "url": "https://github.com/sponsors/ljharb"
4341 |     }
4342 |   },
4343 |   "node_modules/is-core-module": {
4344 |     "version": "2.16.2",
4345 |     "resolved": "https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.2.tgz",
4346 |     "integrity": "sha512-ev0R8xfXKxE6qSR0hSXL2r3sd7ALj8+7jQEUvPYcm5sgZfDj+AYzT6yNmJenvIYQBgIGwfz08sL8zoL7yq2BA==",
4347 |     "dev": true,
4348 |     "license": "MIT",
4349 |     "dependencies": {
4350 |       "hasown": "^2.0.3"
4351 |     },
4352 |     "engines": {
4353 |       "node": ">= 0.4"
4354 |     },
4355 |     "funding": {
4356 |       "url": "https://github.com/sponsors/ljharb"
4357 |     }
4358 |   },
4359 |   "node_modules/is-data-view": {
4360 |     "version": "1.0.2",
4361 |     "resolved": "https://registry.npmjs.org/is-data-view/-/is-data-view-1.0.2.tgz",
4362 |     "integrity": "sha512-RKtWF8pGmS87i2D6gqQu/17EYRlVdfzemCJN/P3UOs/x1QE7mfhvzHIAPBTRf7axvT6DMGwSwBXYCT0nfB9xw==",
4363 |     "dev": true,
4364 |     "license": "MIT",
4365 |     "dependencies": {
4366 |       "call-bound": "^1.0.2",
4367 |       "get-intrinsic": "^1.2.6",
4368 |       "is-typed-array": "^1.1.13"
4369 |     },
4370 |     "engines": {
4371 |       "node": ">= 0.4"
4372 |     },
4373 |     "funding": {
4374 |       "url": "https://github.com/sponsors/ljharb"
4375 |     }
4376 |   },

```

```

4377 | "node_modules/is-date-object": {
4378 |   "version": "1.1.0",
4379 |   "resolved": "https://registry.npmjs.org/is-date-object/-/is-date-object-1.1.0.tgz",
4380 |   "integrity": "sha512-PwwhEakHVkTdRNV0w+/Gyh0+Mz1C14R6qKvkhuvtPMggIIWAHt9s0wZxQLSGpUaDnrDyDsomoRgNnCfKNSXXg==",
4381 |   "dev": true,
4382 |   "license": "MIT",
4383 |   "dependencies": {
4384 |     "call-bound": "^1.0.2",
4385 |     "has-tostringtag": "^1.0.2"
4386 |   },
4387 |   "engines": {
4388 |     "node": ">= 0.4"
4389 |   },
4390 |   "funding": {
4391 |     "url": "https://github.com/sponsors/ljharb"
4392 |   }
4393 | },
4394 | "node_modules/is-document.all": {
4395 |   "version": "1.0.0",
4396 |   "resolved": "https://registry.npmjs.org/is-document.all/-/is-document.all-1.0.0.tgz",
4397 |   "integrity": "sha512-+XSoyS050dBbhfFuELhgTCpFNHkpB0JqtsZfUFFpe5QTW+9Sjbh8zitxhQkYao6wV7e1Vb8cAPvpCk9jGam/82g==",
4398 |   "dev": true,
4399 |   "license": "MIT",
4400 |   "dependencies": {
4401 |     "call-bound": "^1.0.4"
4402 |   },
4403 |   "engines": {
4404 |     "node": ">= 0.4"
4405 |   },
4406 |   "funding": {
4407 |     "url": "https://github.com/sponsors/ljharb"
4408 |   }
4409 | },
4410 | "node_modules/is-extglob": {
4411 |   "version": "2.1.1",
4412 |   "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
4413 |   "integrity": "sha512-SbKbANKN603Vi4jEZv49LeVjMn4yGwsbzZworEoyEiutsN3nJYdb036zfHqGJ6QEDpOZIFkDtnq5JRxxmv13js0Q==",
4414 |   "dev": true,
4415 |   "license": "MIT",
4416 |   "engines": {
4417 |     "node": ">=0.10.0"
4418 |   }
4419 | },
4420 | "node_modules/is-finalizationregistry": {
4421 |   "version": "1.1.1",
4422 |   "resolved": "https://registry.npmjs.org/is-finalizationregistry/-/is-finalizationregistry-1.1.1.tgz",
4423 |   "integrity": "sha512-1pC6N8qWJbWoPtEjgcL2xyhQOP491EQjeUo3qTKcmv8YSDDJrOepfG8pc7h/QgnQHYSv0mJ3Z/ZWxmatVrYsg==",
4424 |   "dev": true,
4425 |   "license": "MIT",
4426 |   "dependencies": {
4427 |     "call-bound": "^1.0.3"
4428 |   },
4429 |   "engines": {
4430 |     "node": ">= 0.4"
4431 |   },
4432 |   "funding": {
4433 |     "url": "https://github.com/sponsors/ljharb"
4434 |   }
4435 | },
4436 | "node_modules/is-generator-function": {
4437 |   "version": "1.1.2",
4438 |   "resolved": "https://registry.npmjs.org/is-generator-function/-/is-generator-function-1.1.2.tgz",
4439 |   "integrity": "sha512-+xw38H8QxRbqQ8lE7x5YbWj7F0XN4WU1W6z/1G1GpdY0kV6s1ZVXAEqUq5V2/65TM3217qb/afW6Lw==",
4440 |   "dev": true,
4441 |   "license": "MIT",
4442 |   "dependencies": {
4443 |     "call-bound": "^1.0.4",
4444 |     "generator-function": "^2.0.0",
4445 |     "get-proto": "^1.0.1",
4446 |     "has-tostringtag": "^1.0.2",
4447 |     "safe-regex-test": "^1.1.0"
4448 |   },
4449 |   "engines": {
4450 |     "node": ">= 0.4"
4451 |   },
4452 |   "funding": {
4453 |     "url": "https://github.com/sponsors/ljharb"
4454 |   }
4455 | },
4456 | "node_modules/is-glob": {
4457 |   "version": "4.0.3",
4458 |   "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
4459 |   "integrity": "sha512-xelSayHH36ZgE7ZWhli7pw34hNbN180jv5KVmkJD4hBdD3th8Tfk9vYasLM+mXW0ZhFkgZfxhLSnrwRr4e1SSg==",
4460 |   "dev": true,
4461 |   "license": "MIT",
4462 |   "dependencies": {
4463 |     "is-extglob": "^2.1.1"
4464 |   },
4465 |   "engines": {
4466 |     "node": ">=0.10.0"
4467 |   }
4468 | },
4469 | "node_modules/is-map": {
4470 |   "version": "2.0.3",
4471 |   "resolved": "https://registry.npmjs.org/is-map/-/is-map-2.0.3.tgz",
4472 |   "integrity": "sha512-1Qe0bHr2m+YqxnM09CjA2d/i6YZNF6R2oRA0j36eUdS6qIV/huPJNSEpKbupewFs+ZsJlxsjjPbc0/afW6Lw==",
4473 |   "dev": true,
4474 |   "license": "MIT",

```

```

4475 |     "engines": {
4476 |       "node": ">= 0.4"
4477 |     },
4478 |     "funding": {
4479 |       "url": "https://github.com/sponsors/ljharb"
4480 |     }
4481 |   },
4482 |   "node_modules/is-negative-zero": {
4483 |     "version": "2.0.3",
4484 |     "resolved": "https://registry.npmjs.org/is-negative-zero/-/is-negative-zero-2.0.3.tgz",
4485 |     "integrity": "sha512-5KoIu2Ngpyek75jXodFvnaFB6DJgr3u8uuK0LEZJjrU19DrMD3EVERaR8sjz8CCGgpZvxP19SuE1GMVPFHx1mw==",
4486 |     "dev": true,
4487 |     "license": "MIT",
4488 |     "engines": {
4489 |       "node": ">= 0.4"
4490 |     },
4491 |     "funding": {
4492 |       "url": "https://github.com/sponsors/ljharb"
4493 |     }
4494 |   },
4495 |   "node_modules/is-number": {
4496 |     "version": "7.0.0",
4497 |     "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
4498 |     "integrity": "sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPD1K9cGvNp6NZWZUBlbGXYxxng==",
4499 |     "dev": true,
4500 |     "license": "MIT",
4501 |     "engines": {
4502 |       "node": ">=0.12.0"
4503 |     }
4504 |   },
4505 |   "node_modules/is-number-object": {
4506 |     "version": "1.1.1",
4507 |     "resolved": "https://registry.npmjs.org/is-number-object/-/is-number-object-1.1.1.tgz",
4508 |     "integrity": "sha512-lZhcClumE1G6VYD8VHe35wFaIif+CTy5SJIi5+3y4psDgwu4wPDoBhF8NxU0inEc7pHgITS6MaBb92rKhhD+Xw==",
4509 |     "dev": true,
4510 |     "license": "MIT",
4511 |     "dependencies": {
4512 |       "call-bound": "^1.0.3",
4513 |       "has-tostringtag": "^1.0.2"
4514 |     },
4515 |     "engines": {
4516 |       "node": ">= 0.4"
4517 |     },
4518 |     "funding": {
4519 |       "url": "https://github.com/sponsors/ljharb"
4520 |     }
4521 |   },
4522 |   "node_modules/is-regex": {
4523 |     "version": "1.2.1",
4524 |     "resolved": "https://registry.npmjs.org/is-regex/-/is-regex-1.2.1.tgz",
4525 |     "integrity": "sha512-MjYsKHO5O7mCsmRGxwLWheFqN9DJ/2TmngvjKXihe6efViPqC274+Fx/4fYj/r03+ESvBdTXK0V6tA3rgez1g==",
4526 |     "dev": true,
4527 |     "license": "MIT",
4528 |     "dependencies": {
4529 |       "call-bound": "^1.0.2",
4530 |       "gopd": "^1.2.0",
4531 |       "has-tostringtag": "^1.0.2",
4532 |       "hasown": "^2.0.2"
4533 |     },
4534 |     "engines": {
4535 |       "node": ">= 0.4"
4536 |     },
4537 |     "funding": {
4538 |       "url": "https://github.com/sponsors/ljharb"
4539 |     }
4540 |   },
4541 |   "node_modules/is-set": {
4542 |     "version": "2.0.3",
4543 |     "resolved": "https://registry.npmjs.org/is-set/-/is-set-2.0.3.tgz",
4544 |     "integrity": "sha512-iPAjerrse27/ygGLxw+EBR9agv9Y6uLeYVJMu+QNCooUJ1/1ri0mGrcWpfCqFZuzzx3WjtwxG098X+n4OuRkPg==",
4545 |     "dev": true,
4546 |     "license": "MIT",
4547 |     "engines": {
4548 |       "node": ">= 0.4"
4549 |     },
4550 |     "funding": {
4551 |       "url": "https://github.com/sponsors/ljharb"
4552 |     }
4553 |   },
4554 |   "node_modules/is-shared-array-buffer": {
4555 |     "version": "1.0.4",
4556 |     "resolved": "https://registry.npmjs.org/is-shared-array-buffer/-/is-shared-array-buffer-1.0.4.tgz",
4557 |     "integrity": "sha512-ISWac8drv4ZGfWkL5l5pHG90wPNTy4jOWPRIhBpxOoD+hqITiwuipOQ2bNthAzwA3B4FIjO4Nln74N0S9byq8A==",
4558 |     "dev": true,
4559 |     "license": "MIT",
4560 |     "dependencies": {
4561 |       "call-bound": "^1.0.3"
4562 |     },
4563 |     "engines": {
4564 |       "node": ">= 0.4"
4565 |     },
4566 |     "funding": {
4567 |       "url": "https://github.com/sponsors/ljharb"
4568 |     }
4569 |   },
4570 |   "node_modules/is-string": {
4571 |     "version": "1.1.1",
4572 |     "resolved": "https://registry.npmjs.org/is-string/-/is-string-1.1.1.tgz",

```



```

4573 |     "integrity": "sha512-BtEeSsoaQj1SPBemMQIrY1MY0uM6vnS1g5fmufY0tnxLGUZM2178PKbhsK7Fv58IX+ZtcvoGwccYsh0Pg1kAA==",
4574 |     "dev": true,
4575 |     "license": "MIT",
4576 |     "dependencies": {
4577 |       "call-bound": "^1.0.3",
4578 |       "has-tostringtag": "^1.0.2"
4579 |     },
4580 |     "engines": {
4581 |       "node": ">= 0.4"
4582 |     },
4583 |     "funding": {
4584 |       "url": "https://github.com/sponsors/ljharb"
4585 |     }
4586 |   },
4587 |   "node_modules/is-symbol": {
4588 |     "version": "1.1.1",
4589 |     "resolved": "https://registry.npmjs.org/is-symbol/-/is-symbol-1.1.1.tgz",
4590 |     "integrity": "sha512-9gGx6GTtCQM73BgmHQXfDmLtfjjTUDSyoxTCbp5WtoixAhfGsDirWIcVQ/IHpvi5Vgd5i/J5F7B9cN/w1VbC/w==",
4591 |     "dev": true,
4592 |     "license": "MIT",
4593 |     "dependencies": {
4594 |       "call-bound": "^1.0.2",
4595 |       "has-symbols": "^1.1.0",
4596 |       "safe-regex-test": "^1.1.0"
4597 |     },
4598 |     "engines": {
4599 |       "node": ">= 0.4"
4600 |     },
4601 |     "funding": {
4602 |       "url": "https://github.com/sponsors/ljharb"
4603 |     }
4604 |   },
4605 |   "node_modules/is-typed-array": {
4606 |     "version": "1.1.15",
4607 |     "resolved": "https://registry.npmjs.org/is-typed-array/-/is-typed-array-1.1.15.tgz",
4608 |     "integrity": "sha512-zGSFpH3810Z91j0aVtW01xT91p87m1Yk3v5I4/ii+YU9t9N7+at204niS0j3V15GntQ7uV3/48bXG0==",
4609 |     "dev": true,
4610 |     "license": "MIT",
4611 |     "dependencies": {
4612 |       "which-typed-array": "^1.1.16"
4613 |     },
4614 |     "engines": {
4615 |       "node": ">= 0.4"
4616 |     },
4617 |     "funding": {
4618 |       "url": "https://github.com/sponsors/ljharb"
4619 |     }
4620 |   },
4621 |   "node_modules/is-weakmap": {
4622 |     "version": "2.0.2",
4623 |     "resolved": "https://registry.npmjs.org/is-weakmap/-/is-weakmap-2.0.2.tgz",
4624 |     "integrity": "sha512-K5pXY0m9wqY1RgjpL3YTKf39tni1XajUIkawTLUo9EZEVUFga5gSQJF8nNS7ZwJQ02y+1YCNyMh+HIF1ZqE+w==",
4625 |     "dev": true,
4626 |     "license": "MIT",
4627 |     "engines": {
4628 |       "node": ">= 0.4"
4629 |     },
4630 |     "funding": {
4631 |       "url": "https://github.com/sponsors/ljharb"
4632 |     }
4633 |   },
4634 |   "node_modules/is-weakref": {
4635 |     "version": "1.1.1",
4636 |     "resolved": "https://registry.npmjs.org/is-weakref/-/is-weakref-1.1.1.tgz",
4637 |     "integrity": "sha512-6i9mGWS1qzNMEqpCp93KwRS1uUOodk20J6b+sq7ZPDSy2WuI5NFIXp/254Tytr8ftefexkwn5xNiHUNpPOfSew==",
4638 |     "dev": true,
4639 |     "license": "MIT",
4640 |     "dependencies": {
4641 |       "call-bound": "^1.0.3"
4642 |     },
4643 |     "engines": {
4644 |       "node": ">= 0.4"
4645 |     },
4646 |     "funding": {
4647 |       "url": "https://github.com/sponsors/ljharb"
4648 |     }
4649 |   },
4650 |   "node_modules/is-weakset": {
4651 |     "version": "2.0.4",
4652 |     "resolved": "https://registry.npmjs.org/is-weakset/-/is-weakset-2.0.4.tgz",
4653 |     "integrity": "sha512-mfcwb6IzQyOKTs84CQMROwW4gQcaTOAWJ0zzJCL2WSPDrWk/OzDaImwFH3djXhb24g4eudZfLRozAvPGw4d9HQ==",
4654 |     "dev": true,
4655 |     "license": "MIT",
4656 |     "dependencies": {
4657 |       "call-bound": "^1.0.3",
4658 |       "get-intrinsic": "^1.2.6"
4659 |     },
4660 |     "engines": {
4661 |       "node": ">= 0.4"
4662 |     },
4663 |     "funding": {
4664 |       "url": "https://github.com/sponsors/ljharb"
4665 |     }
4666 |   },
4667 |   "node_modules/isarray": {
4668 |     "version": "2.0.5",
4669 |     "resolved": "https://registry.npmjs.org/isarray/-/isarray-2.0.5.tgz",
4670 |     "integrity": "sha512-xHjhDr3cNBK0BzdUJSPXZntQuX/mmMS5Rw4A71Pj90XGA06ISP/ePDNuo0vhqOZU+UD5JoodwCAAoZQd3FeAKw==",

```

```

4671 |     "dev": true,
4672 |     "license": "MIT"
4673 |   },
4674 |   "node_modules/isexe": {
4675 |     "version": "2.0.0",
4676 |     "resolved": "https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz",
4677 |     "integrity": "sha512-RHxMLp9lnKHGHRng9QFhRCMBYAcVpn69sm5Gcq3f36xjgVVWThj4qqLbTLlq7S5sj8B+fIQ1EuCEGI2lKsyQeIw==",
4678 |     "dev": true,
4679 |     "license": "ISC"
4680 |   },
4681 |   "node_modules/iterator.prototype": {
4682 |     "version": "1.1.5",
4683 |     "resolved": "https://registry.npmjs.org/iterator.prototype/-/iterator.prototype-1.1.5.tgz",
4684 |     "integrity": "sha512-H0dkQoCa3b2VEeKQ80xFph+JABcrQdE7KC0UkqwpLmv2EC4P41QXP+rqq9wYodACiG5/WM5s9oDApTU8utwj9g==",
4685 |     "dev": true,
4686 |     "license": "MIT",
4687 |     "dependencies": {
4688 |       "define-data-property": "^1.1.4",
4689 |       "es-object-atoms": "^1.0.0",
4690 |       "get-intrinsic": "^1.2.6",
4691 |       "get-proto": "^1.0.0",
4692 |       "has-symbols": "^1.1.0",
4693 |       "set-function-name": "^2.0.2"
4694 |     },
4695 |     "engines": {
4696 |       "node": ">= 0.4"
4697 |     }
4698 |   },
4699 |   "node_modules/jiti": {
4700 |     "version": "2.7.0",
4701 |     "resolved": "https://registry.npmjs.org/jiti/-/jiti-2.7.0.tgz",
4702 |     "integrity": "sha512-AC/7J0vZGrrneWNaEnJ0LUx+J1Gt7tNa0wZiRPT4MY1wmfKjt2+602p2uz2+sk1180ZZmJMNqeke7kKbNgQ==",
4703 |     "dev": true,
4704 |     "license": "MIT",
4705 |     "bin": {
4706 |       "jiti": "lib/jiti-cli.mjs"
4707 |     }
4708 |   },
4709 |   "node_modules/js-tokens": {
4710 |     "version": "4.0.0",
4711 |     "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
4712 |     "integrity": "sha512-Ed8JwU03u1YvYQ3317jPRG3WVrOHOuY8/Oazt0AzLVFQWIIMFPLv7z40IPsCzYwV2/9zPZsJjQ302k1Gw==",
4713 |     "dev": true,
4714 |     "license": "MIT"
4715 |   },
4716 |   "node_modules/js-yaml": {
4717 |     "version": "4.2.0",
4718 |     "resolved": "https://registry.npmjs.org/js-yaml/-/js-yaml-4.2.0.tgz",
4719 |     "integrity": "sha512-9e06c189+e0Wd92YG25Y7J2B/1l46/8k/qS1u8HnM1UjRfHh8gS1QhXt4rUwIYQVku9DQkx9P4oW==",
4720 |     "dev": true,
4721 |     "funding": [
4722 |       {
4723 |         "type": "github",
4724 |         "url": "https://github.com/sponsors/puzrin"
4725 |       },
4726 |       {
4727 |         "type": "github",
4728 |         "url": "https://github.com/sponsors/nodeca"
4729 |       }
4730 |     ],
4731 |     "license": "MIT",
4732 |     "dependencies": {
4733 |       "argparse": "^2.0.1"
4734 |     },
4735 |     "bin": {
4736 |       "js-yaml": "bin/js-yaml.js"
4737 |     }
4738 |   },
4739 |   "node_modules/jstest": {
4740 |     "version": "3.1.0",
4741 |     "resolved": "https://registry.npmjs.org/jstest/-/jstest-3.1.0.tgz",
4742 |     "integrity": "sha512-sM3d02F0zXjKqHJuo0Q173wF2K0o8t4I8vHy61F9p0Up7bKT0/NHE8fPX23PwfhnkfqnC2xRxnVw5XuG1aA==",
4743 |     "dev": true,
4744 |     "license": "MIT",
4745 |     "bin": {
4746 |       "jstest": "bin/jstest"
4747 |     },
4748 |     "engines": {
4749 |       "node": ">=6"
4750 |     }
4751 |   },
4752 |   "node_modules/json-buffer": {
4753 |     "version": "3.0.1",
4754 |     "resolved": "https://registry.npmjs.org/json-buffer/-/json-buffer-3.0.1.tgz",
4755 |     "integrity": "sha512-4FV4UQ13WtHb1C8gVrYm9B9J0HhP8U/13C8rJ2Zu3qEzOJqMz6PqBvPqQqQqQqQqQqQqQqQqQ==",
4756 |     "dev": true,
4757 |     "license": "MIT"
4758 |   },
4759 |   "node_modules/json-schema-traverse": {
4760 |     "version": "0.4.1",
4761 |     "resolved": "https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-0.4.1.tgz",
4762 |     "integrity": "sha512-3D989HlWpbnUlQnkTgE+UYJB6wEgqRoFh5LoVl8nWpQDkYVfPcu0VwP7UwVJwQgAqU0bVwQqQqQqQqQ==",
4763 |     "dev": true,
4764 |     "license": "MIT"
4765 |   },
4766 |   "node_modules/json-stable-stringify-without-jsonify": {
4767 |     "version": "1.0.1",
4768 |     "resolved": "https://registry.npmjs.org/json-stable-stringify-without-jsonify/-/json-stable-stringify-without-jsonify-1.0.1.tgz",

```

```

4769 |     "integrity": "sha512-Bdboy+l7tA30GW6FjyFHWkP5LuByj1Tk33Ljyq0axyzdk9//JS12u3fP1QSmD1KNWq6VOKYGLAu87CisVirPw==",
4770 |     "dev": true,
4771 |     "license": "MIT"
4772 | },
4773 | "node_modules/json5": {
4774 |   "version": "2.2.3",
4775 |   "resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
4776 |   "integrity": "sha512-XmOWe7eyHYH14cLdVPoyg+GOH3rYX+KpzrylJwSW98t3Nk+U8X018FWK0gtzdb81XGf6zYwDUzeHMFxfasyg==",
4777 |   "dev": true,
4778 |   "license": "MIT",
4779 |   "bin": {
4780 |     "json5": "lib/cli.js"
4781 |   },
4782 |   "engines": {
4783 |     "node": ">=6"
4784 |   }
4785 | },
4786 | "node_modules/jsx-ast-utils": {
4787 |   "version": "3.3.5",
4788 |   "resolved": "https://registry.npmjs.org/jsx-ast-utils/-/jsx-ast-utils-3.3.5.tgz",
4789 |   "integrity": "sha512-ZZow9HBIS06EPgSjLUb8n2NKgmVWtwCvHGwFuJlMjvLfqlG6gpjirPhtdsseaLZjSibD8eegzmYpUZwoIlj2cQ==",
4790 |   "dev": true,
4791 |   "license": "MIT",
4792 |   "dependencies": {
4793 |     "array-includes": "^1.6",
4794 |     "array.prototype.flat": "^1.3.1",
4795 |     "object.assign": "^4.1.4",
4796 |     "object.values": "^1.1.6"
4797 |   },
4798 |   "engines": {
4799 |     "node": ">=4.0"
4800 |   }
4801 | },
4802 | "node_modules/keyv": {
4803 |   "version": "4.5.4",
4804 |   "resolved": "https://registry.npmjs.org/keyv/-/keyv-4.5.4.tgz",
4805 |   "integrity": "sha512-oxVHKHR/EJf2CNXnWxRLW6mg7JyCCUCG0DtEGmL2ctUo1PNTin1PUil+r/+4r5MpVgC/fn1kjsx7mjSujKqIpw==",
4806 |   "dev": true,
4807 |   "license": "MIT",
4808 |   "dependencies": {
4809 |     "json-buffer": "3.0.1"
4810 |   }
4811 | },
4812 | "node_modules/language-subtag-registry": {
4813 |   "version": "0.3.23",
4814 |   "resolved": "https://registry.npmjs.org/language-subtag-registry/-/language-subtag-registry-0.3.23.tgz",
4815 |   "integrity": "sha512-0K65Lea881pHotoGEa5gDlMxt3pctLi2RplBb7Ezh4rRdLE0tg17n4EwK9lamnUCkKBqaeKRVeBTq6BAxSkpXQ==",
4816 |   "dev": true,
4817 |   "license": "CC0-1.0"
4818 | },
4819 | "node_modules/language-tags": {
4820 |   "version": "1.0.9",
4821 |   "resolved": "https://registry.npmjs.org/language-tags/-/language-tags-1.0.9.tgz",
4822 |   "integrity": "sha512-MbjN408fEndfiQXbFQ1vnd+1NoLDsnQW41410oQBxiyXDMYH5z505juWa4KUE1LqXRC7DgOgZDbKlXHIwm27hA==",
4823 |   "dev": true,
4824 |   "license": "MIT",
4825 |   "dependencies": {
4826 |     "language-subtag-registry": "^0.3.20"
4827 |   },
4828 |   "engines": {
4829 |     "node": ">=0.10"
4830 |   }
4831 | },
4832 | "node_modules/levn": {
4833 |   "version": "0.4.1",
4834 |   "resolved": "https://registry.npmjs.org/levn/-/levn-0.4.1.tgz",
4835 |   "integrity": "sha512-+bT2uH4E5LGE7h/n3evcs/sQlJXCpIp6ym8OWJ5eV6+67DsQl/LaaT7qJBAt2rzfoa/5QBG8hxDix1dMt2kQKQ==",
4836 |   "dev": true,
4837 |   "license": "MIT",
4838 |   "dependencies": {
4839 |     "prelude-ls": "^1.2.1",
4840 |     "type-check": "~0.4.0"
4841 |   },
4842 |   "engines": {
4843 |     "node": ">= 0.8.0"
4844 |   }
4845 | },
4846 | "node_modules/lightningcss": {
4847 |   "version": "1.32.0",
4848 |   "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.32.0.tgz",
4849 |   "integrity": "sha512-X1FD2X8ZSZM7rRtRMA8JL30tAaGifRIKhQ5YQ==",
4850 |   "dev": true,
4851 |   "license": "MPL-2.0",
4852 |   "dependencies": {
4853 |     "detect-libc": "^2.0.3"
4854 |   },
4855 |   "engines": {
4856 |     "node": ">= 12.0.0"
4857 |   },
4858 |   "funding": {
4859 |     "type": "opencollective",
4860 |     "url": "https://opencollective.com/parcel"
4861 |   },
4862 |   "optionalDependencies": {
4863 |     "lightningcss-android-arm64": "1.32.0",
4864 |     "lightningcss-darwin-arm64": "1.32.0",
4865 |     "lightningcss-darwin-x64": "1.32.0",
4866 |     "lightningcss-freebsd-x64": "1.32.0",

```

```

4867 |         "lightningcss-linux-arm-gnueabi": "1.32.0",
4868 |         "lightningcss-linux-arm64-gnu": "1.32.0",
4869 |         "lightningcss-linux-arm64-musl": "1.32.0",
4870 |         "lightningcss-linux-x64-gnu": "1.32.0",
4871 |         "lightningcss-linux-x64-musl": "1.32.0",
4872 |         "lightningcss-win32-arm64-msvc": "1.32.0",
4873 |         "lightningcss-win32-x64-msvc": "1.32.0"
4874 |     },
4875 | },
4876 | "node_modules/lightningcss-android-arm64": {
4877 |   "version": "1.32.0",
4878 |   "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.32.0.tgz",
4879 |   "integrity": "sha512-YK7/CLTt4kAK0vo6w3X+Pnm0D2cf2vPHbhOXdoNti1Ga0al1P4TBZhwjATvjNwLEBcNkvjJc2jQgHXH0NEw1Ag==",
4880 |   "cpu": [
4881 |     "arm64"
4882 |   ],
4883 |   "dev": true,
4884 |   "license": "MPL-2.0",
4885 |   "optional": true,
4886 |   "os": [
4887 |     "android"
4888 |   ],
4889 |   "engines": {
4890 |     "node": ">= 12.0.0"
4891 |   },
4892 |   "funding": {
4893 |     "type": "opencollective",
4894 |     "url": "https://opencollective.com/parcel"
4895 |   }
4896 | },
4897 | "node_modules/lightningcss-darwin-arm64": {
4898 |   "version": "1.32.0",
4899 |   "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.32.0.tgz",
4900 |   "integrity": "sha512-RzeG9Ju5bag2Bv1/lw1VJvBE3q6TtXskdZLLCyfg5pt+HLz9Bq1IC07LZM7VHNTTn/5PRhHFBSjk51c4cmScPQ==",
4901 |   "cpu": [
4902 |     "arm64"
4903 |   ],
4904 |   "dev": true,
4905 |   "license": "MPL-2.0",
4906 |   "optional": true,
4907 |   "os": [
4908 |     "darwin"
4909 |   ],
4910 |   "engines": {
4911 |     "node": ">= 12.0.0"
4912 |   },
4913 |   "funding": {
4914 |     "type": "opencollective",
4915 |     "url": "https://opencollective.com/parcel"
4916 |   }
4917 | },
4918 | "node_modules/lightningcss-darwin-x64": {
4919 |   "version": "1.32.0",
4920 |   "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.32.0.tgz",
4921 |   "integrity": "sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NJq1CcMLTwp5muCrID+K5UJ6jqD2BFshejCYXniPDbNh73V8w==",
4922 |   "cpu": [
4923 |     "x64"
4924 |   ],
4925 |   "dev": true,
4926 |   "license": "MPL-2.0",
4927 |   "optional": true,
4928 |   "os": [
4929 |     "darwin"
4930 |   ],
4931 |   "engines": {
4932 |     "node": ">= 12.0.0"
4933 |   },
4934 |   "funding": {
4935 |     "type": "opencollective",
4936 |     "url": "https://opencollective.com/parcel"
4937 |   }
4938 | },
4939 | "node_modules/lightningcss-freebsd-x64": {
4940 |   "version": "1.32.0",
4941 |   "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.32.0.tgz",
4942 |   "integrity": "sha512-JCTigedEksZk3tHTTthnMdvFGf61Fky8Ji2E4YjUTEQX14xiy/1TzXnu1vwiZe3bYe0q+SpsSH/CTeDXK6WHig==",
4943 |   "cpu": [
4944 |     "x64"
4945 |   ],
4946 |   "dev": true,
4947 |   "license": "MPL-2.0",
4948 |   "optional": true,
4949 |   "os": [
4950 |     "freebsd"
4951 |   ],
4952 |   "engines": {
4953 |     "node": ">= 12.0.0"
4954 |   },
4955 |   "funding": {
4956 |     "type": "opencollective",
4957 |     "url": "https://opencollective.com/parcel"
4958 |   }
4959 | },
4960 | "node_modules/lightningcss-linux-arm-gnueabi": {
4961 |   "version": "1.32.0",
4962 |   "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabi/-/lightningcss-linux-arm-gnueabi-1.32.0.tgz",
4963 |   "integrity": "sha512-x6rnnpRa2GL0zQ0kt6rts3YDPzduLpWwAF6EMhFVZXD4tPrBkEFqzGowzCsIWsPjqSK+tyNEODUBXeeVHSkw==",
4964 |   "cpu": [

```

```

4965 |     "arm"
4966 |   ],
4967 |   "dev": true,
4968 |   "license": "MPL-2.0",
4969 |   "optional": true,
4970 |   "os": [
4971 |     "linux"
4972 |   ],
4973 |   "engines": {
4974 |     "node": ">= 12.0.0"
4975 |   },
4976 |   "funding": {
4977 |     "type": "opencollective",
4978 |     "url": "https://opencollective.com/parcel"
4979 |   }
4980 | },
4981 | "node_modules/lightningcss-linux-arm64-gnu": {
4982 |   "version": "1.32.0",
4983 |   "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64-gnu-1.32.0.tgz",
4984 |   "integrity": "sha512-0nnMyoyOLRJXfbMOilaSRcLH3Jw5z9HDNGfT/gwCPgaDjnx0i8w7vBzFLFR1f6CMLKF8gVbebmKUN3fa/kQJpQ==",
4985 |   "cpu": [
4986 |     "arm64"
4987 |   ],
4988 |   "dev": true,
4989 |   "libc": [
4990 |     "glibc"
4991 |   ],
4992 |   "license": "MPL-2.0",
4993 |   "optional": true,
4994 |   "os": [
4995 |     "linux"
4996 |   ],
4997 |   "engines": {
4998 |     "node": ">= 12.0.0"
4999 |   },
5000 |   "funding": {
5001 |     "type": "opencollective",
5002 |     "url": "https://opencollective.com/parcel"
5003 |   }
5004 | },
5005 | "node_modules/lightningcss-linux-arm64-musl": {
5006 |   "version": "1.32.0",
5007 |   "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm64-musl-1.32.0.tgz",
5008 |   "integrity": "sha512-UpQkoenr4UJYegVIYpI80lDfVrMpvG6oqboNHfoH4CQifNA+H0rZ7Mo7KZP02dC6LjghPQJeBsvXhJod/wnIBg==",
5009 |   "cpu": [
5010 |     "arm64"
5011 |   ],
5012 |   "dev": true,
5013 |   "libc": [
5014 |     "musl"
5015 |   ],
5016 |   "license": "MPL-2.0",
5017 |   "optional": true,
5018 |   "os": [
5019 |     "linux"
5020 |   ],
5021 |   "engines": {
5022 |     "node": ">= 12.0.0"
5023 |   },
5024 |   "funding": {
5025 |     "type": "opencollective",
5026 |     "url": "https://opencollective.com/parcel"
5027 |   }
5028 | },
5029 | "node_modules/lightningcss-linux-x64-gnu": {
5030 |   "version": "1.32.0",
5031 |   "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.32.0.tgz",
5032 |   "integrity": "sha512-V7Qr52IhZmdKPvR+Vtw8o+WLSQJYCTd8loIfpDaMRWGUZfBOYEJeyJikqGIDMZPwPx24pUMfwSxxI8phr/MbOA==",
5033 |   "cpu": [
5034 |     "x64"
5035 |   ],
5036 |   "dev": true,
5037 |   "libc": [
5038 |     "glibc"
5039 |   ],
5040 |   "license": "MPL-2.0",
5041 |   "optional": true,
5042 |   "os": [
5043 |     "linux"
5044 |   ],
5045 |   "engines": {
5046 |     "node": ">= 12.0.0"
5047 |   },
5048 |   "funding": {
5049 |     "type": "opencollective",
5050 |     "url": "https://opencollective.com/parcel"
5051 |   }
5052 | },
5053 | "node_modules/lightningcss-linux-x64-musl": {
5054 |   "version": "1.32.0",
5055 |   "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.32.0.tgz",
5056 |   "integrity": "sha512-bYcLp+Vb0awsIXg/80uCRczYHNg1/l3mt0gzHnW9XP1w5Ka5/TCdGwAr/zBM2PeF/HbsQv/j2URN0iVuxWg==",
5057 |   "cpu": [
5058 |     "x64"
5059 |   ],
5060 |   "dev": true,
5061 |   "libc": [
5062 |     "musl"

```

```

5063 |     ],
5064 |     "license": "MPL-2.0",
5065 |     "optional": true,
5066 |     "os": [
5067 |       "linux"
5068 |     ],
5069 |     "engines": {
5070 |       "node": ">= 12.0.0"
5071 |     },
5072 |     "funding": {
5073 |       "type": "opencollective",
5074 |       "url": "https://opencollective.com/parcel"
5075 |     }
5076 |   },
5077 |   "node_modules/lightningcss-win32-arm64-msvc": {
5078 |     "version": "1.32.0",
5079 |     "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msvc-1.32.0.tgz",
5080 |     "integrity": "sha512-8SbC8BR40pS6baCM8sbtYDSwEVQd4JlFT0laD3gWGHfThTcAbNND8da6eTZebofaliIjHfX0qKzghJmcPTnGdw==",
5081 |     "cpu": [
5082 |       "arm64"
5083 |     ],
5084 |     "dev": true,
5085 |     "license": "MPL-2.0",
5086 |     "optional": true,
5087 |     "os": [
5088 |       "win32"
5089 |     ],
5090 |     "engines": {
5091 |       "node": ">= 12.0.0"
5092 |     },
5093 |     "funding": {
5094 |       "type": "opencollective",
5095 |       "url": "https://opencollective.com/parcel"
5096 |     }
5097 |   },
5098 |   "node_modules/lightningcss-win32-x64-msvc": {
5099 |     "version": "1.32.0",
5100 |     "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.32.0.tgz",
5101 |     "integrity": "sha512-Amq9B/SoZyDi1kFrojnoqPLxYhQ4Wo5Xil8EVJrVsB8ARoC1Pw6VGtT0MKCemjy8aC+louJnjS7U18x3b06Q==",
5102 |     "cpu": [
5103 |       "x64"
5104 |     ],
5105 |     "dev": true,
5106 |     "license": "MPL-2.0",
5107 |     "optional": true,
5108 |     "os": [
5109 |       "win32"
5110 |     ],
5111 |     "engines": {
5112 |       "node": ">= 12.0.0"
5113 |     },
5114 |     "funding": {
5115 |       "type": "opencollective",
5116 |       "url": "https://opencollective.com/parcel"
5117 |     }
5118 |   },
5119 |   "node_modules/locate-path": {
5120 |     "version": "6.0.0",
5121 |     "resolved": "https://registry.npmjs.org/locate-path/-/locate-path-6.0.0.tgz",
5122 |     "integrity": "sha512-iPZK6eYjbxRu3uB4/WZ3EsEIMJFMqAoop13R+zuq0UjCAm/M06KCweDgPFP3elTztoKP3KtnVHxTn2NH8SDVUw==",
5123 |     "dev": true,
5124 |     "license": "MIT",
5125 |     "dependencies": {
5126 |       "p-locate": "^5.0.0"
5127 |     },
5128 |     "engines": {
5129 |       "node": ">=10"
5130 |     },
5131 |     "funding": {
5132 |       "url": "https://github.com/sponsors/sindresorhus"
5133 |     }
5134 |   },
5135 |   "node_modules/lodash.merge": {
5136 |     "version": "4.6.2",
5137 |     "resolved": "https://registry.npmjs.org/lodash.merge/-/lodash.merge-4.6.2.tgz",
5138 |     "integrity": "sha512-0KpjqXRVvrYCsX1swR/XTK0va6VQkQM6MNo7PqW77ByjAhoARA8EfrP1N4+K1Kj8YS0ZUCtRT/YUuhyYDuJlIQ==",
5139 |     "dev": true,
5140 |     "license": "MIT"
5141 |   },
5142 |   "node_modules/loose-envify": {
5143 |     "version": "1.4.0",
5144 |     "resolved": "https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz",
5145 |     "integrity": "sha512-lyuxPGR/Wfhrlem2CL/UcnUc1zcqKAImBDzukyY7Y5F/yQiNdko6+fRLevlw1HgMySw7f611UIY408EtxRSok3Q==",
5146 |     "dev": true,
5147 |     "license": "MIT",
5148 |     "dependencies": {
5149 |       "js-tokens": "^3.0.0 || ^4.0.0"
5150 |     },
5151 |     "bin": {
5152 |       "loose-envify": "cli.js"
5153 |     }
5154 |   },
5155 |   "node_modules/lru-cache": {
5156 |     "version": "5.1.1",
5157 |     "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
5158 |     "integrity": "sha512-KwBZQpm8Apt2jVwzhbq1M90UeBnsOIcYH7K1J/ni14VGbVulVp0P14P88Y91AmW0d9gF8V7nOz1K9w==",
5159 |     "dev": true,
5160 |     "license": "ISC",

```

```

5161 |     "dependencies": {
5162 |       "yallist": "^3.0.2"
5163 |     }
5164 |   },
5165 |   "node_modules/magic-string": {
5166 |     "version": "0.30.21",
5167 |     "resolved": "https://registry.npmjs.org/magic-string/-/magic-string-0.30.21.tgz",
5168 |     "integrity": "sha512-vd2F4YUyEXKGCILHoq+TEyCjxueSeHnFxyjNp80yg0XV4vUhnDer/lvvlqM/arB5bXQN5K2/3oinyCRyx8T2CQ==",
5169 |     "dev": true,
5170 |     "license": "MIT",
5171 |     "dependencies": {
5172 |       "@jridgewell/sourcemap-codec": "^1.5.5"
5173 |     }
5174 |   },
5175 |   "node_modules/math-intrinsics": {
5176 |     "version": "1.1.0",
5177 |     "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
5178 |     "integrity": "sha512-8q7FbEgMjW4J8tcFvPy8g09NcQwZdbwFqhe/wZkoiZjn/3TGDwtOCYtXGxA308tPzpczCCDgv+P2P5y0ZJ00g==",
5179 |     "dev": true,
5180 |     "license": "MIT",
5181 |     "engines": {
5182 |       "node": ">= 0.4"
5183 |     }
5184 |   },
5185 |   "node_modules/merge2": {
5186 |     "version": "1.4.1",
5187 |     "resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
5188 |     "integrity": "sha512-8q7FbEgMjW4J8tcFvPy8g09NcQwZdbwFqhe/wZkoiZjn/3TGDwtOCYtXGxA308tPzpczCCDgv+P2P5y0ZJ00g==",
5189 |     "dev": true,
5190 |     "license": "MIT",
5191 |     "engines": {
5192 |       "node": ">= 8"
5193 |     }
5194 |   },
5195 |   "node_modules/micromatch": {
5196 |     "version": "4.0.8",
5197 |     "resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
5198 |     "integrity": "sha512-PXwF8hYu0hBCPw8Dn0E+wDYb7af3dSLVWKi3HGv84IdF4TyFoC0ysxFd0Goxw7nSv4T/PzEJQxsYsEiFCKo2BA==",
5199 |     "dev": true,
5200 |     "license": "MIT",
5201 |     "dependencies": {
5202 |       "braces": "^3.0.3",
5203 |       "picomatch": "^2.3.1"
5204 |     },
5205 |     "engines": {
5206 |       "node": ">=8.6"
5207 |     }
5208 |   },
5209 |   "node_modules/minimatch": {
5210 |     "version": "3.1.5",
5211 |     "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-3.1.5.tgz",
5212 |     "integrity": "sha512-1Gp395N2P+8L4300aYxGLG598w0KQd35tDhQnQ4E4uTzL75eH49G8En14g8L8tg8tr3Z0ZLWz5XoQ==",
5213 |     "dev": true,
5214 |     "license": "ISC",
5215 |     "dependencies": {
5216 |       "brace-expansion": "^1.1.7"
5217 |     },
5218 |     "engines": {
5219 |       "node": "*"
5220 |     }
5221 |   },
5222 |   "node_modules/minimist": {
5223 |     "version": "1.2.8",
5224 |     "resolved": "https://registry.npmjs.org/minimist/-/minimist-1.2.8.tgz",
5225 |     "integrity": "sha512-2yyAR8qBkn3YuhcJanUpwC5U3bb5osDywnB8RzDVLdDhbcAJveqqj1u8+SVD7jkwT4yvsHCpWqWqAxb0zCA==",
5226 |     "dev": true,
5227 |     "license": "MIT",
5228 |     "funding": {
5229 |       "url": "https://github.com/sponsors/ljharb"
5230 |     }
5231 |   },
5232 |   "node_modules/ms": {
5233 |     "version": "2.1.3",
5234 |     "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
5235 |     "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEh7zQs0xgHYaCU99YXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xA0tHnSO/tXtF3WRT1A==",
5236 |     "dev": true,
5237 |     "license": "MIT"
5238 |   },
5239 |   "node_modules/nanoid": {
5240 |     "version": "3.3.12",
5241 |     "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.12.tgz",
5242 |     "integrity": "sha512-6F1zlubTLZG3J2a/NVCAleEh7zQs0xgHYaCU99YXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xA0tHnSO/tXtF3WRT1A==",
5243 |     "funding": [
5244 |       {
5245 |         "type": "github",
5246 |         "url": "https://github.com/sponsors/ai"
5247 |       }
5248 |     ],
5249 |     "license": "MIT",
5250 |     "bin": {
5251 |       "nanoid": "bin/nanoid.cjs"
5252 |     },
5253 |     "engines": {
5254 |       "node": ">=10 || ^12 || ^13.7 || ^14 || >=15.0.1"
5255 |     }
5256 |   },
5257 |   "node_modules/napi-postinstall": {
5258 |     "version": "0.3.4",

```

```

5259 | "resolved": "https://registry.npmjs.org/napi-postinstall/-/napi-postinstall-0.3.4.tgz",
5260 | "integrity": "sha512-PHI5f100EP5xJ9gQmFGMS6IZcrVvTjpXjz7Na41gTE7eE2hK11lg04CECCYEEjdc17EV4D0+fkGEtt7TpTaTiQ==",
5261 | "dev": true,
5262 | "license": "MIT",
5263 | "bin": {
5264 |   "napi-postinstall": "lib/cli.js"
5265 | },
5266 | "engines": {
5267 |   "node": ">=12.20.0 || ^14.18.0 || >=16.0.0"
5268 | },
5269 | "funding": {
5270 |   "url": "https://opencollective.com/napi-postinstall"
5271 | },
5272 | },
5273 | "node_modules/natural-compare": {
5274 |   "version": "1.4.0",
5275 |   "resolved": "https://registry.npmjs.org/natural-compare/-/natural-compare-1.4.0.tgz",
5276 |   "integrity": "sha512-OWND8ei3VtNC9h7V60qff3SVobHr996CTwgxubgyQYEpg290h9J0buyECNNJexkFm5S0ajh5G116RYA1c8ZMSw==",
5277 |   "dev": true,
5278 |   "license": "MIT"
5279 | },
5280 | "node_modules/next": {
5281 |   "version": "16.2.9",
5282 |   "resolved": "https://registry.npmjs.org/next/-/next-16.2.9.tgz",
5283 |   "integrity": "sha512-ME0Jiq/UvvezAdqV5ceHbqDgZt1kDw2tpGV01sdIoJsQdbN2JY2hpVG4xnXGkbdJU0EWhnRfiu/O4Hpc9Juwwww==",
5284 |   "license": "MIT",
5285 |   "dependencies": {
5286 |     "@next/env": "16.2.9",
5287 |     "@swc/helpers": "0.5.15",
5288 |     "baseline-browser-mapping": "2.9.19",
5289 |     "caniuse-lite": "1.0.30001579",
5290 |     "postcss": "8.4.31",
5291 |     "styled-jsx": "5.1.6"
5292 |   },
5293 |   "bin": {
5294 |     "next": "dist/bin/next"
5295 |   },
5296 |   "engines": {
5297 |     "node": ">=20.9.0"
5298 |   },
5299 |   "optionalDependencies": {
5300 |     "@next/swc-darwin-arm64": "16.2.9",
5301 |     "@next/swc-darwin-x64": "16.2.9",
5302 |     "@next/swc-linux-arm64-gnu": "16.2.9",
5303 |     "@next/swc-linux-arm64-musl": "16.2.9",
5304 |     "@next/swc-linux-x64-gnu": "16.2.9",
5305 |     "@next/swc-linux-x64-musl": "16.2.9",
5306 |     "@next/swc-win32-arm64-msvc": "16.2.9",
5307 |     "@next/swc-win32-x64-msvc": "16.2.9",
5308 |     "sharp": "0.34.5"
5309 |   },
5310 |   "peerDependencies": {
5311 |     "@opentelemetry/api": "1.1.0",
5312 |     "@playwright/test": "1.51.1",
5313 |     "babel-plugin-react-compiler": "*",
5314 |     "react": "18.2.0 || 19.0.0-rc-de68d2f4-20241204 || 19.0.0",
5315 |     "react-dom": "18.2.0 || 19.0.0-rc-de68d2f4-20241204 || 19.0.0",
5316 |     "sass": "1.3.0"
5317 |   },
5318 |   "peerDependenciesMeta": {
5319 |     "@opentelemetry/api": {
5320 |       "optional": true
5321 |     },
5322 |     "@playwright/test": {
5323 |       "optional": true
5324 |     },
5325 |     "babel-plugin-react-compiler": {
5326 |       "optional": true
5327 |     },
5328 |     "sass": {
5329 |       "optional": true
5330 |     }
5331 |   },
5332 | },
5333 | "node_modules/next/node_modules/postcss": {
5334 |   "version": "8.4.31",
5335 |   "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.4.31.tgz",
5336 |   "integrity": "sha512-PS08Iboia9mts/2ygV3elpY5ghnUcFLV/EXTOW1E2qYxJKGGBUtNjN76FYHnMs36RmARn41bC0AZmn+rR0VpQ==",
5337 |   "funding": [
5338 |     {
5339 |       "type": "opencollective",
5340 |       "url": "https://opencollective.com/postcss/"
5341 |     },
5342 |     {
5343 |       "type": "tidelift",
5344 |       "url": "https://tidelift.com/funding/github/npm/postcss"
5345 |     },
5346 |     {
5347 |       "type": "github",
5348 |       "url": "https://github.com/sponsors/ai"
5349 |     }
5350 |   ],
5351 |   "license": "MIT",
5352 |   "dependencies": {
5353 |     "nanoid": "3.3.6",
5354 |     "picocolors": "1.0.0",
5355 |     "source-map-js": "1.0.2"
5356 |   },

```



```

5357 |     "engines": {
5358 |       "node": "^10 || ^12 || >=14"
5359 |     }
5360 |   },
5361 |   "node_modules/node-exports-info": {
5362 |     "version": "1.6.0",
5363 |     "resolved": "https://registry.npmjs.org/node-exports-info/-/node-exports-info-1.6.0.tgz",
5364 |     "integrity": "sha512-pyF563ptit/P5WqUkt+UUfe+4oevH+bFeiPPdfb0pFeYEu/1ELnJu5l+5EcTKYL5M7zaAa7S8ddywgXypqKCw==",
5365 |     "dev": true,
5366 |     "license": "MIT",
5367 |     "dependencies": {
5368 |       "array.prototype.flatmap": "^1.3.3",
5369 |       "es-errors": "^1.3.0",
5370 |       "object.entries": "^1.1.9",
5371 |       "semver": "^6.3.1"
5372 |     },
5373 |     "engines": {
5374 |       "node": ">= 0.4"
5375 |     },
5376 |     "funding": {
5377 |       "url": "https://github.com/sponsors/ljharb"
5378 |     }
5379 |   },
5380 |   "node_modules/node-releases": {
5381 |     "version": "2.0.47",
5382 |     "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.47.tgz",
5383 |     "integrity": "sha512-Uzmd6LXpouKo8EUK68IjH4+E01w/hXyV3R3g/geCJo+rXLNfh1xucB+L0zYEQP5iUK3h/xZf0cQcSsmYL2Qg==",
5384 |     "dev": true,
5385 |     "license": "MIT",
5386 |     "engines": {
5387 |       "node": ">=18"
5388 |     }
5389 |   },
5390 |   "node_modules/object-assign": {
5391 |     "version": "4.1.1",
5392 |     "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
5393 |     "integrity": "sha512-1J1V2pWbmjyepWt1K1p2clP972ueUeoaNhwYH0vObb3m5QnS/Sdrf1tLx447qoG7JZZIwOq+GLn4Siz7bA==",
5394 |     "dev": true,
5395 |     "license": "MIT",
5396 |     "engines": {
5397 |       "node": ">=0.10.0"
5398 |     }
5399 |   },
5400 |   "node_modules/object-inspect": {
5401 |     "version": "1.13.4",
5402 |     "resolved": "https://registry.npmjs.org/object-inspect/-/object-inspect-1.13.4.tgz",
5403 |     "integrity": "sha512-6Z8iFYYE1rDj5fImZS71W1R1S0s8JqSc8a65uV7sWqCuWBOQ7WFIrWBt9aM1Vp10b2H+Yl0q40rBd9Uw==",
5404 |     "dev": true,
5405 |     "license": "MIT",
5406 |     "engines": {
5407 |       "node": ">= 0.4"
5408 |     },
5409 |     "funding": {
5410 |       "url": "https://github.com/sponsors/ljharb"
5411 |     }
5412 |   },
5413 |   "node_modules/object-keys": {
5414 |     "version": "1.1.1",
5415 |     "resolved": "https://registry.npmjs.org/object-keys/-/object-keys-1.1.1.tgz",
5416 |     "integrity": "sha512-NuAESUOUMrlIXOfHKzD6bpPu3tYt3xvJndRIQ+FeT01Nb4K8WR70CaDxhunuS2XG+GjkyMw0zsn5ZktImfHLA==",
5417 |     "dev": true,
5418 |     "license": "MIT",
5419 |     "engines": {
5420 |       "node": ">= 0.4"
5421 |     }
5422 |   },
5423 |   "node_modules/object.assign": {
5424 |     "version": "4.1.7",
5425 |     "resolved": "https://registry.npmjs.org/object.assign/-/object.assign-4.1.7.tgz",
5426 |     "integrity": "sha512-11Uw1W6R+3xULW8lYUa30UaF5C332k6z4R0K19F3Q/1h+93IYw1Y7U81HVIr0Z898z6G0PD6K0eNtAA==",
5427 |     "dev": true,
5428 |     "license": "MIT",
5429 |     "dependencies": {
5430 |       "call-bind": "^1.0.8",
5431 |       "call-bound": "^1.0.3",
5432 |       "define-properties": "^1.2.1",
5433 |       "es-object-atoms": "^1.0.0",
5434 |       "has-symbols": "^1.1.0",
5435 |       "object-keys": "^1.1.1"
5436 |     },
5437 |     "engines": {
5438 |       "node": ">= 0.4"
5439 |     },
5440 |     "funding": {
5441 |       "url": "https://github.com/sponsors/ljharb"
5442 |     }
5443 |   },
5444 |   "node_modules/object.entries": {
5445 |     "version": "1.1.9",
5446 |     "resolved": "https://registry.npmjs.org/object.entries/-/object.entries-1.1.9.tgz",
5447 |     "integrity": "sha512-88D1W9aWUx9oJ2U8uF0L3ZtnjNN9KmE7FR544Tl81b15YqZTs8sR036xwFysIdR7oW+9Iv13PK6i49w==",
5448 |     "dev": true,
5449 |     "license": "MIT",
5450 |     "dependencies": {
5451 |       "call-bind": "^1.0.8",
5452 |       "call-bound": "^1.0.4",
5453 |       "define-properties": "^1.2.1",
5454 |       "es-object-atoms": "^1.1.1"

```

```

5455 |     },
5456 |     "engines": {
5457 |       "node": ">= 0.4"
5458 |     }
5459 |   },
5460 |   "node_modules/object.fromentries": {
5461 |     "version": "2.0.8",
5462 |     "resolved": "https://registry.npmjs.org/object.fromentries/-/object.fromentries-2.0.8.tgz",
5463 |     "integrity": "sha512-k6E21FzySsSK5a21KRADBd/NGneRegF05pLHfdQLpRDETUNJueLXs3WCzyQ3tFRDygbq3KHGXftbi2bs8WQ6rQ==",
5464 |     "dev": true,
5465 |     "license": "MIT",
5466 |     "dependencies": {
5467 |       "call-bind": "^1.0.7",
5468 |       "define-properties": "^1.2.1",
5469 |       "es-abstract": "^1.23.2",
5470 |       "es-object-atoms": "^1.0.0"
5471 |     },
5472 |     "engines": {
5473 |       "node": ">= 0.4"
5474 |     },
5475 |     "funding": {
5476 |       "url": "https://github.com/sponsors/ljharb"
5477 |     }
5478 |   },
5479 |   "node_modules/object.groupby": {
5480 |     "version": "1.0.3",
5481 |     "resolved": "https://registry.npmjs.org/object.groupby/-/object.groupby-1.0.3.tgz",
5482 |     "integrity": "sha512-hy3TuzXI5hev8sB6GqbmrHbbIjAi0Z4S63nthVLMxfbj4T54a4CfZrXIrt9I4mVAPYMo/v99taj3wjQ==",
5483 |     "dev": true,
5484 |     "license": "MIT",
5485 |     "dependencies": {
5486 |       "call-bind": "^1.0.7",
5487 |       "define-properties": "^1.2.1",
5488 |       "es-abstract": "^1.23.2"
5489 |     },
5490 |     "engines": {
5491 |       "node": ">= 0.4"
5492 |     }
5493 |   },
5494 |   "node_modules/object.values": {
5495 |     "version": "1.2.1",
5496 |     "resolved": "https://registry.npmjs.org/object.values/-/object.values-1.2.1.tgz",
5497 |     "integrity": "sha512-qXah6aZrcUxjWg2zR2MwouP2eH1CBzdV4pygudehaKXSGW4v2AsRQUK+lwXhii6KFZcunEnmSuoYp5CXibxtA==",
5498 |     "dev": true,
5499 |     "license": "MIT",
5500 |     "dependencies": {
5501 |       "call-bind": "^1.0.8",
5502 |       "call-bound": "^1.0.3",
5503 |       "define-properties": "^1.2.1",
5504 |       "es-object-atoms": "^1.0.0"
5505 |     },
5506 |     "engines": {
5507 |       "node": ">= 0.4"
5508 |     },
5509 |     "funding": {
5510 |       "url": "https://github.com/sponsors/ljharb"
5511 |     }
5512 |   },
5513 |   "node_modules/optionator": {
5514 |     "version": "0.9.4",
5515 |     "resolved": "https://registry.npmjs.org/optionator/-/optionator-0.9.4.tgz",
5516 |     "integrity": "sha512-6IpQ7mKUXRcZnLI0bR0hz7lxsapSSiYNZJwXPGef0mTVqGKfIXj1DQcMoT22S3R0cLyY/rz0PWaWZ9ayWmad9g==",
5517 |     "dev": true,
5518 |     "license": "MIT",
5519 |     "dependencies": {
5520 |       "deep-is": "^0.1.3",
5521 |       "fast-levenshtein": "^2.0.6",
5522 |       "levn": "^0.4.1",
5523 |       "prelude-ls": "^1.2.1",
5524 |       "type-check": "^0.4.0",
5525 |       "word-wrap": "^1.2.5"
5526 |     },
5527 |     "engines": {
5528 |       "node": ">= 0.8.0"
5529 |     }
5530 |   },
5531 |   "node_modules/own-keys": {
5532 |     "version": "1.0.1",
5533 |     "resolved": "https://registry.npmjs.org/own-keys/-/own-keys-1.0.1.tgz",
5534 |     "integrity": "sha512-qFOyK5PjiWZd+QQIH+1jhdB9LpxTF0qs7Pm8o5QHYZ0M3vKqSqsZaEB6oW1xZ+q2sJBMI/Ktgd2N5ZwQoRHfg==",
5535 |     "dev": true,
5536 |     "license": "MIT",
5537 |     "dependencies": {
5538 |       "get-intrinsic": "^1.2.6",
5539 |       "object-keys": "^1.1.1",
5540 |       "safe-push-apply": "^1.0.0"
5541 |     },
5542 |     "engines": {
5543 |       "node": ">= 0.4"
5544 |     },
5545 |     "funding": {
5546 |       "url": "https://github.com/sponsors/ljharb"
5547 |     }
5548 |   },
5549 |   "node_modules/p-limit": {
5550 |     "version": "3.1.0",
5551 |     "resolved": "https://registry.npmjs.org/p-limit/-/p-limit-3.1.0.tgz",
5552 |     "integrity": "sha512-TYOanM3wGwNGs2N2cVTYPArw454xnXj5qmwF1bEoAc4+cU/ol7GVh7odevjp1FNHduHc3KZMcFduxU5Xc6JrQ==",

```

```

5553 |     "dev": true,
5554 |     "license": "MIT",
5555 |     "dependencies": {
5556 |       "yocto-queue": "^0.1.0"
5557 |     },
5558 |     "engines": {
5559 |       "node": ">=10"
5560 |     },
5561 |     "funding": {
5562 |       "url": "https://github.com/sponsors/sindresorhus"
5563 |     }
5564 |   },
5565 |   "node_modules/p-locate": {
5566 |     "version": "5.0.0",
5567 |     "resolved": "https://registry.npmjs.org/p-locate/-/p-locate-5.0.0.tgz",
5568 |     "integrity": "sha512-LaNjtRWUBY++zB5nE/NwcaoMy1SPk+S+ZHNb1TzdbMJMny6dynpAGt7X/tl/QYq3TIE6nxHppbo2LGymrG5Pw==",
5569 |     "dev": true,
5570 |     "license": "MIT",
5571 |     "dependencies": {
5572 |       "p-limit": "^3.0.2"
5573 |     },
5574 |     "engines": {
5575 |       "node": ">=10"
5576 |     },
5577 |     "funding": {
5578 |       "url": "https://github.com/sponsors/sindresorhus"
5579 |     }
5580 |   },
5581 |   "node_modules/parent-module": {
5582 |     "version": "1.0.1",
5583 |     "resolved": "https://registry.npmjs.org/parent-module/-/parent-module-1.0.1.tgz",
5584 |     "integrity": "sha512-GQ2ERpQV8/o+Aw8YqtFZZPfNRWZYkbidE9k5rp1/hC3vtHBF6m2Ifi6qWV+coDGkrUKZAxE3Lot5kcsRlh+g==",
5585 |     "dev": true,
5586 |     "license": "MIT",
5587 |     "dependencies": {
5588 |       "callsites": "^3.0.0"
5589 |     },
5590 |     "engines": {
5591 |       "node": ">=6"
5592 |     }
5593 |   },
5594 |   "node_modules/path-exists": {
5595 |     "version": "4.0.0",
5596 |     "resolved": "https://registry.npmjs.org/path-exists/-/path-exists-4.0.0.tgz",
5597 |     "integrity": "sha512-ak9Qy5Q7jYb2Wwcey5Fpvg2KoAc/ZIhLSLOSBmRmygPsGwkVvt0fZa0qrtMz+m6tJTAHfZQ8FnmB4MG4LWY7/w==",
5598 |     "dev": true,
5599 |     "license": "MIT",
5600 |     "engines": {
5601 |       "node": ">=8"
5602 |     }
5603 |   },
5604 |   "node_modules/path-key": {
5605 |     "version": "3.1.1",
5606 |     "resolved": "https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz",
5607 |     "integrity": "sha512-oJmeN0qd+y0yszEtoY48r0Peq5dwMEkI1COu6Q5f411fksWxuKtYrhgoTpLnYIcHm24Uhx+5Tqm2InSwLhE6Q==",
5608 |     "dev": true,
5609 |     "license": "MIT",
5610 |     "engines": {
5611 |       "node": ">=8"
5612 |     }
5613 |   },
5614 |   "node_modules/path-parse": {
5615 |     "version": "1.0.7",
5616 |     "resolved": "https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz",
5617 |     "integrity": "sha512-LDJzPVEEEPR+y48z93A0Ed0yXb8pABYgWo/k5YdYgpY2/2Es0ksJrq710HxryrV0n1ejG6oAp8ahv0IQD8sw==",
5618 |     "dev": true,
5619 |     "license": "MIT"
5620 |   },
5621 |   "node_modules/picocolors": {
5622 |     "version": "1.1.1",
5623 |     "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
5624 |     "integrity": "sha512-xceH2snhtb5M9liqDsmEw561e376mTZkEX/jEb/RxNFyegNu17eNs1CXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",
5625 |     "license": "ISC"
5626 |   },
5627 |   "node_modules/picomatch": {
5628 |     "version": "2.3.2",
5629 |     "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
5630 |     "integrity": "sha512-V7+vQEJ06Z+c5tSye8S+nHufI51xoXIXjHQ99cQtKukQqq01k0/KCJUfZXuB47h/YB1Dhah2H3hdUGXn8ie0oA==",
5631 |     "dev": true,
5632 |     "license": "MIT",
5633 |     "engines": {
5634 |       "node": ">=8.6"
5635 |     },
5636 |     "funding": {
5637 |       "url": "https://github.com/sponsors/jonschlinkert"
5638 |     }
5639 |   },
5640 |   "node_modules/possible-typed-array-names": {
5641 |     "version": "1.1.0",
5642 |     "resolved": "https://registry.npmjs.org/possible-typed-array-names/-/possible-typed-array-names-1.1.0.tgz",
5643 |     "integrity": "sha512-+5VFTchJDoVj3bhoqi6UeymCD00DAwb1nJwamzPvHEszJ4F6FSNNbU0S8yI56qHzdV8eK0qEF0S1odkTdxg==",
5644 |     "dev": true,
5645 |     "license": "MIT",
5646 |     "engines": {
5647 |       "node": ">= 0.4"
5648 |     }
5649 |   },
5650 |   "node_modules/postcss": {

```

```

5651 | "version": "8.5.15",
5652 | "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.15.tgz",
5653 | "integrity": "sha512-FfR8sJd4em2T6fb3I2MwAJU7HWVMr9zba+enmQeeWfCbM+UQC/0X4DS8XtpUTMwMGbjKYP7xjfNekzyGmB3A==",
5654 | "dev": true,
5655 | "funding": [
5656 |   {
5657 |     "type": "opencollective",
5658 |     "url": "https://opencollective.com/postcss/"
5659 |   },
5660 |   {
5661 |     "type": "tidelift",
5662 |     "url": "https://tidelift.com/funding/github/npm/postcss"
5663 |   },
5664 |   {
5665 |     "type": "github",
5666 |     "url": "https://github.com/sponsors/ai"
5667 |   }
5668 | ],
5669 | "license": "MIT",
5670 | "dependencies": {
5671 |   "nanoid": "^3.3.12",
5672 |   "picocolors": "^1.1.1",
5673 |   "source-map-js": "^1.2.1"
5674 | },
5675 | "engines": {
5676 |   "node": ">=10 || ^12 || >=14"
5677 | },
5678 | },
5679 | "node_modules/prelude-ls": {
5680 |   "version": "1.2.1",
5681 |   "resolved": "https://registry.npmjs.org/prelude-ls/-/prelude-ls-1.2.1.tgz",
5682 |   "integrity": "sha512-vkcDPPrRZo1QZLbn5RLGPpg/WmIQ65qoWWhcGKf/b5ep1kkaX0m9z8ppCat4m10QUsWpyNuYgO3VRyrYHSzX5g==",
5683 |   "dev": true,
5684 |   "license": "MIT",
5685 |   "engines": {
5686 |     "node": ">= 0.8.0"
5687 |   }
5688 | },
5689 | "node_modules/prop-types": {
5690 |   "version": "15.8.1",
5691 |   "resolved": "https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz",
5692 |   "integrity": "sha512-oj8K1PZZGwA6eX2350z2pK0NCGY3VAV99iS2p5o+3dQ1TguYzV+2q9DH5cg==",
5693 |   "dev": true,
5694 |   "license": "MIT",
5695 |   "dependencies": {
5696 |     "loose-envify": "^1.4.0",
5697 |     "object-assign": "^4.1.1",
5698 |     "react-is": "^16.13.1"
5699 |   }
5700 | },
5701 | "node_modules/punycode": {
5702 |   "version": "2.3.1",
5703 |   "resolved": "https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz",
5704 |   "integrity": "sha512-VY8BbDmZDQv3j9D47JO6H4Wu4116tmwJvdUr6f3cD8b572fYXq8L3cR9tA7o1HJ7o20JyAQzFg==",
5705 |   "dev": true,
5706 |   "license": "MIT",
5707 |   "engines": {
5708 |     "node": ">=6"
5709 |   }
5710 | },
5711 | "node_modules/queue-microtask": {
5712 |   "version": "1.2.3",
5713 |   "resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz",
5714 |   "integrity": "sha512-+4U+Q86NJY1F8ScDfux/IeOE5bECL+T64Wl+Q/X4GdQ6nISjz75m3ADAA/cIg/mFZ8cQzXqJH7G8A==",
5715 |   "dev": true,
5716 |   "funding": [
5717 |     {
5718 |       "type": "github",
5719 |       "url": "https://github.com/sponsors/feross"
5720 |     },
5721 |     {
5722 |       "type": "patreon",
5723 |       "url": "https://www.patreon.com/feross"
5724 |     },
5725 |     {
5726 |       "type": "consulting",
5727 |       "url": "https://feross.org/support"
5728 |     }
5729 |   ],
5730 |   "license": "MIT"
5731 | },
5732 | "node_modules/react": {
5733 |   "version": "19.2.4",
5734 |   "resolved": "https://registry.npmjs.org/react/-/react-19.2.4.tgz",
5735 |   "integrity": "sha512-9nFP2hYypCw0JAN+8TZFGhtWEvgvWHXqESH8qT89AT/1WklpLON22Lc8pEtnpsZz7VmawabSU0gCjnJ8A0eUHQ==",
5736 |   "license": "MIT",
5737 |   "engines": {
5738 |     "node": ">=0.10.0"
5739 |   }
5740 | },
5741 | "node_modules/react-dom": {
5742 |   "version": "19.2.4",
5743 |   "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-19.2.4.tgz",
5744 |   "integrity": "sha512-AXJdLo8kgMbimY9S02aKQqs2iwi9jMgKJhRBAXECE4IFxfcazB2LmzloIoibJI3C12Ily20+KFaLv+71bUJeQ==",
5745 |   "license": "MIT",
5746 |   "dependencies": {
5747 |     "scheduler": "^0.27.0"
5748 |   },

```

```

5749 |     "peerDependencies": {
5750 |       "react": "^19.2.4"
5751 |     }
5752 |   },
5753 |   "node_modules/react-is": {
5754 |     "version": "16.13.1",
5755 |     "resolved": "https://registry.npmjs.org/react-is/-/react-is-16.13.1.tgz",
5756 |     "integrity": "sha512-24e6ynE2H+OKt4kqsOvNd8kBPv65zoxbA44BVSE0B3ARVWQki/DHzaUoC5Ku0N/BiccDaCCTZBu0cfZs70kR8bQ==",
5757 |     "dev": true,
5758 |     "license": "MIT"
5759 |   },
5760 |   "node_modules/reflect.getprototypeof": {
5761 |     "version": "1.0.10",
5762 |     "resolved": "https://registry.npmjs.org/reflect.getprototypeof/-/reflect.getprototypeof-1.0.10.tgz",
5763 |     "integrity": "sha512-0004I+DVrefhv+nX0ulyi3biSHCPDe+yLv5o/p6d/UVlirijB8E16FtfwSAi4g3tcqrQ41RAQSoFEZJehYECw==",
5764 |     "dev": true,
5765 |     "license": "MIT",
5766 |     "dependencies": {
5767 |       "call-bind": "^1.0.8",
5768 |       "define-properties": "^1.2.1",
5769 |       "es-abstract": "^1.23.9",
5770 |       "es-errors": "^1.3.0",
5771 |       "es-object-atoms": "^1.0.0",
5772 |       "get-intrinsic": "^1.2.7",
5773 |       "get-proto": "^1.0.1",
5774 |       "which-builtin-type": "^1.2.1"
5775 |     },
5776 |     "engines": {
5777 |       "node": ">= 0.4"
5778 |     },
5779 |     "funding": {
5780 |       "url": "https://github.com/sponsors/ljharb"
5781 |     }
5782 |   },
5783 |   "node_modules/regexp.prototype.flags": {
5784 |     "version": "1.5.4",
5785 |     "resolved": "https://registry.npmjs.org/regexp.prototype.flags/-/regexp.prototype.flags-1.5.4.tgz",
5786 |     "integrity": "sha512-dYqgNSZbDwkaJ2ceRd9ojCGjBq+mOm9LmtXnAnEgyHhN/5R7iDW2TRw3h+o/jcFxus3P2LfwIIiwowAjANm7IA==",
5787 |     "dev": true,
5788 |     "license": "MIT",
5789 |     "dependencies": {
5790 |       "call-bind": "^1.0.8",
5791 |       "define-properties": "^1.2.1",
5792 |       "es-errors": "^1.3.0",
5793 |       "get-proto": "^1.0.1",
5794 |       "gopd": "^1.2.0",
5795 |       "set-function-name": "^2.0.2"
5796 |     },
5797 |     "engines": {
5798 |       "node": ">= 0.4"
5799 |     },
5800 |     "funding": {
5801 |       "url": "https://github.com/sponsors/ljharb"
5802 |     }
5803 |   },
5804 |   "node_modules/resolve": {
5805 |     "version": "2.0.0-next.7",
5806 |     "resolved": "https://registry.npmjs.org/resolve/-/resolve-2.0.0-next.7.tgz",
5807 |     "integrity": "sha512-tqt+NBWwyaMgw3zDsnygx4CBYwJQEJHOPMds1YhppaQ5JUtL/D4J09CcBB1hPoI81z9oJIDXkwXfh4aWqP8xQ==",
5808 |     "dev": true,
5809 |     "license": "MIT",
5810 |     "dependencies": {
5811 |       "es-errors": "^1.3.0",
5812 |       "is-core-module": "^2.16.2",
5813 |       "node-exports-info": "^1.6.0",
5814 |       "object-keys": "^1.1.1",
5815 |       "path-parse": "^1.0.7",
5816 |       "supports-preserve-symlinks-flag": "^1.0.0"
5817 |     },
5818 |     "bin": {
5819 |       "resolve": "bin/resolve"
5820 |     },
5821 |     "engines": {
5822 |       "node": ">= 0.4"
5823 |     },
5824 |     "funding": {
5825 |       "url": "https://github.com/sponsors/ljharb"
5826 |     }
5827 |   },
5828 |   "node_modules/resolve-from": {
5829 |     "version": "4.0.0",
5830 |     "resolved": "https://registry.npmjs.org/resolve-from/-/resolve-from-4.0.0.tgz",
5831 |     "integrity": "sha512-pb/MYmXstAkysRFx8pINi1tGFNQIFA3vkE3Gq4EuA1df6Ghp/+vqZqsCGJapvy8N3Q+4o7FwvqPJcnZ7RYy4g==",
5832 |     "dev": true,
5833 |     "license": "MIT",
5834 |     "engines": {
5835 |       "node": ">=4"
5836 |     }
5837 |   },
5838 |   "node_modules/resolve-pkg-maps": {
5839 |     "version": "1.0.0",
5840 |     "resolved": "https://registry.npmjs.org/resolve-pkg-maps/-/resolve-pkg-maps-1.0.0.tgz",
5841 |     "integrity": "sha512-seS2Tj26TBVC2NIC2rOe2y2Z07efxITtLTZcGS0nHHNQ7CkiUBfw0Iw2ck6xkIhPwLhKNLS8B0+hEpngQ1qzw==",
5842 |     "dev": true,
5843 |     "license": "MIT",
5844 |     "funding": {
5845 |       "url": "https://github.com/privatenumber/resolve-pkg-mapssponsor=1"
5846 |     }

```

```

5847 | },
5848 | "node_modules/reusify": {
5849 |   "version": "1.1.0",
5850 |   "resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
5851 |   "integrity": "sha512-g6QUff04oZphs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQ0dpAWWspMh55TZfVQDPaN3NQJfbVRAxdIw==",
5852 |   "dev": true,
5853 |   "license": "MIT",
5854 |   "engines": {
5855 |     "iojs": ">=1.0.0",
5856 |     "node": ">=0.10.0"
5857 |   }
5858 | },
5859 | "node_modules/run-parallel": {
5860 |   "version": "1.2.0",
5861 |   "resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
5862 |   "integrity": "sha512-ZYU1K4z/3ZrBgl76AXP9pOY10u2jGZiInP01vVxaylsH55k9cwQYpZ1N8sG9uKnDZAGs5Aj7qB7bLJyGzQ==",
5863 |   "dev": true,
5864 |   "funding": [
5865 |     {
5866 |       "type": "github",
5867 |       "url": "https://github.com/sponsors/feross"
5868 |     },
5869 |     {
5870 |       "type": "patreon",
5871 |       "url": "https://www.patreon.com/feross"
5872 |     },
5873 |     {
5874 |       "type": "consulting",
5875 |       "url": "https://feross.org/support"
5876 |     }
5877 |   ],
5878 |   "license": "MIT",
5879 |   "dependencies": {
5880 |     "queue-microtask": "^1.2.2"
5881 |   }
5882 | },
5883 | "node_modules/safe-array-concat": {
5884 |   "version": "1.1.4",
5885 |   "resolved": "https://registry.npmjs.org/safe-array-concat/-/safe-array-concat-1.1.4.tgz",
5886 |   "integrity": "sha512-2ZPzUCDk8yG8P685Eg4U6J0p61clEg90EAbWgq2z3L1S/H0py8WQ54d6/0Sgh8VZLlUeO8zYpUwTK9Jw==",
5887 |   "dev": true,
5888 |   "license": "MIT",
5889 |   "dependencies": {
5890 |     "call-bind": "^1.0.9",
5891 |     "call-bound": "^1.0.4",
5892 |     "get-intrinsic": "^1.3.0",
5893 |     "has-symbols": "^1.1.0",
5894 |     "isarray": "^2.0.5"
5895 |   },
5896 |   "engines": {
5897 |     "node": ">=0.4"
5898 |   },
5899 |   "funding": {
5900 |     "url": "https://github.com/sponsors/ljharb"
5901 |   }
5902 | },
5903 | "node_modules/safe-push-apply": {
5904 |   "version": "1.0.0",
5905 |   "resolved": "https://registry.npmjs.org/safe-push-apply/-/safe-push-apply-1.0.0.tgz",
5906 |   "integrity": "sha512-2Uk1X2ZS/89D2URTQ84oRQS0Rg2WV8P9YdFyQI8M9pC3UW8m95oDsR8W4N8YIq83sCAuRqMQvYKs7Zw==",
5907 |   "dev": true,
5908 |   "license": "MIT",
5909 |   "dependencies": {
5910 |     "es-errors": "^1.3.0",
5911 |     "isarray": "^2.0.5"
5912 |   },
5913 |   "engines": {
5914 |     "node": ">= 0.4"
5915 |   },
5916 |   "funding": {
5917 |     "url": "https://github.com/sponsors/ljharb"
5918 |   }
5919 | },
5920 | "node_modules/safe-regex-test": {
5921 |   "version": "1.1.0",
5922 |   "resolved": "https://registry.npmjs.org/safe-regex-test/-/safe-regex-test-1.1.0.tgz",
5923 |   "integrity": "sha512-2X61i9aQJWwP9iE9Q0H83T5H6QWwJ3KzOo69W5OjzYD9UWkX5K6X5G5ZU0W1bX3P8hUWUeYUzUw==",
5924 |   "dev": true,
5925 |   "license": "MIT",
5926 |   "dependencies": {
5927 |     "call-bound": "^1.0.2",
5928 |     "es-errors": "^1.3.0",
5929 |     "is-regex": "^1.2.1"
5930 |   },
5931 |   "engines": {
5932 |     "node": ">= 0.4"
5933 |   },
5934 |   "funding": {
5935 |     "url": "https://github.com/sponsors/ljharb"
5936 |   }
5937 | },
5938 | "node_modules/scheduler": {
5939 |   "version": "0.27.0",
5940 |   "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.27.0.tgz",
5941 |   "integrity": "sha512-4P0wWp1E3pGQdH019G3YpYDO2Q3S34Ck33e9tY0u4KqS9GIK7b9KoF3Y8p6oNtKj+H2i00h/bWVOw==",
5942 |   "license": "MIT"
5943 | },
5944 | "node_modules/semver": {

```

```

5945 |     "version": "6.3.1",
5946 |     "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
5947 |     "integrity": "sha512-BR7VvDCVHO+q2xBEWskxS6DJElqRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",
5948 |     "dev": true,
5949 |     "license": "ISC",
5950 |     "bin": {
5951 |       "semver": "bin/semver.js"
5952 |     }
5953 |   },
5954 |   "node_modules/set-function-length": {
5955 |     "version": "1.2.2",
5956 |     "resolved": "https://registry.npmjs.org/set-function-length/-/set-function-length-1.2.2.tgz",
5957 |     "integrity": "sha512-pgRc4hJ4/sNjWCSS9AmnS40x3bNMDTkHgL5UaMBTMyJnU90EWh1Rz+MC9eFu4BuN/UwZjKQuY/1v3rM7HMFg==",
5958 |     "dev": true,
5959 |     "license": "MIT",
5960 |     "dependencies": {
5961 |       "define-data-property": "^1.1.4",
5962 |       "es-errors": "^1.3.0",
5963 |       "function-bind": "^1.1.2",
5964 |       "get-intrinsic": "^1.2.4",
5965 |       "gopd": "^1.0.1",
5966 |       "has-property-descriptors": "^1.0.2"
5967 |     },
5968 |     "engines": {
5969 |       "node": ">= 0.4"
5970 |     }
5971 |   },
5972 |   "node_modules/set-function-name": {
5973 |     "version": "2.0.2",
5974 |     "resolved": "https://registry.npmjs.org/set-function-name/-/set-function-name-2.0.2.tgz",
5975 |     "integrity": "sha512-7PGFlmtwsEADb0WYyvCMa1t+yke6daIG4Wiraful5kcf+MhUnPms1UeR0CKQdTZD81yESwMHbnt+TR+dMviakQ==",
5976 |     "dev": true,
5977 |     "license": "MIT",
5978 |     "dependencies": {
5979 |       "define-data-property": "^1.1.4",
5980 |       "es-errors": "^1.3.0",
5981 |       "functions-have-names": "^1.2.3",
5982 |       "has-property-descriptors": "^1.0.2"
5983 |     },
5984 |     "engines": {
5985 |       "node": ">= 0.4"
5986 |     }
5987 |   },
5988 |   "node_modules/set-proto": {
5989 |     "version": "1.0.0",
5990 |     "resolved": "https://registry.npmjs.org/set-proto/-/set-proto-1.0.0.tgz",
5991 |     "integrity": "sha512-R79L6Pta8R3aF8525OwO4hS8e1o7L1a5725i442tJk4EAg3NYF8eh68u+C2W5SKZannC6i4HsJqlajw/dZw==",
5992 |     "dev": true,
5993 |     "license": "MIT",
5994 |     "dependencies": {
5995 |       "dunder-proto": "^1.0.1",
5996 |       "es-errors": "^1.3.0",
5997 |       "es-object-atoms": "^1.0.0"
5998 |     },
5999 |     "engines": {
6000 |       "node": ">= 0.4"
6001 |     }
6002 |   },
6003 |   "node_modules/sharp": {
6004 |     "version": "0.34.5",
6005 |     "resolved": "https://registry.npmjs.org/sharp/-/sharp-0.34.5.tgz",
6006 |     "integrity": "sha512-0u9I5fT9WncCbXrU9cMgPBcCK8LiwLqcywW3t4oDV37n1pzuNLsYiAV8e0DnjbtQlSDwZ2cUEeQz4E54Hltg==",
6007 |     "hasInstallScript": true,
6008 |     "license": "Apache-2.0",
6009 |     "optional": true,
6010 |     "dependencies": {
6011 |       "@img/colour": "^1.0.0",
6012 |       "detect-libc": "^2.1.2",
6013 |       "semver": "^7.7.3"
6014 |     },
6015 |     "engines": {
6016 |       "node": ">=18.17.0 || ^20.3.0 || >=21.0.0"
6017 |     },
6018 |     "funding": {
6019 |       "url": "https://opencollective.com/libvips"
6020 |     },
6021 |     "optionalDependencies": {
6022 |       "@img/sharp-darwin-arm64": "0.34.5",
6023 |       "@img/sharp-darwin-x64": "0.34.5",
6024 |       "@img/sharp-libvips-darwin-arm64": "1.2.4",
6025 |       "@img/sharp-libvips-darwin-x64": "1.2.4",
6026 |       "@img/sharp-libvips-linux-arm": "1.2.4",
6027 |       "@img/sharp-libvips-linux-arm64": "1.2.4",
6028 |       "@img/sharp-libvips-linux-ppc64": "1.2.4",
6029 |       "@img/sharp-libvips-linux-riscv64": "1.2.4",
6030 |       "@img/sharp-libvips-linux-s390x": "1.2.4",
6031 |       "@img/sharp-libvips-linux-x64": "1.2.4",
6032 |       "@img/sharp-libvips-linuxmusl-arm64": "1.2.4",
6033 |       "@img/sharp-libvips-linuxmusl-x64": "1.2.4",
6034 |       "@img/sharp-linux-arm": "0.34.5",
6035 |       "@img/sharp-linux-arm64": "0.34.5",
6036 |       "@img/sharp-linux-ppc64": "0.34.5",
6037 |       "@img/sharp-linux-riscv64": "0.34.5",
6038 |       "@img/sharp-linux-s390x": "0.34.5",
6039 |       "@img/sharp-linux-x64": "0.34.5",
6040 |       "@img/sharp-linuxmusl-arm64": "0.34.5",
6041 |       "@img/sharp-linuxmusl-x64": "0.34.5",
6042 |       "@img/sharp-wasm32": "0.34.5",

```

```

6043 |     "@img/sharp-win32-arm64": "0.34.5",
6044 |     "@img/sharp-win32-ia32": "0.34.5",
6045 |     "@img/sharp-win32-x64": "0.34.5"
6046 |   }
6047 | },
6048 | "node_modules/sharp/node_modules/semver": {
6049 |   "version": "7.8.4",
6050 |   "resolved": "https://registry.npmjs.org/semver/-/semver-7.8.4.tgz",
6051 |   "integrity": "sha512-rUCObTnP32Q08R2uuIrt7r9P1EonuTmtuXYcW6s5kdJl3xbnwe+21yXptAUyCMAABlkYYTtnmzb3wEDZfueA==",
6052 |   "license": "ISC",
6053 |   "optional": true,
6054 |   "bin": {
6055 |     "semver": "bin/semver.js"
6056 |   },
6057 |   "engines": {
6058 |     "node": ">=10"
6059 |   }
6060 | },
6061 | "node_modules/shebang-command": {
6062 |   "version": "2.0.0",
6063 |   "resolved": "https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz",
6064 |   "integrity": "sha512-kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWyUz1raYw1/yZp6YuDY77YtvbN0dmDA==",
6065 |   "dev": true,
6066 |   "license": "MIT",
6067 |   "dependencies": {
6068 |     "shebang-regex": "^3.0.0"
6069 |   },
6070 |   "engines": {
6071 |     "node": ">=8"
6072 |   }
6073 | },
6074 | "node_modules/shebang-regex": {
6075 |   "version": "3.0.0",
6076 |   "resolved": "https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz",
6077 |   "integrity": "sha512-7+dBHh05eVc8aK5PgH/Z047pTvd43H7quw/6tG5SiaC3NMu09c3N4W4wKj/tMw60r6l6BqB46x7bW4i0Zg==",
6078 |   "dev": true,
6079 |   "license": "MIT",
6080 |   "engines": {
6081 |     "node": ">=8"
6082 |   }
6083 | },
6084 | "node_modules/side-channel": {
6085 |   "version": "1.1.1",
6086 |   "resolved": "https://registry.npmjs.org/side-channel/-/side-channel-1.1.1.tgz",
6087 |   "integrity": "sha512-W8bC5sY2XwSaW/cm960193KdAlPnC7XGAF93L99ZvM4aFlt9G7Rv0m3qH4NdnCrMx1NgfS6RoH42dV1Hw==",
6088 |   "dev": true,
6089 |   "license": "MIT",
6090 |   "dependencies": {
6091 |     "es-errors": "^1.3.0",
6092 |     "object-inspect": "^1.13.4",
6093 |     "side-channel-list": "^1.0.1",
6094 |     "side-channel-map": "^1.0.1",
6095 |     "side-channel-weakmap": "^1.0.2"
6096 |   },
6097 |   "engines": {
6098 |     "node": ">= 0.4"
6099 |   },
6100 |   "funding": {
6101 |     "url": "https://github.com/sponsors/ljharb"
6102 |   }
6103 | },
6104 | "node_modules/side-channel-list": {
6105 |   "version": "1.0.1",
6106 |   "resolved": "https://registry.npmjs.org/side-channel-list/-/side-channel-list-1.0.1.tgz",
6107 |   "integrity": "sha512-0bN131330505x0cX4WzjW9dR17uW3d2Q83Uj8dN17Z7BZTKXUQzTgh2bqO6P5CqsmIt80ab9427W1w==",
6108 |   "dev": true,
6109 |   "license": "MIT",
6110 |   "dependencies": {
6111 |     "es-errors": "^1.3.0",
6112 |     "object-inspect": "^1.13.4"
6113 |   },
6114 |   "engines": {
6115 |     "node": ">= 0.4"
6116 |   },
6117 |   "funding": {
6118 |     "url": "https://github.com/sponsors/ljharb"
6119 |   }
6120 | },
6121 | "node_modules/side-channel-map": {
6122 |   "version": "1.0.1",
6123 |   "resolved": "https://registry.npmjs.org/side-channel-map/-/side-channel-map-1.0.1.tgz",
6124 |   "integrity": "sha512-0bN131330505x0cX4WzjW9dR17uW3d2Q83Uj8dN17Z7BZTKXUQzTgh2bqO6P5CqsmIt80ab9427W1w==",
6125 |   "dev": true,
6126 |   "license": "MIT",
6127 |   "dependencies": {
6128 |     "call-bound": "^1.0.2",
6129 |     "es-errors": "^1.3.0",
6130 |     "get-intrinsic": "^1.2.5",
6131 |     "object-inspect": "^1.13.3"
6132 |   },
6133 |   "engines": {
6134 |     "node": ">= 0.4"
6135 |   },
6136 |   "funding": {
6137 |     "url": "https://github.com/sponsors/ljharb"
6138 |   }
6139 | },
6140 | "node_modules/side-channel-weakmap": {

```



```

6141 | "version": "1.0.2",
6142 | "resolved": "https://registry.npmjs.org/side-channel-weakmap/-/side-channel-weakmap-1.0.2.tgz",
6143 | "integrity": "sha512-WPS/HvHQTYnHisLo9McqBH0Jk2FkHO/tlpvldyrnem4aeQp4hai3gythswg6p01oSoT158rcpiFAjF2br2Ak2A==",
6144 | "dev": true,
6145 | "license": "MIT",
6146 | "dependencies": {
6147 |   "call-bound": "^1.0.2",
6148 |   "es-errors": "^1.3.0",
6149 |   "get-intrinsic": "^1.2.5",
6150 |   "object-inspect": "^1.13.3",
6151 |   "side-channel-map": "^1.0.1"
6152 | },
6153 | "engines": {
6154 |   "node": ">= 0.4"
6155 | },
6156 | "funding": {
6157 |   "url": "https://github.com/sponsors/ljharb"
6158 | }
6159 | },
6160 | "node_modules/source-map-js": {
6161 |   "version": "1.2.1",
6162 |   "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
6163 |   "integrity": "sha512-UxVMmkhLWVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrh0pwvzDBWj0Qh5L7MQc7vIsISBG8VQ8+IDQxpfQA==",
6164 |   "license": "BSD-3-Clause",
6165 |   "engines": {
6166 |     "node": ">=0.10.0"
6167 |   }
6168 | },
6169 | "node_modules/stable-hash": {
6170 |   "version": "0.0.5",
6171 |   "resolved": "https://registry.npmjs.org/stable-hash/-/stable-hash-0.0.5.tgz",
6172 |   "integrity": "sha512-L3ccpzibovGXFk+Ap/f8LOS0ahMrHTf3xu7mMLSpEGU0E09ucaysSylKo9eRDFNhWve/y275iPmIZ4z39a9iA==",
6173 |   "dev": true,
6174 |   "license": "MIT"
6175 | },
6176 | "node_modules/stop-iteration-iterator": {
6177 |   "version": "1.1.0",
6178 |   "resolved": "https://registry.npmjs.org/stop-iteration-iterator/-/stop-iteration-iterator-1.1.0.tgz",
6179 |   "integrity": "sha512-eLoXW/DHyl62zxY4SCaIgnRhuMr6ri4juEYAR58E6sCEqzKp0iE521Ucofdx+KnDZ15xmvGYaaKCK5FE0xJCoQ==",
6180 |   "dev": true,
6181 |   "license": "MIT",
6182 |   "dependencies": {
6183 |     "es-errors": "^1.3.0",
6184 |     "internal-slot": "^1.1.0"
6185 |   },
6186 |   "engines": {
6187 |     "node": ">= 0.4"
6188 |   }
6189 | },
6190 | "node_modules/string.prototype.includes": {
6191 |   "version": "2.0.1",
6192 |   "resolved": "https://registry.npmjs.org/string.prototype.includes/-/string.prototype.includes-2.0.1.tgz",
6193 |   "integrity": "sha512-o7+c9bWzpbAdJHTtjueePODAhkuicdAryFsFVKwA+wGw89wJ4GTy484WtucM9hLtDEOpOvI+aHnzqnC51Hp4Rg==",
6194 |   "dev": true,
6195 |   "license": "MIT",
6196 |   "dependencies": {
6197 |     "call-bind": "^1.0.7",
6198 |     "define-properties": "^1.2.1",
6199 |     "es-abstract": "^1.23.3"
6200 |   },
6201 |   "engines": {
6202 |     "node": ">= 0.4"
6203 |   }
6204 | },
6205 | "node_modules/string.prototype.matchall": {
6206 |   "version": "4.0.12",
6207 |   "resolved": "https://registry.npmjs.org/string.prototype.matchall/-/string.prototype.matchall-4.0.12.tgz",
6208 |   "integrity": "sha512-6CC9uyBL+48dYizRf7H7VAYCMCNtBeM78x/VTUe9bFEaxBepPJDa10w9LqI/1yF7kuy7Q3cQsYMrCjGUcSkA==",
6209 |   "dev": true,
6210 |   "license": "MIT",
6211 |   "dependencies": {
6212 |     "call-bind": "^1.0.8",
6213 |     "call-bound": "^1.0.3",
6214 |     "define-properties": "^1.2.1",
6215 |     "es-abstract": "^1.23.6",
6216 |     "es-errors": "^1.3.0",
6217 |     "es-object-atoms": "^1.0.0",
6218 |     "get-intrinsic": "^1.2.6",
6219 |     "gopd": "^1.2.0",
6220 |     "has-symbols": "^1.1.0",
6221 |     "internal-slot": "^1.1.0",
6222 |     "regexp.prototype.flags": "^1.5.3",
6223 |     "set-function-name": "^2.0.2",
6224 |     "side-channel": "^1.1.0"
6225 |   },
6226 |   "engines": {
6227 |     "node": ">= 0.4"
6228 |   },
6229 |   "funding": {
6230 |     "url": "https://github.com/sponsors/ljharb"
6231 |   }
6232 | },
6233 | "node_modules/string.prototype.repeat": {
6234 |   "version": "1.0.0",
6235 |   "resolved": "https://registry.npmjs.org/string.prototype.repeat/-/string.prototype.repeat-1.0.0.tgz",
6236 |   "integrity": "sha512-8uYbHEzOVuVg1e/zK3RtYTOu0Ogpvcu9MfKp46rYMJwN0ylCFOIjTbV4xPyWY3CQKsN0abVmwpwz/w==",
6237 |   "dev": true,
6238 |   "license": "MIT",

```

```

6239 |     "dependencies": {
6240 |       "define-properties": "^1.1.3",
6241 |       "es-abstract": "^1.17.5"
6242 |     },
6243 |   },
6244 |   "node_modules/string.prototype.trim": {
6245 |     "version": "1.2.11",
6246 |     "resolved": "https://registry.npmjs.org/string.prototype.trim/-/string.prototype.trim-1.2.11.tgz",
6247 |     "integrity": "sha512-PwwK7BU+CMTJGYQCTzb5RWXIML921ftJLhQz1tBzgKiGxJaMlBAa48POXaNAC2s4y8jr3EFqrkF9+44neS46w==",
6248 |     "dev": true,
6249 |     "license": "MIT",
6250 |     "dependencies": {
6251 |       "call-bind": "^1.0.9",
6252 |       "call-bound": "^1.0.4",
6253 |       "define-data-property": "^1.1.4",
6254 |       "define-properties": "^1.2.1",
6255 |       "es-abstract": "^1.24.2",
6256 |       "es-object-atoms": "^1.1.2",
6257 |       "has-property-descriptors": "^1.0.2",
6258 |       "safe-regex-test": "^1.1.0"
6259 |     },
6260 |     "engines": {
6261 |       "node": ">= 0.4"
6262 |     },
6263 |     "funding": {
6264 |       "url": "https://github.com/sponsors/ljharb"
6265 |     }
6266 |   },
6267 |   "node_modules/string.prototype.trimend": {
6268 |     "version": "1.0.10",
6269 |     "resolved": "https://registry.npmjs.org/string.prototype.trimend/-/string.prototype.trimend-1.0.10.tgz",
6270 |     "integrity": "sha512-2+3aDAOmPTmuFwjDnmJG2ctEkQKVki7v0Sqaxkv42Mowj1V6PnvuwFCRrR5lChUux1TBskPjfkTOhqcZDMxTw==",
6271 |     "dev": true,
6272 |     "license": "MIT",
6273 |     "dependencies": {
6274 |       "call-bind": "^1.0.9",
6275 |       "call-bound": "^1.0.4",
6276 |       "define-properties": "^1.2.1",
6277 |       "es-object-atoms": "^1.1.2"
6278 |     },
6279 |     "engines": {
6280 |       "node": ">= 0.4"
6281 |     },
6282 |     "funding": {
6283 |       "url": "https://github.com/sponsors/ljharb"
6284 |     }
6285 |   },
6286 |   "node_modules/string.prototype.trimstart": {
6287 |     "version": "1.0.8",
6288 |     "resolved": "https://registry.npmjs.org/string.prototype.trimstart/-/string.prototype.trimstart-1.0.8.tgz",
6289 |     "integrity": "sha512-UXSH262CSZY1tfu3G3Secr6uGLCFVPMhIqHjlgCutCCcghYc/xKs9dJMTMU0b2j1mVSeU8EU6NWc/iQKU6Gfg==",
6290 |     "dev": true,
6291 |     "license": "MIT",
6292 |     "dependencies": {
6293 |       "call-bind": "^1.0.7",
6294 |       "define-properties": "^1.2.1",
6295 |       "es-object-atoms": "^1.0.0"
6296 |     },
6297 |     "engines": {
6298 |       "node": ">= 0.4"
6299 |     },
6300 |     "funding": {
6301 |       "url": "https://github.com/sponsors/ljharb"
6302 |     }
6303 |   },
6304 |   "node_modules/strip-bom": {
6305 |     "version": "3.0.0",
6306 |     "resolved": "https://registry.npmjs.org/strip-bom/-/strip-bom-3.0.0.tgz",
6307 |     "integrity": "sha512-avwJWAPG33Zm9b1V6SWX6oYUX5G5oDIdM3+6h5lF3u91VvU1jllLB1IYk6QiN+2d6dVJG9/mkS6A8Lbw==",
6308 |     "dev": true,
6309 |     "license": "MIT",
6310 |     "engines": {
6311 |       "node": ">=4"
6312 |     }
6313 |   },
6314 |   "node_modules/strip-json-comments": {
6315 |     "version": "3.1.1",
6316 |     "resolved": "https://registry.npmjs.org/strip-json-comments/-/strip-json-comments-3.1.1.tgz",
6317 |     "integrity": "sha512-6fPc+R4ihwP6N/aIv2f1gMH8lOVtWQHoqC4yK6oSDVVocumAsfCqjkXnqiYMhmMwS/mEHLp7Veh1t3q161Eig==",
6318 |     "dev": true,
6319 |     "license": "MIT",
6320 |     "engines": {
6321 |       "node": ">=8"
6322 |     },
6323 |     "funding": {
6324 |       "url": "https://github.com/sponsors/sindresorhus"
6325 |     }
6326 |   },
6327 |   "node_modules/styled-jsx": {
6328 |     "version": "5.1.6",
6329 |     "resolved": "https://registry.npmjs.org/styled-jsx/-/styled-jsx-5.1.6.tgz",
6330 |     "integrity": "sha512-qS5yDTeMotdvQoHwLNGwRFJHC+i+ZvdBRyosOFgC+Wg1vx4fRn2/RG/NA7SYqqvKNLf39P2LSRA2pu6n0XYZA==",
6331 |     "license": "MIT",
6332 |     "dependencies": {
6333 |       "client-only": "0.0.1"
6334 |     },
6335 |     "engines": {
6336 |       "node": ">= 12.0.0"

```

```

6337 |     },
6338 |     "peerDependencies": {
6339 |       "react": ">= 16.8.0 || 17.x.x || ^18.0.0-0 || ^19.0.0-0"
6340 |     },
6341 |     "peerDependenciesMeta": {
6342 |       "@babel/core": {
6343 |         "optional": true
6344 |       },
6345 |       "babel-plugin-macros": {
6346 |         "optional": true
6347 |       }
6348 |     },
6349 |   },
6350 |   "node_modules/supports-color": {
6351 |     "version": "7.2.0",
6352 |     "resolved": "https://registry.npmjs.org/supports-color/-/supports-color-7.2.0.tgz",
6353 |     "integrity": "sha512-qpCAvR19stuOHveKsn7HncJRvv501qIacKzQ10/+Lwxc9+0q2wLyv4Dfvt80/DPn2pqOBsJdDiogXGR9+OvwRw==",
6354 |     "dev": true,
6355 |     "license": "MIT",
6356 |     "dependencies": {
6357 |       "has-flag": "^4.0.0"
6358 |     },
6359 |     "engines": {
6360 |       "node": ">=8"
6361 |     }
6362 |   },
6363 |   "node_modules/supports-preserve-symlinks-flag": {
6364 |     "version": "1.0.0",
6365 |     "resolved": "https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.tgz",
6366 |     "integrity": "sha512-ot0WnXS9fgdkgIcePe6RHnk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vv8DIywf681MAT0w==",
6367 |     "dev": true,
6368 |     "license": "MIT",
6369 |     "engines": {
6370 |       "node": ">= 0.4"
6371 |     },
6372 |     "funding": {
6373 |       "url": "https://github.com/sponsors/ljharb"
6374 |     }
6375 |   },
6376 |   "node_modules/tailwindcss": {
6377 |     "version": "4.3.1",
6378 |     "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-4.3.1.tgz",
6379 |     "integrity": "sha512-hk+TB1m+K8CYNrP6rjQaq/Y+4Zylwpa87mLYBKcunwnnQ9p+fHb7kmSfGqyEJoxF/06CDyABwVFEafNSYK1l+Q==",
6380 |     "dev": true,
6381 |     "license": "MIT"
6382 |   },
6383 |   "node_modules/tapable": {
6384 |     "version": "2.3.3",
6385 |     "resolved": "https://registry.npmjs.org/tapable/-/tapable-2.3.3.tgz",
6386 |     "integrity": "sha512-tZ9L66H6tHn7Is6k5b12fjW4LhVJXaT1uXjpiJGw0+YsVkBUEUkq85SR9UWnfR6oT54B3BQ8LkVpLg==",
6387 |     "dev": true,
6388 |     "license": "MIT",
6389 |     "engines": {
6390 |       "node": ">=6"
6391 |     },
6392 |     "funding": {
6393 |       "type": "opencollective",
6394 |       "url": "https://opencollective.com/webpack"
6395 |     }
6396 |   },
6397 |   "node_modules/tingylobby": {
6398 |     "version": "0.2.17",
6399 |     "resolved": "https://registry.npmjs.org/tingylobby/-/tingylobby-0.2.17.tgz",
6400 |     "integrity": "sha512-wXR/dYpcqKmfWpEdZjiKJ0wCNfndD0DMnrW/cYjVGttEkBFVgCLFHoNr1j47mj0Vvc9yyNu65alsgF4NqyTa2g==",
6401 |     "dev": true,
6402 |     "license": "MIT",
6403 |     "dependencies": {
6404 |       "fdir": "^6.5.0",
6405 |       "picomatch": "^4.0.4"
6406 |     },
6407 |     "engines": {
6408 |       "node": ">=12.0.0"
6409 |     },
6410 |     "funding": {
6411 |       "url": "https://github.com/sponsors/SuperchupuDev"
6412 |     }
6413 |   },
6414 |   "node_modules/tingylobby/node_modules/fdir": {
6415 |     "version": "6.5.0",
6416 |     "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
6417 |     "integrity": "sha512-tIbYtZbuc0s0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUJLEFJE+02kanyHtwjwOnwrKYBwAmM0p4kLJAnXg==",
6418 |     "dev": true,
6419 |     "license": "MIT",
6420 |     "engines": {
6421 |       "node": ">=12.0.0"
6422 |     },
6423 |     "peerDependencies": {
6424 |       "picomatch": "^3 || ^4"
6425 |     },
6426 |     "peerDependenciesMeta": {
6427 |       "picomatch": {
6428 |         "optional": true
6429 |       }
6430 |     }
6431 |   },
6432 |   "node_modules/tingylobby/node_modules/picomatch": {
6433 |     "version": "4.0.4",
6434 |     "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",

```

```

6435 |     "integrity": "sha512-QP88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6FUQ+5th6P4dv4ew9jX3DSIj7A==",
6436 |     "dev": true,
6437 |     "license": "MIT",
6438 |     "engines": {
6439 |       "node": ">=12"
6440 |     },
6441 |     "funding": {
6442 |       "url": "https://github.com/sponsors/jonschlinkert"
6443 |     }
6444 |   },
6445 |   "node_modules/to-regexp-range": {
6446 |     "version": "5.0.1",
6447 |     "resolved": "https://registry.npmjs.org/to-regexp-range/-/to-regexp-range-5.0.1.tgz",
6448 |     "integrity": "sha512-65P7iz6X5yEr1cwcgvQxbbIw7Uk3gOy5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEB+2G6CyneCMJiGqrADCSNk8sQ==",
6449 |     "dev": true,
6450 |     "license": "MIT",
6451 |     "dependencies": {
6452 |       "is-number": "^7.0.0"
6453 |     },
6454 |     "engines": {
6455 |       "node": ">=8.0"
6456 |     }
6457 |   },
6458 |   "node_modules/ts-api-utils": {
6459 |     "version": "2.5.0",
6460 |     "resolved": "https://registry.npmjs.org/ts-api-utils/-/ts-api-utils-2.5.0.tgz",
6461 |     "integrity": "sha512-0JibxhPlqrMM0UjNHJ/0CQKokoF243/AEmplt3qpRgkV8VGF0541h7V8TjITqdByHzrjcs/2si+y41Ih8NA==",
6462 |     "dev": true,
6463 |     "license": "MIT",
6464 |     "engines": {
6465 |       "node": ">=18.12"
6466 |     },
6467 |     "peerDependencies": {
6468 |       "typescript": ">=4.8.4"
6469 |     }
6470 |   },
6471 |   "node_modules/tsconfig-paths": {
6472 |     "version": "3.15.0",
6473 |     "resolved": "https://registry.npmjs.org/tsconfig-paths/-/tsconfig-paths-3.15.0.tgz",
6474 |     "integrity": "sha512-2Ac2RgzDe/cn48Gv0e3M+o82pEFewD3UPbyoUHHdKashWJKjds4fLXwf/Ux5kATBKN20oaFGu+jbElp1pos0mg==",
6475 |     "dev": true,
6476 |     "license": "MIT",
6477 |     "dependencies": {
6478 |       "@types/json5": "^0.0.29",
6479 |       "json5": "^1.0.2",
6480 |       "minimist": "^1.2.6",
6481 |       "strip-bom": "^3.0.0"
6482 |     }
6483 |   },
6484 |   "node_modules/tsconfig-paths/node_modules/json5": {
6485 |     "version": "1.0.2",
6486 |     "resolved": "https://registry.npmjs.org/json5/-/json5-1.0.2.tgz",
6487 |     "integrity": "sha512-g1MMLB1z8FKile4w0UyVL3w+icewAFBAaBnnGOpNa5f8LTlktkbre1+s6oICydwAm+HRUGTmI+//xv2hvXYA==",
6488 |     "dev": true,
6489 |     "license": "MIT",
6490 |     "dependencies": {
6491 |       "minimist": "^1.2.0"
6492 |     },
6493 |     "bin": {
6494 |       "json5": "lib/cli.js"
6495 |     }
6496 |   },
6497 |   "node_modules/tslib": {
6498 |     "version": "2.8.1",
6499 |     "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
6500 |     "integrity": "sha512-0JFu94HQb+KVduSUQL7wnpmqnfmls0A/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83Mk0uHPRHtSXXKU99IBazS/2w==",
6501 |     "license": "0BSD"
6502 |   },
6503 |   "node_modules/type-check": {
6504 |     "version": "0.4.0",
6505 |     "resolved": "https://registry.npmjs.org/type-check/-/type-check-0.4.0.tgz",
6506 |     "integrity": "sha512-1XtR7gFvK7vJm8v7BV9DjXRj+c959WVHkVr92YHE7l7e3eK7qDPt3W5S0WVnW2S4Op/Sn31Wsd8Xl18=",
6507 |     "dev": true,
6508 |     "license": "MIT",
6509 |     "dependencies": {
6510 |       "prelude-ls": "^1.2.1"
6511 |     },
6512 |     "engines": {
6513 |       "node": ">= 0.8.0"
6514 |     }
6515 |   },
6516 |   "node_modules/typed-array-buffer": {
6517 |     "version": "1.0.3",
6518 |     "resolved": "https://registry.npmjs.org/typed-array-buffer/-/typed-array-buffer-1.0.3.tgz",
6519 |     "integrity": "sha512-3YUW1Y8Y58X9F5e2K0T6j97F6EhywWjAsJh35wD2F3NzVr7UdE0q6vkiYt3hWl2B5QdXlK6w1jzLWw==",
6520 |     "dev": true,
6521 |     "license": "MIT",
6522 |     "dependencies": {
6523 |       "call-bound": "^1.0.3",
6524 |       "es-errors": "^1.3.0",
6525 |       "is-typed-array": "^1.1.14"
6526 |     },
6527 |     "engines": {
6528 |       "node": ">= 0.4"
6529 |     }
6530 |   },
6531 |   "node_modules/typed-array-byte-length": {
6532 |     "version": "1.0.3",

```

```

6533 | "resolved": "https://registry.npmjs.org/typed-array-byte-length/-/typed-array-byte-length-1.0.3.tgz",
6534 | "integrity": "sha512-BaXgOuIxz8n8pIq3e7Atg/7s+DpiYrxn4vdot3w9KbnBhcRQq6o3xemQdIfynqSeXeDrF32x+WvfzmOjPiY9lg==",
6535 | "dev": true,
6536 | "license": "MIT",
6537 | "dependencies": {
6538 |   "call-bind": "^1.0.8",
6539 |   "for-each": "^0.3.3",
6540 |   "gopd": "^1.2.0",
6541 |   "has-proto": "^1.2.0",
6542 |   "is-typed-array": "^1.1.14"
6543 | },
6544 | "engines": {
6545 |   "node": ">= 0.4"
6546 | },
6547 | "funding": {
6548 |   "url": "https://github.com/sponsors/ljharb"
6549 | }
6550 | },
6551 | "node_modules/typed-array-byte-offset": {
6552 |   "version": "1.0.4",
6553 |   "resolved": "https://registry.npmjs.org/typed-array-byte-offset/-/typed-array-byte-offset-1.0.4.tgz",
6554 |   "integrity": "sha512-bTlAfb/FBYMcux81gbL40cpH5Pm1FHq1CCpA18A1Ezm5k53oNDvN8p1PNOWLEmI2x4orp3ra0FB51tv9X+MFQ==",
6555 |   "dev": true,
6556 |   "license": "MIT",
6557 |   "dependencies": {
6558 |     "available-typed-arrays": "^1.0.7",
6559 |     "call-bind": "^1.0.8",
6560 |     "for-each": "^0.3.3",
6561 |     "gopd": "^1.2.0",
6562 |     "has-proto": "^1.2.0",
6563 |     "is-typed-array": "^1.1.15",
6564 |     "reflect.getprototypeof": "^1.0.9"
6565 |   },
6566 |   "engines": {
6567 |     "node": ">= 0.4"
6568 |   },
6569 |   "funding": {
6570 |     "url": "https://github.com/sponsors/ljharb"
6571 |   }
6572 | },
6573 | "node_modules/typed-array-length": {
6574 |   "version": "1.0.8",
6575 |   "resolved": "https://registry.npmjs.org/typed-array-length/-/typed-array-length-1.0.8.tgz",
6576 |   "integrity": "sha512-PhPGCwqr2+Qo0fwniCE8e4pKnGu/yFb5nD5Y8bf0EEeiI5Gk1nACYA9GFy/DrAeRrKHxvHn+1SUs0WgJp6RO+g==",
6577 |   "dev": true,
6578 |   "license": "MIT",
6579 |   "dependencies": {
6580 |     "call-bind": "^1.0.9",
6581 |     "for-each": "^0.3.5",
6582 |     "gopd": "^1.2.0",
6583 |     "is-typed-array": "^1.1.15",
6584 |     "possible-typed-array-names": "^1.1.0",
6585 |     "reflect.getprototypeof": "^1.0.10"
6586 |   },
6587 |   "engines": {
6588 |     "node": ">= 0.4"
6589 |   },
6590 |   "funding": {
6591 |     "url": "https://github.com/sponsors/ljharb"
6592 |   }
6593 | },
6594 | "node_modules/typescript": {
6595 |   "version": "6.0.3",
6596 |   "resolved": "https://registry.npmjs.org/typescript/-/typescript-6.0.3.tgz",
6597 |   "integrity": "sha512-y2TvuxSZPDyQakkFRPZHKFm+KKVqIisdg9/CZwm9ftvKXLP8NRWj38/ODjNbr43SsoXqNuAisEf1GdCxqWcdBw==",
6598 |   "dev": true,
6599 |   "license": "Apache-2.0",
6600 |   "peer": true,
6601 |   "bin": {
6602 |     "tsc": "bin/tsc",
6603 |     "tsserver": "bin/tsserver"
6604 |   },
6605 |   "engines": {
6606 |     "node": ">=14.17"
6607 |   }
6608 | },
6609 | "node_modules/typescript-eslint": {
6610 |   "version": "8.61.1",
6611 |   "resolved": "https://registry.npmjs.org/typescript-eslint/-/typescript-eslint-8.61.1.tgz",
6612 |   "integrity": "sha512-V7PayAfJokv3pEHgN7/v03D1SpujhRfQtYlLiBfDDncdg4PA1RBfoS4cnCANK4jmAPnczi59Q03afiXUlnw==",
6613 |   "dev": true,
6614 |   "license": "MIT",
6615 |   "dependencies": {
6616 |     "@typescript-eslint/eslint-plugin": "8.61.1",
6617 |     "@typescript-eslint/parser": "8.61.1",
6618 |     "@typescript-eslint/typescript-estree": "8.61.1",
6619 |     "@typescript-eslint/utils": "8.61.1"
6620 |   },
6621 |   "engines": {
6622 |     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
6623 |   },
6624 |   "funding": {
6625 |     "type": "opencollective",
6626 |     "url": "https://opencollective.com/typescript-eslint"
6627 |   },
6628 |   "peerDependencies": {
6629 |     "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0",
6630 |     "typescript": ">=4.8.4 <6.1.0"

```

```

6631 |     }
6632 | },
6633 | "node_modules/unbox-primitive": {
6634 |   "version": "1.1.0",
6635 |   "resolved": "https://registry.npmjs.org/unbox-primitive/-/unbox-primitive-1.1.0.tgz",
6636 |   "integrity": "sha512-nWJ91DJeOkeJ/TA8pXQ3myrukPEYgqvpw91z40PHj/NwFNluYrjbz9j01CJ8yKQd2g4jFoOkINCTW2ISLEEyw==",
6637 |   "dev": true,
6638 |   "license": "MIT",
6639 |   "dependencies": {
6640 |     "call-bound": "^1.0.3",
6641 |     "has-bigints": "^1.0.2",
6642 |     "has-symbols": "^1.1.0",
6643 |     "which-boxed-primitive": "^1.1.1"
6644 |   },
6645 |   "engines": {
6646 |     "node": ">= 0.4"
6647 |   },
6648 |   "funding": {
6649 |     "url": "https://github.com/sponsors/ljharb"
6650 |   }
6651 | },
6652 | "node_modules/unrs-resolver": {
6653 |   "version": "1.12.2",
6654 |   "resolved": "https://registry.npmjs.org/unrs-resolver/-/unrs-resolver-1.12.2.tgz",
6655 |   "integrity": "sha512-dmLRxBJJayXjqTwC+JtF1HhJmgf3ftQ3YefJcZrf4+KKtJv0qDsK1pjqaaVjG7wJ5NJ6UVP10qRMQ71Z4C3rxQ==",
6656 |   "dev": true,
6657 |   "hasInstallScript": true,
6658 |   "license": "MIT",
6659 |   "dependencies": {
6660 |     "napi-postinstall": "^0.3.4"
6661 |   },
6662 |   "funding": {
6663 |     "url": "https://opencollective.com/unrs-resolver"
6664 |   },
6665 |   "optionalDependencies": {
6666 |     "@unrs/resolver-binding-android-arm-eabi": "1.12.2",
6667 |     "@unrs/resolver-binding-android-arm64": "1.12.2",
6668 |     "@unrs/resolver-binding-darwin-arm64": "1.12.2",
6669 |     "@unrs/resolver-binding-darwin-x64": "1.12.2",
6670 |     "@unrs/resolver-binding-freebsd-x64": "1.12.2",
6671 |     "@unrs/resolver-binding-linux-arm-gnueabi": "1.12.2",
6672 |     "@unrs/resolver-binding-linux-arm-musleabi": "1.12.2",
6673 |     "@unrs/resolver-binding-linux-arm64-gnu": "1.12.2",
6674 |     "@unrs/resolver-binding-linux-arm64-musl": "1.12.2",
6675 |     "@unrs/resolver-binding-linux-loong64-gnu": "1.12.2",
6676 |     "@unrs/resolver-binding-linux-loong64-musl": "1.12.2",
6677 |     "@unrs/resolver-binding-linux-ppc64-gnu": "1.12.2",
6678 |     "@unrs/resolver-binding-linux-riscv64-gnu": "1.12.2",
6679 |     "@unrs/resolver-binding-linux-riscv64-musl": "1.12.2",
6680 |     "@unrs/resolver-binding-linux-s390x-gnu": "1.12.2",
6681 |     "@unrs/resolver-binding-linux-x64-gnu": "1.12.2",
6682 |     "@unrs/resolver-binding-linux-x64-musl": "1.12.2",
6683 |     "@unrs/resolver-binding-openharmony-arm64": "1.12.2",
6684 |     "@unrs/resolver-binding-wasm32-wasi": "1.12.2",
6685 |     "@unrs/resolver-binding-win32-arm64-msvc": "1.12.2",
6686 |     "@unrs/resolver-binding-win32-ia32-msvc": "1.12.2",
6687 |     "@unrs/resolver-binding-win32-x64-msvc": "1.12.2"
6688 |   }
6689 | },
6690 | "node_modules/update-browserslist-db": {
6691 |   "version": "1.2.3",
6692 |   "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.2.3.tgz",
6693 |   "integrity": "sha512-Js0m9cx+q0gDxo0eMiFGueWztz+d4+M3rG1mKPT+T4IS/jP4ylw3Nwpu6cPTTP8R1MAC1kf4VbdLt3ARF209w==",
6694 |   "dev": true,
6695 |   "funding": [
6696 |     {
6697 |       "type": "opencollective",
6698 |       "url": "https://opencollective.com/browserslist"
6699 |     },
6700 |     {
6701 |       "type": "tidelift",
6702 |       "url": "https://tidelift.com/funding/github/npm/browserslist"
6703 |     },
6704 |     {
6705 |       "type": "github",
6706 |       "url": "https://github.com/sponsors/ai"
6707 |     }
6708 |   ],
6709 |   "license": "MIT",
6710 |   "dependencies": {
6711 |     "escalade": "^3.2.0",
6712 |     "picocolors": "^1.1.1"
6713 |   },
6714 |   "bin": {
6715 |     "update-browserslist-db": "cli.js"
6716 |   },
6717 |   "peerDependencies": {
6718 |     "browserslist": ">= 4.21.0"
6719 |   }
6720 | },
6721 | "node_modules/uri-js": {
6722 |   "version": "4.4.1",
6723 |   "resolved": "https://registry.npmjs.org/uri-js/-/uri-js-4.4.1.tgz",
6724 |   "integrity": "sha512-CD1R9S8J6t9jovk3dH0TD3LGHr6ynJJjR9z41IaBNpX8UoJR9IXLW9vqCz/6kay2/ZF8Cdz49APoU/8q6Q==",
6725 |   "dev": true,
6726 |   "license": "BSD-2-Clause",
6727 |   "dependencies": {
6728 |     "punycode": "^2.1.0"

```

```

6729 |     }
6730 |   },
6731 |   "node_modules/which": {
6732 |     "version": "2.0.2",
6733 |     "resolved": "https://registry.npmjs.org/which/-/which-2.0.2.tgz",
6734 |     "integrity": "sha512-BLI3Tl1TW3Pvl70l3yq3Y64i+awpwxqsG8YwkkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5ogapKNMEKNMjibA==",
6735 |     "dev": true,
6736 |     "license": "ISC",
6737 |     "dependencies": {
6738 |       "isexe": "^2.0.0"
6739 |     },
6740 |     "bin": {
6741 |       "node-which": "bin/node-which"
6742 |     },
6743 |     "engines": {
6744 |       "node": ">= 8"
6745 |     }
6746 |   },
6747 |   "node_modules/which-boxed-primitive": {
6748 |     "version": "1.1.1",
6749 |     "resolved": "https://registry.npmjs.org/which-boxed-primitive/-/which-boxed-primitive-1.1.1.tgz",
6750 |     "integrity": "sha512-TbX3mj8n0dCBFVLY8AxkqCHASw3L60jIuF8jFP78az3C2YhmGvqbHBpAjTRH2/xqYunrJ9g1jSyjCjpowZIAA==",
6751 |     "dev": true,
6752 |     "license": "MIT",
6753 |     "dependencies": {
6754 |       "is-bigint": "^1.1.0",
6755 |       "is-boolean-object": "^1.2.1",
6756 |       "is-number-object": "^1.1.1",
6757 |       "is-string": "^1.1.1",
6758 |       "is-symbol": "^1.1.1"
6759 |     },
6760 |     "engines": {
6761 |       "node": ">= 0.4"
6762 |     },
6763 |     "funding": {
6764 |       "url": "https://github.com/sponsors/ljharb"
6765 |     }
6766 |   },
6767 |   "node_modules/which-builtin-type": {
6768 |     "version": "1.2.1",
6769 |     "resolved": "https://registry.npmjs.org/which-builtin-type/-/which-builtin-type-1.2.1.tgz",
6770 |     "integrity": "sha512-GbKzC11lO8T1uWWZ0EYwBGCNk8WgQ8YwKvZvH6BsiKZGU9YzI9h3I2d59K4X6oAf0IYHf0LpEq0YVg==",
6771 |     "dev": true,
6772 |     "license": "MIT",
6773 |     "dependencies": {
6774 |       "call-bound": "^1.0.2",
6775 |       "function.prototype.name": "^1.1.6",
6776 |       "has-tostringtag": "^1.0.2",
6777 |       "is-async-function": "^2.0.0",
6778 |       "is-date-object": "^1.1.0",
6779 |       "is-finalizationregistry": "^1.1.0",
6780 |       "is-generator-function": "^1.0.10",
6781 |       "is-regex": "^1.2.1",
6782 |       "is-weakref": "^1.0.2",
6783 |       "isarray": "^2.0.5",
6784 |       "which-boxed-primitive": "^1.1.0",
6785 |       "which-collection": "^1.0.2",
6786 |       "which-typed-array": "^1.1.16"
6787 |     },
6788 |     "engines": {
6789 |       "node": ">= 0.4"
6790 |     },
6791 |     "funding": {
6792 |       "url": "https://github.com/sponsors/ljharb"
6793 |     }
6794 |   },
6795 |   "node_modules/which-collection": {
6796 |     "version": "1.0.2",
6797 |     "resolved": "https://registry.npmjs.org/which-collection/-/which-collection-1.0.2.tgz",
6798 |     "integrity": "sha512-41H4V724H0a1G0H3U32Ft8pMDY9w3U8a44Kw+b3I81vYRQ523ZveeS7IbwY4UWb0wYQW3XUwQ==",
6799 |     "dev": true,
6800 |     "license": "MIT",
6801 |     "dependencies": {
6802 |       "is-map": "^2.0.3",
6803 |       "is-set": "^2.0.3",
6804 |       "is-weakmap": "^2.0.2",
6805 |       "is-weakset": "^2.0.3"
6806 |     },
6807 |     "engines": {
6808 |       "node": ">= 0.4"
6809 |     },
6810 |     "funding": {
6811 |       "url": "https://github.com/sponsors/ljharb"
6812 |     }
6813 |   },
6814 |   "node_modules/which-typed-array": {
6815 |     "version": "1.1.22",
6816 |     "resolved": "https://registry.npmjs.org/which-typed-array/-/which-typed-array-1.1.22.tgz",
6817 |     "integrity": "sha512-KXV0i9n6vBxi+uZ/jKMeQxnqMLlt/98yoy4DqTupm5yWm9Ih6aYB3hWlO86qSHITLpwLW81G1k==",
6818 |     "dev": true,
6819 |     "license": "MIT",
6820 |     "dependencies": {
6821 |       "available-typed-arrays": "^1.0.7",
6822 |       "call-bind": "^1.0.9",
6823 |       "call-bound": "^1.0.4",
6824 |       "for-each": "^0.3.5",
6825 |       "get-proto": "^1.0.1",
6826 |       "gopd": "^1.2.0",

```

```

6827 |     "has-tostringtag": "^1.0.2"
6828 |   },
6829 |   "engines": {
6830 |     "node": ">= 0.4"
6831 |   },
6832 |   "funding": {
6833 |     "url": "https://github.com/sponsors/ljharb"
6834 |   }
6835 | },
6836 | "node_modules/word-wrap": {
6837 |   "version": "1.2.5",
6838 |   "resolved": "https://registry.npmjs.org/word-wrap/-/word-wrap-1.2.5.tgz",
6839 |   "integrity": "sha512-BN22B5eaMMI9UMtjrGd5g5eCYPpCPDUy0FJXbYsaT5zYxjF0ckS53SQDE3pWkVowpHXVb3BrYcEN4Twa55B5cA==",
6840 |   "dev": true,
6841 |   "license": "MIT",
6842 |   "engines": {
6843 |     "node": ">=0.10.0"
6844 |   }
6845 | },
6846 | "node_modules/yallist": {
6847 |   "version": "3.1.1",
6848 |   "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
6849 |   "integrity": "sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAms9NsK8GpDMLrCHPKsFT7h3K6TOoUNn2pb7RoXx4g==",
6850 |   "dev": true,
6851 |   "license": "ISC"
6852 | },
6853 | "node_modules/yocto-queue": {
6854 |   "version": "0.1.0",
6855 |   "resolved": "https://registry.npmjs.org/yocto-queue/-/yocto-queue-0.1.0.tgz",
6856 |   "integrity": "sha512-rVksvsnNCdJ/ohGc6xgPwyN8eheCxsiLM8mxuE/t/mOVqJewPu01mlPThQiRgTKCLexL4MeAFVagts7HmNZ2Q==",
6857 |   "dev": true,
6858 |   "license": "MIT",
6859 |   "engines": {
6860 |     "node": ">=10"
6861 |   },
6862 |   "funding": {
6863 |     "url": "https://github.com/sponsors/sindresorhus"
6864 |   }
6865 | },
6866 | "node_modules/zod": {
6867 |   "version": "4.4.3",
6868 |   "resolved": "https://registry.npmjs.org/zod/-/zod-4.4.3.tgz",
6869 |   "integrity": "sha512-ytenEFJfJf12UwYglde2jchW2Hwm4GJFLDiSXWdTrJQBIN9Fcy7n4DhxJEiWNAJMV1/BqWfW/kkg71UDcHJyTQ==",
6870 |   "dev": true,
6871 |   "license": "MIT",
6872 |   "funding": {
6873 |     "url": "https://github.com/sponsors/colinhacks"
6874 |   }
6875 | },
6876 | "node_modules/zod-validation-error": {
6877 |   "version": "4.0.2",
6878 |   "resolved": "https://registry.npmjs.org/zod-validation-error/-/zod-validation-error-4.0.2.tgz",
6879 |   "integrity": "sha512-Q6/nZLe6jxuU80qb/4uJ4t5v2VEZ44lzQjPDhYJNztRQ4wyWc6VF3D3Kb/fAuPetZQnhS3hnajCf9CsWesghLQ==",
6880 |   "dev": true,
6881 |   "license": "MIT",
6882 |   "engines": {
6883 |     "node": ">=18.0.0"
6884 |   },
6885 |   "peerDependencies": {
6886 |     "zod": "^3.25.0 || ^4.0.0"
6887 |   }
6888 | }
6889 | }
6890 | }

```

next.config.mjs

Lines: 16.

```

0001 | /** @type {import('next').NextConfig} */
0002 | const nextConfig = {
0003 |   images: {
0004 |     remotePatterns: [
0005 |       {
0006 |         protocol: "https",
0007 |         hostname: "***",
0008 |       },
0009 |     ],
0010 |   },
0011 |   poweredByHeader: false,
0012 |   reactStrictMode: true,
0013 |   allowedDevOrigins: ["192.168.100.4"],
0014 | };
0015 |
0016 | export default nextConfig;

```

jsconfig.json

Lines: 7.

```

0001 | {
0002 |   "compilerOptions": {
0003 |     "paths": {
0004 |       "@/*": ["./*"]
0005 |     }

```



```
0006 | }
0007 | }
```

eslint.config.mjs

Lines: 16.

```
0001 | import { defineConfig, globalIgnores } from "eslint/config";
0002 | import nextVitals from "eslint-config-next/core-web-vitals";
0003 |
0004 | const eslintConfig = defineConfig([
0005 |   ...nextVitals,
0006 |   // Override default ignores of eslint-config-next.
0007 |   globalIgnores([
0008 |     // Default ignores of eslint-config-next:
0009 |     ".next/**",
0010 |     "out/**",
0011 |     "build/**",
0012 |     "next-env.d.ts",
0013 |   ]),
0014 | ]);
0015 |
0016 | export default eslintConfig;
```

postcss.config.mjs

Lines: 7.

```
0001 | const config = {
0002 |   plugins: {
0003 |     "@tailwindcss/postcss": {},
0004 |   },
0005 | };
0006 |
0007 | export default config;
```

src/middleware.js

Lines: 49.

```
0001 | import { createServerClient } from "@supabase/ssr";
0002 | import { NextResponse } from "next/server";
0003 |
0004 | export async function middleware(request) {
0005 |   const { pathname } = request.nextUrl;
0006 |
0007 |   // Only protect /admin routes (except /admin/login)
0008 |   if (!pathname.startsWith("/admin") || pathname === "/admin/login") {
0009 |     return NextResponse.next();
0010 |   }
0011 |
0012 |   let response = NextResponse.next({ request });
0013 |
0014 |   const supabase = createServerClient(
0015 |     process.env.NEXT_PUBLIC_SUPABASE_URL,
0016 |     process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY,
0017 |     {
0018 |       cookies: {
0019 |         getAll() {
0020 |           return request.cookies.getAll();
0021 |         },
0022 |         setAll(cookiesToSet) {
0023 |           cookiesToSet.forEach(({ name, value }) =>
0024 |             request.cookies.set(name, value)
0025 |           );
0026 |           response = NextResponse.next({ request });
0027 |           cookiesToSet.forEach(({ name, value, options }) =>
0028 |             response.cookies.set(name, value, options)
0029 |           );
0030 |         },
0031 |       },
0032 |     },
0033 |   );
0034 |
0035 |   const {
0036 |     data: { user },
0037 |   } = await supabase.auth.getUser();
0038 |
0039 |   if (!user) {
0040 |     const loginUrl = new URL("/admin/login", request.url);
0041 |     return NextResponse.redirect(loginUrl);
0042 |   }
0043 |
0044 |   return response;
0045 | }
0046 |
0047 | export const config = {
0048 |   matcher: ["/admin/:path*"],
0049 | };
```

src/lib/supabase.js

Lines: 10.

```

0001 | import { createClient } from "@supabase/supabase-js";
0002 |
0003 | const supabaseUrl = process.env.NEXT_PUBLIC_SUPABASE_URL;
0004 | const supabaseAnonKey = process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY;
0005 |
0006 | if (!supabaseUrl || !supabaseAnonKey) {
0007 |   throw new Error("Missing Supabase environment variables.");
0008 | }
0009 |
0010 | export const supabase = createClient(supabaseUrl, supabaseAnonKey);

```

src/lib/supabaseBrowser.js

Lines: 12.

```

0001 | import { createBrowserClient } from "@supabase/ssr";
0002 |
0003 | // Singleton browser client. Using @supabase/ssr's createBrowserClient (instead of
0004 | // the plain @supabase/supabase-js createClient) makes it write the session as
0005 | // cookies in the same format middleware.js and supabaseServer.js expect,
0006 | // instead of localStorage-only. This also fixes the "Multiple GoTrueClient
0007 | // instances detected" warning if every client file imports this one instance
0008 | // instead of creating its own.
0009 | export const supabase = createBrowserClient(
0010 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0011 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0012 | );

```

src/lib/supabaseServer.js

Lines: 27.

```

0001 | import { createServerClient } from "@supabase/ssr";
0002 | import { cookies } from "next/headers";
0003 |
0004 | export async function createSupabaseServerClient() {
0005 |   const cookieStore = await cookies();
0006 |
0007 |   return createServerClient(
0008 |     process.env.NEXT_PUBLIC_SUPABASE_URL,
0009 |     process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY,
0010 |     {
0011 |       cookies: {
0012 |         getAll() {
0013 |           return cookieStore.getAll();
0014 |         },
0015 |         setAll(cookiesToSet) {
0016 |           try {
0017 |             cookiesToSet.forEach(({ name, value, options }) =>
0018 |               cookieStore.set(name, value, options)
0019 |             );
0020 |           } catch {
0021 |             // Server component - cookie setting is handled by middleware
0022 |           }
0023 |         },
0024 |       },
0025 |     }
0026 |   );
0027 | }

```

src/app/layout.js

Lines: 35.

```

0001 | import { Cormorant_Garamond, Manrope } from "next/font/google";
0002 | import "./globals.css";
0003 | import SplashScreen from "../components/SplashScreen";
0004 |
0005 | const cormorant = Cormorant_Garamond({
0006 |   subsets: ["latin"],
0007 |   weight: ["300", "400", "500", "600", "700"],
0008 |   variable: "--font-heading",
0009 | });
0010 |
0011 | const manrope = Manrope({
0012 |   subsets: ["latin"],
0013 |   weight: ["300", "400", "500", "600", "700", "800"],
0014 |   variable: "--font-body",
0015 | });
0016 |
0017 | export const metadata = {
0018 |   title: "Invegate",
0019 |   description: "Browse curated land listings across Egypt.",
0020 | };
0021 |
0022 | export default function RootLayout({ children }) {
0023 |   return (
0024 |     <html
0025 |       lang="en"
0026 |       className={` ${cormorant.variable} ${manrope.variable} h-full antialiased` }
0027 |     >
0028 |       <body className="min-h-full flex flex-col">
0029 |         <SplashScreen>
0030 |           {children}

```

```

0031 |         </SplashScreen>
0032 |     </body>
0033 | </html>
0034 | );
0035 | }

```

src/app/globals.css

Lines: 89.

```

0001 | @import "tailwindcss";
0002 |
0003 | :root {
0004 |   --background: #2C2C2E;
0005 |   --foreground: #F0EDE6;
0006 |
0007 |   --gold: #C9973A;
0008 |   --gold-soft: rgba(201, 151, 58, 0.18);
0009 |
0010 |   --font-heading: "Cormorant Garamond", serif;
0011 |   --font-body: "Manrope", sans-serif;
0012 | }
0013 |
0014 | @theme inline {
0015 |   --color-background: var(--background);
0016 |   --color-foreground: var(--foreground);
0017 |   --font-sans: var(--font-body);
0018 | }
0019 |
0020 | * {
0021 |   box-sizing: border-box;
0022 | }
0023 |
0024 | html,
0025 | body {
0026 |   margin: 0;
0027 |   min-height: 100%;
0028 |   scroll-behavior: smooth;
0029 | }
0030 |
0031 | body {
0032 |   background: var(--background);
0033 |   color: var(--foreground);
0034 |   font-family: var(--font-body);
0035 | }
0036 |
0037 | img {
0038 |   max-width: 100%;
0039 |   display: block;
0040 | }
0041 |
0042 | /*
0043 |   IMPORTANT:
0044 |   Do NOT apply transform transitions
0045 |   to every div on the site.
0046 |   This causes animation conflicts and
0047 |   hurts splash screen performance.
0048 | */
0049 | a,
0050 | button,
0051 | input {
0052 |   transition:
0053 |     color 0.3s ease,
0054 |     background-color 0.3s ease,
0055 |     border-color 0.3s ease,
0056 |     transform 0.35s ease,
0057 |     box-shadow 0.35s ease;
0058 | }
0059 |
0060 | /* Optional utility animation */
0061 |
0062 | @keyframes fadeIn {
0063 |   from {
0064 |     opacity: 0;
0065 |   }
0066 |
0067 |   to {
0068 |     opacity: 1;
0069 |   }
0070 | }
0071 |
0072 | /* Luxury Scrollbar */
0073 |
0074 | ::-webkit-scrollbar {
0075 |   width: 8px;
0076 | }
0077 |
0078 | ::-webkit-scrollbar-track {
0079 |   background: #2C2C2E;
0080 | }
0081 |
0082 | ::-webkit-scrollbar-thumb {
0083 |   background: rgba(201, 151, 58, 0.25);
0084 |   border-radius: 20px;
0085 | }
0086 |
0087 | ::-webkit-scrollbar-thumb:hover {

```

```
0088 | background: rgba(201, 151, 58, 0.45);
0089 | }
```

src/app/page.js

Lines: 186.

```
0001 | import { supabase } from "@lib/supabase";
0002 | import Image from "next/image";
0003 | import LocationSearch from "../components/LocationSearch";
0004 |
0005 | export default async function Home() {
0006 |   const [{ data: locations }, { data: lands }, { data: developers }] =
0007 |     await Promise.all([
0008 |       supabase.from("locations").select("id, name, description, image_url"),
0009 |       supabase.from("lands").select("id, location_id, status"),
0010 |       supabase.from("developers").select("id"),
0011 |     ]);
0012 |
0013 |   const locationList = locations [];
0014 |   const landList = lands [];
0015 |   const developerList = developers [];
0016 |   const countByLocation = {};
0017 |   let availableCount = 0;
0018 |
0019 |   landList.forEach((land) => {
0020 |     if (land.status === "available") {
0021 |       availableCount += 1;
0022 |       countByLocation[land.location_id] =
0023 |         (countByLocation[land.location_id] || 0) + 1;
0024 |     }
0025 |   });
0026 |
0027 |   return (
0028 |     <main
0029 |       style={{
0030 |         fontFamily: "var(--font-body)",
0031 |         background: "#2C2C2E",
0032 |         minHeight: "100vh",
0033 |         color: "#F0EDE6",
0034 |       }}
0035 |     >
0036 |     <section
0037 |       style={{
0038 |         padding: "4rem 2rem 3rem",
0039 |         textAlign: "center",
0040 |         borderBottom: "0.5px solid rgba(201,151,58,0.18)",
0041 |         position: "relative",
0042 |         overflow: "hidden",
0043 |       }}
0044 |     >
0045 |     <div
0046 |       style={{
0047 |         position: "absolute",
0048 |         top: -80,
0049 |         left: "50%",
0050 |         transform: "translateX(-50%)",
0051 |         width: 500,
0052 |         height: 500,
0053 |         background:
0054 |           "radial-gradient(circle, rgba(201,151,58,0.08) 0%, transparent 70%)",
0055 |         pointerEvents: "none",
0056 |       }}
0057 |     />
0058 |
0059 |     <div style={{ marginBottom: "1.5rem", position: "relative" }}>
0060 |       <Image
0061 |         src="/logo.png"
0062 |         alt="Invigate"
0063 |         width={240}
0064 |         height={120}
0065 |         priority
0066 |         style={{
0067 |           width: "240px",
0068 |           height: "auto",
0069 |           margin: "0 auto 10px",
0070 |           display: "block",
0071 |         }}
0072 |       />
0073 |
0074 |       <div
0075 |         style={{
0076 |           fontSize: 10,
0077 |           letterSpacing: "0.18em",
0078 |           textTransform: "uppercase",
0079 |           color: "#6B6762",
0080 |         }}
0081 |       >
0082 |         Luxury Real Estate Redefined - Where Safety Meets Sophistication
0083 |       </div>
0084 |     </div>
0085 |
0086 |     <div
0087 |       style={{
0088 |         width: 40,
0089 |         height: 1,
0090 |         background: "rgba(201,151,58,0.35)",
```

```

0091 |         margin: "0 auto 1.5rem",
0092 |     }}
0093 | />
0094 |
0095 | <h1
0096 |     style={{
0097 |         fontFamily: "var(--font-heading)",
0098 |         fontSize: 42,
0099 |         fontWeight: 400,
0100 |         color: "#F0EDE6",
0101 |         lineHeight: 1.15,
0102 |         marginBottom: 14,
0103 |         position: "relative",
0104 |     }}
0105 | >
0106 |     Find your{" "}
0107 |     <em style={{ color: "#C9973A", fontStyle: "italic" }}>
0108 |         perfect project
0109 |     </em>
0110 |     <br />
0111 |     across Egypt
0112 | </h1>
0113 |
0114 | <p
0115 |     style={{
0116 |         color: "#9A9489",
0117 |         maxWidth: 460,
0118 |         margin: "0 auto",
0119 |         lineHeight: 1.8,
0120 |         fontSize: 14,
0121 |         position: "relative",
0122 |     }}
0123 | >
0124 |     Curated land projects across Egypt's most prestigious
0125 |     addresses - verified, trusted, and direct.
0126 | </p>
0127 | </section>
0128 |
0129 | <div
0130 |     style={{
0131 |         display: "grid",
0132 |         gridTemplateColumns: "repeat(3, 1fr)",
0133 |     }}
0134 | >
0135 |     {[
0136 |         { num: locationList.length, label: "Locations" },
0137 |         { num: availableCount, label: "Projects" },
0138 |         { num: developerList.length, label: "Developers" },
0139 |     ].map(({ num, label }, i) => (
0140 |         <div
0141 |             key={label}
0142 |             style={{
0143 |                 padding: "22px 8px",
0144 |                 textAlign: "center",
0145 |                 borderRight:
0146 |                     i < 2
0147 |                     ? "0.5px solid rgba(201,151,58,0.18)"
0148 |                     : "none",
0149 |                 borderBottom: "0.5px solid rgba(201,151,58,0.18)",
0150 |             }}
0151 |         >
0152 |             <div
0153 |                 style={{
0154 |                     fontFamily: "var(--font-heading)",
0155 |                     fontSize: 40,
0156 |                     color: "#C9973A",
0157 |                     lineHeight: 1,
0158 |                     marginBottom: 4,
0159 |                 }}
0160 |             >
0161 |                 {num}
0162 |             </div>
0163 |
0164 |             <div
0165 |                 style={{
0166 |                     fontSize: 10,
0167 |                     color: "#6B6762",
0168 |                     letterSpacing: "0.18em",
0169 |                     textTransform: "uppercase",
0170 |                 }}
0171 |             >
0172 |                 {label}
0173 |             </div>
0174 |         </div>
0175 |     )]}
0176 | </div>
0177 |
0178 | <section style={{ padding: "2rem 1.5rem 4rem" }}>
0179 |     <LocationSearch
0180 |         locations={locationList}
0181 |         countByLocation={countByLocation}
0182 |     />
0183 | </section>
0184 | </main>
0185 | );
0186 | }

```

src/app/location/[id]/page.js

Lines: 68.

```
0001 | import { supabase } from "@lib/supabase";
0002 | import Link from "next/link";
0003 | import ProjectCard from "@app/components/ProjectCard";
0004 |
0005 | export default async function LocationPage({ params }) {
0006 |   const { id } = await params;
0007 |
0008 |   const [{ data: location }, { data: lands }, { data: developers }] = await Promise.all([
0009 |     supabase.from("locations").select("*").eq("id", id).maybeSingle(),
0010 |     supabase.from("lands").select("*").eq("location_id", id),
0011 |     supabase.from("developers").select("id, name"),
0012 |   ]);
0013 |
0014 |   const locationLands = lands  [];
0015 |
0016 |   const devMap = {};
0017 |   developers.forEach((d) => { devMap[d.id] = d.name; });
0018 |
0019 |   if (!location) {
0020 |     return (
0021 |       <main style={{ padding: 40, fontFamily: "Inter, Arial, sans-serif", background: "#2C2C2E", minHeight: "100vh", color: "#F0EDE6" }}>
0022 |         <Link href="/" style={{ color: "#C9973A", textDecoration: "none", fontSize: 13 }}><- All locations</Link>
0023 |         <h2 style={{ marginTop: 20, fontFamily: "Georgia, serif", fontWeight: 400 }}>Location not found</h2>
0024 |       </main>
0025 |     );
0026 |   }
0027 |
0028 |   return (
0029 |     <main style={{ fontFamily: "Inter, Arial, sans-serif", background: "#2C2C2E", minHeight: "100vh", color: "#F0EDE6" }}>
0030 |
0031 |       <div style={{ padding: "1.5rem 1.5rem 0" }}>
0032 |         <Link href="/" style={{ color: "#C9973A", textDecoration: "none", display: "inline-flex", alignItems: "center", gap: 6 }}>
0033 |           <- All locations
0034 |         </Link>
0035 |       </div>
0036 |
0037 |       <div style={{ padding: "1.25rem 1.5rem", background: "#343437", margin: "1rem 1.5rem 0", borderRadius: 12, border: "0.5px solid rgba(201,151,58,0.18)" }}>
0038 |         <p style={{ fontSize: 9, letterSpacing: "0.2em", textTransform: "uppercase", color: "#6B6762", marginBottom: 8 }}>Location</p>
0039 |         <h1 style={{ fontFamily: "Georgia, serif", fontSize: 26, fontWeight: 400, color: "#F0EDE6", marginBottom: 6 }}>{location.name}</h1>
0040 |         <p style={{ fontSize: 13, color: "#9A9489", lineHeight: 1.6 }}>{location.description}</p>
0041 |       </div>
0042 |       <div style={{ padding: "1.5rem" }}>
0043 |         <p style={{ fontSize: 9, letterSpacing: "0.2em", textTransform: "uppercase", color: "#6B6762", marginBottom: 14 }}>
0044 |           {locationLands.length} projects in this area
0045 |         </p>
0046 |
0047 |         <div style={{ textAlign: "center", padding: "3rem", color: "#6B6762", background: "#343437", borderRadius: 12, border: "0.5px solid rgba(201,151,58,0.18)" }}>
0048 |           <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minmax(260px, 320px))", gap: 14 }}>
0049 |             {locationLands.map((land) => (
0050 |               <ProjectCard
0051 |                 key={land.id}
0052 |                 reserved: { bg: "rgba(200,150,40,0.12)", border: "rgba(200,150,40,0.3)", text: "#E8C97A" },
0053 |                 sold: { bg: "rgba(200,60,60,0.12)", border: "rgba(200,60,60,0.3)", text: "#E07070" },
0054 |               </ProjectCard>
0055 |             ))}
0056 |           </div>
0057 |         </div>
0058 |       </main>
0059 |     );
0060 |   }
0061 | }
```

src/app/land/[id]/page.js

Lines: 108.

```
0001 | import { supabase } from "@lib/supabase";
0002 | import Link from "next/link";
0003 | import ProjectDetails from "@app/components/ProjectDetails";
0004 | import PhotoGallery from "@app/components/PhotoGallery";
0005 |
0006 | const STATUS_STYLES = {
0007 |   available: { bg: "rgba(30,120,70,0.18)", border: "rgba(77,201,138,0.35)", text: "#4DC98A" },
0008 |   reserved: { bg: "rgba(200,150,40,0.12)", border: "rgba(200,150,40,0.3)", text: "#E8C97A" },
0009 |   sold: { bg: "rgba(200,60,60,0.12)", border: "rgba(200,60,60,0.3)", text: "#E07070" },
0010 | };
0011 |
0012 | export default async function LandPage({ params }) {
0013 |   const { id } = await params;
0014 |
0015 |   const { data: land } = await supabase
0016 |     .from("lands")
0017 |     .select("*")
0018 |     .eq("id", id)
0019 |     .maybeSingle();
```

```

0020 |
0021 | if (!land) {
0022 |   return (
0023 |     <main style={{ padding: 40, fontFamily: "Inter, Arial, sans-serif", background: "#2C2C2E", minHeight: "100vh", color: "#F0EDE6" }}>
0024 |       <Link href="/" style={{ color: "#C9973A", textDecoration: "none", fontSize: 13 }}><- Back</Link>
0025 |       <h2 style={{ marginTop: 20, fontFamily: "Georgia, serif", fontWeight: 400 }}>Project not found</h2>
0026 |     </main>
0027 |   );
0028 | }
0029 |
0030 | const [{ data: developer }, { data: images }, { data: location }, { data: landAreas }, { data: installmentPlans }, { data: officeSchedule }] =
0031 |   await Promise.all([
0032 |     land.developer_id
0033 |     supabase.from("developers").select("*").eq("id", land.developer_id).maybeSingle()
0034 |     : Promise.resolve({ data: null }),
0035 |     supabase.from("land_images").select("*").eq("land_id", id),
0036 |     land.location_id
0037 |     supabase.from("locations").select("*").eq("id", land.location_id).maybeSingle()
0038 |     : Promise.resolve({ data: null }),
0039 |     supabase.from("land_areas").select("*").eq("land_id", id).order("area_sqm"),
0040 |     supabase.from("land_installment_plans").select("*").eq("land_id", id).order("created_at"),
0041 |     supabase.from("office_schedule").select("*").order("day_of_week"),
0042 |   ]);
0043 |
0044 | const areaList = landAreas [];
0045 | const planList = installmentPlans [];
0046 | const areaIds = areaList.map((a) => a.id);
0047 |
0048 | const { data: priceRows } =
0049 |   areaIds.length > 0
0050 |   await supabase.from("land_area_plan_prices").select("*").in("land_area_id", areaIds)
0051 |   : { data: [] };
0052 |
0053 | // Split the project's images by is_masterplan: regular gallery vs. masterplan
0054 | // gallery (shown inside the unit picker card). A row missing the column
0055 | // (older data) falls back to the regular gallery via the !img.is_masterplan check.
0056 | const allImages = images [];
0057 | const imageList = allImages.filter((img) => !img.is_masterplan);
0058 | const masterplanImages = allImages.filter((img) => img.is_masterplan);
0059 |
0060 | const status = land.status "available";
0061 | const s = STATUS_STYLES[status] STATUS_STYLES.available;
0062 |
0063 | const whatsappNumber = land.contact_whatsapp "201000000000";
0064 | const whatsappMessage = encodeURIComponent(
0065 |   `I am interested in ${land.title} in ${location.name "your area"}, price EGP ${Number(land.price).toLocaleString()}`
0066 | );
0067 | const whatsappUrl = `https://wa.me/${whatsappNumber}?text=${whatsappMessage}`;
0068 |
0069 | const mapsUrl = land.location_url || null;
0070 |
0071 | return (
0072 |   <main style={{ fontFamily: "Inter, Arial, sans-serif", background: "#2C2C2E", minHeight: "100vh", color: "#F0EDE6", paddingBottom: "4rem" }}>
0073 |
0074 |     /* BACK */
0075 |     <div style={{ padding: "1.5rem 1.5rem 0" }}>
0076 |       <Link
0077 |         href={location ? `/location/${land.location_id}` : "/"}
0078 |         style={{ fontSize: 13, color: "#C9973A", textDecoration: "none" }}
0079 |       >
0080 |         <- {location ? location.name : "All locations"}
0081 |       </Link>
0082 |     </div>
0083 |
0084 |     /* PHOTO GALLERY - mobile: scroll carousel - desktop: main + grayscale peeks + thumbnail rail */
0085 |     <PhotoGallery images={imageList} alt={land.title} status={status} statusStyle={s} />
0086 |
0087 |     /* KEY INFO, AREA/PLAN PICKERS, LOCATION, DEVELOPER, CONTACT */
0088 |     <ProjectDetails
0089 |       land={land}
0090 |       developer={developer}
0091 |       location={location}
0092 |       mapsUrl={mapsUrl}
0093 |       whatsappUrl={whatsappUrl}
0094 |       landAreas={areaList}
0095 |       installmentPlans={planList}
0096 |       priceRows={priceRows}
0097 |       masterplanImages={masterplanImages}
0098 |       customize_plan_whatsapp={land.customize_plan_whatsapp null}
0099 |       developer_whatsapp={land.developer_whatsapp developer.whatsapp null}
0100 |       down_payment_amount={land.down_payment_amount null}
0101 |       amman_whatsapp={land.amman_whatsapp null}
0102 |       developer_bank_account={developer.bank_account null}
0103 |       office_schedule={officeSchedule []}
0104 |     />
0105 |
0106 |   </main>
0107 | );
0108 | }

```

src/app/admin/layout.js

Lines: 267.

```

0001 | "use client";
0002 |
0003 | import { useState } from "react";

```

```

0004 | import Link from "next/link";
0005 | import { usePathname, useRouter } from "next/navigation";
0006 | import { supabase } from "@/lib/supabaseBrowser";
0007 |
0008 | const navItems = [
0009 |   { label: "Dashboard", href: "/admin", icon: "[dashboard]" },
0010 |   { label: "Locations", href: "/admin/locations", icon: "[location]" },
0011 |   { label: "Projects", href: "/admin/lands", icon: "[project]" },
0012 |   { label: "Developers", href: "/admin/developers", icon: "[developer]" },
0013 |   { label: "Reservations", href: "/admin/reservations", icon: "[reservations]" },
0014 |   { label: "Office", href: "/admin/office-reservations", icon: "[calendar]" },
0015 | ];
0016 |
0017 | export default function AdminLayout({ children }) {
0018 |   const pathname = usePathname();
0019 |   const router = useRouter();
0020 |   const [loggingOut, setLoggingOut] = useState(false);
0021 |   const [collapsed, setCollapsed] = useState(false);
0022 |   const [hovered, setHovered] = useState(false);
0023 |
0024 |   if (pathname === "/admin/login") return <>{children}</>;
0025 |
0026 |   async function handleLogout() {
0027 |     setLoggingOut(true);
0028 |     await supabase.auth.signOut();
0029 |     router.push("/admin/login");
0030 |   }
0031 |
0032 |   const expanded = !collapsed || hovered;
0033 |   const sidebarW = expanded ? 220 : 60;
0034 |
0035 |   return (
0036 |     <>
0037 |       {/*
0038 |         DESKTOP LAYOUT (hidden on mobile)
0039 |       */}
0040 |       <div style={{
0041 |         minHeight: "100vh",
0042 |         background: "#2C2C2E",
0043 |         display: "flex",
0044 |         fontFamily: "Inter, Arial, sans-serif",
0045 |       }}
0046 |         className="admin-desktop-layout"
0047 |       >
0048 |         {/* Sidebar */}
0049 |         <aside
0050 |           onMouseEnter={() => collapsed && setHovered(true)}
0051 |           onMouseLeave={() => setHovered(false)}
0052 |           style={{
0053 |             width: sidebarW,
0054 |             minWidth: sidebarW,
0055 |             minHeight: "100vh",
0056 |             background: "#222224",
0057 |             borderRight: "0.5px solid rgba(201,151,58,0.15)",
0058 |             display: "flex",
0059 |             flexDirection: "column",
0060 |             flexShrink: 0,
0061 |             position: "sticky",
0062 |             top: 0,
0063 |             height: "100vh",
0064 |             overflow: "hidden",
0065 |             transition: "width 0.25s ease, min-width 0.25s ease",
0066 |             zIndex: 50,
0067 |           }}
0068 |         >
0069 |           {/* Brand + toggle */}
0070 |           <div style={{
0071 |             padding: expanded ? "28px 20px 20px" : "20px 0 20px",
0072 |             borderBottom: "0.5px solid rgba(201,151,58,0.12)",
0073 |             display: "flex",
0074 |             alignItems: "center",
0075 |             justify-content: expanded ? "space-between" : "center",
0076 |             flexShrink: 0,
0077 |           }}
0078 |             {expanded && (
0079 |               <div>
0080 |                 <div style={{ fontFamily: "Georgia, serif", fontSize: "22px", color: "#C9973A", letterSpacing: "0.04em", whiteSpace: "nowrap" }}>
0081 |                   Invigate
0082 |                 </div>
0083 |                 <div style={{ fontSize: "10px", color: "#6B6762", letterSpacing: "0.15em", textTransform: "uppercase", marginTop: "3px", whiteSpace: "nowrap" }}>
0084 |                   Admin Panel
0085 |                 </div>
0086 |               </div>
0087 |             )}
0088 |             <button
0089 |               onClick={() => { setCollapsed(c => !c); setHovered(false); }}
0090 |               title={collapsed ? "Expand sidebar" : "Collapse sidebar"}
0091 |               style={{
0092 |                 background: "none",
0093 |                 border: "0.5px solid rgba(201,151,58,0.22)",
0094 |                 borderRadius: "7px",
0095 |                 width: 28, height: 28,
0096 |                 display: "flex", alignItems: "center", justifyContent: "center",
0097 |                 cursor: "pointer", color: "#6B6762", flexShrink: 0,
0098 |                 transition: "all 0.2s ease", padding: 0,
0099 |               }}
0100 |               onMouseEnter={e => { e.currentTarget.style.borderColor = "rgba(201,151,58,0.55)"; e.currentTarget.style.color = "#C9973A"; }}

```



```

0101 |         onMouseLeave={e => { e.currentTarget.style.borderColor = "rgba(201,151,58,0.22)"; e.currentTarget.style.color = "#6B6762"; }}
0102 |     >
0103 |     <svg width="13" height="13" viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2.2" strokeLinecap="round" strokeLinejoin="round"
0104 |         style={{ transform: collapsed "rotate(0deg)" : "rotate(180deg)", transition: "transform 0.25s ease" }}>
0105 |         <polyline points="9 18 15 12 9 6" />
0106 |     </svg>
0107 | </button>
0108 | </div>
0109 |
0110 | /* Nav */
0111 | <nav style={{ padding: expanded "16px 12px" : "16px 8px", flex: 1 }}>
0112 |     {navItems.map(item => {
0113 |         const active = pathname === item.href || (item.href !== "/" + "admin" && pathname.startsWith(item.href));
0114 |         return (
0115 |             <Link key={item.href} href={item.href} style={{ textDecoration: "none" }} title={!expanded item.label : undefined}>
0116 |                 <div style={{
0117 |                     display: "flex", alignItems: "center",
0118 |                     justifyContent: expanded "flex-start" : "center",
0119 |                     gap: expanded "10px" : "0",
0120 |                     padding: expanded "10px 12px" : "10px 0",
0121 |                     borderRadius: "8px", marginBottom: "2px",
0122 |                     background: active "rgba(201,151,58,0.12)" : "transparent",
0123 |                     border: active "0.5px solid rgba(201,151,58,0.3)" : "0.5px solid transparent",
0124 |                     color: active "#E8C97A" : "#9A9489",
0125 |                     fontSize: "13px", fontWeight: active "500" : "400",
0126 |                     transition: "all 0.2s ease", cursor: "pointer",
0127 |                     whiteSpace: "nowrap", overflow: "hidden",
0128 |                 }}>
0129 |                     <span style={{ fontSize: "15px", flexShrink: 0 }}>{item.icon}</span>
0130 |                     {expanded && item.label}
0131 |                 </div>
0132 |             </Link>
0133 |         );
0134 |     })}
0135 | </nav>
0136 |
0137 | /* Logout */
0138 | <div style={{ padding: expanded "16px 12px" : "16px 8px", borderTop: "0.5px solid rgba(201,151,58,0.12)", flexShrink: 0 }}>
0139 |     <button
0140 |         onClick={handleLogout}
0141 |         disabled={loggingOut}
0142 |         title={!expanded "Sign out" : undefined}
0143 |         style={{
0144 |             width: "100%", background: "transparent",
0145 |             border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: "8px",
0146 |             padding: expanded "10px 12px" : "10px 0",
0147 |             color: "#9A9489", fontSize: "13px", cursor: "pointer",
0148 |             textAlign: expanded "left" : "center",
0149 |             display: "flex", alignItems: "center",
0150 |             justifyContent: expanded "flex-start" : "center",
0151 |             gap: expanded "10px" : "0",
0152 |             transition: "all 0.2s ease", whiteSpace: "nowrap", overflow: "hidden",
0153 |         }}
0154 |     >
0155 |         <span style={{ flexShrink: 0 }}>{loggingOut}</span>
0156 |         {expanded && (loggingOut "Signing out..." : "Sign out")}
0157 |     </button>
0158 | </div>
0159 | </aside>
0160 |
0161 | /* Main content - desktop */
0162 | <main style={{ flex: 1, padding: "36px 40px", overflowY: "auto", minWidth: 0 }}>
0163 |     {children}
0164 | </main>
0165 | </div>
0166 |
0167 | /*
0168 |     MOBILE LAYOUT (hidden on desktop)
0169 | */
0170 | <div className="admin-mobile-layout" style={{ display: "none", flexDirection: "column", minHeight: "100vh", background: "#2C2C2E", fontFamily: "Inter, Ari
al, sans-serif" }}>
0171 |
0172 |     /* Mobile top bar */
0173 |     <div style={{
0174 |         background: "#222224",
0175 |         borderBottom: "0.5px solid rgba(201,151,58,0.15)",
0176 |         padding: "14px 20px",
0177 |         display: "flex",
0178 |         alignItems: "center",
0179 |         justifyContent: "space-between",
0180 |         position: "sticky",
0181 |         top: 0,
0182 |         zIndex: 50,
0183 |         flexShrink: 0,
0184 |     }}>
0185 |         <div style={{ fontFamily: "Georgia, serif", fontSize: "20px", color: "#C9973A", letterSpacing: "0.04em" }}>
0186 |             Invegate
0187 |         </div>
0188 |         <div style={{ fontSize: "10px", color: "#6B6762", letterSpacing: "0.15em", textTransform: "uppercase" }}>
0189 |             Admin Panel
0190 |         </div>
0191 |         <button
0192 |             onClick={handleLogout}
0193 |             disabled={loggingOut}
0194 |             style={{
0195 |                 background: "none", border: "0.5px solid rgba(201,151,58,0.2)",
0196 |                 borderRadius: "7px", padding: "6px 10px",
0197 |                 color: "#9A9489", fontSize: "11px", cursor: "pointer",

```

```

0198 |     }}
0199 |     >
0200 |     {loggingOut "...": "[logout]"}
0201 |   </button>
0202 | </div>
0203 |
0204 | { /* Mobile main content */}
0205 | <main style={{ flex: 1, padding: "20px 16px", overflowY: "auto", paddingBottom: "90px" }}>
0206 |   {children}
0207 | </main>
0208 |
0209 | { /* Mobile bottom navigation bar */}
0210 | <nav style={{
0211 |   position: "fixed",
0212 |   bottom: 0,
0213 |   left: 0,
0214 |   right: 0,
0215 |   background: "#222224",
0216 |   borderTop: "0.5px solid rgba(201,151,58,0.18)",
0217 |   display: "flex",
0218 |   zIndex: 100,
0219 |   paddingBottom: "env(safe-area-inset-bottom)", /* handles iPhone notch */
0220 | }}>
0221 |   {navItems.map(item => {
0222 |     const active = pathname === item.href || (item.href !== "/admin" && pathname.startsWith(item.href));
0223 |     return (
0224 |       <Link
0225 |         key={item.href}
0226 |         href={item.href}
0227 |         style={{
0228 |           flex: 1,
0229 |           display: "flex",
0230 |           flexDirection: "column",
0231 |           alignItems: "center",
0232 |           justifyContent: "center",
0233 |           padding: "10px 4px",
0234 |           textDecoration: "none",
0235 |           color: active ? "#C9973A" : "#6B6762",
0236 |           borderTop: active ? "2px solid #C9973A" : "2px solid transparent",
0237 |           background: active ? "rgba(201,151,58,0.06)" : "transparent",
0238 |           transition: "all 0.2s ease",
0239 |           gap: 3,
0240 |         }}
0241 |       >
0242 |         <span style={{ fontSize: "18px", lineHeight: 1 }}>{item.icon}</span>
0243 |         <span style={{ fontSize: "9px", letterSpacing: "0.06em", textTransform: "uppercase", fontWeight: active ? 600 : 400, whiteSpace: "nowrap" }}>
0244 |           {item.label}
0245 |         </span>
0246 |       </Link>
0247 |     );
0248 |   })}
0249 | </nav>
0250 | </div>
0251 |
0252 | { /*
0253 |   RESPONSIVE SWITCH (pure CSS, no JS)
0254 | */}
0255 | <style>{`
0256 |   @media (max-width: 768px) {
0257 |     .admin-desktop-layout { display: none !important; }
0258 |     .admin-mobile-layout { display: flex !important; }
0259 |   }
0260 |   @media (min-width: 769px) {
0261 |     .admin-desktop-layout { display: flex !important; }
0262 |     .admin-mobile-layout { display: none !important; }
0263 |   }
0264 | `}</style>
0265 | </>
0266 |   );
0267 | }

```

src/app/admin/page.js

Lines: 241.

```

0001 | import { createSupabaseServerClient } from "@lib/supabaseServer";
0002 | import Link from "next/link";
0003 |
0004 | export default async function AdminDashboard() {
0005 |   const supabase = await createSupabaseServerClient();
0006 |
0007 |   const [
0008 |     { count: locationsCount },
0009 |     { count: landsCount },
0010 |     { count: developersCount },
0011 |     { count: reservationsCount },
0012 |     { data: pendingReservations },
0013 |     { data: recentLands },
0014 |   ] = await Promise.all([
0015 |     supabase.from("locations").select("?", { count: "exact", head: true }),
0016 |     supabase.from("lands").select("?", { count: "exact", head: true }),
0017 |     supabase.from("developers").select("?", { count: "exact", head: true }),
0018 |     supabase.from("reservations").select("?", { count: "exact", head: true }),
0019 |     supabase.from("reservations").select("?", { status: "pending" }).limit(5).order("created_at", { ascending: false }),
0020 |     supabase.from("lands").select("id, title, status, created_at").limit(5).order("created_at", { ascending: false }),
0021 |   ]);
0022 |

```



```

0121 |     </Link>
0122 | </div>
0123 | {!pendingReservations.length (
0124 |   <p style={{ color: "#6B6762", fontSize: "13px", margin: 0 }}>No pending reservations</p>
0125 | ) : (
0126 |   pendingReservations.map(r => (
0127 |     <div key={r.id} style={{
0128 |       padding: "10px 0",
0129 |       borderBottom: "0.5px solid rgba(201,151,58,0.1)",
0130 |       display: "flex",
0131 |       justifyContent: "space-between",
0132 |       alignItems: "center",
0133 |     }}>
0134 |       <div>
0135 |         <div style={{ fontSize: "13px", color: "#F0EDE6" }}>{r.full_name}</div>
0136 |         <div style={{ fontSize: "11px", color: "#6B6762", marginTop: "2px" }}>{r.phone}</div>
0137 |       </div>
0138 |       <span style={{
0139 |         fontSize: "10px",
0140 |         background: "rgba(200,150,40,0.12)",
0141 |         color: "#E8C97A",
0142 |         border: "0.5px solid rgba(200,150,40,0.3)",
0143 |         borderRadius: "999px",
0144 |         padding: "3px 10px",
0145 |         letterSpacing: "0.08em",
0146 |       }}>
0147 |         PENDING
0148 |       </span>
0149 |     </div>
0150 |   ))
0151 | })
0152 | </div>
0153 |
0154 | {/* Recent projects */}
0155 | <div style={{
0156 |   background: "#343437",
0157 |   border: "0.5px solid rgba(201,151,58,0.18)",
0158 |   borderRadius: "12px",
0159 |   padding: "24px",
0160 | }}>
0161 |   <div style={{
0162 |     display: "flex",
0163 |     justifyContent: "space-between",
0164 |     alignItems: "center",
0165 |     marginBottom: "18px",
0166 |   }}>
0167 |     <h2 style={{
0168 |       fontSize: "14px",
0169 |       color: "#F0EDE6",
0170 |       margin: 0,
0171 |       fontWeight: "500",
0172 |     }}>
0173 |       Recent Projects
0174 |     </h2>
0175 |     <Link href="/admin/lands" style={{
0176 |       fontSize: "12px",
0177 |       color: "#C9973A",
0178 |       textDecoration: "none",
0179 |     }}>
0180 |       View all ->
0181 |     </Link>
0182 |   </div>
0183 |   {!recentLands.length (
0184 |     <p style={{ color: "#6B6762", fontSize: "13px", margin: 0 }}>No projects yet</p>
0185 |   ) : (
0186 |     recentLands.map(land => {
0187 |       const s = statusColor[land.status] || statusColor.available;
0188 |       return (
0189 |         <div key={land.id} style={{
0190 |           padding: "10px 0",
0191 |           borderBottom: "0.5px solid rgba(201,151,58,0.1)",
0192 |           display: "flex",
0193 |           justifyContent: "space-between",
0194 |           alignItems: "center",
0195 |         }}>
0196 |           <div style={{ fontSize: "13px", color: "#F0EDE6" }}>{land.title}</div>
0197 |           <span style={{
0198 |             fontSize: "10px",
0199 |             background: s.bg,
0200 |             color: s.color,
0201 |             border: `0.5px solid ${s.color}55`,
0202 |             borderRadius: "999px",
0203 |             padding: "3px 10px",
0204 |             letterSpacing: "0.08em",
0205 |             textTransform: "uppercase",
0206 |           }}>
0207 |             {land.status}
0208 |           </span>
0209 |         </div>
0210 |       );
0211 |     })
0212 |   })
0213 | </div>
0214 | </div>
0215 |
0216 | {/* Office Working Hours - clickable link to dedicated page */}
0217 | <Link href="/admin/office-hours" style={{ textDecoration: "none" }}>
0218 |   <div style={{

```

```

0219 |         background: "#343437",
0220 |         border: "0.5px solid rgba(201,151,58,0.18)",
0221 |         borderRadius: "12px",
0222 |         padding: "20px 24px",
0223 |         marginTop: "20px",
0224 |         display: "flex",
0225 |         alignItems: "center",
0226 |         justifyContent: "space-between",
0227 |     }}>
0228 |     <div>
0229 |       <h2 style={{ fontSize: "14px", color: "#F0EDE6", margin: 0, fontWeight: "500" }}>
0230 |         Office Working Hours
0231 |       </h2>
0232 |       <p style={{ fontSize: "12px", color: "#6B6762", margin: "4px 0 0" }}>
0233 |         Set the days and times buyers can request an office meeting
0234 |       </p>
0235 |     </div>
0236 |     <span style={{ fontSize: "12px", color: "#C9973A" }}>Manage -></span>
0237 |   </div>
0238 | </Link>
0239 | </div>
0240 | );
0241 | }

```

src/app/admin/login/page.js

Lines: 168.

```

0001 | "use client";
0002 |
0003 | import { useState } from "react";
0004 | import { useRouter } from "next/navigation";
0005 | import { supabase } from "@lib/supabaseBrowser";
0006 |
0007 | export default function AdminLoginPage() {
0008 |   const router = useRouter();
0009 |   const [email, setEmail] = useState("");
0010 |   const [password, setPassword] = useState("");
0011 |   const [loading, setLoading] = useState(false);
0012 |   const [error, setError] = useState("");
0013 |
0014 |   async function handleLogin() {
0015 |     setLoading(true);
0016 |     setError("");
0017 |     const { error } = await supabase.auth.signInWithPassword({ email, password });
0018 |     if (error) {
0019 |       setError("Invalid email or password.");
0020 |       setLoading(false);
0021 |     } else {
0022 |       router.push("/admin");
0023 |       router.refresh();
0024 |     }
0025 |   }
0026 |
0027 |   return (
0028 |     <div style={{
0029 |       minHeight: "100vh",
0030 |       background: "#2C2C2E",
0031 |       display: "flex",
0032 |       alignItems: "center",
0033 |       justifyContent: "center",
0034 |       fontFamily: "Inter, Arial, sans-serif",
0035 |       padding: "24px",
0036 |     }}>
0037 |       <div style={{
0038 |         background: "#343437",
0039 |         border: "0.5px solid rgba(201,151,58,0.25)",
0040 |         borderRadius: "16px",
0041 |         padding: "48px 40px",
0042 |         width: "100%",
0043 |         maxWidth: "400px",
0044 |       }}>
0045 |         {/* Logo area */}
0046 |         <div style={{ textAlign: "center", marginBottom: "36px" }}>
0047 |           <div style={{
0048 |             fontFamily: "Georgia, serif",
0049 |             fontSize: "28px",
0050 |             color: "#C9973A",
0051 |             letterSpacing: "0.04em",
0052 |             marginBottom: "6px",
0053 |           }}>
0054 |             Invigate
0055 |           </div>
0056 |           <div style={{
0057 |             fontSize: "11px",
0058 |             color: "#6B6762",
0059 |             letterSpacing: "0.15em",
0060 |             textTransform: "uppercase",
0061 |           }}>
0062 |             Admin Panel
0063 |           </div>
0064 |         </div>
0065 |
0066 |         {/* Email */}
0067 |         <div style={{ marginBottom: "16px" }}>
0068 |           <label style={{
0069 |             display: "block",

```

```

0070 |         fontSize: "11px",
0071 |         color: "#9A9489",
0072 |         letterSpacing: "0.12em",
0073 |         textTransform: "uppercase",
0074 |         marginBottom: "8px",
0075 |     }}>
0076 |     Email
0077 | </label>
0078 | <input
0079 |     type="email"
0080 |     value={email}
0081 |     onChange={e => setEmail(e.target.value)}
0082 |     onKeyDown={e => e.key === "Enter" && handleLogin()}
0083 |     placeholder="admin@invgate.com"
0084 |     style={{
0085 |         width: "100%",
0086 |         background: "#3A3A3D",
0087 |         border: "0.5px solid rgba(201,151,58,0.25)",
0088 |         borderRadius: "10px",
0089 |         padding: "12px 14px",
0090 |         color: "#F0EDE6",
0091 |         fontSize: "14px",
0092 |         outline: "none",
0093 |         boxSizing: "border-box",
0094 |     }}
0095 | </div>
0096 | </div>
0097 |
0098 | {/* Password */}
0099 | <div style={{ marginBottom: "24px" }}>
0100 |     <label style={{
0101 |         display: "block",
0102 |         fontSize: "11px",
0103 |         color: "#9A9489",
0104 |         letterSpacing: "0.12em",
0105 |         textTransform: "uppercase",
0106 |         marginBottom: "8px",
0107 |     }}>
0108 |         Password
0109 |     </label>
0110 |     <input
0111 |         type="password"
0112 |         value={password}
0113 |         onChange={e => setPassword(e.target.value)}
0114 |         onKeyDown={e => e.key === "Enter" && handleLogin()}
0115 |         placeholder=""
0116 |         style={{
0117 |             width: "100%",
0118 |             background: "#3A3A3D",
0119 |             border: "0.5px solid rgba(201,151,58,0.25)",
0120 |             borderRadius: "10px",
0121 |             padding: "12px 14px",
0122 |             color: "#F0EDE6",
0123 |             fontSize: "14px",
0124 |             outline: "none",
0125 |             boxSizing: "border-box",
0126 |         }}
0127 |     </div>
0128 | </div>
0129 |
0130 | {/* Error */}
0131 | {error && (
0132 |     <div style={{
0133 |         background: "rgba(200,60,60,0.12)",
0134 |         border: "0.5px solid rgba(200,60,60,0.4)",
0135 |         borderRadius: "8px",
0136 |         padding: "10px 14px",
0137 |         color: "#E07070",
0138 |         fontSize: "13px",
0139 |         marginBottom: "16px",
0140 |     }}>
0141 |         {error}
0142 |     </div>
0143 | )}
0144 |
0145 | {/* Login button */}
0146 | <button
0147 |     onClick={handleLogin}
0148 |     disabled={loading || !email || !password}
0149 |     style={{
0150 |         width: "100%",
0151 |         background: loading || !email || !password ? "rgba(201,151,58,0.3)" : "#C9973A",
0152 |         color: loading || !email || !password ? "rgba(240,237,230,0.4)" : "#2C2C2E",
0153 |         border: "none",
0154 |         borderRadius: "10px",
0155 |         padding: "13px",
0156 |         fontSize: "14px",
0157 |         fontWeight: "600",
0158 |         cursor: loading || !email || !password ? "not-allowed" : "pointer",
0159 |         letterSpacing: "0.04em",
0160 |         transition: "all 0.25s ease",
0161 |     }}
0162 | >
0163 |     {loading ? "Signing in..." : "Sign in"}
0164 | </button>
0165 | </div>
0166 | </div>
0167 | );

```

src/app/admin/locations/page.js

Lines: 292.

```

0001 | "use client";
0002 |
0003 | import { useState, useEffect } from "react";
0004 | import { createClient } from "@supabase/supabase-js";
0005 |
0006 | const supabase = createClient(
0007 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0008 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0009 | );
0010 |
0011 | const emptyForm = { name: "", description: "", image_url: "" };
0012 |
0013 | export default function AdminLocations() {
0014 |   const [locations, setLocations] = useState([]);
0015 |   const [loading, setLoading] = useState(true);
0016 |   const [showForm, setShowForm] = useState(false);
0017 |   const [form, setForm] = useState(emptyForm);
0018 |   const [editId, setEditId] = useState(null);
0019 |   const [saving, setSaving] = useState(false);
0020 |   const [deletingId, setDeletingId] = useState(null);
0021 |   const [error, setError] = useState("");
0022 |   const [imageFile, setImageFile] = useState(null);
0023 |   const [uploading, setUploading] = useState(false);
0024 |
0025 |   async function fetchLocations() {
0026 |     const { data } = await supabase.from("locations").select("*").order("created_at", { ascending: false });
0027 |     setLocations(data || []);
0028 |     setLoading(false);
0029 |   }
0030 |
0031 |   useEffect(() => { fetchLocations(); }, []);
0032 |
0033 |   function openAdd() {
0034 |     setForm(emptyForm);
0035 |     setEditId(null);
0036 |     setError("");
0037 |     setImageFile(null);
0038 |     setShowForm(true);
0039 |   }
0040 |
0041 |   function openEdit(loc) {
0042 |     setForm({ name: loc.name || "", description: loc.description || "", image_url: loc.image_url || "" });
0043 |     setEditId(loc.id);
0044 |     setError("");
0045 |     setImageFile(null);
0046 |     setShowForm(true);
0047 |   }
0048 |
0049 |   function cancelForm() {
0050 |     setShowForm(false);
0051 |     setForm(emptyForm);
0052 |     setEditId(null);
0053 |     setError("");
0054 |     setImageFile(null);
0055 |   }
0056 |
0057 |   async function uploadImage(file) {
0058 |     const ext = file.name.split(".").pop();
0059 |     const path = `${Date.now()}_${Math.random().toString(36).slice(2)}.${ext}`;
0060 |     const { error } = await supabase.storage.from("location-images").upload(path, file);
0061 |     if (error) throw error;
0062 |     const { data: urlData } = supabase.storage.from("location-images").getPublicUrl(path);
0063 |     return urlData.publicUrl;
0064 |   }
0065 |
0066 |   async function handleSave() {
0067 |     if (!form.name.trim()) { setError("Name is required."); return; }
0068 |     setSaving(true);
0069 |     setError("");
0070 |
0071 |     let finalImageUrl = form.image_url.trim() || null;
0072 |
0073 |     if (imageFile) {
0074 |       setUploading(true);
0075 |       try {
0076 |         finalImageUrl = await uploadImage(imageFile);
0077 |       } catch (err) {
0078 |         setError("Image upload failed: " + err.message);
0079 |         setSaving(false);
0080 |         setUploading(false);
0081 |         return;
0082 |       }
0083 |       setUploading(false);
0084 |     }
0085 |
0086 |     if (editId) {
0087 |       const { error } = await supabase.from("locations").update({
0088 |         name: form.name.trim(),
0089 |         description: form.description.trim(),
0090 |         image_url: finalImageUrl,
0091 |       }).eq("id", editId);

```

```

0092 |     if (error) { setError(error.message); setSaving(false); return; }
0093 |   } else {
0094 |     const { error } = await supabase.from("locations").insert({
0095 |       name: form.name.trim(),
0096 |       description: form.description.trim(),
0097 |       image_url: finalImageUrl,
0098 |     });
0099 |     if (error) { setError(error.message); setSaving(false); return; }
0100 |   }
0101 |   setSaving(false);
0102 |   cancelForm();
0103 |   fetchLocations();
0104 | }
0105 |
0106 | async function handleDelete(id) {
0107 |   if (!confirm("Delete this location This cannot be undone.)) return;
0108 |   setDeletingId(id);
0109 |   await supabase.from("locations").delete().eq("id", id);
0110 |   setDeletingId(null);
0111 |   fetchLocations();
0112 | }
0113 |
0114 | const inputStyle = {
0115 |   width: "100%",
0116 |   background: "#3A3A3D",
0117 |   border: "0.5px solid rgba(201,151,58,0.25)",
0118 |   borderRadius: "10px",
0119 |   padding: "11px 14px",
0120 |   color: "#F0EDE6",
0121 |   fontSize: "14px",
0122 |   outline: "none",
0123 |   boxSizing: "border-box",
0124 |   fontFamily: "Inter, Arial, sans-serif",
0125 | };
0126 |
0127 | const labelStyle = {
0128 |   display: "block",
0129 |   fontSize: "11px",
0130 |   color: "#9A9489",
0131 |   letterSpacing: "0.12em",
0132 |   textTransform: "uppercase",
0133 |   marginBottom: "7px",
0134 | };
0135 |
0136 | const previewUrl = imageFile ? URL.createObjectURL(imageFile) : form.image_url;
0137 |
0138 | return (
0139 |   <div>
0140 |     <div>
0141 |       <div style={{ display: "flex", justifyContent: "space-between", alignItems: "flex-start", marginBottom: "32px" }}>
0142 |         <div>
0143 |           <h1 style={{ fontFamily: "Georgia, serif", fontSize: "26px", color: "#F0EDE6", margin: 0, marginBottom: "5px" }}>
0144 |             Locations
0145 |           </h1>
0146 |           <p style={{ color: "#9A9489", fontSize: "13px", margin: 0 }}>{locations.length} location{locations.length !== 1 ? "s" : ""}</p>
0147 |         </div>
0148 |         <button onClick={openAdd} style={{
0149 |           background: "#C9973A", color: "#2C2C2E", border: "none", borderRadius: "10px",
0150 |           padding: "11px 20px", fontSize: "13px", fontWeight: "600", cursor: "pointer",
0151 |         }}>
0152 |           + Add location
0153 |         </button>
0154 |       </div>
0155 |
0156 |       <div>
0157 |         <div style={{
0158 |           background: "#343437", border: "0.5px solid rgba(201,151,58,0.3)",
0159 |           borderRadius: "14px", padding: "28px", marginBottom: "28px",
0160 |         }}>
0161 |           <h2 style={{ fontSize: "16px", color: "#F0EDE6", margin: "0 0 22px", fontWeight: "500" }}>
0162 |             {editId ? "Edit location" : "New location"}
0163 |           </h2>
0164 |
0165 |           <div style={{ marginBottom: "16px" }}>
0166 |             <label style={labelStyle}>Name </label>
0167 |             <input style={inputStyle} value={form.name} onChange={e => setForm(f => ({ ...f, name: e.target.value })))} placeholder="e.g. El Tagamoa" />
0168 |           </div>
0169 |
0170 |           <div style={{ marginBottom: "20px" }}>
0171 |             <label style={labelStyle}>Description</label>
0172 |             <textarea style={{ ...inputStyle, minHeight: "80px", resize: "vertical" }}
0173 |               value={form.description} onChange={e => setForm(f => ({ ...f, description: e.target.value })))}
0174 |               placeholder="Short description shown on the location card..." />
0175 |           </div>
0176 |
0177 |           <div>
0178 |             <div style={{ marginBottom: "20px" }}>
0179 |               <label style={labelStyle}>Cover Image</label>
0180 |
0181 |               {previewUrl && (
0182 |                 <div style={{ marginBottom: "12px" }}>
0183 |                   <img src={previewUrl} alt="" style={{
0184 |                     width: "160px", height: "100px", objectFit: "cover",
0185 |                     borderRadius: "8px", border: "0.5px solid rgba(201,151,58,0.2)",
0186 |                   }} />
0187 |                 </div>
0188 |               )}
0189 |             </div>

```



```

0190 |
0191 |     <label style={{
0192 |         display: "flex", flexDirection: "column", alignItems: "center",
0193 |         justifyContent: "center", gap: "8px",
0194 |         border: `1.5px dashed ${imageFile ? "rgba(77,201,138,0.5)" : "rgba(201,151,58,0.25)"}`,
0195 |         borderRadius: "10px", padding: "20px",
0196 |         cursor: "pointer", background: imageFile ? "rgba(30,120,70,0.08)" : "transparent",
0197 |         transition: "all 0.2s ease",
0198 |     }}>
0199 |         <input type="file" accept="image/*"
0200 |             style={{ display: "none" }}
0201 |             onChange={e => setImageFile(e.target.files[0] || null)} />
0202 |         <span style={{ fontSize: "22px" }}>[camera]</span>
0203 |         <span style={{ fontSize: "13px", color: imageFile ? "#4DC98A" : "#9A9489" }}>
0204 |             {imageFile ? imageFile.name : "Click to upload cover image"}
0205 |         </span>
0206 |     </label>
0207 | </div>
0208 |
0209 |     {error && (
0210 |         <div style={{ background: "rgba(200,60,60,0.12)", border: "0.5px solid rgba(200,60,60,0.4)", borderRadius: "8px", padding: "10px 14px", color: "#E07
0211 |             {error}
0212 |         </div>
0213 |     )}
0214 |     <div style={{ display: "flex", gap: "10px" }}>
0215 |         <button onClick={handleSave} disabled={saving} style={{
0216 |             background: saving ? "rgba(201,151,58,0.4)" : "#C9973A", color: "#2C2C2E",
0217 |             border: "none", borderRadius: "10px", padding: "11px 24px",
0218 |             fontSize: "13px", fontWeight: "600", cursor: saving ? "not-allowed" : "pointer",
0219 |         }}>
0220 |             {uploading ? "Uploading..." : saving ? "Saving..." : editId ? "Save changes" : "Add location"}
0221 |         </button>
0222 |         <button onClick={cancelForm} style={{
0223 |             background: "transparent", color: "#9A9489",
0224 |             border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: "10px",
0225 |             padding: "11px 20px", fontSize: "13px", cursor: "pointer",
0226 |         }}>
0227 |             Cancel
0228 |         </button>
0229 |     </div>
0230 | </div>
0231 | )}
0232 |
0233 | /* Table */
0234 | {loading ? (
0235 |     <p style={{ color: "#9A9489", fontSize: "14px" }}>Loading...</p>
0236 | ) : locations.length === 0 ? (
0237 |     <div style={{ background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)", borderRadius: "12px", padding: "48px", textAlign: "center" }}>
0238 |         <p style={{ color: "#6B6762", fontSize: "14px", margin: 0 }}>No locations yet. Add your first one above.</p>
0239 |     </div>
0240 | ) : (
0241 |     <div style={{ background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)", borderRadius: "12px", overflow: "hidden" }}>
0242 |         {locations.map((loc, i) => (
0243 |             <div key={loc.id} style={{
0244 |                 display: "flex", alignItems: "center", gap: "16px",
0245 |                 padding: "16px 20px",
0246 |                 borderBottom: i < locations.length - 1 ? "0.5px solid rgba(201,151,58,0.1)" : "none",
0247 |             }}>
0248 |                 /* Thumb */
0249 |                 <div style={{
0250 |                     width: "48px", height: "48px", borderRadius: "8px", flexShrink: 0,
0251 |                     background: "#3A3A3D", overflow: "hidden",
0252 |                     border: "0.5px solid rgba(201,151,58,0.15)",
0253 |                 }}>
0254 |                     {loc.image_url ? (
0255 |                         <img src={loc.image_url} alt="" style={{ width: "100%", height: "100%", objectFit: "cover" }} />
0256 |                     ) : (
0257 |                         <div style={{ width: "100%", height: "100%", display: "flex", alignItems: "center", justifyContent: "center", color: "#6B6762", fontSize: "18p
0258 | x" }}>>[location]</div>
0259 |                     )}
0260 |                 </div>
0261 |                 /* Info */
0262 |                 <div style={{ flex: 1, minWidth: 0 }}>
0263 |                     <div style={{ fontSize: "14px", color: "#F0EDE6", fontWeight: "500" }}>{loc.name}</div>
0264 |                     {loc.description && (
0265 |                         <div style={{ fontSize: "12px", color: "#6B6762", marginTop: "2px", overflow: "hidden", textOverflow: "ellipsis", whiteSpace: "nowrap" }}>
0266 |                             {loc.description}
0267 |                         </div>
0268 |                     )}
0269 |                 </div>
0270 |                 /* Actions */
0271 |                 <div style={{ display: "flex", gap: "8px", flexShrink: 0 }}>
0272 |                     <button onClick={() => openEdit(loc)} style={{
0273 |                         background: "transparent", border: "0.5px solid rgba(201,151,58,0.25)",
0274 |                         borderRadius: "8px", padding: "7px 14px", color: "#C9973A",
0275 |                         fontSize: "12px", cursor: "pointer",
0276 |                     }}>
0277 |                         Edit
0278 |                     </button>
0279 |                     <button onClick={() => handleDelete(loc.id)} disabled={deletingId === loc.id} style={{
0280 |                         background: "transparent", border: "0.5px solid rgba(200,60,60,0.3)",
0281 |                         borderRadius: "8px", padding: "7px 14px", color: "#E07070",
0282 |                         fontSize: "12px", cursor: "pointer",
0283 |                     }}>
0284 |                         {deletingId === loc.id ? "..." : "Delete"}
0285 |                     </button>
0286 |                 </div>

```

```

0286 |         </div>
0287 |     )})
0288 | </div>
0289 | })
0290 | </div>
0291 | );
0292 | }

```

src/app/admin/lands/page.js

Lines: 1113.

```

0001 | "use client";
0002 |
0003 | import { useState, useEffect } from "react";
0004 | import { createClient } from "@supabase/supabase-js";
0005 |
0006 | const supabase = createClient(
0007 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0008 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0009 | );
0010 |
0011 | const emptyForm = {
0012 |   title: "", location_id: "", developer_id: "", price: "",
0013 |   area_sqm: "", price_per_meter: "", status: "available", description: "",
0014 |   location_url: "", contact_whatsapp: "", contact_phone: "",
0015 |   customize_plan_whatsapp: "", developer_whatsapp: "", down_payment_amount: "", amman_whatsapp: "",
0016 | };
0017 |
0018 | const emptyNewArea = { area_sqm: "", status: "available", bedrooms: "", unit_label: "" };
0019 | const emptyNewPlan = { label: "", down_payment_percent: "", years: "" };
0020 |
0021 | const statusColors = {
0022 |   available: { color: "#4DC98A", bg: "rgba(30,120,70,0.18)" },
0023 |   reserved: { color: "#E8C97A", bg: "rgba(200,150,40,0.12)" },
0024 |   sold: { color: "#E07070", bg: "rgba(200,60,60,0.12)" },
0025 | };
0026 |
0027 | function priceKey(areaId, planId) {
0028 |   return `${areaId}_${planId}`;
0029 | }
0030 |
0031 | export default function AdminLands() {
0032 |   const [lands, setLands] = useState([]);
0033 |   const [locations, setLocations] = useState([]);
0034 |   const [developers, setDevelopers] = useState([]);
0035 |   const [lastLand, setLastLand] = useState(null);
0036 |   const [loading, setLoading] = useState(true);
0037 |   const [showForm, setShowForm] = useState(false);
0038 |   const [form, setForm] = useState(emptyForm);
0039 |   const [editId, setEditId] = useState(null);
0040 |   const [saving, setSaving] = useState(false);
0041 |   const [deletingId, setDeletingId] = useState(null);
0042 |   const [error, setError] = useState("");
0043 |   const [imageFiles, setImageFiles] = useState([]);
0044 |   const [uploadingImages, setUploadingImages] = useState(false);
0045 |   const [existingImages, setExistingImages] = useState([]);
0046 |   const [deletingImageId, setDeletingImageId] = useState(null);
0047 |   const [thumbnailUrl, setThumbnailUrl] = useState(null);
0048 |   const [settingThumbId, setSettingThumbId] = useState(null);
0049 |
0050 |   // Masterplan images - separate gallery, mirrors the regular image upload
0051 |   // pattern above but writes is_masterplan: true and has no thumbnail concept.
0052 |   const [masterplanFiles, setMasterplanFiles] = useState([]);
0053 |   const [existingMasterplanImages, setExistingMasterplanImages] = useState([]);
0054 |   const [deletingMasterplanImageId, setDeletingMasterplanImageId] = useState(null);
0055 |
0056 |   // Area options / installment plans / price grid
0057 |   const [areaOptions, setAreaOptions] = useState([]);
0058 |   const [installmentPlans, setInstallmentPlans] = useState([]);
0059 |   const [priceGrid, setPriceGrid] = useState({});
0060 |   const [newArea, setNewArea] = useState(emptyNewArea);
0061 |   const [newPlan, setNewPlan] = useState(emptyNewPlan);
0062 |
0063 |   async function fetchAll() {
0064 |     const [{ data: landsData }, { data: locsData }, { data: devsData }, { data: lastLandData }] = await Promise.all([
0065 |       supabase.from("lands").select("*, locations(name)").order("created_at", { ascending: false }),
0066 |       supabase.from("locations").select("id, name").order("name"),
0067 |       supabase.from("developers").select("id, name").order("name"),
0068 |       supabase.from("lands").select("*").order("created_at", { ascending: false }).limit(1).single(),
0069 |     ]);
0070 |     setLands(landsData || []);
0071 |     setLocations(locsData || []);
0072 |     setDevelopers(devsData || []);
0073 |     setLastLand(lastLandData || null);
0074 |     setLoading(false);
0075 |   }
0076 |
0077 |   useEffect(() => { fetchAll(); }, []);
0078 |
0079 |   async function fetchAreasPlansPrices(landId) {
0080 |     const [{ data: areas }, { data: plans }] = await Promise.all([
0081 |       supabase.from("land_areas").select("*").eq("land_id", landId).order("created_at"),
0082 |       supabase.from("land_installment_plans").select("*").eq("land_id", landId).order("created_at"),
0083 |     ]);
0084 |     const areaList = areas || [];
0085 |     const planList = plans || [];

```

```

0086 |
0087 |     setAreaOptions(areaList.map(a => ({
0088 |         id: a.id, area_sqm: a.area_sqm, status: a.status,
0089 |         bedrooms: a.bedrooms null, unit_label: a.unit_label "", _new: false,
0090 |     })));
0091 |     setInstallmentPlans(planList.map(p => ({
0092 |         id: p.id, label: p.label, down_payment_percent: p.down_payment_percent, years: p.years, _new: false,
0093 |     })));
0094 |
0095 |     const areaIds = areaList.map(a => a.id);
0096 |     if (areaIds.length > 0) {
0097 |         const { data: prices } = await supabase
0098 |             .from("land_area_plan_prices")
0099 |             .select("*")
0100 |             .in("land_area_id", areaIds);
0101 |         const grid = {};
0102 |         (prices || []).forEach(p => {
0103 |             grid[priceKey(p.land_area_id, p.installment_plan_id)] = String(p.total_price);
0104 |         });
0105 |         setPriceGrid(grid);
0106 |     } else {
0107 |         setPriceGrid({});
0108 |     }
0109 | }
0110 |
0111 | function openAdd() {
0112 |     setForm(emptyForm); setEditId(null); setError("");
0113 |     setImageFiles([]); setExistingImages([]); setThumbnailUrl(null);
0114 |     setMasterplanFiles([]); setExistingMasterplanImages([]);
0115 |     setAreaOptions([]); setInstallmentPlans([]); setPriceGrid({});
0116 |     setNewArea(emptyNewArea); setNewPlan(emptyNewPlan);
0117 |     setShowForm(true);
0118 |     setTimeout(() => document.getElementById("land-form").scrollIntoView({ behavior: "smooth" }), 50);
0119 | }
0120 |
0121 | async function openEdit(land) {
0122 |     setForm({
0123 |         title: land.title || "", location_id: land.location_id || "",
0124 |         developer_id: land.developer_id || "", price: land.price || "",
0125 |         area_sqm: land.area_sqm || "", price_per_meter: land.price_per_meter || "",
0126 |         status: land.status || "available",
0127 |         description: land.description || "", location_url: land.location_url || "",
0128 |         contact_whatsapp: land.contact_whatsapp || "",
0129 |         contact_phone: land.contact_phone || "",
0130 |         customize_plan_whatsapp: land.customize_plan_whatsapp || "",
0131 |         developer_whatsapp: land.developer_whatsapp || "",
0132 |         down_payment_amount: land.down_payment_amount || "",
0133 |         amman_whatsapp: land.amman_whatsapp || "",
0134 |     });
0135 |     setEditId(land.id); setError(""); setImageFiles([]); setMasterplanFiles([]);
0136 |     setThumbnailUrl(land.image_url || null);
0137 |     const { data: imgs } = await supabase.from("land_images").select("*").eq("land_id", land.id);
0138 |     const allImgs = imgs || [];
0139 |     setExistingImages(allImgs.filter(i => !i.is_masterplan));
0140 |     setExistingMasterplanImages(allImgs.filter(i => i.is_masterplan));
0141 |     setNewArea(emptyNewArea); setNewPlan(emptyNewPlan);
0142 |     await fetchAreasPlansPrices(land.id);
0143 |     setShowForm(true);
0144 |     setTimeout(() => document.getElementById("land-form").scrollIntoView({ behavior: "smooth" }), 50);
0145 | }
0146 |
0147 | function cancelForm() {
0148 |     setShowForm(false); setForm(emptyForm); setEditId(null);
0149 |     setError(""); setImageFiles([]); setExistingImages([]); setThumbnailUrl(null);
0150 |     setMasterplanFiles([]); setExistingMasterplanImages([]);
0151 |     setAreaOptions([]); setInstallmentPlans([]); setPriceGrid({});
0152 |     setNewArea(emptyNewArea); setNewPlan(emptyNewPlan);
0153 | }
0154 |
0155 | async function uploadImages(landId, files) {
0156 |     const urls = [];
0157 |     for (const file of files) {
0158 |         const ext = file.name.split(".").pop();
0159 |         const path = `lands/${landId}/${Date.now()}_${Math.random().toString(36).slice(2)}.${ext}`;
0160 |         const { error } = await supabase.storage.from("land-images").upload(path, file);
0161 |         if (!error) {
0162 |             const { data: urlData } = supabase.storage.from("land-images").getPublicUrl(path);
0163 |             urls.push(urlData.publicUrl);
0164 |         }
0165 |     }
0166 |     return urls;
0167 | }
0168 |
0169 | async function uploadMasterplanImages(landId, files) {
0170 |     const urls = [];
0171 |     for (const file of files) {
0172 |         const ext = file.name.split(".").pop();
0173 |         const path = `lands/${landId}/masterplan/${Date.now()}_${Math.random().toString(36).slice(2)}.${ext}`;
0174 |         const { error } = await supabase.storage.from("land-images").upload(path, file);
0175 |         if (!error) {
0176 |             const { data: urlData } = supabase.storage.from("land-images").getPublicUrl(path);
0177 |             urls.push(urlData.publicUrl);
0178 |         }
0179 |     }
0180 |     return urls;
0181 | }
0182 |
0183 | // ---- Area options ----

```

```

0184 | async function addAreaOption() {
0185 |   if (!newArea.area_sqm) return;
0186 |   const areaPayload = {
0187 |     area_sqm: parseFloat(newArea.area_sqm),
0188 |     status: newArea.status,
0189 |     bedrooms: parseInt(newArea.bedrooms) || null,
0190 |     unit_label: newArea.unit_label.trim() || null,
0191 |   };
0192 |   if (editId) {
0193 |     const { data, error } = await supabase
0194 |       .from("land_areas")
0195 |       .insert({ land_id: editId, ...areaPayload })
0196 |       .select()
0197 |       .single();
0198 |     if (error) { setError(error.message); return; }
0199 |     setAreaOptions(prev => [...prev, {
0200 |       id: data.id, area_sqm: data.area_sqm, status: data.status,
0201 |       bedrooms: data.bedrooms, unit_label: data.unit_label "", _new: false,
0202 |     }]);
0203 |   } else {
0204 |     const tempId = `temp-${Date.now()}-${Math.random().toString(36).slice(2)}`;
0205 |     setAreaOptions(prev => [...prev, { id: tempId, ...areaPayload, _new: true }]);
0206 |   }
0207 |   setNewArea(emptyNewArea);
0208 | }
0209 |
0210 | async function removeAreaOption(area) {
0211 |   if (!area._new && editId) {
0212 |     await supabase.from("land_areas").delete().eq("id", area.id);
0213 |   }
0214 |   setAreaOptions(prev => prev.filter(a => a.id !== area.id));
0215 |   setPriceGrid(prev => {
0216 |     const next = { ...prev };
0217 |     Object.keys(next).forEach(key => { if (key.startsWith(`${area.id}_`)) delete next[key]; });
0218 |     return next;
0219 |   });
0220 | }
0221 |
0222 | async function updateAreaRow(area, updates) {
0223 |   if (!area._new && editId) {
0224 |     await supabase.from("land_areas").update(updates).eq("id", area.id);
0225 |   }
0226 |   setAreaOptions(prev => prev.map(a => (a.id === area.id ? { ...a, ...updates } : a)));
0227 | }
0228 |
0229 | function handleAreaBedroomsInput(area, value) {
0230 |   setAreaOptions(prev => prev.map(a => (a.id === area.id ? { ...a, bedrooms: value } : a)));
0231 | }
0232 |
0233 | function handleAreaBedroomsBlur(area) {
0234 |   const bedrooms = area.bedrooms === "" || area.bedrooms === null || area.bedrooms === undefined
0235 |     ? null
0236 |     : parseInt(area.bedrooms) || null;
0237 |   updateAreaRow(area, { bedrooms });
0238 | }
0239 |
0240 | function handleAreaUnitLabelInput(area, value) {
0241 |   setAreaOptions(prev => prev.map(a => (a.id === area.id ? { ...a, unit_label: value } : a)));
0242 | }
0243 |
0244 | function handleAreaUnitLabelBlur(area) {
0245 |   const unit_label = area.unit_label && area.unit_label.trim() ? area.unit_label.trim() : null;
0246 |   updateAreaRow(area, { unit_label });
0247 | }
0248 |
0249 | // ---- Installment plans ----
0250 | async function addInstallmentPlan() {
0251 |   if (!newPlan.label.trim() || newPlan.down_payment_percent === "" || newPlan.years === "") return;
0252 |   const planPayload = {
0253 |     label: newPlan.label.trim(),
0254 |     down_payment_percent: parseFloat(newPlan.down_payment_percent),
0255 |     years: parseFloat(newPlan.years),
0256 |   };
0257 |   if (editId) {
0258 |     const { data, error } = await supabase
0259 |       .from("land_installment_plans")
0260 |       .insert({ land_id: editId, ...planPayload })
0261 |       .select()
0262 |       .single();
0263 |     if (error) { setError(error.message); return; }
0264 |     setInstallmentPlans(prev => [...prev, { id: data.id, ...planPayload, _new: false }]);
0265 |   } else {
0266 |     const tempId = `temp-${Date.now()}-${Math.random().toString(36).slice(2)}`;
0267 |     setInstallmentPlans(prev => [...prev, { id: tempId, ...planPayload, _new: true }]);
0268 |   }
0269 |   setNewPlan(emptyNewPlan);
0270 | }
0271 |
0272 | async function removeInstallmentPlan(plan) {
0273 |   if (!plan._new && editId) {
0274 |     await supabase.from("land_installment_plans").delete().eq("id", plan.id);
0275 |   }
0276 |   setInstallmentPlans(prev => prev.filter(p => p.id !== plan.id));
0277 |   setPriceGrid(prev => {
0278 |     const next = { ...prev };
0279 |     Object.keys(next).forEach(key => { if (key.endsWith(`${plan.id}`)) delete next[key]; });
0280 |     return next;
0281 |   });

```

```

0282 | }
0283 |
0284 | // ---- Price grid ----
0285 | function handlePriceChange(areaId, planId, value) {
0286 |   setPriceGrid(prev => ({ ...prev, [priceKey(areaId, planId)]: value }));
0287 | }
0288 |
0289 | async function handlePriceBlur(areaId, planId) {
0290 |   if (!editId) return; // brand-new project: committed later, inside handleSave
0291 |   const value = priceGrid[priceKey(areaId, planId)];
0292 |   if (value === undefined || value === "") return;
0293 |   const totalPrice = parseFloat(value);
0294 |   if (Number.isNaN(totalPrice)) return;
0295 |   await supabase.from("land_area_plan_prices").upsert(
0296 |     { land_area_id: areaId, installment_plan_id: planId, total_price: totalPrice },
0297 |     { onConflict: "land_area_id,installment_plan_id" }
0298 |   );
0299 | }
0300 |
0301 | async function handleSave() {
0302 |   if (!form.title.trim()) { setError("Title is required."); return; }
0303 |   if (!form.location_id) { setError("Location is required."); return; }
0304 |   if (!form.developer_id) { setError("Developer is required."); return; }
0305 |   setSaving(true); setError("");
0306 |
0307 |   const payload = {
0308 |     title: form.title.trim(),
0309 |     location_id: form.location_id,
0310 |     developer_id: form.developer_id,
0311 |     price: form.price parseFloat(form.price) : null,
0312 |     area_sqm: form.area_sqm parseFloat(form.area_sqm) : null,
0313 |     price_per_meter: form.price_per_meter parseFloat(form.price_per_meter) : null,
0314 |     status: form.status,
0315 |     description: form.description.trim() || null,
0316 |     location_url: form.location_url.trim() || null,
0317 |     contact_whatsapp: form.contact_whatsapp.trim() || null,
0318 |     contact_phone: form.contact_phone.trim() || null,
0319 |     customize_plan_whatsapp: form.customize_plan_whatsapp.trim() || null,
0320 |     developer_whatsapp: form.developer_whatsapp.trim() || null,
0321 |     down_payment_amount: form.down_payment_amount parseFloat(form.down_payment_amount) : null,
0322 |     amman_whatsapp: form.amman_whatsapp.trim() || null,
0323 |   };
0324 |
0325 |   let landId = editId;
0326 |   let finalThumbnail = thumbnailUrl; // preserve existing thumbnail
0327 |
0328 |   if (editId) {
0329 |     const { error } = await supabase.from("lands").update(payload).eq("id", editId);
0330 |     if (error) { setError(error.message); setSaving(false); return; }
0331 |   } else {
0332 |     const { data, error } = await supabase.from("lands").insert(payload).select().single();
0333 |     if (error) { setError(error.message); setSaving(false); return; }
0334 |     landId = data.id;
0335 |   }
0336 |
0337 |   // Brand-new project: areas/plans/price-grid were staged locally - commit now that landId is known
0338 |   if (!editId) {
0339 |     const areaIdMap = {};
0340 |     const planIdMap = {};
0341 |
0342 |     if (areaOptions.length > 0) {
0343 |       const { data: insertedAreas, error: areaErr } = await supabase
0344 |         .from("land_areas")
0345 |         .insert(areaOptions.map(a => ({
0346 |           land_id: landId, area_sqm: a.area_sqm, status: a.status,
0347 |           bedrooms: a.bedrooms null, unit_label: a.unit_label || null,
0348 |         })))
0349 |         .select();
0350 |       if (areaErr) { setError("Project saved but area options failed: " + areaErr.message); setSaving(false); return; }
0351 |       insertedAreas.forEach((row, idx) => { areaIdMap[areaOptions[idx].id] = row.id; });
0352 |     }
0353 |
0354 |     if (installmentPlans.length > 0) {
0355 |       const { data: insertedPlans, error: planErr } = await supabase
0356 |         .from("land_installment_plans")
0357 |         .insert(installmentPlans.map(p => ({
0358 |           land_id: landId, label: p.label, down_payment_percent: p.down_payment_percent, years: p.years,
0359 |         })))
0360 |         .select();
0361 |       if (planErr) { setError("Project saved but installment plans failed: " + planErr.message); setSaving(false); return; }
0362 |       insertedPlans.forEach((row, idx) => { planIdMap[installmentPlans[idx].id] = row.id; });
0363 |     }
0364 |
0365 |     const priceRows = [];
0366 |     Object.entries(priceGrid).forEach(([key, value]) => {
0367 |       if (value === "" || value === undefined) return;
0368 |       const [tempAreaId, tempPlanId] = key.split("_");
0369 |       const realAreaId = areaIdMap[tempAreaId];
0370 |       const realPlanId = planIdMap[tempPlanId];
0371 |       if (realAreaId && realPlanId) {
0372 |         priceRows.push({ land_area_id: realAreaId, installment_plan_id: realPlanId, total_price: parseFloat(value) });
0373 |       }
0374 |     });
0375 |     if (priceRows.length > 0) {
0376 |       const { error: priceErr } = await supabase.from("land_area_plan_prices").insert(priceRows);
0377 |       if (priceErr) { setError("Project saved but price grid failed: " + priceErr.message); setSaving(false); return; }
0378 |     }
0379 |   }

```

```

0380 |
0381 | // Upload new regular gallery images and/or new masterplan images if selected
0382 | if (imageFiles.length > 0 || masterplanFiles.length > 0) {
0383 |   setUploadingImages(true);
0384 |
0385 |   if (imageFiles.length > 0) {
0386 |     const urls = await uploadImages(landId, imageFiles);
0387 |     if (urls.length > 0) {
0388 |       const imageRows = urls.map(url => ({ land_id: landId, image_url: url, is_masterplan: false }));
0389 |       const { error: insertErr } = await supabase.from("land_images").insert(imageRows);
0390 |       if (insertErr) {
0391 |         setError("Images uploaded but failed to save: " + insertErr.message);
0392 |         setSaving(false); setUploadingImages(false); return;
0393 |       }
0394 |       // Only set thumbnail from new upload if no thumbnail exists yet
0395 |       if (!finalThumbnail) {
0396 |         finalThumbnail = urls[0];
0397 |       }
0398 |     }
0399 |   }
0400 |
0401 |   if (masterplanFiles.length > 0) {
0402 |     const mpUrls = await uploadMasterplanImages(landId, masterplanFiles);
0403 |     if (mpUrls.length > 0) {
0404 |       const mpRows = mpUrls.map(url => ({ land_id: landId, image_url: url, is_masterplan: true }));
0405 |       const { error: mpInsertErr } = await supabase.from("land_images").insert(mpRows);
0406 |       if (mpInsertErr) {
0407 |         setError("Project saved but masterplan images failed to save: " + mpInsertErr.message);
0408 |         setSaving(false); setUploadingImages(false); return;
0409 |       }
0410 |     }
0411 |   }
0412 |
0413 |   setUploadingImages(false);
0414 | }
0415 |
0416 | // Always sync image_url on the lands row - unconditional
0417 | const { error: thumbErr } = await supabase
0418 |   .from("lands")
0419 |   .update({ image_url: finalThumbnail })
0420 |   .eq("id", landId);
0421 |
0422 | if (thumbErr) {
0423 |   setError("Project saved but thumbnail failed to update: " + thumbErr.message);
0424 |   setSaving(false); return;
0425 | }
0426 |
0427 | setSaving(false); cancelForm(); fetchAll();
0428 | }
0429 |
0430 | async function handleDelete(id) {
0431 |   if (!confirm("Delete this project This cannot be undone.)) return;
0432 |   setDeletingId(id);
0433 |   await supabase.from("land_images").delete().eq("land_id", id);
0434 |   await supabase.from("lands").delete().eq("id", id);
0435 |   setDeletingId(null); fetchAll();
0436 | }
0437 |
0438 | async function handleDeleteImage(img) {
0439 |   setDeletingImageId(img.id);
0440 |   await supabase.from("land_images").delete().eq("id", img.id);
0441 |   setExistingImages(prev => prev.filter(i => i.id !== img.id));
0442 |   if (thumbnailUrl === img.image_url) setThumbnailUrl(null);
0443 |   setDeletingImageId(null);
0444 | }
0445 |
0446 | async function handleDeleteMasterplanImage(img) {
0447 |   setDeletingMasterplanImageId(img.id);
0448 |   await supabase.from("land_images").delete().eq("id", img.id);
0449 |   setExistingMasterplanImages(prev => prev.filter(i => i.id !== img.id));
0450 |   setDeletingMasterplanImageId(null);
0451 | }
0452 |
0453 | async function handleSetThumbnail(url, key) {
0454 |   setSettingThumbId(key);
0455 |   setThumbnailUrl(url);
0456 |   if (editId) {
0457 |     await supabase.from("lands").update({ image_url: url }).eq("id", editId);
0458 |   }
0459 |   setSettingThumbId(null);
0460 | }
0461 |
0462 | const inputStyle = {
0463 |   width: "100%", background: "#3A3A3D",
0464 |   border: "0.5px solid rgba(201,151,58,0.25)", borderRadius: "10px",
0465 |   padding: "11px 14px", color: "#F0EDE6", fontSize: "14px",
0466 |   outline: "none", boxSizing: "border-box", fontFamily: "Inter, Arial, sans-serif",
0467 | };
0468 | const selectStyle = { ...inputStyle, cursor: "pointer" };
0469 | const labelStyle = {
0470 |   display: "block", fontSize: "11px", color: "#9A9489",
0471 |   letterSpacing: "0.12em", textTransform: "uppercase", marginBottom: "7px",
0472 | };
0473 | const rowLabelStyle = {
0474 |   fontSize: "9px", color: "#686762", marginBottom: "4px",
0475 |   textTransform: "uppercase", letterSpacing: "0.08em",
0476 | };
0477 | const gridTwo = { display: "grid", gridTemplateColumns: "1fr 1fr", gap: "16px", marginBottom: "16px" };

```

```

0478 |
0479 | return (
0480 |   <div>
0481 |     <div style={{ display: "flex", justifyContent: "space-between", alignItems: "flex-start", marginBottom: "32px" }}>
0482 |       <div>
0483 |         <h1 style={{ fontFamily: "Georgia, serif", fontSize: "26px", color: "#F0EDE6", margin: 0, marginBottom: "5px" }}>Projects</h1>
0484 |         <p style={{ color: "#9A9489", fontSize: "13px", margin: 0 }}>{lands.length} project{lands.length !== 1 ? "s" : ""}</p>
0485 |       </div>
0486 |       <button onClick={openAdd} style={{
0487 |         background: "#C9973A", color: "#2C2C2E", border: "none", borderRadius: "10px",
0488 |         padding: "11px 20px", fontSize: "13px", fontWeight: "600", cursor: "pointer",
0489 |       }}>
0490 |         + Add project
0491 |       </button>
0492 |     </div>
0493 |
0494 |     { /* Form */ }
0495 |     {showForm && (
0496 |       <div id="land-form" style={{
0497 |         background: "#343437", border: "0.5px solid rgba(201,151,58,0.3)",
0498 |         borderRadius: "14px", padding: "28px", marginBottom: "28px",
0499 |       }}>
0500 |         <h2 style={{ fontSize: "16px", color: "#F0EDE6", margin: "0 0 24px", fontWeight: "500" }}>
0501 |           {editId ? "Edit project" : "New project"}
0502 |         </h2>
0503 |
0504 |         { /* Title */ }
0505 |         <div style={{ marginBottom: "16px" }}>
0506 |           <label style={labelStyle}>Project Title *</label>
0507 |           <input style={inputStyle} value={form.title}
0508 |             onChange={e => setForm(f => ({ ...f, title: e.target.value })))
0509 |             placeholder={lastLand.title} "" />
0510 |         </div>
0511 |
0512 |         <div style={gridTwo}>
0513 |           <div>
0514 |             <label style={labelStyle}>Location *</label>
0515 |             <select style={selectStyle} value={form.location_id}
0516 |               onChange={e => setForm(f => ({ ...f, location_id: e.target.value })))
0517 |               <option value="">Select location...</option>
0518 |               {locations.map(l => <option key={l.id} value={l.id}>{l.name}</option>)}
0519 |             </select>
0520 |           </div>
0521 |           <div>
0522 |             <label style={labelStyle}>Developer *</label>
0523 |             <select style={selectStyle} value={form.developer_id}
0524 |               onChange={e => setForm(f => ({ ...f, developer_id: e.target.value })))
0525 |               <option value="">Select developer...</option>
0526 |               {developers.map(d => <option key={d.id} value={d.id}>{d.name}</option>)}
0527 |             </select>
0528 |           </div>
0529 |         </div>
0530 |
0531 |         <div style={gridTwo}>
0532 |           <div>
0533 |             <label style={labelStyle}>Price (EGP)</label>
0534 |             <input style={inputStyle} type="number" value={form.price}
0535 |               onChange={e => setForm(f => ({ ...f, price: e.target.value })))
0536 |             placeholder={lastLand.price} "" />
0537 |           </div>
0538 |           <div>
0539 |             <label style={labelStyle}>Area (m2)</label>
0540 |             <input style={inputStyle} type="number" value={form.area_sqm}
0541 |               onChange={e => setForm(f => ({ ...f, area_sqm: e.target.value })))
0542 |             placeholder={lastLand.area_sqm} "" />
0543 |           </div>
0544 |         </div>
0545 |
0546 |         <div style={{ marginBottom: "16px" }}>
0547 |           <label style={labelStyle}>Price per m2 (EGP)</label>
0548 |           <input style={inputStyle} type="number" value={form.price_per_meter}
0549 |             onChange={e => setForm(f => ({ ...f, price_per_meter: e.target.value })))
0550 |             placeholder={lastLand.price_per_meter} "" />
0551 |           <p style={{ fontSize: "11px", color: "#6B6762", margin: "6px 0 0" }}>
0552 |             Constant for the whole project - shown on the project details page regardless of which
0553 |             size/plan the buyer picks.
0554 |           </p>
0555 |         </div>
0556 |
0557 |         <div style={{ marginBottom: "16px" }}>
0558 |           <label style={labelStyle}>Down Payment Amount (EGP)</label>
0559 |           <input style={inputStyle} type="number" value={form.down_payment_amount}
0560 |             onChange={e => setForm(f => ({ ...f, down_payment_amount: e.target.value })))
0561 |             placeholder={lastLand.down_payment_amount} "" />
0562 |           <p style={{ fontSize: "11px", color: "#6B6762", margin: "6px 0 0" }}>
0563 |             Shown as the deposit on the Down Payment screen.
0564 |           </p>
0565 |         </div>
0566 |
0567 |         <div style={{ marginBottom: "16px" }}>
0568 |           <label style={labelStyle}>Status</label>
0569 |           <select style={selectStyle} value={form.status}
0570 |             onChange={e => setForm(f => ({ ...f, status: e.target.value })))
0571 |             <option value="available">Available</option>
0572 |             <option value="reserved">Reserved</option>
0573 |             <option value="sold">Sold</option>
0574 |           </select>
0575 |         </div>

```



```

0576 |
0577 | <div style={{ marginBottom: "16px" }}>
0578 |   <label style={labelStyle}>Description</label>
0579 |   <textarea style={{ ...inputStyle, minHeight: "80px", resize: "vertical" }}
0580 |     value={form.description}
0581 |     onChange={e => setForm(f => ({ ...f, description: e.target.value })))}
0582 |     placeholder={lastLand.description} "" />
0583 | </div>
0584 |
0585 | <div style={{ marginBottom: "16px" }}>
0586 |   <label style={labelStyle}>Location URL</label>
0587 |   <input style={inputStyle} type="url" value={form.location_url}
0588 |     onChange={e => setForm(f => ({ ...f, location_url: e.target.value })))}
0589 |     placeholder={lastLand.location_url} "" />
0590 |   <p style={{ fontSize: "11px", color: "#6B6762", margin: "6px 0 0" }}>
0591 |     Paste a Google Maps link (share -> copy link). Buyers tap "View on Google Maps" and are
0592 |     taken straight to this URL.
0593 |   </p>
0594 | </div>
0595 |
0596 | <div style={gridTwo}>
0597 |   <div>
0598 |     <label style={labelStyle}>WhatsApp Number</label>
0599 |     <input style={inputStyle} value={form.contact_whatsapp}
0600 |       onChange={e => setForm(f => ({ ...f, contact_whatsapp: e.target.value })))}
0601 |       placeholder={lastLand.contact_whatsapp} "" />
0602 |   </div>
0603 |   <div>
0604 |     <label style={labelStyle}>Phone Number</label>
0605 |     <input style={inputStyle} value={form.contact_phone}
0606 |       onChange={e => setForm(f => ({ ...f, contact_phone: e.target.value })))}
0607 |       placeholder={lastLand.contact_phone} "" />
0608 |   </div>
0609 | </div>
0610 |
0611 | /* Contact Numbers section */
0612 | <div style={{ marginBottom: "20px" }}>
0613 |   <label style={labelStyle}>Contact Numbers</label>
0614 |   <div style={{ ...gridTwo, marginTop: "10px", marginBottom: 0 }}>
0615 |     <div>
0616 |       <label style={{ ...labelStyle, fontSize: "10px" }}>Developer WhatsApp</label>
0617 |       <input style={inputStyle} value={form.developer_whatsapp}
0618 |         onChange={e => setForm(f => ({ ...f, developer_whatsapp: e.target.value })))}
0619 |         placeholder={lastLand.developer_whatsapp} "" />
0620 |       <p style={{ fontSize: "11px", color: "#6B6762", margin: "6px 0 0" }}>
0621 |         Opens when the buyer taps WhatsApp the Developer on the project page.
0622 |       </p>
0623 |     </div>
0624 |     <div>
0625 |       <label style={{ ...labelStyle, fontSize: "10px" }}>Amman - WhatsApp</label>
0626 |       <input style={inputStyle} value={form.amman_whatsapp}
0627 |         onChange={e => setForm(f => ({ ...f, amman_whatsapp: e.target.value })))}
0628 |         placeholder={lastLand.amman_whatsapp} "" />
0629 |       <p style={{ fontSize: "11px", color: "#6B6762", margin: "6px 0 0" }}>
0630 |         Opens when the buyer requests the Amman payment collection service.
0631 |       </p>
0632 |     </div>
0633 |   </div>
0634 | </div>
0635 |
0636 | /* Image upload section */
0637 | <div style={{ marginBottom: "20px" }}>
0638 |   <label style={labelStyle}>Project Images</label>
0639 |   <p style={{ fontSize: "11px", color: "#6B6762", margin: "0 0 12px" }}>
0640 |     {thumbnailUrl
0641 |       ? "Current thumbnail is marked with a gold border. Click any image below to set it as thumbnail."
0642 |       : "No thumbnail set yet - the first uploaded image becomes the thumbnail automatically."}
0643 |   </p>
0644 |
0645 |   /* Existing images */
0646 |   {existingImages.length > 0 && (
0647 |     <div style={{ display: "flex", gap: "12px", flexWrap: "wrap", marginBottom: "14px" }}>
0648 |       {existingImages.map(img => {
0649 |         const isThumb = thumbnailUrl === img.image_url;
0650 |         return (
0651 |           <div key={img.id} style={{ position: "relative", width: "100px" }}>
0652 |             <img src={img.image_url} alt="" style={{
0653 |               width: "100px", height: "70px", objectFit: "cover",
0654 |               borderRadius: "8px",
0655 |               border: isThumb ? "2px solid #C9973A" : "0.5px solid rgba(201,151,58,0.2)",
0656 |             }} />
0657 |             <button
0658 |               onClick={() => handleDeleteImage(img)}
0659 |               disabled={deletingImageId === img.id}
0660 |               style={{
0661 |                 position: "absolute", top: "-6px", right: "-6px",
0662 |                 background: "#E07070", border: "none", borderRadius: "999px",
0663 |                 width: "18px", height: "18px", cursor: "pointer",
0664 |                 color: "#fff", fontSize: "11px", lineHeight: 1,
0665 |                 display: "flex", alignItems: "center", justifyContent: "center",
0666 |               }}>
0667 |               x
0668 |             </button>
0669 |             <button
0670 |               onClick={() => handleSetThumbnail(img.image_url, img.id)}
0671 |               disabled={isThumb || settingThumbId === img.id}
0672 |               style={{
0673 |                 width: "100%", marginTop: "5px",

```



```

0674 |         background: isThumb "rgba(201,151,58,0.15)" : "transparent",
0675 |         border: `0.5px solid ${isThumb "rgba(201,151,58,0.4)" : "rgba(201,151,58,0.2)"}`,
0676 |         borderRadius: "6px", padding: "4px 2px",
0677 |         color: isThumb "#E8C97A" : "#9A9489",
0678 |         fontSize: "10px", cursor: isThumb "default" : "pointer",
0679 |     })>
0680 |     {isThumb "Thumbnail" : settingThumbId === img.id "..." : "Set as thumbnail"}
0681 | </button>
0682 | </div>
0683 |     );
0684 |   })}
0685 | </div>
0686 | })
0687 |
0688 | {/* New upload */}
0689 | <label style={{
0690 |   display: "flex", flexDirection: "column", alignItems: "center",
0691 |   justifyContent: "center", gap: "8px",
0692 |   border: `1.5px dashed ${imageFiles.length > 0 "rgba(77,201,138,0.5)" : "rgba(201,151,58,0.25)"}`,
0693 |   borderRadius: "10px", padding: "20px",
0694 |   cursor: "pointer",
0695 |   background: imageFiles.length > 0 "rgba(30,120,70,0.08)" : "transparent",
0696 |   transition: "all 0.2s ease",
0697 | }}>
0698 |   <input type="file" multiple accept="image/*"
0699 |     style={{ display: "none" }}
0700 |     onChange={e => setImageFiles(Array.from(e.target.files))} />
0701 |   <span style={{ fontSize: "22px" }}>[camera]</span>
0702 |   <span style={{ fontSize: "13px", color: imageFiles.length > 0 "#4DC98A" : "#9A9489" }}>
0703 |     {imageFiles.length > 0
0704 |       `${imageFiles.length} image${imageFiles.length > 1 "s" : ""} selected`
0705 |       : "Click to upload images"}
0706 |   </span>
0707 |   <span style={{ fontSize: "11px", color: "#6B6762" }}>
0708 |     {existingImages.length === 0 && !thumbnailUrl
0709 |       "First image becomes the thumbnail automatically"
0710 |       : "New images are added to the gallery"}
0711 |   </span>
0712 | </label>
0713 | </div>
0714 |
0715 | {/* Masterplan Photos section - separate gallery, same pattern as above,
0716 |   writes is_masterplan: true. Shown at the top of the buyer's unit picker;
0717 |   omitted from that view entirely if left empty. */}
0718 | <div style={{ marginBottom: "20px" }}>
0719 |   <label style={labelStyle}>Masterplan Photos</label>
0720 |   <p style={{ fontSize: "11px", color: "#6B6762", margin: "0 0 12px" }}>
0721 |     Shown at the top of the unit picker when a buyer selects a size. Leave empty to skip
0722 |     that section on the buyer-facing page.
0723 |   </p>
0724 |
0725 |   {existingMasterplanImages.length > 0 && (
0726 |     <div style={{ display: "flex", gap: "12px", flexWrap: "wrap", marginBottom: "14px" }}>
0727 |       {existingMasterplanImages.map(img => (
0728 |         <div key={img.id} style={{ position: "relative", width: "100px" }}>
0729 |           <img src={img.image_url} alt="" style={{
0730 |             width: "100px", height: "70px", objectFit: "cover",
0731 |             borderRadius: "8px", border: "0.5px solid rgba(201,151,58,0.2)",
0732 |           }} />
0733 |           <button
0734 |             onClick={() => handleDeleteMasterplanImage(img)}
0735 |             disabled={deletingMasterplanImageId === img.id}
0736 |             style={{
0737 |               position: "absolute", top: "-6px", right: "-6px",
0738 |               background: "#E07070", border: "none", borderRadius: "999px",
0739 |               width: "18px", height: "18px", cursor: "pointer",
0740 |               color: "white", fontSize: "11px", lineHeight: 1,
0741 |               display: "flex", alignItems: "center", justifyContent: "center",
0742 |             }}>
0743 |             x
0744 |           </button>
0745 |         </div>
0746 |       )})
0747 |     </div>
0748 |   )}
0749 |
0750 |   <label style={{
0751 |     display: "flex", flexDirection: "column", alignItems: "center",
0752 |     justifyContent: "center", gap: "8px",
0753 |     border: `1.5px dashed ${masterplanFiles.length > 0 "rgba(77,201,138,0.5)" : "rgba(201,151,58,0.25)"}`,
0754 |     borderRadius: "10px", padding: "20px",
0755 |     cursor: "pointer",
0756 |     background: masterplanFiles.length > 0 "rgba(30,120,70,0.08)" : "transparent",
0757 |     transition: "all 0.2s ease",
0758 |   }}>
0759 |     <input type="file" multiple accept="image/*"
0760 |       style={{ display: "none" }}
0761 |       onChange={e => setMasterplanFiles(Array.from(e.target.files))} />
0762 |     <span style={{ fontSize: "22px" }}>[map]</span>
0763 |     <span style={{ fontSize: "13px", color: masterplanFiles.length > 0 "#4DC98A" : "#9A9489" }}>
0764 |       {masterplanFiles.length > 0
0765 |         `${masterplanFiles.length} image${masterplanFiles.length > 1 "s" : ""} selected`
0766 |         : "Click to upload masterplan images"}
0767 |     </span>
0768 |   </label>
0769 | </div>
0770 |
0771 | {/* Area options manager */}

```

```

0772 | <div style={{ marginBottom: "20px" }}>
0773 |   <label style={labelStyle}>Available Area Options</label>
0774 |   <p style={{ fontSize: "11px", color: "#6B6762", margin: "0 0 12px" }}>
0775 |     Plot sizes buyers can choose from for this project. Price/m2 above stays constant - only
0776 |     status varies per size. Each row is one physical unit - give it an optional label
0777 |     (e.g. "Villa 3") so buyers can tell same-size units apart in the unit picker.
0778 |   </p>
0779 |
0780 |   {areaOptions.length > 0 && (
0781 |     <div style={{ display: "flex", flexDirection: "column", gap: "8px", marginBottom: "12px" }}>
0782 |       {areaOptions.map(area => {
0783 |         const s = statusColors[area.status] || statusColors.available;
0784 |         return (
0785 |           <div key={area.id} style={{ display: "flex", alignItems: "center", gap: "10px" }}>
0786 |             <div style={{
0787 |               flex: 1, background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.2)",
0788 |               borderRadius: "8px", padding: "9px 14px", fontSize: "13px", color: "#F0EDE6",
0789 |             }}>
0790 |               {area.unit_label ` ${area.unit_label} - ` : ""}
0791 |               {Number(area.area_sqm).toLocaleString()} m2 {area.bedrooms ` - ${area.bedrooms} bed` : ""}
0792 |             </div>
0793 |             <span style={{ width: "10px", height: "10px", borderRadius: "50%", background: s.color, flexShrink: 0 }} />
0794 |             <div style={{ width: "120px", flexShrink: 0 }}>
0795 |               <div style={rowLabelStyle}>Label</div>
0796 |               <input
0797 |                 type="text"
0798 |                 value={area.unit_label ` `}
0799 |                 onChange={e => handleAreaUnitLabelInput(area, e.target.value)}
0800 |                 onBlur={() => handleAreaUnitLabelBlur(area)}
0801 |                 placeholder="e.g. Villa 3"
0802 |                 style={{ ...inputStyle, padding: "9px 10px", fontSize: "13px" }}
0803 |               />
0804 |             </div>
0805 |             <div style={{ width: "80px", flexShrink: 0 }}>
0806 |               <div style={rowLabelStyle}>Beds</div>
0807 |               <input
0808 |                 type="number"
0809 |                 value={area.bedrooms ` `}
0810 |                 onChange={e => handleAreaBedroomsInput(area, e.target.value)}
0811 |                 onBlur={() => handleAreaBedroomsBlur(area)}
0812 |                 placeholder="0"
0813 |                 style={{ ...inputStyle, padding: "9px 10px", fontSize: "13px" }}
0814 |               />
0815 |             </div>
0816 |             <select style={{ ...selectStyle, width: "140px" }} value={area.status}>
0817 |               <option value="available">Available</option>
0818 |               <option value="reserved">Reserved</option>
0819 |               <option value="sold">Sold</option>
0820 |             </select>
0821 |             <button onClick={() => removeAreaOption(area)} style={{
0822 |               background: "transparent", border: "0.5px solid rgba(200,60,60,0.3)",
0823 |               borderRadius: "8px", padding: "7px 12px", color: "#E07070", fontSize: "12px",
0824 |               cursor: "pointer", flexShrink: 0,
0825 |             }}>
0826 |               Remove
0827 |             </button>
0828 |           </div>
0829 |         );
0830 |       });
0831 |     </div>
0832 |   )}
0833 |
0834 |
0835 |   <div style={{ display: "flex", gap: "10px", alignItems: "flex-end" }}>
0836 |     <input style={{ ...inputStyle, flex: 1 }} type="number" value={newArea.area_sqm}
0837 |       onChange={e => setNewArea(a => ({ ...a, area_sqm: e.target.value })}
0838 |       placeholder="e.g. 400 (m2)" />
0839 |     <div style={{ width: "120px", flexShrink: 0 }}>
0840 |       <div style={rowLabelStyle}>Label</div>
0841 |       <input style={inputStyle} type="text" value={newArea.unit_label}
0842 |         onChange={e => setNewArea(a => ({ ...a, unit_label: e.target.value })}
0843 |         placeholder="e.g. Villa 3" />
0844 |     </div>
0845 |     <div style={{ width: "80px", flexShrink: 0 }}>
0846 |       <div style={rowLabelStyle}>Beds</div>
0847 |       <input style={inputStyle} type="number" value={newArea.bedrooms}
0848 |         onChange={e => setNewArea(a => ({ ...a, bedrooms: e.target.value })}
0849 |         placeholder="0" />
0850 |     </div>
0851 |     <select style={{ ...selectStyle, width: "140px" }} value={newArea.status}>
0852 |       <option value="available">Available</option>
0853 |       <option value="reserved">Reserved</option>
0854 |       <option value="sold">Sold</option>
0855 |     </select>
0856 |     <button onClick={addAreaOption} style={{
0857 |       background: "rgba(201,151,58,0.12)", border: "0.5px solid rgba(201,151,58,0.4)",
0858 |       borderRadius: "8px", padding: "9px 16px", color: "#E8C97A", fontSize: "12px",
0859 |       fontWeight: "600", cursor: "pointer", flexShrink: 0,
0860 |     }}>
0861 |       + Add size
0862 |     </button>
0863 |   </div>
0864 | </div>
0865 | </div>
0866 |
0867 | /* Installment plans manager */
0868 | <div style={{ marginBottom: "20px" }}>
0869 |   <label style={labelStyle}>Installment Plans</label>

```

```

0870 | <p style={{ fontSize: "11px", color: "#6B6762", margin: "0 0 12px" }}>
0871 |   Payment plans buyers can choose from for this project.
0872 | </p>
0873 |
0874 | {installmentPlans.length > 0 && (
0875 |   <div style={{ display: "flex", flexDirection: "column", gap: "8px", marginBottom: "12px" }}>
0876 |     {installmentPlans.map(plan => (
0877 |       <div key={plan.id} style={{ display: "flex", alignItems: "center", gap: "10px" }}>
0878 |         <div style={{
0879 |           flex: 1, background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.2)",
0880 |           borderRadius: "8px", padding: "9px 14px", fontSize: "13px", color: "#F0EDE6",
0881 |         }}>
0882 |           {plan.label} - {plan.down_payment_percent}% down - {plan.years} yrs
0883 |         </div>
0884 |         <button onClick={() => removeInstallmentPlan(plan)} style={{
0885 |           background: "transparent", border: "0.5px solid rgba(200,60,60,0.3)",
0886 |           borderRadius: "8px", padding: "7px 12px", color: "#E07070", fontSize: "12px",
0887 |           cursor: "pointer", flexShrink: 0,
0888 |         }}>
0889 |           Remove
0890 |         </button>
0891 |       </div>
0892 |     ))}
0893 |   </div>
0894 | )}
0895 |
0896 | <div style={{ display: "flex", gap: "10px", flexWrap: "wrap" }}>
0897 |   <input style={{ ...inputStyle, flex: "2 1 160px" }} value={newPlan.label}
0898 |     onChange={e => setNewPlan(p => ({ ...p, label: e.target.value })))}
0899 |   placeholder="e.g. 10% Down - 5 Years" />
0900 |   <input style={{ ...inputStyle, flex: "1 1 100px" }} type="number" value={newPlan.down_payment_percent}
0901 |     onChange={e => setNewPlan(p => ({ ...p, down_payment_percent: e.target.value })))}
0902 |   placeholder="Down %" />
0903 |   <input style={{ ...inputStyle, flex: "1 1 80px" }} type="number" value={newPlan.years}
0904 |     onChange={e => setNewPlan(p => ({ ...p, years: e.target.value })))}
0905 |   placeholder="Years" />
0906 |   <button onClick={addInstallmentPlan} style={{
0907 |     background: "rgba(201,151,58,0.12)", border: "0.5px solid rgba(201,151,58,0.4)",
0908 |     borderRadius: "8px", padding: "9px 16px", color: "#E8C97A", fontSize: "12px",
0909 |     fontWeight: "600", cursor: "pointer", flexShrink: 0,
0910 |   }}>
0911 |     + Add plan
0912 |   </button>
0913 | </div>
0914 |
0915 | {/* Customize Plan WhatsApp */}
0916 | <div style={{ marginTop: "18px", paddingTop: "16px", borderTop: "0.5px solid rgba(201,151,58,0.12)" }}>
0917 |   <label style={labelStyle}>Customize Plan - WhatsApp</label>
0918 |   <input style={inputStyle} value={form.customize_plan_whatsapp}
0919 |     onChange={e => setForm(f => ({ ...f, customize_plan_whatsapp: e.target.value })))}
0920 |   placeholder={lastLand.customize_plan_whatsapp} "" />
0921 |   <p style={{ fontSize: "11px", color: "#6B6762", margin: "6px 0 0" }}>
0922 |     Number that opens when the buyer taps Customize plan in the plan picker.
0923 |   </p>
0924 | </div>
0925 | </div>
0926 |
0927 | {/* Price grid */}
0928 | <div style={{ marginBottom: "20px" }}>
0929 |   <label style={labelStyle}>Price Grid</label>
0930 |   <p style={{ fontSize: "11px", color: "#6B6762", margin: "0 0 12px" }}>
0931 |     Exact reservation price for every size x plan combination. This is the price shown to the
0932 |     buyer - it is typed in directly, not calculated.
0933 |   </p>
0934 |
0935 |   {areaOptions.length === 0 || installmentPlans.length === 0 (
0936 |     <div style={{
0937 |       background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.15)",
0938 |       borderRadius: "8px", padding: "16px", textAlign: "center",
0939 |       color: "#6B6762", fontSize: "12px",
0940 |     }}>
0941 |       Add at least one area and one plan to set prices.
0942 |     </div>
0943 |   ) : (
0944 |     <div style={{ overflowX: "auto" }}>
0945 |       <table style={{ borderCollapse: "collapse", width: "100%", minWidth: `${140 + installmentPlans.length * 120}px` }}>
0946 |         <thead>
0947 |           <tr>
0948 |             <th style={{
0949 |               textAlign: "left", padding: "8px 10px", fontSize: "10px", color: "#6B6762",
0950 |               textTransform: "uppercase", letterSpacing: "0.08em",
0951 |               borderBottom: "0.5px solid rgba(201,151,58,0.2)",
0952 |             }}>
0953 |               Size
0954 |             </th>
0955 |             {installmentPlans.map(plan => (
0956 |               <th key={plan.id} style={{
0957 |                 textAlign: "left", padding: "8px 10px", fontSize: "10px", color: "#6B6762",
0958 |                 textTransform: "uppercase", letterSpacing: "0.08em",
0959 |                 borderBottom: "0.5px solid rgba(201,151,58,0.2)",
0960 |               }}>
0961 |                 {plan.label}
0962 |               </th>
0963 |             ))}
0964 |           </tr>
0965 |         </thead>
0966 |         <tbody>
0967 |           {areaOptions.map(area => (

```

```

0968 |         <tr key={area.id}>
0969 |             <td style={{
0970 |                 padding: "8px 10px", fontSize: "13px", color: "#F0EDE6",
0971 |                 borderBottom: "0.5px solid rgba(201,151,58,0.08)",
0972 |             }}>
0973 |                 {Number(area.area_sqm).toLocaleString()} m2
0974 |             </td>
0975 |             {installmentPlans.map(plan => (
0976 |                 <td key={plan.id} style={{ padding: "6px 8px", borderBottom: "0.5px solid rgba(201,151,58,0.08)" }}>
0977 |                     <input
0978 |                         type="number"
0979 |                         style={{ ...inputStyle, padding: "8px 10px", fontSize: "13px" }}
0980 |                         value={priceGrid[priceKey(area.id, plan.id)] ""}
0981 |                         onChange={e => handlePriceChange(area.id, plan.id, e.target.value)}
0982 |                         onBlur={() => handlePriceBlur(area.id, plan.id)}
0983 |                         placeholder="EGP"
0984 |                     />
0985 |                 </td>
0986 |             ))}
0987 |         </tr>
0988 |     </tbody>
0989 | </table>
0990 | </div>
0991 | ))
0992 | </div>
0993 |
0994 | {error && (
0995 |     <div style={{
0996 |         background: "rgba(200,60,60,0.12)", border: "0.5px solid rgba(200,60,60,0.4)",
0997 |         borderRadius: "8px", padding: "10px 14px", color: "#E07070",
0998 |         fontSize: "13px", marginBottom: "16px",
0999 |     }}>
1000 |         {error}
1001 |     </div>
1002 | )}
1003 |
1004 | <div style={{ display: "flex", gap: "10px" }}>
1005 |     <button onClick={handleSave} disabled={saving || uploadingImages} style={{
1006 |         background: saving || uploadingImages ? "rgba(201,151,58,0.4)" : "#C9973A",
1007 |         color: "#2C2C2E", border: "none", borderRadius: "10px", padding: "11px 24px",
1008 |         fontSize: "13px", fontWeight: "600",
1009 |         cursor: saving || uploadingImages ? "not-allowed" : "pointer",
1010 |     }}>
1011 |         {uploadingImages ? "Uploading images..." : saving ? "Saving..." : editId ? "Save changes" : "Add project"}
1012 |     </button>
1013 |     <button onClick={cancelForm} style={{
1014 |         background: "transparent", color: "#9A9489",
1015 |         border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: "10px",
1016 |         padding: "11px 20px", fontSize: "13px", cursor: "pointer",
1017 |     }}>
1018 |         Cancel
1019 |     </button>
1020 | </div>
1021 | </div>
1022 | ))
1023 |
1024 |
1025 | /* Project list */
1026 | {loading ? (
1027 |     <p style={{ color: "#9A9489", fontSize: "14px" }}>Loading...</p>
1028 | ) : lands.length === 0 ? (
1029 |     <div style={{
1030 |         background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)",
1031 |         borderRadius: "12px", padding: "48px", textAlign: "center",
1032 |     }}>
1033 |         <p style={{ color: "#6B6762", fontSize: "14px", margin: 0 }}>No projects yet. Add your first one above.</p>
1034 |     </div>
1035 | ) : (
1036 |     <div style={{
1037 |         background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)",
1038 |         borderRadius: "12px", overflow: "hidden",
1039 |     }}>
1040 |         {lands.map((land, i) => {
1041 |             const s = statusColors[land.status] || statusColors.available;
1042 |             return (
1043 |                 <div key={land.id} style={{
1044 |                     display: "flex", alignItems: "center", gap: "14px",
1045 |                     padding: "14px 20px",
1046 |                     borderBottom: i < lands.length - 1 ? "0.5px solid rgba(201,151,58,0.1)" : "none",
1047 |                 }}>
1048 |                     {/* Thumbnail */}
1049 |                     <div style={{
1050 |                         width: "56px", height: "42px", borderRadius: "8px", flexShrink: 0,
1051 |                         background: "#3A3A3D", overflow: "hidden",
1052 |                         border: "0.5px solid rgba(201,151,58,0.15)",
1053 |                     }}>
1054 |                         {land.image_url ? (
1055 |                             <img src={land.image_url} alt=""
1056 |                             style={{ width: "100%", height: "100%", objectFit: "cover" }} />
1057 |                         ) : (
1058 |                             <div style={{
1059 |                                 width: "100%", height: "100%", display: "flex",
1060 |                                 alignItems: "center", justifyContent: "center",
1061 |                                 color: "#6B6762", fontSize: "16px",
1062 |                             }}>[project]</div>
1063 |                         )}
1064 |                     </div>
1065 |                 )}

```

```

1066 |         {/* Info */}
1067 |         <div style={{ flex: 1, minWidth: 0 }}>
1068 |             <div style={{ fontSize: "14px", color: "#F0EDE6", fontWeight: "500" }}>
1069 |                 {land.title}
1070 |             </div>
1071 |             <div style={{ fontSize: "12px", color: "#6B6762", marginTop: "2px" }}>
1072 |                 {land.locations.name || "-"} - {land.developers.name || "-"}
1073 |                 {land.price ` - EGP ${Number(land.price).toLocaleString()}` : ""}
1074 |             </div>
1075 |         </div>
1076 |
1077 |         {/* Status */}
1078 |         <span style={{
1079 |             fontSize: "10px", background: s.bg, color: s.color,
1080 |             border: `0.5px solid ${s.color}55`, borderRadius: "999px",
1081 |             padding: "3px 10px", letterSpacing: "0.08em",
1082 |             textTransform: "uppercase", flexShrink: 0,
1083 |         }}>
1084 |             {land.status}
1085 |         </span>
1086 |
1087 |         {/* Actions */}
1088 |         <div style={{ display: "flex", gap: "8px", flexShrink: 0 }}>
1089 |             <button onClick={() => openEdit(land)} style={{
1090 |                 background: "transparent",
1091 |                 border: "0.5px solid rgba(201,151,58,0.25)",
1092 |                 borderRadius: "8px", padding: "7px 14px",
1093 |                 color: "#C9973A", fontSize: "12px", cursor: "pointer",
1094 |             }}>
1095 |                 Edit
1096 |             </button>
1097 |             <button onClick={() => handleDelete(land.id)} disabled={deletingId === land.id} style={{
1098 |                 background: "transparent",
1099 |                 border: "0.5px solid rgba(200,60,60,0.3)",
1100 |                 borderRadius: "8px", padding: "7px 14px",
1101 |                 color: "#E07070", fontSize: "12px", cursor: "pointer",
1102 |             }}>
1103 |                 {deletingId === land.id ? "..." : "Delete"}
1104 |             </button>
1105 |         </div>
1106 |     </div>
1107 | );
1108 | }}}
1109 | </div>
1110 | })
1111 | </div>
1112 | );
1113 | }

```

src/app/admin/developers/page.js

Lines: 251.

```

0001 | "use client";
0002 |
0003 | import { useState, useEffect } from "react";
0004 | import { createClient } from "@supabase/supabase-js";
0005 |
0006 | const supabase = createClient(
0007 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0008 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0009 | );
0010 |
0011 | const emptyForm = { name: "", bio: "", logo_url: "", bank_account: "" };
0012 |
0013 | export default function AdminDevelopers() {
0014 |   const [developers, setDevelopers] = useState([]);
0015 |   const [loading, setLoading] = useState(true);
0016 |   const [showForm, setShowForm] = useState(false);
0017 |   const [form, setForm] = useState(emptyForm);
0018 |   const [editId, setEditId] = useState(null);
0019 |   const [saving, setSaving] = useState(false);
0020 |   const [deletingId, setDeletingId] = useState(null);
0021 |   const [error, setError] = useState("");
0022 |   const [logoFile, setLogoFile] = useState(null);
0023 |   const [uploading, setUploading] = useState(false);
0024 |
0025 |   async function fetchDevelopers() {
0026 |     const { data } = await supabase.from("developers").select("*").order("name");
0027 |     setDevelopers(data || []);
0028 |     setLoading(false);
0029 |   }
0030 |
0031 |   useEffect(() => { fetchDevelopers(); }, []);
0032 |
0033 |   function openAdd() { setForm(emptyForm); setEditId(null); setError(""); setLogoFile(null); setShowForm(true); }
0034 |   function openEdit(dev) {
0035 |     setForm({ name: dev.name || "", bio: dev.bio || "", logo_url: dev.logo_url || "", bank_account: dev.bank_account || "" });
0036 |     setEditId(dev.id); setError(""); setLogoFile(null); setShowForm(true);
0037 |   }
0038 |   function cancelForm() { setShowForm(false); setForm(emptyForm); setEditId(null); setError(""); setLogoFile(null); }
0039 |
0040 |   async function uploadLogo(file) {
0041 |     const ext = file.name.split(".").pop();
0042 |     const path = `${Date.now()}_${Math.random().toString(36).slice(2)}.${ext}`;
0043 |     const { error } = await supabase.storage.from("developer-logos").upload(path, file);
0044 |     if (error) throw error;

```

```

0045 |     const { data: urlData } = supabase.storage.from("developer-logos").getPublicUrl(path);
0046 |     return urlData.publicUrl;
0047 | }
0048 |
0049 | async function handleSave() {
0050 |   if (!form.name.trim()) { setError("Name is required."); return; }
0051 |   setSaving(true); setError("");
0052 |
0053 |   let finalLogoUrl = form.logo_url.trim() || null;
0054 |
0055 |   if (logoFile) {
0056 |     setUploading(true);
0057 |     try {
0058 |       finalLogoUrl = await uploadLogo(logoFile);
0059 |     } catch (err) {
0060 |       setError("Logo upload failed: " + err.message);
0061 |       setSaving(false);
0062 |       setUploading(false);
0063 |       return;
0064 |     }
0065 |     setUploading(false);
0066 |   }
0067 |
0068 |   if (editId) {
0069 |     const { error } = await supabase.from("developers").update({
0070 |       name: form.name.trim(), bio: form.bio.trim(), logo_url: finalLogoUrl,
0071 |       bank_account: form.bank_account.trim() || null,
0072 |     }).eq("id", editId);
0073 |     if (error) { setError(error.message); setSaving(false); return; }
0074 |   } else {
0075 |     const { error } = await supabase.from("developers").insert({
0076 |       name: form.name.trim(), bio: form.bio.trim(), logo_url: finalLogoUrl,
0077 |       bank_account: form.bank_account.trim() || null,
0078 |     });
0079 |     if (error) { setError(error.message); setSaving(false); return; }
0080 |   }
0081 |   setSaving(false); cancelForm(); fetchDevelopers();
0082 | }
0083 |
0084 | async function handleDelete(id) {
0085 |   if (!confirm("Delete this developer")) return;
0086 |   setDeletingId(id);
0087 |   await supabase.from("developers").delete().eq("id", id);
0088 |   setDeletingId(null); fetchDevelopers();
0089 | }
0090 |
0091 | const inputStyle = {
0092 |   width: "100%", background: "#3A3A3D",
0093 |   border: "0.5px solid rgba(201,151,58,0.25)", borderRadius: "10px",
0094 |   padding: "11px 14px", color: "#F0EDE6", fontSize: "14px",
0095 |   outline: "none", boxSizing: "border-box", fontFamily: "Inter, Arial, sans-serif",
0096 | };
0097 | const labelStyle = {
0098 |   display: "block", fontSize: "11px", color: "#9A9489",
0099 |   letterSpacing: "0.12em", textTransform: "uppercase", marginBottom: "7px",
0100 | };
0101 |
0102 | const previewUrl = logoFile ? URL.createObjectURL(logoFile) : form.logo_url;
0103 |
0104 | return (
0105 |   <div>
0106 |     <div style={{ display: "flex", justifyContent: "space-between", alignItems: "flex-start", marginBottom: "32px" }}>
0107 |       <div>
0108 |         <h1 style={{ fontFamily: "Georgia, serif", fontSize: "26px", color: "#F0EDE6", margin: 0, marginBottom: "5px" }}>Developers</h1>
0109 |         <p style={{ color: "#9A9489", fontSize: "13px", margin: 0 }}>{developers.length} developer{developers.length !== 1 ? "s" : ""}</p>
0110 |       </div>
0111 |       <button onClick={openAdd} style={{
0112 |         background: "#C9973A", color: "#2C2C2E", border: "none", borderRadius: "10px",
0113 |         padding: "11px 20px", fontSize: "13px", fontWeight: "600", cursor: "pointer",
0114 |       }}>
0115 |         + Add developer
0116 |       </button>
0117 |     </div>
0118 |
0119 |     {showForm && (
0120 |       <div style={{ background: "#343437", border: "0.5px solid rgba(201,151,58,0.3)", borderRadius: "14px", padding: "28px", marginBottom: "28px" }}>
0121 |         <h2 style={{ fontSize: "16px", color: "#F0EDE6", margin: "0 0 22px", fontWeight: "500" }}>
0122 |           {editId ? "Edit developer" : "New developer"}
0123 |         </h2>
0124 |         <div style={{ marginBottom: "16px" }}>
0125 |           <label style={labelStyle}>Name </label>
0126 |           <input style={inputStyle} value={form.name} onChange={e => setForm(f => ({ ...f, name: e.target.value }))) placeholder="Developer company name" />
0127 |         </div>
0128 |         <div style={{ marginBottom: "20px" }}>
0129 |           <label style={labelStyle}>Bio</label>
0130 |           <textarea style={{ ...inputStyle, minHeight: "80px", resize: "vertical" }}
0131 |             value={form.bio} onChange={e => setForm(f => ({ ...f, bio: e.target.value })))
0132 |             placeholder="Short paragraph shown on project pages..." />
0133 |         </div>
0134 |
0135 |         <div style={{ marginBottom: "20px" }}>
0136 |           <label style={labelStyle}>Bank Account Number</label>
0137 |           <input style={inputStyle} value={form.bank_account}
0138 |             onChange={e => setForm(f => ({ ...f, bank_account: e.target.value })))
0139 |             placeholder="Account number shown to buyers on the payment screen" />
0140 |         </div>
0141 |
0142 |         <div style={{ display: "flex", justify-content: "center", align-items: "center", gap: "10px" }}>

```

```

0143 | <div style={{ marginBottom: "20px" }}>
0144 |   <label style={labelStyle}>Logo</label>
0145 |
0146 |   {previewUrl && (
0147 |     <div style={{ marginBottom: "12px" }}>
0148 |       <img src={previewUrl} alt="" style={{
0149 |         width: "72px", height: "72px", objectFit: "cover",
0150 |         borderRadius: "999px", border: "0.5px solid rgba(201,151,58,0.25)",
0151 |       }} />
0152 |     </div>
0153 |   )}
0154 |
0155 |   <label style={{
0156 |     display: "flex", flexDirection: "column", alignItems: "center",
0157 |     justifyContent: "center", gap: "8px",
0158 |     border: "1.5px dashed ${logoFile ? "rgba(77,201,138,0.5)" : "rgba(201,151,58,0.25)"}",
0159 |     borderRadius: "10px", padding: "20px",
0160 |     cursor: "pointer", background: logoFile ? "rgba(30,120,70,0.08)" : "transparent",
0161 |     transition: "all 0.2s ease",
0162 |   }}>
0163 |     <input type="file" accept="image/*"
0164 |       style={{ display: "none" }}
0165 |       onChange={e => setLogoFile(e.target.files[0] || null)} />
0166 |     <span style={{ fontSize: "22px" }}>[developer]</span>
0167 |     <span style={{ fontSize: "13px", color: logoFile ? "#4DC98A" : "#9A9489" }}>
0168 |       {logoFile ? logoFile.name : "Click to upload logo"}
0169 |     </span>
0170 |   </label>
0171 | </div>
0172 |
0173 |   {error && (
0174 |     <div style={{ background: "rgba(200,60,60,0.12)", border: "0.5px solid rgba(200,60,60,0.4)", borderRadius: "8px", padding: "10px 14px", color: "#E07
0175 | 070", fontSize: "13px", marginBottom: "16px" }}>
0176 |       {error}
0177 |     </div>
0178 |   )}
0179 |   <div style={{ display: "flex", gap: "10px" }}>
0180 |     <button onClick={handleSave} disabled={saving} style={{
0181 |       background: saving ? "rgba(201,151,58,0.4)" : "#C9973A", color: "#2C2C2E",
0182 |       border: "none", borderRadius: "10px", padding: "11px 24px",
0183 |       fontSize: "13px", fontWeight: "600", cursor: saving ? "not-allowed" : "pointer",
0184 |     }}>
0185 |       {uploading ? "Uploading..." : saving ? "Saving..." : editId ? "Save changes" : "Add developer"}
0186 |     </button>
0187 |     <button onClick={cancelForm} style={{
0188 |       background: "transparent", color: "#9A9489",
0189 |       border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: "10px",
0190 |       padding: "11px 20px", fontSize: "13px", cursor: "pointer",
0191 |     }}>
0192 |       Cancel
0193 |     </button>
0194 |   </div>
0195 | )}
0196 |
0197 | {loading ? (
0198 |   <p style={{ color: "#9A9489", fontSize: "14px" }}>Loading...</p>
0199 | ) : developers.length === 0 ? (
0200 |   <div style={{ background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)", borderRadius: "12px", padding: "48px", textAlign: "center" }}>
0201 |     <p style={{ color: "#6B6762", fontSize: "14px", margin: 0 }}>No developers yet.</p>
0202 |   </div>
0203 | ) : (
0204 |   <div style={{ background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)", borderRadius: "12px", overflow: "hidden" }}>
0205 |     {developers.map((dev, i) => (
0206 |       <div key={dev.id} style={{
0207 |         display: "flex", alignItems: "center", gap: "16px",
0208 |         padding: "16px 20px",
0209 |         borderBottom: i < developers.length - 1 ? "0.5px solid rgba(201,151,58,0.1)" : "none",
0210 |       }}>
0211 |         {/* Avatar / logo */}
0212 |         <div style={{
0213 |           width: "44px", height: "44px", borderRadius: "999px", flexShrink: 0,
0214 |           background: "rgba(201,151,58,0.15)", border: "0.5px solid rgba(201,151,58,0.3)",
0215 |           display: "flex", alignItems: "center", justifyContent: "center",
0216 |           fontSize: "16px", color: "#C9973A", fontFamily: "Georgia, serif", fontWeight: "bold",
0217 |           overflow: "hidden",
0218 |         }}>
0219 |           {dev.logo_url ? (
0220 |             <img src={dev.logo_url} alt="" style={{ width: "100%", height: "100%", objectFit: "cover" }} />
0221 |           ) : (
0222 |             dev.name.charAt(0).toUpperCase()
0223 |           )}
0224 |         </div>
0225 |         <div style={{ flex: 1, minWidth: 0 }}>
0226 |           <div style={{ fontSize: "14px", color: "#F0EDE6", fontWeight: "500" }}>{dev.name}</div>
0227 |           {dev.bio && (
0228 |             <div style={{ fontSize: "12px", color: "#6B6762", marginTop: "2px", overflow: "hidden", textOverflow: "ellipsis", whiteSpace: "nowrap" }}>
0229 |               {dev.bio}
0230 |             </div>
0231 |           )}
0232 |         </div>
0233 |       <div style={{ display: "flex", gap: "8px", flexShrink: 0 }}>
0234 |         <button onClick={() => openEdit(dev)} style={{
0235 |           background: "transparent", border: "0.5px solid rgba(201,151,58,0.25)",
0236 |           borderRadius: "8px", padding: "7px 14px", color: "#C9973A", fontSize: "12px", cursor: "pointer",
0237 |         }}>Edit</button>
0238 |         <button onClick={() => handleDelete(dev.id)} disabled={deletingId === dev.id} style={{
0239 |           background: "transparent", border: "0.5px solid rgba(200,60,60,0.3)",

```



```

0240 |         borderRadius: "8px", padding: "7px 14px", color: "#E07070", fontSize: "12px", cursor: "pointer",
0241 |     })>
0242 |     {deletingId === dev.id   "...": "Delete"}
0243 |   </button>
0244 | </div>
0245 | </div>
0246 |   )}}
0247 | </div>
0248 |   })
0249 | </div>
0250 | );
0251 | }

```

src/app/admin/reservations/page.js

Lines: 532.

```

0001 | "use client";
0002 | import { useState, useEffect } from "react";
0003 | import { createClient } from "@supabase/supabase-js";
0004 |
0005 | const supabase = createClient(
0006 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0007 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0008 | );
0009 |
0010 | const STATUS_TABS = ["all", "pending", "confirmed", "rejected"];
0011 |
0012 | const STATUS_STYLES = {
0013 |   pending: { color: "#E8C97A", bg: "rgba(200,150,40,0.12)",   border: "rgba(200,150,40,0.3)" },
0014 |   confirmed: { color: "#4DC98A", bg: "rgba(30,120,70,0.18)",   border: "rgba(77,201,138,0.35)" },
0015 |   rejected: { color: "#E07070", bg: "rgba(200,60,60,0.12)",   border: "rgba(200,60,60,0.3)" },
0016 | };
0017 |
0018 | function StatusBadge({ status }) {
0019 |   const s = STATUS_STYLES[status] STATUS_STYLES.pending;
0020 |   return (
0021 |     <span style={{
0022 |       fontSize: 10, fontWeight: 500, padding: "3px 10px", borderRadius: 20,
0023 |       textTransform: "capitalize", letterSpacing: "0.08em",
0024 |       color: s.color, background: s.bg, border: `0.5px solid ${s.border}`,
0025 |       display: "inline-block",
0026 |     }}>
0027 |       {status}
0028 |     </span>
0029 |   );
0030 | }
0031 |
0032 | function InfoRow({ label, value, gold }) {
0033 |   return (
0034 |     <div style={{ marginBottom: 12 }}>
0035 |       <div style={{ fontSize: 9, color: "#6B6762", textTransform: "uppercase", letterSpacing: "0.14em", marginBottom: 3 }}>
0036 |         {label}
0037 |       </div>
0038 |       <div style={{ fontSize: 14, color: gold   "#E8C97A" : "#F0EDE6", fontWeight: gold 500 : 400 }}>
0039 |         {value || "-"}
0040 |       </div>
0041 |     </div>
0042 |   );
0043 | }
0044 |
0045 | function SectionLabel({ children }) {
0046 |   return (
0047 |     <p style={{
0048 |       fontSize: 9, letterSpacing: "0.18em", textTransform: "uppercase",
0049 |       color: "#6B6762", marginBottom: 12, marginTop: 0,
0050 |     }}>
0051 |       {children}
0052 |     </p>
0053 |   );
0054 | }
0055 |
0056 | export default function ReservationsPage() {
0057 |   const [reservations, setReservations] = useState([]);
0058 |   const [loading, setLoading] = useState(true);
0059 |   const [activeTab, setActiveTab] = useState("all");
0060 |   const [selected, setSelected] = useState(null);
0061 |   const [idFrontUrl, setIdFrontUrl] = useState(null);
0062 |   const [idBackUrl, setIdBackUrl] = useState(null);
0063 |   const [updatingStatus, setUpdatingStatus] = useState(false);
0064 |   const [confirmDelete, setConfirmDelete] = useState(false);
0065 |   const [deleting, setDeleting] = useState(false);
0066 |
0067 |   useEffect(() => { fetchReservations(); }, []);
0068 |
0069 |   async function fetchReservations() {
0070 |     setLoading(true);
0071 |     const { data, error } = await supabase
0072 |       .from("reservations")
0073 |       .select(`
0074 |         *,
0075 |         lands (
0076 |           id, title, area_sqm, price_per_meter,
0077 |           locations ( name )
0078 |         ),
0079 |         land_areas ( area_sqm, status ),
0080 |         land_installment_plans ( label, down_payment_percent, years )

```



```

0081 |     `
0082 |     .order("created_at", { ascending: false });
0083 |
0084 |     if (!error) setReservations(data []);
0085 |     setLoading(false);
0086 | }
0087 |
0088 | async function selectReservation(r) {
0089 |     setSelected(r);
0090 |     setIdFrontUrl(null);
0091 |     setIdBackUrl(null);
0092 |     setConfirmDelete(false);
0093 |
0094 |     if (r.national_id_front) {
0095 |         const { data } = await supabase.storage.from("reservations").createSignedUrl(r.national_id_front, 3600);
0096 |         if (data.signedUrl) setIdFrontUrl(data.signedUrl);
0097 |     }
0098 |     if (r.national_id_back) {
0099 |         const { data } = await supabase.storage.from("reservations").createSignedUrl(r.national_id_back, 3600);
0100 |         if (data.signedUrl) setIdBackUrl(data.signedUrl);
0101 |     }
0102 | }
0103 |
0104 | async function updateStatus(newStatus) {
0105 |     if (!selected) return;
0106 |     setUpdatingStatus(true);
0107 |     const { error } = await supabase.from("reservations").update({ status: newStatus }).eq("id", selected.id);
0108 |     if (!error) {
0109 |         const updated = { ...selected, status: newStatus };
0110 |         setSelected(updated);
0111 |         setReservations(prev => prev.map(r => r.id === selected.id ? { ...r, status: newStatus } : r));
0112 |     }
0113 |     setUpdatingStatus(false);
0114 | }
0115 |
0116 | async function handleDelete() {
0117 |     if (!selected) return;
0118 |     setDeleting(true);
0119 |
0120 |     // Delete storage files if they exist
0121 |     const filesToDelete = [];
0122 |     if (selected.national_id_front) filesToDelete.push(selected.national_id_front);
0123 |     if (selected.national_id_back) filesToDelete.push(selected.national_id_back);
0124 |     if (filesToDelete.length > 0) {
0125 |         await supabase.storage.from("reservations").remove(filesToDelete);
0126 |     }
0127 |
0128 |     // Delete the reservation row
0129 |     const { error } = await supabase.from("reservations").delete().eq("id", selected.id);
0130 |     if (!error) {
0131 |         setReservations(prev => prev.filter(r => r.id !== selected.id));
0132 |         setSelected(null);
0133 |         setConfirmDelete(false);
0134 |     }
0135 |     setDeleting(false);
0136 | }
0137 |
0138 | const filtered = activeTab === "all"
0139 |     ? reservations
0140 |     : reservations.filter(r => r.status === activeTab);
0141 |
0142 | function formatDate(ts) {
0143 |     if (!ts) return "-";
0144 |     return new Date(ts).toLocaleDateString("en-EG", { year: "numeric", month: "short", day: "numeric" });
0145 | }
0146 |
0147 | function getProjectName(r) { return r.lands.title "-"; }
0148 | function getLocationName(r) { return r.lands.locations.name "-"; }
0149 | function getReservedArea(r) {
0150 |     if (r.land_areas.area_sqm) return `${Number(r.land_areas.area_sqm).toLocaleString()} m2`;
0151 |     if (r.lands.area_sqm) return `${Number(r.lands.area_sqm).toLocaleString()} m2 (project total)`;
0152 |     return "-";
0153 | }
0154 | function getPlanLabel(r) {
0155 |     const plan = r.land_installment_plans;
0156 |     if (!plan) return "-";
0157 |     return plan.label || `${plan.down_payment_percent}% down - ${plan.years} yrs`;
0158 | }
0159 | function getPlanDetails(r) {
0160 |     const plan = r.land_installment_plans;
0161 |     if (!plan) return null;
0162 |     const parts = [];
0163 |     if (plan.down_payment_percent !== null) parts.push(`${plan.down_payment_percent}% down payment`);
0164 |     if (plan.years !== null) parts.push(`${plan.years} year${plan.years !== 1 ? "s" : ""}`);
0165 |     return parts.join(" - ") || null;
0166 | }
0167 | function getPricePerMeter(r) {
0168 |     const ppm = r.lands.price_per_meter;
0169 |     if (!ppm) return "-";
0170 |     return `EGP ${Number(ppm).toLocaleString()} / m2`;
0171 | }
0172 |
0173 | return (
0174 |     <div style={{ padding: "32px 28px", minHeight: "100vh", color: "#F0EDE6" }}>
0175 |         <h1 style={{
0176 |             fontFamily: "var(--font-heading, 'Cormorant Garamond', Georgia, serif)",
0177 |             fontSize: 28, fontWeight: 400, color: "#F0EDE6", marginBottom: 6,
0178 |         }}>

```

```

0179 |     Reservations
0180 | </h1>
0181 | <p style={{ fontSize: 13, color: "#6B6762", marginBottom: 28 }}>
0182 |   {reservations.length} total reservation{reservations.length !== 1 ? "s" : ""}
0183 | </p>
0184 |
0185 | {/* Tab filter */}
0186 | <div style={{ display: "flex", gap: 6, marginBottom: 20 }}>
0187 |   {STATUS_TABS.map(tab => {
0188 |     const isActive = activeTab === tab;
0189 |     return (
0190 |       <button
0191 |         key={tab}
0192 |         onClick={() => setActiveTab(tab)}
0193 |         style={{
0194 |           padding: "6px 16px", borderRadius: 20, fontSize: 12,
0195 |           fontWeight: isActive ? 500 : 400, letterSpacing: "0.04em",
0196 |           textTransform: "capitalize", cursor: "pointer",
0197 |           border: isActive ? "0.5px solid rgba(201,151,58,0.55)" : "0.5px solid rgba(201,151,58,0.18)",
0198 |           background: isActive ? "rgba(201,151,58,0.1)" : "transparent",
0199 |           color: isActive ? "#C9973A" : "#9A9489",
0200 |           transition: "all 0.2s ease",
0201 |         }}
0202 |       >
0203 |         {tab}
0204 |         {tab !== "all" && (
0205 |           <span style={{ marginLeft: 6, color: isActive ? "#C9973A" : "#6B6762" }}>
0206 |             {{reservations.filter(r => r.status === tab).length}}
0207 |           </span>
0208 |         )}
0209 |       </button>
0210 |     );
0211 |   )}
0212 | </div>
0213 |
0214 | {loading (
0215 |   <div style={{ color: "#6B6762", fontSize: 14, padding: "40px 0", textAlign: "center" }}>
0216 |     Loading reservations...
0217 |   </div>
0218 | ) : (
0219 |   <div style={{ display: "grid", gridTemplateColumns: selected ? "1fr 380px" : "1fr", gap: 20, alignItems: "start" }}>
0220 |
0221 |     {/* LEFT: list */}
0222 |     <div style={{ display: "flex", flexDirection: "column", gap: 8 }}>
0223 |       {filtered.length === 0 (
0224 |         <div style={{
0225 |           textAlign: "center", padding: "3rem", color: "#6B6762",
0226 |           background: "#343437", borderRadius: 12, border: "0.5px solid rgba(201,151,58,0.18)", fontSize: 14,
0227 |         }}>
0228 |         No {activeTab === "all" ? "" : activeTab} reservations yet
0229 |       </div>
0230 |       ) : (
0231 |         filtered.map(r => {
0232 |           const isSelected = selected.id === r.id;
0233 |           return (
0234 |             <div
0235 |               key={r.id}
0236 |               onClick={() => selectReservation(r)}
0237 |               style={{
0238 |                 padding: "14px 16px",
0239 |                 background: isSelected ? "rgba(201,151,58,0.07)" : "#343437",
0240 |                 border: isSelected ? "0.5px solid rgba(201,151,58,0.45)" : "0.5px solid rgba(201,151,58,0.18)",
0241 |                 borderRadius: 12, cursor: "pointer", transition: "all 0.2s ease",
0242 |                 display: "flex", alignItems: "flex-start", gap: 14,
0243 |               }}
0244 |               onMouseEnter={e => {
0245 |                 if (!isSelected) {
0246 |                   e.currentTarget.style.borderColor = "rgba(201,151,58,0.35)";
0247 |                   e.currentTarget.style.background = "rgba(201,151,58,0.04)";
0248 |                 }
0249 |               }}
0250 |               onMouseLeave={e => {
0251 |                 if (!isSelected) {
0252 |                   e.currentTarget.style.borderColor = "rgba(201,151,58,0.18)";
0253 |                   e.currentTarget.style.background = "#343437";
0254 |                 }
0255 |               }}
0256 |             >
0257 |               {/* Avatar */}
0258 |               <div style={{
0259 |                 width: 38, height: 38, borderRadius: "50%",
0260 |                 background: "rgba(201,151,58,0.1)", border: "0.5px solid rgba(201,151,58,0.25)",
0261 |                 display: "flex", alignItems: "center", justifyContent: "center",
0262 |                 fontFamily: "var(--font-heading, Georgia, serif)",
0263 |                 fontSize: 16, color: "#C9973A", flexShrink: 0,
0264 |               }}>
0265 |                 {r.full_name.charAt(0).toUpperCase()}
0266 |               </div>
0267 |
0268 |               <div style={{ flex: 1, minWidth: 0 }}>
0269 |                 <div style={{ display: "flex", alignItems: "center", justifyContent: "space-between", gap: 8, marginBottom: 3 }}>
0270 |                   <span style={{ fontSize: 14, fontWeight: 500, color: "#F0EDE6", whiteSpace: "nowrap", overflow: "hidden", textOverflow: "ellipsis" }}>
0271 |                     {r.full_name}
0272 |                   </span>
0273 |                   <StatusBadge status={r.status} />
0274 |                 </div>
0275 |                 <div style={{ fontSize: 12, color: "#C9973A", marginBottom: 2, whiteSpace: "nowrap", overflow: "hidden", textOverflow: "ellipsis" }}>
0276 |                   {getProjectName(r)}

```

```

0277 |         {getLocationName(r) !== "-" && <span style={{ color: "#6B6762" }}> - {getLocationName(r)}</span>}
0278 |     </div>
0279 |     <div style={{ display: "flex", gap: 12, fontSize: 11, color: "#6B6762", flexWrap: "wrap" }}>
0280 |         {r.land_areas && <span>{getReservedArea(r)}</span>}
0281 |         {r.land_installment_plans && <span>{getPlanLabel(r)}</span>}
0282 |         <span style={{ marginLeft: "auto" }}>{formatDate(r.created_at)}</span>
0283 |     </div>
0284 | </div>
0285 | </div>
0286 | );
0287 | }}
0288 | }}
0289 | </div>
0290 |
0291 | /* RIGHT: detail panel */
0292 | {selected && (
0293 |     <div style={{
0294 |         background: "#343437",
0295 |         border: "0.5px solid rgba(201,151,58,0.22)",
0296 |         borderRadius: 14,
0297 |         padding: "20px",
0298 |         position: "sticky",
0299 |         top: 20,
0300 |         display: "flex",
0301 |         flexDirection: "column",
0302 |         gap: 0,
0303 |     }}>
0304 |         /* Header */
0305 |         <div style={{ display: "flex", alignItems: "flex-start", justifyContent: "space-between", marginBottom: 18 }}>
0306 |             <div>
0307 |                 <div style={{
0308 |                     fontFamily: "var(--font-heading, Georgia, serif)",
0309 |                     fontSize: 20, fontWeight: 400, color: "#F0EDE6", marginBottom: 4,
0310 |                 }}>
0311 |                     {selected.full_name}
0312 |                 </div>
0313 |                 <StatusBadge status={selected.status} />
0314 |             </div>
0315 |             <button
0316 |                 onClick={() => { setSelected(null); setConfirmDelete(false); }}
0317 |                 style={{
0318 |                     background: "none", border: "none", color: "#6B6762",
0319 |                     cursor: "pointer", fontSize: 18, padding: "2px 6px",
0320 |                     lineHeight: 1, borderRadius: 6, transition: "color 0.2s",
0321 |                 }}
0322 |                 onMouseEnter={e => e.currentTarget.style.color = "#F0EDE6"}
0323 |                 onMouseLeave={e => e.currentTarget.style.color = "#6B6762"}
0324 |                 title="Close"
0325 |             >
0326 |                 x
0327 |             </button>
0328 |         </div>
0329 |
0330 |         /* Section 1: Project */
0331 |         <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px 14px 6px", marginBottom: 14 }}>
0332 |             <SectionLabel>Project</SectionLabel>
0333 |             <InfoRow label="Project name" value={getProjectName(selected)} gold />
0334 |             <InfoRow label="Location" value={getLocationName(selected)} />
0335 |             <InfoRow label="Price / m2" value={getPricePerMeter(selected)} gold />
0336 |         </div>
0337 |
0338 |         /* Section 2: Reservation details */
0339 |         <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px 14px 6px", marginBottom: 14 }}>
0340 |             <SectionLabel>Reservation Details</SectionLabel>
0341 |
0342 |             <div style={{ marginBottom: 12 }}>
0343 |                 <div style={{ fontSize: 9, color: "#6B6762", textTransform: "uppercase", letterSpacing: "0.14em", marginBottom: 3 }}>Reserved Area</div>
0344 |                 {selected.land_areas (
0345 |                     <div style={{ display: "flex", alignItems: "center", gap: 8 }}>
0346 |                         <span style={{ fontSize: 14, color: "#E8C97A", fontWeight: 500 }}>{getReservedArea(selected)}</span>
0347 |                         <StatusBadge status={selected.land_areas.status} />
0348 |                     </div>
0349 |                 ) : (
0350 |                     <span style={{ fontSize: 13, color: "#6B6762", fontStyle: "italic" }}>No area selected (legacy reservation)</span>
0351 |                 )
0352 |             </div>
0353 |
0354 |             <div style={{ marginBottom: 12 }}>
0355 |                 <div style={{ fontSize: 9, color: "#6B6762", textTransform: "uppercase", letterSpacing: "0.14em", marginBottom: 3 }}>Payment Plan</div>
0356 |                 {selected.land_installment_plans (
0357 |                     <div>
0358 |                         <div style={{ fontSize: 14, color: "#E8C97A", fontWeight: 500, marginBottom: 2 }}>{getPlanLabel(selected)}</div>
0359 |                         {getPlanDetails(selected) && <div style={{ fontSize: 11, color: "#9A9489" }}>{getPlanDetails(selected)}</div>}
0360 |                     </div>
0361 |                 ) : (
0362 |                     <span style={{ fontSize: 13, color: "#6B6762", fontStyle: "italic" }}>No plan selected (legacy reservation)</span>
0363 |                 )
0364 |             </div>
0365 |         </div>
0366 |
0367 |         /* Section 3: Buyer */
0368 |         <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px 14px 6px", marginBottom: 14 }}>
0369 |             <SectionLabel>Buyer</SectionLabel>
0370 |             <InfoRow label="Full name" value={selected.full_name} />
0371 |             <InfoRow label="Phone" value={selected.phone} />
0372 |             <InfoRow label="Submitted" value={formatDate(selected.created_at)} />
0373 |         </div>
0374 |

```

```

0375 |     /* Section 4: National ID photos */
0376 |     <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px", marginBottom: 14 }}>
0377 |       <SectionLabel>National ID</SectionLabel>
0378 |       <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 10 }}>
0379 |         {{
0380 |           { label: "Front", url: idFrontUrl, path: selected.national_id_front },
0381 |           { label: "Back", url: idBackUrl, path: selected.national_id_back },
0382 |         }.map(({ label, url, path }) => (
0383 |           <div key={label}>
0384 |             <div style={{ fontSize: 9, color: "#6B6762", textTransform: "uppercase", letterSpacing: "0.1em", marginBottom: 6 }}>{label}</div>
0385 |             {path (
0386 |               url (
0387 |                 <a href={url} target="_blank" rel="noopener noreferrer" style={{ display: "block" }}>
0388 |                   <img src={url} alt={`National ID ${label}`} style={{
0389 |                     width: "100%", aspectRatio: "4/3", objectFit: "cover",
0390 |                     borderRadius: 8, border: "0.5px solid rgba(201,151,58,0.22)", display: "block",
0391 |                   }} />
0392 |                 </a>
0393 |               ) : (
0394 |                 <div style={{
0395 |                   width: "100%", aspectRatio: "4/3", borderRadius: 8,
0396 |                   background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.14)",
0397 |                   display: "flex", alignItems: "center", justifyContent: "center",
0398 |                   fontSize: 11, color: "#6B6762",
0399 |                 }}>Loading...</div>
0400 |               )
0401 |             ) : (
0402 |               <div style={{
0403 |                 width: "100%", aspectRatio: "4/3", borderRadius: 8,
0404 |                 background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.12)",
0405 |                 display: "flex", alignItems: "center", justifyContent: "center",
0406 |                 fontSize: 11, color: "#6B6762",
0407 |               }}>Not uploaded</div>
0408 |             )}
0409 |           </div>
0410 |         )}
0411 |       </div>
0412 |     </div>
0413 |
0414 |     /* Section 5: Status controls */
0415 |     <div style={{ marginBottom: 14 }}>
0416 |       <SectionLabel>Update Status</SectionLabel>
0417 |       <div style={{ display: "flex", gap: 8 }}>
0418 |         {[ "pending", "confirmed", "rejected" ].map(s => {
0419 |           const st = STATUS_STYLES[s];
0420 |           const isActive = selected.status === s;
0421 |           return (
0422 |             <button
0423 |               key={s}
0424 |               disabled={updatingStatus || isActive}
0425 |               onClick={() => updateStatus(s)}
0426 |               style={{
0427 |                 flex: 1, padding: "9px 6px", borderRadius: 9, fontSize: 11,
0428 |                 fontWeight: isActive ? 500 : 400, letterSpacing: "0.06em",
0429 |                 textTransform: "capitalize", cursor: isActive ? "default" : "pointer",
0430 |                 border: `0.5px solid ${isActive ? st.border : "rgba(201,151,58,0.18)"}`,
0431 |                 background: isActive ? st.bg : "transparent",
0432 |                 color: isActive ? st.color : "#6B6762",
0433 |                 opacity: updatingStatus && !isActive ? 0.5 : 1,
0434 |                 transition: "all 0.2s ease",
0435 |               }}
0436 |               onMouseEnter={e => {
0437 |                 if (!isActive && !updatingStatus) {
0438 |                   e.currentTarget.style.color = st.color;
0439 |                   e.currentTarget.style.borderColor = st.border;
0440 |                   e.currentTarget.style.background = st.bg;
0441 |                 }
0442 |               }}
0443 |               onMouseLeave={e => {
0444 |                 if (!isActive) {
0445 |                   e.currentTarget.style.color = "#6B6762";
0446 |                   e.currentTarget.style.borderColor = "rgba(201,151,58,0.18)";
0447 |                   e.currentTarget.style.background = "transparent";
0448 |                 }
0449 |               }}
0450 |             >
0451 |               {s}
0452 |             </button>
0453 |           );
0454 |         })}
0455 |       </div>
0456 |     </div>
0457 |
0458 |     /* Section 6: Delete */
0459 |     <div style={{ borderTop: "0.5px solid rgba(201,151,58,0.12)", padding: 14 }}>
0460 |       {!confirmDelete (
0461 |         <button
0462 |           onClick={() => setConfirmDelete(true)}
0463 |           style={{
0464 |             width: "100%", padding: "9px", borderRadius: 9, fontSize: 12,
0465 |             cursor: "pointer", letterSpacing: "0.04em",
0466 |             border: "0.5px solid rgba(200,60,60,0.25)",
0467 |             background: "transparent", color: "#6B6762",
0468 |             transition: "all 0.2s ease",
0469 |             display: "flex", alignItems: "center", justifyContent: "center", gap: 7,
0470 |           }}
0471 |           onMouseEnter={e => {
0472 |             e.currentTarget.style.color = "#E07070";

```

```

0473 |         e.currentTarget.style.borderColor = "rgba(200,60,60,0.5)";
0474 |         e.currentTarget.style.background = "rgba(200,60,60,0.08)";
0475 |     }}
0476 |     onMouseLeave={e => {
0477 |         e.currentTarget.style.color = "#6B6762";
0478 |         e.currentTarget.style.borderColor = "rgba(200,60,60,0.25)";
0479 |         e.currentTarget.style.background = "transparent";
0480 |     }}
0481 | >
0482 |     <svg width="13" height="13" viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0483 |         <polyline points="3 6 5 6 21 6"/><path d="M19 6l-1 14H6L5 6"/><path d="M10 11v6M14 11v6"/><path d="M9 6V4h6v2"/>
0484 |     </svg>
0485 |     Delete reservation
0486 | </button>
0487 | ) : (
0488 |     <div style={{
0489 |         background: "rgba(200,60,60,0.08)", border: "0.5px solid rgba(200,60,60,0.3)",
0490 |         borderRadius: 9, padding: "12px 14px",
0491 |     }}>
0492 |         <p style={{ fontSize: 12, color: "#E07070", marginBottom: 10, lineHeight: 1.5 }}>
0493 |             This will permanently delete this reservation and its ID photos. This cannot be undone.
0494 |         </p>
0495 |         <div style={{ display: "flex", gap: 8 }}>
0496 |             <button
0497 |                 onClick={() => setConfirmDelete(false)}
0498 |                 disabled={deleting}
0499 |                 style={{
0500 |                     flex: 1, padding: "8px", borderRadius: 8, fontSize: 12,
0501 |                     cursor: "pointer", border: "0.5px solid rgba(201,151,58,0.18)",
0502 |                     background: "transparent", color: "#9A9489", transition: "all 0.2s ease",
0503 |                 }}
0504 |             >
0505 |                 Cancel
0506 |             </button>
0507 |             <button
0508 |                 onClick={handleDelete}
0509 |                 disabled={deleting}
0510 |                 style={{
0511 |                     flex: 1, padding: "8px", borderRadius: 8, fontSize: 12,
0512 |                     cursor: deleting ? "default" : "pointer",
0513 |                     border: "0.5px solid rgba(200,60,60,0.5)",
0514 |                     background: "rgba(200,60,60,0.15)", color: "#E07070",
0515 |                     fontWeight: 500, transition: "all 0.2s ease",
0516 |                     opacity: deleting ? 0.6 : 1,
0517 |                 }}
0518 |             >
0519 |                 {deleting ? "Deleting..." : "Yes, delete"}
0520 |             </button>
0521 |         </div>
0522 |     </div>
0523 | )}
0524 | </div>
0525 |
0526 | </div>
0527 | )}
0528 | </div>
0529 | )}
0530 | </div>
0531 | );
0532 | }

```

src/app/admin/office-reservations/page.js

Lines: 435.

```

0001 | "use client";
0002 | import { useState, useEffect } from "react";
0003 | import { createClient } from "@supabase/supabase-js";
0004 |
0005 | const supabase = createClient(
0006 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0007 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0008 | );
0009 |
0010 | const STATUS_TABS = ["all", "pending", "confirmed", "rejected"];
0011 |
0012 | const STATUS_STYLES = {
0013 |   pending: { color: "#E8C97A", bg: "rgba(200,150,40,0.12)", border: "rgba(200,150,40,0.3)" },
0014 |   confirmed: { color: "#4DC98A", bg: "rgba(30,120,70,0.18)", border: "rgba(77,201,138,0.35)" },
0015 |   rejected: { color: "#E07070", bg: "rgba(200,60,60,0.12)", border: "rgba(200,60,60,0.3)" },
0016 | };
0017 |
0018 | function StatusBadge({ status }) {
0019 |   const s = STATUS_STYLES[status] || STATUS_STYLES.pending;
0020 |   return (
0021 |     <span style={{
0022 |       fontSize: 10, fontWeight: 500, padding: "3px 10px", borderRadius: 20,
0023 |       textTransform: "capitalize", letterSpacing: "0.08em",
0024 |       color: s.color, background: s.bg, border: `0.5px solid ${s.border}`,
0025 |       display: "inline-block",
0026 |     }}>
0027 |       {status}
0028 |     </span>
0029 |   );
0030 | }
0031 |

```

```

0032 | function InfoRow({ label, value, gold }) {
0033 |   return (
0034 |     <div style={{ marginBottom: 12 }}>
0035 |       <div style={{ fontSize: 9, color: "#6B6762", textTransform: "uppercase", letterSpacing: "0.14em", marginBottom: 3 }}>
0036 |         {label}
0037 |       </div>
0038 |       <div style={{ fontSize: 14, color: gold "#E8C97A" : "#F0EDE6", fontWeight: gold 500 : 400 }}>
0039 |         {value || "-"}
0040 |       </div>
0041 |     </div>
0042 |   );
0043 | }
0044 |
0045 | function SectionLabel({ children }) {
0046 |   return (
0047 |     <p style={{
0048 |       fontSize: 9, letterSpacing: "0.18em", textTransform: "uppercase",
0049 |       color: "#6B6762", marginBottom: 12, marginTop: 0,
0050 |     }}>
0051 |       {children}
0052 |     </p>
0053 |   );
0054 | }
0055 |
0056 | function formatMeetingDateTime(ts) {
0057 |   if (!ts) return "-";
0058 |   return new Date(ts).toLocaleString("en-EG", {
0059 |     weekday: "short", year: "numeric", month: "short",
0060 |     day: "numeric", hour: "2-digit", minute: "2-digit",
0061 |   });
0062 | }
0063 |
0064 | function formatSubmittedDate(ts) {
0065 |   if (!ts) return "-";
0066 |   return new Date(ts).toLocaleDateString("en-EG", { year: "numeric", month: "short", day: "numeric" });
0067 | }
0068 |
0069 | export default function OfficeReservationsPage() {
0070 |   const [meetings, setMeetings] = useState([]);
0071 |   const [loading, setLoading] = useState(true);
0072 |   const [activeTab, setActiveTab] = useState("all");
0073 |   const [selected, setSelected] = useState(null);
0074 |   const [updatingStatus, setUpdatingStatus] = useState(false);
0075 |   const [confirmDelete, setConfirmDelete] = useState(false);
0076 |   const [deleting, setDeleting] = useState(false);
0077 |
0078 |   useEffect(() => { fetchMeetings(); }, []);
0079 |
0080 |   async function fetchMeetings() {
0081 |     setLoading(true);
0082 |     const { data, error } = await supabase
0083 |       .from("meeting_requests")
0084 |       .select(`
0085 |         *,
0086 |         lands (
0087 |           id, title,
0088 |           locations ( name )
0089 |         )
0090 |       `)
0091 |       .order("requested_datetime", { ascending: true });
0092 |
0093 |     if (!error) setMeetings(data []);
0094 |     setLoading(false);
0095 |   }
0096 |
0097 |   function selectMeeting(m) {
0098 |     setSelected(m);
0099 |     setConfirmDelete(false);
0100 |   }
0101 |
0102 |   async function updateStatus(newStatus) {
0103 |     if (!selected) return;
0104 |     setUpdatingStatus(true);
0105 |     const { error } = await supabase.from("meeting_requests").update({ status: newStatus }).eq("id", selected.id);
0106 |     if (!error) {
0107 |       const updated = { ...selected, status: newStatus };
0108 |       setSelected(updated);
0109 |       setMeetings(prev => prev.map(m => m.id === selected.id ? { ...m, status: newStatus } : m));
0110 |     }
0111 |     setUpdatingStatus(false);
0112 |   }
0113 |
0114 |   async function handleDelete() {
0115 |     if (!selected) return;
0116 |     setDeleting(true);
0117 |
0118 |     const { error } = await supabase.from("meeting_requests").delete().eq("id", selected.id);
0119 |     if (!error) {
0120 |       setMeetings(prev => prev.filter(m => m.id !== selected.id));
0121 |       setSelected(null);
0122 |       setConfirmDelete(false);
0123 |     }
0124 |     setDeleting(false);
0125 |   }
0126 |
0127 |   const filtered = activeTab === "all"
0128 |     ? meetings
0129 |     : meetings.filter(m => m.status === activeTab);

```

```

0130 |
0131 | function getProjectName(m) { return m.lands.title "-"; }
0132 | function getLocationName(m) { return m.lands.locations.name "-"; }
0133 |
0134 | return (
0135 |   <div style={{ padding: "32px 28px", minHeight: "100vh", color: "#F0EDE6" }}>
0136 |     <h1 style={{
0137 |       fontFamily: "var(--font-heading, 'Cormorant Garamond', Georgia, serif)",
0138 |       fontSize: 28, fontWeight: 400, color: "#F0EDE6", marginBottom: 6,
0139 |     }}>
0140 |       Office Reservations
0141 |     </h1>
0142 |     <p style={{ fontSize: 13, color: "#6B6762", marginBottom: 28 }}>
0143 |       {meetings.length} total meeting request{meetings.length !== 1 ? "s" : ""}
0144 |     </p>
0145 |
0146 |     {/* Tab filter */}
0147 |     <div style={{ display: "flex", gap: 6, marginBottom: 20 }}>
0148 |       {STATUS_TABS.map(tab => {
0149 |         const isActive = activeTab === tab;
0150 |         return (
0151 |           <button
0152 |             key={tab}
0153 |             onClick={() => setActiveTab(tab)}
0154 |             style={{
0155 |               padding: "6px 16px", borderRadius: 20, fontSize: 12,
0156 |               fontWeight: isActive ? 500 : 400, letterSpacing: "0.04em",
0157 |               textTransform: "capitalize", cursor: "pointer",
0158 |               border: isActive ? "0.5px solid rgba(201,151,58,0.55)" : "0.5px solid rgba(201,151,58,0.18)",
0159 |               background: isActive ? "rgba(201,151,58,0.1)" : "transparent",
0160 |               color: isActive ? "#C9973A" : "#9A9489",
0161 |               transition: "all 0.2s ease",
0162 |             }}
0163 |           >
0164 |             {tab}
0165 |             {tab !== "all" && (
0166 |               <span style={{ marginLeft: 6, color: isActive ? "#C9973A" : "#6B6762" }}>
0167 |                 ({meetings.filter(m => m.status === tab).length})
0168 |               </span>
0169 |             )}
0170 |           </button>
0171 |         );
0172 |       })}
0173 |     </div>
0174 |
0175 |     <loading (
0176 |       <div style={{ color: "#6B6762", fontSize: 14, padding: "40px 0", textAlign: "center" }}>
0177 |         Loading meeting requests...
0178 |       </div>
0179 |     ) : (
0180 |       <div style={{ display: "grid", gridTemplateColumns: selected ? "1fr 380px" : "1fr", gap: 20, alignItems: "start" }}>
0181 |
0182 |         {/* LEFT: list */}
0183 |         <div style={{ display: "flex", flexDirection: "column", gap: 8 }}>
0184 |           {filtered.length === 0 ? (
0185 |             <div style={{
0186 |               textAlign: "center", padding: "3rem", color: "#6B6762",
0187 |               background: "#343437", borderRadius: 12, border: "0.5px solid rgba(201,151,58,0.18)", fontSize: 14,
0188 |             }}>
0189 |             No {activeTab === "all" ? "" : activeTab} meeting requests yet
0190 |           </div>
0191 |           ) : (
0192 |             filtered.map(m => {
0193 |               const isSelected = selected.id === m.id;
0194 |               return (
0195 |                 <div
0196 |                   key={m.id}
0197 |                   onClick={() => selectMeeting(m)}
0198 |                   style={{
0199 |                     padding: "14px 16px",
0200 |                     background: isSelected ? "rgba(201,151,58,0.07)" : "#343437",
0201 |                     border: isSelected ? "0.5px solid rgba(201,151,58,0.45)" : "0.5px solid rgba(201,151,58,0.18)",
0202 |                     borderRadius: 12, cursor: "pointer", transition: "all 0.2s ease",
0203 |                     display: "flex", alignItems: "flex-start", gap: 14,
0204 |                   }}
0205 |                   onMouseEnter={e => {
0206 |                     if (!isSelected) {
0207 |                       e.currentTarget.style.borderColor = "rgba(201,151,58,0.35)";
0208 |                       e.currentTarget.style.background = "rgba(201,151,58,0.04)";
0209 |                     }
0210 |                   }}
0211 |                   onMouseLeave={e => {
0212 |                     if (!isSelected) {
0213 |                       e.currentTarget.style.borderColor = "rgba(201,151,58,0.18)";
0214 |                       e.currentTarget.style.background = "#343437";
0215 |                     }
0216 |                   }}
0217 |                 >
0218 |                   {/* Avatar */}
0219 |                   <div style={{
0220 |                     width: 38, height: 38, borderRadius: "50%",
0221 |                     background: "rgba(201,151,58,0.1)", border: "0.5px solid rgba(201,151,58,0.25)",
0222 |                     display: "flex", alignItems: "center", justifyContent: "center",
0223 |                     fontFamily: "var(--font-heading, Georgia, serif)",
0224 |                     fontSize: 16, color: "#C9973A", flexShrink: 0,
0225 |                   }}>
0226 |                     {m.full_name.charAt(0).toUpperCase()}
0227 |                   </div>

```

```

0228 |         <div style={{ flex: 1, minWidth: 0 }}>
0229 |             <div style={{ display: "flex", alignItems: "center", justifyContent: "space-between", gap: 8, marginBottom: 3 }}>
0230 |                 <span style={{ fontSize: 14, fontWeight: 500, color: "#F0EDE6", whiteSpace: "nowrap", overflow: "hidden", textOverflow: "ellipsis" }}>
0231 |                     {m.full_name}
0232 |                 </span>
0233 |                 <StatusBadge status={m.status} />
0234 |             </div>
0235 |             <div style={{ fontSize: 12, color: "#6B6762", marginBottom: 2 }}>
0236 |                 {m.phone}
0237 |             </div>
0238 |             <div style={{ fontSize: 12, color: "#C9973A", marginBottom: 2, whiteSpace: "nowrap", overflow: "hidden", textOverflow: "ellipsis" }}>
0239 |                 {getProjectName(m)}
0240 |                 {getLocationName(m) !== "-" && <span style={{ color: "#6B6762" }}> - {getLocationName(m)}</span>}
0241 |             </div>
0242 |             <div style={{ display: "flex", fontSize: 11, color: "#6B6762" }}>
0243 |                 <span style={{ marginLeft: "auto" }}>{formatMeetingDateTime(m.requested_datetime)}</span>
0244 |             </div>
0245 |         </div>
0246 |     </div>
0247 | </div>
0248 | );
0249 | }}
0250 | })
0251 | </div>
0252 |
0253 | /* RIGHT: detail panel */
0254 | {selected && (
0255 |     <div style={{
0256 |         background: "#343437",
0257 |         border: "0.5px solid rgba(201,151,58,0.22)",
0258 |         borderRadius: 14,
0259 |         padding: "20px",
0260 |         position: "sticky",
0261 |         top: 20,
0262 |         display: "flex",
0263 |         flexDirection: "column",
0264 |         gap: 0,
0265 |     }}>
0266 |         /* Header */
0267 |         <div style={{ display: "flex", alignItems: "flex-start", justifyContent: "space-between", marginBottom: 18 }}>
0268 |             <div>
0269 |                 <div style={{
0270 |                     fontFamily: "var(--font-heading, Georgia, serif)",
0271 |                     fontSize: 20, fontWeight: 400, color: "#F0EDE6", marginBottom: 4,
0272 |                 }}>
0273 |                     {selected.full_name}
0274 |                 </div>
0275 |                 <StatusBadge status={selected.status} />
0276 |             </div>
0277 |             <button
0278 |                 onClick={() => { setSelected(null); setConfirmDelete(false); }}
0279 |                 style={{
0280 |                     background: "none", border: "none", color: "#6B6762",
0281 |                     cursor: "pointer", fontSize: 18, padding: "2px 6px",
0282 |                     lineHeight: 1, borderRadius: 6, transition: "color 0.2s",
0283 |                 }}
0284 |                 onMouseEnter={e => e.currentTarget.style.color = "#F0EDE6"}
0285 |                 onMouseLeave={e => e.currentTarget.style.color = "#6B6762"}
0286 |                 title="Close"
0287 |             >
0288 |                 x
0289 |             </button>
0290 |         </div>
0291 |
0292 |         /* Section 1: Project */
0293 |         <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px 14px 6px", marginBottom: 14 }}>
0294 |             <SectionLabel>Project</SectionLabel>
0295 |             <InfoRow label="Project name" value={getProjectName(selected)} gold />
0296 |             <InfoRow label="Location" value={getLocationName(selected)} />
0297 |         </div>
0298 |
0299 |         /* Section 2: Meeting */
0300 |         <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px 14px 6px", marginBottom: 14 }}>
0301 |             <SectionLabel>Meeting</SectionLabel>
0302 |             <InfoRow label="Requested date & time" value={formatMeetingDateTime(selected.requested_datetime)} gold />
0303 |             <div style={{ marginBottom: 12 }}>
0304 |                 <div style={{ fontSize: 9, color: "#6B6762", textTransform: "uppercase", letterSpacing: "0.14em", marginBottom: 3 }}>Status</div>
0305 |                 <StatusBadge status={selected.status} />
0306 |             </div>
0307 |         </div>
0308 |
0309 |         /* Section 3: Buyer */
0310 |         <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px 14px 6px", marginBottom: 14 }}>
0311 |             <SectionLabel>Buyer</SectionLabel>
0312 |             <InfoRow label="Full name" value={selected.full_name} />
0313 |             <InfoRow label="Phone" value={selected.phone} />
0314 |             <InfoRow label="Submitted" value={formatSubmittedDate(selected.created_at)} />
0315 |         </div>
0316 |
0317 |         /* Section 4: Status controls */
0318 |         <div style={{ marginBottom: 14 }}>
0319 |             <SectionLabel>Update Status</SectionLabel>
0320 |             <div style={{ display: "flex", gap: 8 }}>
0321 |                 [{"pending", "confirmed", "rejected"].map(s => {
0322 |                     const st = STATUS_STYLES[s];
0323 |                     const isActive = selected.status === s;
0324 |                     return (
0325 |

```



```

0326 |         key={s}
0327 |         disabled={updatingStatus || isActive}
0328 |         onClick={() => updateStatus(s)}
0329 |         style={{
0330 |             flex: 1, padding: "9px 6px", borderRadius: 9, fontSize: 11,
0331 |             fontWeight: isActive ? 500 : 400, letterSpacing: "0.06em",
0332 |             textTransform: "capitalize", cursor: isActive ? "default" : "pointer",
0333 |             border: `0.5px solid ${isActive ? st.border : "rgba(201,151,58,0.18)"}`,
0334 |             background: isActive ? st.bg : "transparent",
0335 |             color: isActive ? st.color : "#6B6762",
0336 |             opacity: updatingStatus && !isActive ? 0.5 : 1,
0337 |             transition: "all 0.2s ease",
0338 |         }}
0339 |         onMouseEnter={e => {
0340 |             if (!isActive && !updatingStatus) {
0341 |                 e.currentTarget.style.color = st.color;
0342 |                 e.currentTarget.style.borderColor = st.border;
0343 |                 e.currentTarget.style.background = st.bg;
0344 |             }
0345 |         }}
0346 |         onMouseLeave={e => {
0347 |             if (!isActive) {
0348 |                 e.currentTarget.style.color = "#6B6762";
0349 |                 e.currentTarget.style.borderColor = "rgba(201,151,58,0.18)";
0350 |                 e.currentTarget.style.background = "transparent";
0351 |             }
0352 |         }}
0353 |     >
0354 |         {s}
0355 |     </button>
0356 | );
0357 | }}
0358 | </div>
0359 | </div>
0360 |
0361 | /* Section 5: Delete */
0362 | <div style={{ borderTop: "0.5px solid rgba(201,151,58,0.12)", paddingTop: 14 }}>
0363 |     {!confirmDelete (
0364 |         <button
0365 |             onClick={() => setConfirmDelete(true)}
0366 |             style={{
0367 |                 width: "100%", padding: "9px", borderRadius: 9, fontSize: 12,
0368 |                 cursor: "pointer", letterSpacing: "0.04em",
0369 |                 border: "0.5px solid rgba(200,60,60,0.25)",
0370 |                 background: "transparent", color: "#6B6762",
0371 |                 transition: "all 0.2s ease",
0372 |                 display: "flex", alignItems: "center", justifyContent: "center", gap: 7,
0373 |             }}
0374 |             onMouseEnter={e => {
0375 |                 e.currentTarget.style.color = "#E07070";
0376 |                 e.currentTarget.style.borderColor = "rgba(200,60,60,0.5)";
0377 |                 e.currentTarget.style.background = "rgba(200,60,60,0.08)";
0378 |             }}
0379 |             onMouseLeave={e => {
0380 |                 e.currentTarget.style.color = "#6B6762";
0381 |                 e.currentTarget.style.borderColor = "rgba(200,60,60,0.25)";
0382 |                 e.currentTarget.style.background = "transparent";
0383 |             }}
0384 |         >
0385 |             <svg width="13" height="13" viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"
0386 |                 >
0387 |                 <polyline points="3 6 5 6 21 6"/><path d="M19 6l-1 14H6L5 6"/><path d="M10 11v6M14 11v6"/><path d="M9 6V4h6v2"/>
0388 |             </svg>
0389 |             Delete meeting request
0390 |         </button>
0391 |     ) : (
0392 |         <div style={{
0393 |             background: "rgba(200,60,60,0.08)", border: "0.5px solid rgba(200,60,60,0.3)",
0394 |             borderRadius: 9, padding: "12px 14px",
0395 |         }}>
0396 |             <p style={{ fontSize: 12, color: "#E07070", marginBottom: 10, lineHeight: 1.5 }}>
0397 |                 This will permanently delete this meeting request. This cannot be undone.
0398 |             </p>
0399 |             <div style={{ display: "flex", gap: 8 }}>
0400 |                 <button
0401 |                     onClick={() => setConfirmDelete(false)}
0402 |                     disabled={deleting}
0403 |                     style={{
0404 |                         flex: 1, padding: "8px", borderRadius: 8, fontSize: 12,
0405 |                         cursor: "pointer", border: "0.5px solid rgba(201,151,58,0.18)",
0406 |                         background: "transparent", color: "#9A9489", transition: "all 0.2s ease",
0407 |                     }}
0408 |                 >
0409 |                     Cancel
0410 |                 </button>
0411 |                 <button
0412 |                     onClick={handleDelete}
0413 |                     disabled={deleting}
0414 |                     style={{
0415 |                         flex: 1, padding: "8px", borderRadius: 8, fontSize: 12,
0416 |                         cursor: deleting ? "default" : "pointer",
0417 |                         border: "0.5px solid rgba(200,60,60,0.5)",
0418 |                         background: "rgba(200,60,60,0.15)", color: "#E07070",
0419 |                         fontWeight: 500, transition: "all 0.2s ease",
0420 |                         opacity: deleting ? 0.6 : 1,
0421 |                     }}
0422 |                 >
0423 |                     {deleting ? "Deleting..." : "Yes, delete"}

```

```

0423 |         </button>
0424 |     </div>
0425 | </div>
0426 |     })
0427 | </div>
0428 |
0429 | </div>
0430 |     })
0431 | </div>
0432 |     })
0433 | </div>
0434 | );
0435 | }

```

src/app/admin/office-hours/page.js

Lines: 142.

```

0001 | "use client";
0002 |
0003 | import { useState, useEffect } from "react";
0004 | import { createClient } from "@supabase/supabase-js";
0005 |
0006 | const supabase = createClient(
0007 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0008 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0009 | );
0010 |
0011 | export default function OfficeHoursPage() {
0012 |   const [schedule, setSchedule] = useState([]);
0013 |   const [loading, setLoading] = useState(true);
0014 |   const [savedFlash, setSavedFlash] = useState({});
0015 |
0016 |   async function fetchSchedule() {
0017 |     const { data } = await supabase.from("office_schedule").select("*").order("day_of_week");
0018 |     setSchedule(data || []);
0019 |     setLoading(false);
0020 |   }
0021 |
0022 |   useEffect(() => { fetchSchedule(); }, []);
0023 |
0024 |   function flashSaved(id) {
0025 |     setSavedFlash(prev => ({ ...prev, [id]: true }));
0026 |     setTimeout(() => {
0027 |       setSavedFlash(prev => ({ ...prev, [id]: false }));
0028 |     }, 1500);
0029 |   }
0030 |
0031 |   async function updateRow(row, updates) {
0032 |     const nextRow = { ...row, ...updates };
0033 |     setSchedule(prev => prev.map(r => (r.id === row.id ? nextRow : r)));
0034 |     const { error } = await supabase
0035 |       .from("office_schedule")
0036 |       .update({
0037 |         is_open: nextRow.is_open,
0038 |         open_time: nextRow.open_time,
0039 |         close_time: nextRow.close_time,
0040 |       })
0041 |       .eq("id", row.id);
0042 |     if (!error) flashSaved(row.id);
0043 |   }
0044 |
0045 |   const labelStyle = {
0046 |     fontSize: "9px", color: "#6B6762", letterSpacing: "0.12em",
0047 |     textTransform: "uppercase", marginBottom: "6px", display: "block",
0048 |   };
0049 |   const timeInputStyle = {
0050 |     background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.25)",
0051 |     borderRadius: "8px", padding: "8px 10px", color: "#F0EDE6",
0052 |     fontSize: "13px", outline: "none", fontFamily: "Inter, Arial, sans-serif",
0053 |   };
0054 |
0055 |   return (
0056 |     <div>
0057 |       <div style={{ marginBottom: "32px" }}>
0058 |         <h1 style={{ fontFamily: "Georgia, serif", fontSize: "26px", color: "#F0EDE6", margin: 0, marginBottom: "5px" }}>
0059 |           Office Working Hours
0060 |         </h1>
0061 |         <p style={{ color: "#9A9489", fontSize: "13px", margin: 0 }}>
0062 |           Sets the days and times buyers can request an office meeting
0063 |         </p>
0064 |       </div>
0065 |
0066 |       <div style={{
0067 |         background: "#343437",
0068 |         border: "0.5px solid rgba(201,151,58,0.18)",
0069 |         borderRadius: "12px",
0070 |         padding: "24px",
0071 |       }}>
0072 |         {loading (
0073 |           <p style={{ color: "#9A9489", fontSize: "13px" }}>Loading...</p>
0074 |         ) : (
0075 |           <div style={{ display: "flex", flexDirection: "column", gap: "10px" }}>
0076 |             {schedule.map(row => (
0077 |               <div key={row.id} style={{
0078 |                 display: "flex", alignItems: "center", gap: "14px",
0079 |                 padding: "10px 0",

```

```

0080 |         borderBottom: "0.5px solid rgba(201,151,58,0.08)",
0081 |     }}>
0082 |     { /* Toggle + day name */ }
0083 |     <label style={{
0084 |         display: "flex", alignItems: "center", gap: "10px",
0085 |         width: "130px", flexShrink: 0, cursor: "pointer",
0086 |     }}>
0087 |         <input
0088 |             type="checkbox"
0089 |             checked={row.is_open}
0090 |             onChange={e => updateRow(row, { is_open: e.target.checked })}
0091 |             style={{ width: "16px", height: "16px", cursor: "pointer", accentColor: "#C9973A" }}
0092 |         />
0093 |         <span style={{ fontSize: "13px", color: "#F0EDE6" }}>{row.day_name}</span>
0094 |     </label>
0095 |
0096 |     { /* Times */ }
0097 |     {row.is_open (
0098 |         <div style={{ display: "flex", alignItems: "flex-end", gap: "10px" }}>
0099 |             <div>
0100 |                 <span style={labelStyle}>From</span>
0101 |                 <input
0102 |                     type="time"
0103 |                     value={row.open_time row.open_time.slice(0, 5) : ""}
0104 |                     onChange={e => updateRow(row, { open_time: e.target.value })}
0105 |                     style={timeInputStyle}
0106 |                 />
0107 |             </div>
0108 |             <div>
0109 |                 <span style={labelStyle}>To</span>
0110 |                 <input
0111 |                     type="time"
0112 |                     value={row.close_time row.close_time.slice(0, 5) : ""}
0113 |                     onChange={e => updateRow(row, { close_time: e.target.value })}
0114 |                     style={timeInputStyle}
0115 |                 />
0116 |             </div>
0117 |         </div>
0118 |     ) : (
0119 |         <span style={{ fontSize: "12px", color: "#6B6762", fontStyle: "italic" }}>Closed</span>
0120 |     )}
0121 |
0122 |     { /* Saved flash */ }
0123 |     <span style={{
0124 |         fontSize: "11px", color: "#4DC98A",
0125 |         opacity: savedFlash[row.id] 1 : 0,
0126 |         transition: "opacity 0.3s ease",
0127 |         marginLeft: "auto",
0128 |         display: "flex", alignItems: "center", gap: "4px",
0129 |     }}>
0130 |         <svg width="12" height="12" viewBox="0 0 24 24" fill="none" stroke="#4DC98A" strokeWidth="2.5" strokeLinecap="round" strokeLinejoin="round">
0131 |             <polyline points="20 6 9 17 4 12" />
0132 |         </svg>
0133 |         Saved
0134 |     </span>
0135 | </div>
0136 |     ))}
0137 | </div>
0138 | })
0139 | </div>
0140 | </div>
0141 | );
0142 | }

```

src/app/components/SplashScreen.js

Lines: 127.

```

0001 | "use client";
0002 |
0003 | import { useEffect, useState } from "react";
0004 | import Image from "next/image";
0005 |
0006 | export default function SplashScreen({ children }) {
0007 |     const [phase, setPhase] = useState("hidden");
0008 |
0009 |     useEffect(() => {
0010 |         const showTimer = setTimeout(() => {
0011 |             setPhase("visible");
0012 |         }, 100);
0013 |
0014 |         const fadeTimer = setTimeout(() => {
0015 |             setPhase("fadeout");
0016 |         }, 2200);
0017 |
0018 |         const removeTimer = setTimeout(() => {
0019 |             setPhase("done");
0020 |         }, 3400);
0021 |
0022 |         return () => {
0023 |             clearTimeout(showTimer);
0024 |             clearTimeout(fadeTimer);
0025 |             clearTimeout(removeTimer);
0026 |         };
0027 |     }, []);
0028 |
0029 |     return (

```

```

0030 | <>
0031 | {children}
0032 |
0033 | {phase !== "done" && (
0034 |   <div
0035 |     style={{
0036 |       position: "fixed",
0037 |       inset: 0,
0038 |       background: "#2C2C2E",
0039 |       display: "flex",
0040 |       alignItems: "center",
0041 |       justifyContent: "center",
0042 |       overflow: "hidden",
0043 |       zIndex: 9999,
0044 |       pointerEvents: "none",
0045 |
0046 |       opacity: phase === "fadeout" ? 0 : 1,
0047 |       transition: "opacity 1.2s ease",
0048 |     }}
0049 |   >
0050 |     { /* Gold glow */ }
0051 |     <div
0052 |       style={{
0053 |         position: "absolute",
0054 |         width: 600,
0055 |         height: 600,
0056 |         borderRadius: "50%",
0057 |         background:
0058 |           "radial-gradient(circle, rgba(201,151,58,0.10) 0%, transparent 70%)",
0059 |
0060 |         opacity: phase === "fadeout" ? 0 : 1,
0061 |
0062 |         transform:
0063 |           phase === "fadeout"
0064 |             ? "scale(1.25)"
0065 |             : "scale(1)",
0066 |
0067 |         transition:
0068 |           "opacity 1.2s ease, transform 1.2s ease",
0069 |       }}
0070 |     </div>
0071 |
0072 |     { /* Logo */ }
0073 |     <div
0074 |       style={{
0075 |         display: "flex",
0076 |         flexDirection: "column",
0077 |         alignItems: "center",
0078 |
0079 |         opacity:
0080 |           phase === "hidden"
0081 |             ? 0
0082 |             : phase === "fadeout"
0083 |               ? 0
0084 |               : 1,
0085 |
0086 |         transform:
0087 |           phase === "hidden"
0088 |             ? "translateY(12px) scale(0.96)"
0089 |             : phase === "fadeout"
0090 |               ? "translateY(-8px) scale(1.03)"
0091 |               : "translateY(0) scale(1)",
0092 |
0093 |         transition:
0094 |           "opacity 1s ease, transform 1s ease",
0095 |       }}
0096 |     >
0097 |       <Image
0098 |         src="/logo.png"
0099 |         alt="Invegate"
0100 |         width={240}
0101 |         height={120}
0102 |         priority
0103 |         style={{
0104 |           width: "240px",
0105 |           height: "auto",
0106 |           filter:
0107 |             "drop-shadow(0 0 28px rgba(201,151,58,0.18))",
0108 |         }}
0109 |       </div>
0110 |
0111 |       <div
0112 |         style={{
0113 |           marginTop: 14,
0114 |           fontSize: 10,
0115 |           letterSpacing: "0.18em",
0116 |           textTransform: "uppercase",
0117 |           color: "#686762",
0118 |         }}
0119 |       >
0120 |         Luxury Real Estate Redefined
0121 |       </div>
0122 |     </div>
0123 |   </div>
0124 | )}
0125 | </div>
0126 | );
0127 | }

```

src/app/components/LocationSearch.js

Lines: 105.

```
0001 | "use client";
0002 | import { useState } from "react";
0003 | import LocationCard from "../LocationCard";
0004 |
0005 | export default function LocationSearch({ locations, countByLocation }) {
0006 |   const [query, setQuery] = useState("");
0007 |   const [focused, setFocused] = useState(false);
0008 |
0009 |   const filtered = locations.filter((loc) =>
0010 |     loc.name.toLowerCase().includes(query.toLowerCase())
0011 |   ) [];
0012 |
0013 |   return (
0014 |     <>
0015 |       {/* Search bar */}
0016 |       <div style={{
0017 |         display: "flex",
0018 |         alignItems: "center",
0019 |         gap: 12,
0020 |         borderBottom: focused ? "2px solid #C9973A" : "2px solid rgba(201,151,58,0.25)",
0021 |         padding: "12px 4px",
0022 |         marginBottom: "2.5rem",
0023 |         transition: "border-color 0.2s ease",
0024 |       }}>
0025 |         <svg width="20" height="20" viewBox="0 0 24 24" fill="none"
0026 |           stroke={focused ? "#C9973A" : "#6B6762"}
0027 |           strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"
0028 |           style={{ flexShrink: 0, transition: "stroke 0.2s" }}>
0029 |           <circle cx="11" cy="11" r="8"/>
0030 |           <line x1="21" y1="21" x2="16.65" y2="16.65"/>
0031 |         </svg>
0032 |
0033 |         <input
0034 |           type="text"
0035 |           value={query}
0036 |           onChange={(e) => setQuery(e.target.value)}
0037 |           onFocus={() => setFocused(true)}
0038 |           onBlur={() => setFocused(false)}
0039 |           placeholder="Search locations..."
0040 |           style={{
0041 |             flex: 1,
0042 |             background: "transparent",
0043 |             border: "none",
0044 |             outline: "none",
0045 |             fontSize: 16,
0046 |             color: "#F0EDE6",
0047 |             fontFamily: "Inter, Arial, sans-serif",
0048 |           }}
0049 |         />
0050 |
0051 |         {query && (
0052 |           <button
0053 |             onClick={() => setQuery("")}
0054 |             style={{
0055 |               background: "none",
0056 |               border: "none",
0057 |               color: "#6B6762",
0058 |               cursor: "pointer",
0059 |               fontSize: 20,
0060 |               padding: "0 4px",
0061 |               lineHeight: 1,
0062 |               flexShrink: 0,
0063 |             }}
0064 |           >
0065 |             x
0066 |           </button>
0067 |         )}
0068 |       </div>
0069 |
0070 |       {/* Results label */}
0071 |       {query && (
0072 |         <p style={{
0073 |           fontSize: 11,
0074 |           color: "#6B6762",
0075 |           letterSpacing: "0.12em",
0076 |           textTransform: "uppercase",
0077 |           marginBottom: 14,
0078 |         }}>
0079 |         {filtered.length} result{filtered.length !== 1 ? "s" : ""}
0080 |       </p>
0081 |     )}
0082 |
0083 |       {/* Grid */}
0084 |       {filtered.length === 0 ? (
0085 |         <p style={{ color: "#6B6762", fontSize: 14 }}>
0086 |           No locations match "{query}";
0087 |         </p>
0088 |       ) : (
0089 |         <div style={{
0090 |           display: "grid",
0091 |           gridTemplateColumns: "repeat(auto-fit, minmax(260px, 320px))",
0092 |           gap: 14,
```

```

0093 |     }>
0094 |     {filtered.map((loc) => (
0095 |       <LocationCard
0096 |         key={loc.id}
0097 |         loc={loc}
0098 |         count={countByLocation[loc.id] 0}
0099 |       />
0100 |     ))}
0101 |   </div>
0102 | )}
0103 | </>
0104 | );
0105 | }

```

src/app/components/LocationCard.js

Lines: 155.

```

0001 | "use client";
0002 | import Image from "next/image";
0003 | import Link from "next/link";
0004 | import { useState } from "react";
0005 |
0006 | export default function LocationCard({ loc, count }) {
0007 |   const [hovered, setHovered] = useState(false);
0008 |
0009 |   return (
0010 |     <Link href={` /location/${loc.id}`} style={{ textDecoration: "none" }}>
0011 |       <div
0012 |         onMouseEnter={() => setHovered(true)}
0013 |         onMouseLeave={() => setHovered(false)}
0014 |         style={{
0015 |           background: "#343437",
0016 |           borderRadius: 12,
0017 |           overflow: "hidden",
0018 |           border: hovered
0019 |             ? "0.5px solid rgba(201,151,58,0.55)"
0020 |             : "0.5px solid rgba(201,151,58,0.18)",
0021 |           transform: hovered ? "translateY(-5px)" : "translateY(0)",
0022 |           boxShadow: hovered
0023 |             ? "0 18px 40px rgba(0,0,0,0.28)"
0024 |             : "0 0 0 rgba(0,0,0,0)",
0025 |           transition: "all 0.35s ease",
0026 |         }}
0027 |       >
0028 |         <div
0029 |           style={{
0030 |             width: "100%",
0031 |             aspectRatio: "16 / 10",
0032 |             background: "#3A3A3D",
0033 |             position: "relative",
0034 |             overflow: "hidden",
0035 |           }}
0036 |         >
0037 |           {loc.image_url (
0038 |             <Image
0039 |               src={loc.image_url}
0040 |               alt={loc.name}
0041 |               fill
0042 |               sizes="(max-width: 768px) 100vw, 33vw"
0043 |               style={{
0044 |                 objectFit: "cover",
0045 |                 transform: hovered ? "scale(1.04)" : "scale(1)",
0046 |                 transition: "transform 0.6s ease",
0047 |               }}
0048 |             />
0049 |           ) : (
0050 |             <div
0051 |               style={{
0052 |                 width: "100%",
0053 |                 height: "100%",
0054 |                 display: "flex",
0055 |                 alignItems: "center",
0056 |                 justifyContent: "center",
0057 |               }}
0058 |             >
0059 |               <svg
0060 |                 width="32"
0061 |                 height="32"
0062 |                 viewBox="0 0 24 24"
0063 |                 fill="none"
0064 |                 stroke="rgba(201,151,58,0.2)"
0065 |                 strokeWidth="1.5"
0066 |               >
0067 |                 <path d="M3 9l9-7 9 7v11a2 2 0 0 1 2 2H5a2 2 0 0 1 2 2" />
0068 |                 <polyline points="9 22 9 12 15 12 15 22" />
0069 |               </svg>
0070 |             </div>
0071 |           )}
0072 |
0073 |         <div
0074 |           style={{
0075 |             position: "absolute",
0076 |             inset: 0,
0077 |             background:
0078 |               "linear-gradient(to top, rgba(44,44,46,0.78) 0%, transparent 60%)",
0079 |           }}

```

```

0080 |     />
0081 |   </div>
0082 |
0083 |   <div style={{ padding: "14px 16px" }}>
0084 |     <h2
0085 |       style={{
0086 |         fontFamily: "var(--font-heading)",
0087 |         fontSize: 22,
0088 |         fontWeight: 500,
0089 |         color: "#F0EDE6",
0090 |         marginBottom: 6,
0091 |       }}
0092 |     >
0093 |       {loc.name}
0094 |     </h2>
0095 |
0096 |     <p
0097 |       style={{
0098 |         color: "#9A9489",
0099 |         fontSize: 13,
0100 |         lineHeight: 1.6,
0101 |         marginBottom: 14,
0102 |         minHeight: 40,
0103 |       }}
0104 |     >
0105 |       {loc.description}
0106 |     </p>
0107 |
0108 |     <div
0109 |       style={{
0110 |         display: "flex",
0111 |         justifyContent: "space-between",
0112 |         alignItems: "center",
0113 |       }}
0114 |     >
0115 |       <span
0116 |         style={{
0117 |           fontSize: 11,
0118 |           color: "#6B6762",
0119 |           letterSpacing: "0.08em",
0120 |           textTransform: "uppercase",
0121 |         }}
0122 |       >
0123 |         {count 0} Projects
0124 |       </span>
0125 |
0126 |       <div
0127 |         style={{
0128 |           width: 28,
0129 |           height: 28,
0130 |           border: hovered
0131 |             ? "0.5px solid rgba(201,151,58,0.55)"
0132 |             : "0.5px solid rgba(201,151,58,0.3)",
0133 |           borderRadius: "50%",
0134 |           display: "flex",
0135 |           alignItems: "center",
0136 |           justifyContent: "center",
0137 |           color: "#C9973A",
0138 |           fontSize: 13,
0139 |           background: hovered
0140 |             ? "rgba(201,151,58,0.1)"
0141 |             : "transparent",
0142 |           transform: hovered
0143 |             ? "translateX(2px)"
0144 |             : "translateX(0)",
0145 |           transition: "all 0.35s ease",
0146 |         }}
0147 |       >
0148 |         ->
0149 |       </div>
0150 |     </div>
0151 |   </div>
0152 | </div>
0153 | </Link>
0154 | );
0155 | }

```

src/app/components/ProjectCard.js

Lines: 200.

```

0001 | "use client";
0002 |
0003 | import Image from "next/image";
0004 | import Link from "next/link";
0005 | import { useState } from "react";
0006 |
0007 | const statusStyles = {
0008 |   available: {
0009 |     bg: "rgba(30,120,70,0.18)",
0010 |     border: "rgba(77,201,138,0.35)",
0011 |     text: "#4DC98A",
0012 |   },
0013 |   reserved: {
0014 |     bg: "rgba(200,150,40,0.12)",
0015 |     border: "rgba(200,150,40,0.3)",
0016 |     text: "#E8C97A",

```

```

0017 | },
0018 | sold: {
0019 |   bg: "rgba(200,60,60,0.12)",
0020 |   border: "rgba(200,60,60,0.3)",
0021 |   text: "#E07070",
0022 | },
0023 | };
0024 |
0025 | export default function ProjectCard({ land, developerName }) {
0026 |   const [hovered, setHovered] = useState(false);
0027 |
0028 |   const status = land.status "available";
0029 |   const s = statusStyles[status] statusStyles.available;
0030 |   const firstImage = land.image_url null;
0031 |
0032 |   const pricePerMeter =
0033 |     land.price && land.area_sqm
0034 |     Math.round(land.price / land.area_sqm)
0035 |     : null;
0036 |
0037 |   return (
0038 |     <Link
0039 |       href={` /land/${land.id}`}
0040 |       style={{ textDecoration: "none" }}
0041 |     >
0042 |       <div
0043 |         onMouseEnter={() => setHovered(true)}
0044 |         onMouseLeave={() => setHovered(false)}
0045 |         style={{
0046 |           background: "#343437",
0047 |           border: hovered
0048 |             ? "0.5px solid rgba(201,151,58,0.55)"
0049 |             : "0.5px solid rgba(201,151,58,0.18)",
0050 |           borderRadius: 14,
0051 |           overflow: "hidden",
0052 |           transition:
0053 |             "border-color 0.25s ease, transform 0.25s ease",
0054 |           transform: hovered
0055 |             ? "translateY(-2px)"
0056 |             : "translateY(0)",
0057 |           height: "100%",
0058 |           display: "flex",
0059 |           flexDirection: "column",
0060 |         }}
0061 |       >
0062 |         { /* Image */ }
0063 |         <div
0064 |           style={{
0065 |             width: "100%",
0066 |             aspectRatio: "16 / 10",
0067 |             background: "#3A3A3D",
0068 |             position: "relative",
0069 |             overflow: "hidden",
0070 |           }}
0071 |         >
0072 |           {firstImage (
0073 |             <Image
0074 |               src={firstImage}
0075 |               alt={land.title}
0076 |               fill
0077 |               sizes="(max-width: 600px) 100vw, 320px"
0078 |               style={{ objectFit: "cover" }}
0079 |             />
0080 |           ) : (
0081 |             <div
0082 |               style={{
0083 |                 width: "100%",
0084 |                 height: "100%",
0085 |                 display: "flex",
0086 |                 alignItems: "center",
0087 |                 justifyContent: "center",
0088 |               }}
0089 |             >
0090 |               <svg
0091 |                 width="42"
0092 |                 height="42"
0093 |                 viewBox="0 0 24 24"
0094 |                 fill="none"
0095 |                 stroke="rgba(201,151,58,0.2)"
0096 |                 strokeWidth="1.5"
0097 |               >
0098 |                 <path d="M3 9l9-7 9 7v11a2 2 0 0 1 2 2H5a2 2 0 0 1 2 2z" />
0099 |                 <polyline points="9 22 9 12 15 12 15 22" />
0100 |               </svg>
0101 |             </div>
0102 |           )}
0103 |
0104 |         <div
0105 |           style={{
0106 |             position: "absolute",
0107 |             inset: 0,
0108 |             background:
0109 |               "linear-gradient(to top, rgba(0,0,0,0.35), transparent 45%)",
0110 |           }}
0111 |         />
0112 |
0113 |         { /* Status Badge */ }
0114 |         <div

```



```

0115 |         style={{
0116 |             position: "absolute",
0117 |             top: 12,
0118 |             right: 12,
0119 |             background: s.bg,
0120 |             border: `0.5px solid ${s.border}`,
0121 |             color: s.text,
0122 |             fontSize: 9,
0123 |             padding: "4px 10px",
0124 |             borderRadius: 20,
0125 |             textTransform: "capitalize",
0126 |             letterSpacing: "0.08em",
0127 |             fontWeight: 500,
0128 |             backdropFilter: "blur(6px)",
0129 |         }}
0130 |     >
0131 |         {status}
0132 |     </div>
0133 | </div>
0134 |
0135 | { /* Content */}
0136 | <div
0137 |     style={{
0138 |         padding: "16px",
0139 |         flex: 1,
0140 |         display: "flex",
0141 |         flexDirection: "column",
0142 |     }}
0143 | >
0144 |     <div
0145 |         style={{
0146 |             fontFamily: "Georgia, serif",
0147 |             fontSize: 17,
0148 |             color: "#F0EDE6",
0149 |             marginBottom: 6,
0150 |             lineHeight: 1.3,
0151 |         }}
0152 |     >
0153 |         {land.title}
0154 |     </div>
0155 |
0156 |     <div
0157 |         style={{
0158 |             fontSize: 12,
0159 |             color: "#6B6762",
0160 |             marginBottom: 18,
0161 |         }}
0162 |     >
0163 |         {developerName}
0164 |     </div>
0165 |
0166 |     <div
0167 |         style={{
0168 |             display: "flex", ,
0169 |             justifyContent: "space-between",
0170 |             alignItems: "center",
0171 |             marginTop: "auto",
0172 |         }}
0173 |     >
0174 |         <div
0175 |             style={{
0176 |                 fontSize: 15,
0177 |                 fontWeight: 500,
0178 |                 color: "#E8C97A",
0179 |             }}
0180 |         >
0181 |             {pricePerMeter
0182 |                 `EGP ${pricePerMeter.toLocaleString()}/m2`
0183 |                 : "On request"}
0184 |         </div>
0185 |
0186 |         <div
0187 |             style={{
0188 |                 fontSize: 12,
0189 |                 color: hovered "#C9973A" : "#6B6762",
0190 |                 transition: "color 0.2s ease",
0191 |             }}
0192 |         >
0193 |             Details ->
0194 |         </div>
0195 |     </div>
0196 | </div>
0197 | </div>
0198 | </Link>
0199 | );
0200 | }

```

src/app/components/PhotoGallery.js

Lines: 373.

```

0001 | "use client";
0002 |
0003 | import { useState, useRef, useEffect } from "react";
0004 |
0005 | export default function PhotoGallery({ images, alt, status, statusStyle, hideStatusBadge = false }) {
0006 |     const [activeIndex, setActiveIndex] = useState(0);

```

```
0007 | const [hoverZone, setHoverZone] = useState(null); // "left" | "right" | null - drives arrow visibility
0008 |
0009 | // ---- Edge-hover auto-scroll (desktop only) ----
0010 | // Tracked via continuous mousemove rather than enter/leave on thin overlay
0011 | // strips, which is more reliable and re-evaluates on every frame the mouse moves.
0012 | const intervalRef = useRef(null);
0013 | const directionRef = useRef(null);
0014 |
0015 | function clearAutoScroll() {
0016 |   if (intervalRef.current) {
0017 |     clearInterval(intervalRef.current);
0018 |     intervalRef.current = null;
0019 |   }
0020 |   directionRef.current = null;
0021 | }
0022 |
0023 | function startAutoScroll(direction, count) {
0024 |   if (directionRef.current === direction) return; // already running this way
0025 |   clearAutoScroll();
0026 |   directionRef.current = direction;
0027 |   intervalRef.current = setInterval(() => {
0028 |     setActiveIndex(prev => {
0029 |       const next = direction === "left" ? prev - 1 : prev + 1;
0030 |       if (next < 0 || next > count - 1) {
0031 |         clearAutoScroll();
0032 |         return prev;
0033 |       }
0034 |       return next;
0035 |     });
0036 |   }, 700);
0037 | }
0038 |
0039 | function handleMainMouseMove(e) {
0040 |   if (images.length <= 1) return;
0041 |   const rect = e.currentTarget.getBoundingClientRect();
0042 |   if (rect.width === 0) return;
0043 |   const relX = (e.clientX - rect.left) / rect.width;
0044 |
0045 |   if (relX < 0.28 && activeIndex > 0) {
0046 |     setHoverZone("left");
0047 |     startAutoScroll("left", images.length);
0048 |   } else if (relX > 0.72 && activeIndex < images.length - 1) {
0049 |     setHoverZone("right");
0050 |     startAutoScroll("right", images.length);
0051 |   } else {
0052 |     setHoverZone(null);
0053 |     clearAutoScroll();
0054 |   }
0055 | }
0056 |
0057 | function handleMainMouseLeave() {
0058 |   setHoverZone(null);
0059 |   clearAutoScroll();
0060 | }
0061 |
0062 | useEffect(() => () => clearAutoScroll(), []);
0063 |
0064 | if (!images || images.length === 0) {
0065 |   return (
0066 |     <div style={{ width: "92%", margin: "1rem auto 0", boxSizing: "border-box" }}>
0067 |       <div style={{ borderRadius: 14, position: "relative" }}>
0068 |         <div
0069 |           style={{
0070 |             width: "100%",
0071 |             aspectRatio: "16 / 10",
0072 |             background: "#3A3A3D",
0073 |             borderRadius: 14,
0074 |             display: "flex",
0075 |             alignItems: "center",
0076 |             justifyContent: "center",
0077 |           }}
0078 |         >
0079 |           <svg width="48" height="48" viewBox="0 0 24 24" fill="none" stroke="rgba(201,151,58,0.2)" strokeWidth="1.5">
0080 |             <path d="M3 9 7 11a2 2 0 0 1 2 2H5a2 2 0 0 1 2 2Z" />
0081 |             <polyline points="9 22 9 12 15 12 15 22" />
0082 |           </svg>
0083 |         </div>
0084 |         {!hideStatusBadge && status && statusStyle && (
0085 |           <div
0086 |             style={{
0087 |               position: "absolute", top: 14, right: 14, background: statusStyle.bg,
0088 |               border: `0.5px solid ${statusStyle.border}`, color: statusStyle.text,
0089 |               fontSize: 10, fontWeight: 500, padding: "4px 12px", borderRadius: 20,
0090 |               textTransform: "capitalize", letterSpacing: "0.08em",
0091 |             }}
0092 |           >
0093 |             {status}
0094 |           </div>
0095 |         )}
0096 |       </div>
0097 |     </div>
0098 |   );
0099 | }
0100 |
0101 | const prevImage = activeIndex > 0 ? images[activeIndex - 1] : null;
0102 | const nextImage = activeIndex < images.length - 1 ? images[activeIndex + 1] : null;
0103 |
0104 | return (
```

```

0105 | <div style={{ width: "92%", margin: "1rem auto 0", boxSizing: "border-box" }}>
0106 |
0107 |     /* MOBILE - unchanged horizontal scroll-snap carousel */
0108 |     <div
0109 |         className="pg-mobile"
0110 |         style={{ borderRadius: 14, position: "relative" }}
0111 |     >
0112 |         <div
0113 |             style={{
0114 |                 display: "flex",
0115 |                 flexWrap: "nowrap",
0116 |                 overflowX: "scroll",
0117 |                 scrollSnapType: "x mandatory",
0118 |                 WebkitOverflowScrolling: "touch",
0119 |                 borderRadius: 14,
0120 |                 background: "#3A3A3D",
0121 |                 width: "100%",
0122 |                 maxWidth: "100%",
0123 |             }}
0124 |         >
0125 |             {images.map((img, i) => (
0126 |                 <div
0127 |                     key={img.id i}
0128 |                     style={{
0129 |                         flex: "0 0 100%",
0130 |                         maxWidth: "100%",
0131 |                         width: "100%",
0132 |                         aspectRatio: "16 / 10",
0133 |                         scrollSnapAlign: "start",
0134 |                         scrollSnapStop: "always",
0135 |                         overflow: "hidden",
0136 |                     }}
0137 |                 >
0138 |                     <img
0139 |                         src={img.image_url}
0140 |                         alt={alt}
0141 |                         style={{ width: "100%", height: "100%", objectFit: "cover", display: "block" }}
0142 |                     />
0143 |                 </div>
0144 |             ))}
0145 |         </div>
0146 |
0147 |         {!hideStatusBadge && status && statusStyle && (
0148 |             <div
0149 |                 style={{
0150 |                     position: "absolute", top: 14, right: 14, background: statusStyle.bg,
0151 |                     border: `0.5px solid ${statusStyle.border}`, color: statusStyle.text,
0152 |                     fontSize: 10, fontWeight: 500, padding: "4px 12px", borderRadius: 20,
0153 |                     textTransform: "capitalize", letterSpacing: "0.08em",
0154 |                 }}
0155 |             >
0156 |                 {status}
0157 |             </div>
0158 |         )}
0159 |
0160 |         {images.length > 1 && (
0161 |             <div
0162 |                 style={{
0163 |                     position: "absolute", bottom: 14, right: 14, background: "rgba(0,0,0,0.55)",
0164 |                     color: "#F0EDEF", fontSize: 11, padding: "4px 10px", borderRadius: 20, letterSpacing: "0.04em",
0165 |                 }}
0166 |             >
0167 |                 {images.length} photos - swipe ->
0168 |             </div>
0169 |         )}
0170 |     </div>
0171 |
0172 |     /* DESKTOP - main image + grayscale side peeks + thumbnail rail, centered */
0173 |     <div
0174 |         className="pg-desktop"
0175 |         style={{ display: "none", gap: 10, alignItems: "stretch", justifyContent: "center" }}
0176 |     >
0177 |         /* Left grayscale peek */
0178 |         <div
0179 |             style={{
0180 |                 flex: "0 0 130px",
0181 |                 borderRadius: 12,
0182 |                 overflow: "hidden",
0183 |                 background: "#3A3A3D",
0184 |                 position: "relative",
0185 |             }}
0186 |         >
0187 |             {prevImage && (
0188 |                 <img
0189 |                     src={prevImage.image_url}
0190 |                     alt=""
0191 |                     onClick={() => setActiveIndex(activeIndex - 1)}
0192 |                     style={{
0193 |                         width: "100%", height: "100%", objectFit: "cover",
0194 |                         filter: "grayscale(1) brightness(0.65)",
0195 |                         cursor: "pointer", display: "block",
0196 |                     }}
0197 |                 />
0198 |             )}
0199 |         </div>
0200 |
0201 |         /* Main image - sliding strip with smooth transition, fills remaining width */
0202 |         <div

```

```

0203 |     onMouseMove={handleMainMouseMove}
0204 |     onMouseLeave={handleMainMouseLeave}
0205 |     style={{
0206 |         flex: "1 1 auto",
0207 |         borderRadius: 14,
0208 |         overflow: "hidden",
0209 |         position: "relative",
0210 |         background: "#3A3A3D",
0211 |         cursor: hoverZone === "left" ? "w-resize" : hoverZone === "right" ? "e-resize" : "default",
0212 |     }}
0213 | >
0214 | <div
0215 |     style={{
0216 |         display: "flex",
0217 |         width: `${images.length * 100}%`,
0218 |         transform: `translateX(-${(activeIndex * 100) / images.length}%)`,
0219 |         transition: "transform 0.55s cubic-bezier(0.65, 0, 0.35, 1)",
0220 |     }}
0221 | >
0222 |     {images.map((img, i) => (
0223 |         <div
0224 |             key={img.id + i}
0225 |             style={{ width: `${100 / images.length}%`, flexShrink: 0, aspectRatio: "16 / 10" }}
0226 |         >
0227 |             <img
0228 |                 src={img.image_url}
0229 |                 alt={alt}
0230 |                 style={{ width: "100%", height: "100%", objectFit: "cover", display: "block" }}
0231 |             />
0232 |         </div>
0233 |     ))}
0234 | </div>
0235 |
0236 | /* Left edge affordance - gradient scrim + chevron, purely decorative */
0237 | {images.length > 1 && activeIndex > 0 && (
0238 |     <div
0239 |         style={{
0240 |             position: "absolute", left: 0, top: 0, bottom: 0, width: "32%",
0241 |             background: "linear-gradient(to right, rgba(0,0,0,0.32), transparent)",
0242 |             display: "flex", alignItems: "center", justifyContent: "flex-start",
0243 |             paddingLeft: 16, pointerEvents: "none",
0244 |             opacity: hoverZone === "left" ? 1 : 0,
0245 |             transition: "opacity 0.25s ease",
0246 |         }}
0247 |     >
0248 |         <svg width="22" height="22" viewBox="0 0 24 24" fill="none" stroke="#F0EDE6" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0249 |             <polyline points="15 18 9 12 15 6" />
0250 |         </svg>
0251 |     </div>
0252 | )}
0253 |
0254 | /* Right edge affordance */
0255 | {images.length > 1 && activeIndex < images.length - 1 && (
0256 |     <div
0257 |         style={{
0258 |             position: "absolute", right: 0, top: 0, bottom: 0, width: "32%",
0259 |             background: "linear-gradient(to left, rgba(0,0,0,0.32), transparent)",
0260 |             display: "flex", alignItems: "center", justifyContent: "flex-end",
0261 |             paddingRight: 16, pointerEvents: "none",
0262 |             opacity: hoverZone === "right" ? 1 : 0,
0263 |             transition: "opacity 0.25s ease",
0264 |         }}
0265 |     >
0266 |         <svg width="22" height="22" viewBox="0 0 24 24" fill="none" stroke="#F0EDE6" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0267 |             <polyline points="9 18 15 12 9 6" />
0268 |         </svg>
0269 |     </div>
0270 | )}
0271 |
0272 | {!hideStatusBadge && status && statusStyle && (
0273 |     <div
0274 |         style={{
0275 |             position: "absolute", top: 14, right: 14, background: statusStyle.bg,
0276 |             border: `0.5px solid ${statusStyle.border}`, color: statusStyle.text,
0277 |             fontSize: 10, fontWeight: 500, padding: "4px 12px", borderRadius: 20,
0278 |             textTransform: "capitalize", letterSpacing: "0.08em",
0279 |             pointerEvents: "none", zIndex: 3,
0280 |         }}
0281 |     >
0282 |         {status}
0283 |     </div>
0284 | )}
0285 |
0286 | {images.length > 1 && (
0287 |     <div
0288 |         style={{
0289 |             position: "absolute", bottom: 14, right: 14, background: "rgba(0,0,0,0.55)",
0290 |             color: "#F0EDE6", fontSize: 11, padding: "4px 10px", borderRadius: 20, letterSpacing: "0.04em",
0291 |             pointerEvents: "none", zIndex: 3,
0292 |         }}
0293 |     >
0294 |         {activeIndex + 1} / {images.length}
0295 |     </div>
0296 | )}
0297 | </div>
0298 |
0299 | /* Right grayscale peek */
0300 | <div

```

```

0301 |         style={{
0302 |             flex: "0 0 130px",
0303 |             borderRadius: 12,
0304 |             overflow: "hidden",
0305 |             background: "#3A3A3D",
0306 |             position: "relative",
0307 |         }}
0308 |     >
0309 |     {nextImage && (
0310 |         <img
0311 |             src={nextImage.image_url}
0312 |             alt=""
0313 |             onClick={() => setActiveIndex(activeIndex + 1)}
0314 |             style={{
0315 |                 width: "100%", height: "100%", objectFit: "cover",
0316 |                 filter: "grayscale(1) brightness(0.65)",
0317 |                 cursor: "pointer", display: "block",
0318 |             }}
0319 |         />
0320 |     )}
0321 | </div>
0322 |
0323 | {/* Thumbnail rail */}
0324 | {images.length > 1 && (
0325 |     <div
0326 |         style={{
0327 |             flex: "0 0 72px",
0328 |             display: "flex",
0329 |             flexDirection: "column",
0330 |             gap: 6,
0331 |             maxHeight: 360,
0332 |             overflowY: "auto",
0333 |         }}
0334 |     >
0335 |         {images.map((img, i) => (
0336 |             <button
0337 |                 key={img.id i}
0338 |                 onClick={() => setActiveIndex(i)}
0339 |                 style={{
0340 |                     border: i === activeIndex ? "2px solid #C9973A" : "0.5px solid rgba(201,151,58,0.18)",
0341 |                     borderRadius: 8,
0342 |                     padding: 0,
0343 |                     cursor: "pointer",
0344 |                     background: "none",
0345 |                     width: "100%",
0346 |                     aspectRatio: "4 / 3",
0347 |                     overflow: "hidden",
0348 |                     flexShrink: 0,
0349 |                 }}
0350 |             >
0351 |                 <img
0352 |                     src={img.image_url}
0353 |                     alt=""
0354 |                     style={{
0355 |                         width: "100%", height: "100%", objectFit: "cover", display: "block",
0356 |                         filter: i === activeIndex ? "none" : "grayscale(1) brightness(0.75)",
0357 |                     }}
0358 |                 />
0359 |             </button>
0360 |         ))}
0361 |     </div>
0362 | )}
0363 | </div>
0364 |
0365 | <style>{`
0366 |     @media (min-width: 860px) {
0367 |       .pg-mobile { display: none; }
0368 |       .pg-desktop { display: flex !important; }
0369 |     }
0370 | `}</style>
0371 | </div>
0372 | );
0373 | }

```

src/app/components/ProjectDetails.js

Lines: 400.

```

0001 | "use client";
0002 | import { useState } from "react";
0003 | import Image from "next/image";
0004 | import ReserveButton from "../ReserveButton";
0005 | import MeetingRequestForm from "../MeetingRequestForm";
0006 | import UnitPickerCard from "../UnitPickerCard";
0007 |
0008 | const AREA_STATUS_STYLES = {
0009 |   available: { bg: "rgba(30,120,70,0.18)", border: "rgba(77,201,138,0.35)", text: "#4DC98A" },
0010 |   reserved: { bg: "rgba(200,150,40,0.12)", border: "rgba(200,150,40,0.3)", text: "#E8C97A" },
0011 |   sold: { bg: "rgba(200,60,60,0.12)", border: "rgba(200,60,60,0.3)", text: "#E07070" },
0012 | };
0013 |
0014 | const overlayStyle = {
0015 |   position: "fixed", inset: 0, background: "rgba(0,0,0,0.6)",
0016 |   display: "flex", alignItems: "center", justifyContent: "center",
0017 |   zIndex: 1000, padding: "1.5rem",
0018 | };
0019 | const modalCardStyle = {

```

```

0020 | background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.3)",
0021 | borderRadius: 14, padding: "1.5rem", width: "100%", maxWidth: 380,
0022 | maxHeight: "70vh", overflowY: "auto", boxSizing: "border-box",
0023 | };
0024 | const modalHeaderRow = { display: "flex", alignItems: "center", justifyContent: "space-between", marginBottom: 16 };
0025 | const modalTitleStyle = { fontFamily: "Georgia, serif", fontSize: 16, color: "#F0EDE6" };
0026 | const closeButtonStyle = {
0027 |   background: "transparent", border: "none", color: "#6B6762",
0028 |   fontSize: 20, cursor: "pointer", lineHeight: 1, padding: "4px 8px",
0029 | };
0030 | const emptyModalText = { fontSize: 13, color: "#6B6762", textAlign: "center", padding: "1rem 0" };
0031 |
0032 | const cardStyle = {
0033 |   background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.12)",
0034 |   borderRadius: 10, padding: "12px 14px",
0035 | };
0036 | const cardLabelStyle = { fontSize: 9, color: "#6B6762", marginBottom: 5, textTransform: "uppercase", letterSpacing: "0.1em" };
0037 | const cardValueStyle = { fontSize: 14, fontWeight: 500, color: "#E8C97A" };
0038 |
0039 | export default function ProjectDetails({
0040 |   land, developer, location, mapsUrl, whatsappUrl,
0041 |   landAreas, installmentPlans, priceRows, masterplanImages,
0042 |   customize_plan_whatsapp, developer_whatsapp, down_payment_amount,
0043 |   amman_whatsapp, developer_bank_account, office_schedule,
0044 | }) {
0045 |   const [selectedAreaId, setSelectedAreaId] = useState(null);
0046 |   const [selectedPlanId, setSelectedPlanId] = useState(null);
0047 |   const [showAreaModal, setShowAreaModal] = useState(false);
0048 |   const [showPlanModal, setShowPlanModal] = useState(false);
0049 |   const [showMeetingForm, setShowMeetingForm] = useState(false);
0050 |   const [activeSpecKey, setActiveSpecKey] = useState(null); // drives the unit picker card
0051 |
0052 |   const selectedArea = landAreas.find((a) => a.id === selectedAreaId) null;
0053 |   const selectedPlan = installmentPlans.find((p) => p.id === selectedPlanId) null;
0054 |   const bothSelected = Boolean(selectedArea && selectedPlan);
0055 |
0056 |   const totalPrice = bothSelected
0057 |     ? priceRows.find(
0058 |       (r) => r.land_area_id === selectedAreaId && r.installment_plan_id === selectedPlanId
0059 |     ).total_price null
0060 |     : null;
0061 |
0062 |   // Group land_areas rows by (area_sqm, bedrooms) - one entry per distinct spec,
0063 |   // each carrying all matching unit rows so we can count/filter by status.
0064 |   const specGroups = (() => {
0065 |     const map = new Map();
0066 |     landAreas.forEach((area) => {
0067 |       const key = `${area.area_sqm}__${area.bedrooms} null`;
0068 |       if (!map.has(key)) {
0069 |         map.set(key, { key, area_sqm: area.area_sqm, bedrooms: area.bedrooms null, units: [] });
0070 |       }
0071 |       map.get(key).units.push(area);
0072 |     });
0073 |     return Array.from(map.values());
0074 |   })();
0075 |
0076 |   const activeGroup = specGroups.find((g) => g.key === activeSpecKey) null;
0077 |   const activeGroupLabel = activeGroup
0078 |     ? `${Number(activeGroup.area_sqm).toLocaleString()} m2${activeGroup.bedrooms} - ${activeGroup.bedrooms} bed` : ""
0079 |     : null;
0080 |
0081 |   // "WhatsApp the Developer" - same pre-filled message, number swapped to developer_whatsapp.
0082 |   // Falls back to the original whatsappUrl (contact_whatsapp) if no developer number is set,
0083 |   // so the button never points at a broken link.
0084 |   const developerWhatsappUrl = developer_whatsapp
0085 |     ? `https://wa.me/${developer_whatsapp}${whatsappUrl.split("")[1]} `
0086 |     : whatsappUrl;
0087 |
0088 |   function openSpec(group) {
0089 |     const availableCount = group.units.filter((u) => u.status === "available").length;
0090 |     if (availableCount === 0) return;
0091 |     setActiveSpecKey(group.key);
0092 |     setShowAreaModal(false);
0093 |   }
0094 |
0095 |   function closeUnitPicker() {
0096 |     setActiveSpecKey(null);
0097 |   }
0098 |
0099 |   function selectUnit(area) {
0100 |     setSelectedAreaId(area.id);
0101 |     setActiveSpecKey(null);
0102 |   }
0103 |
0104 |   function pickPlan(plan) {
0105 |     setSelectedPlanId(plan.id);
0106 |     setShowPlanModal(false);
0107 |   }
0108 |
0109 |   function openCustomizePlan() {
0110 |     const msg = encodeURIComponent(
0111 |       `Hi, I'm interested in ${land.title} and would like to discuss a custom payment plan.`
0112 |     );
0113 |     const url = `https://wa.me/${customize_plan_whatsapp}text=${msg}`;
0114 |     window.open(url, "_blank", "noopener,noreferrer");
0115 |   }
0116 |
0117 |   return (

```

```

0118 | <>
0119 | { /* KEY INFO */
0120 | <div style={{ margin: "1rem 1.5rem 0", background: "#343437", borderRadius: 14, border: "0.5px solid rgba(201,151,58,0.18)", padding: "1.5rem" }}>
0121 |   <h1 style={{ fontFamily: "Georgia, serif", fontSize: 22, fontWeight: 400, color: "#F0EDE6", lineHeight: 1.3, marginBottom: 16 }}>
0122 |     {land.title}
0123 |   </h1>
0124 |
0125 |   { /* Row 1 - static */
0126 |   <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minmax(120px, 1fr))", gap: 10, marginBottom: 10 }}>
0127 |     <div style={cardStyle}>
0128 |       <div style={cardLabelStyle}>Price / m2</div>
0129 |       <div style={cardValueStyle}>
0130 |         {land.price_per_meter `EGP ${Number(land.price_per_meter).toLocaleString()}/m2` : "On request"}
0131 |       </div>
0132 |     </div>
0133 |     <div style={cardStyle}>
0134 |       <div style={cardLabelStyle}>Project area</div>
0135 |       <div style={cardValueStyle}>
0136 |         {land.area_sqm `${Number(land.area_sqm).toLocaleString()} m2` : "TBC"}
0137 |       </div>
0138 |     </div>
0139 |   </div>
0140 |
0141 |   { /* Row 2 - clickable */
0142 |   <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minmax(120px, 1fr))", gap: 10, marginBottom: land.description 16 : 0 }}>
0143 |     <button
0144 |       onClick={() => setShowAreaModal(true)}
0145 |       style={{ ...cardStyle, textAlign: "left", cursor: "pointer", width: "100%", fontFamily: "inherit" }}
0146 |     >
0147 |       <div style={cardLabelStyle}>Available Area</div>
0148 |       <div style={{ ...cardValueStyle, color: selectedArea "#E8C97A" : "#9A9489" }}>
0149 |         {selectedArea `${Number(selectedArea.area_sqm).toLocaleString()} m2` : "Select size ->"}
0150 |       </div>
0151 |     </button>
0152 |     <button
0153 |       onClick={() => setShowPlanModal(true)}
0154 |       style={{ ...cardStyle, textAlign: "left", cursor: "pointer", width: "100%", fontFamily: "inherit" }}
0155 |     >
0156 |       <div style={cardLabelStyle}>Installment Plan</div>
0157 |       <div style={{ ...cardValueStyle, color: selectedPlan "#E8C97A" : "#9A9489" }}>
0158 |         {selectedPlan `${selectedPlan.down_payment_percent}% / ${selectedPlan.years} yrs` : "Select plan ->"}
0159 |       </div>
0160 |     </button>
0161 |   </div>
0162 |
0163 |   {land.description && (
0164 |     <p style={{ fontSize: 14, color: "#9A9489", lineHeight: 1.7, borderTop: "0.5px solid rgba(201,151,58,0.12)", padding: 16 }}>
0165 |       {land.description}
0166 |     </p>
0167 |   )}
0168 | </div>
0169 |
0170 | { /* EXACT LOCATION - unchanged */
0171 | {mapsUrl && (
0172 |   <div style={{ margin: "1rem 1.5rem 0", background: "#343437", borderRadius: 14, border: "0.5px solid rgba(201,151,58,0.18)", padding: "1.5rem" }}>
0173 |     <p style={{ fontSize: 9, letterSpacing: "0.18em", textTransform: "uppercase", color: "#6B6762", marginBottom: 12 }}>Exact location</p>
0174 |     <a href={mapsUrl} target="_blank" rel="noopener noreferrer"
0175 |       style={{ display: "flex", alignItems: "center", gap: 12, background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.12)", borderRadius: 10, padding:
0176 |         "13px 16px", textDecoration: "none", color: "#F0EDE6", fontSize: 14 }}>
0177 |       <svg width="18" height="18" viewBox="0 0 24 24" fill="none" stroke="#C9973A" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0178 |         <path d="M21 10c0 7-9 13-9 13s-6-9-13a9 9 0 118 0z"/>
0179 |         <circle cx="12" cy="10" r="3"/>
0180 |       </svg>
0181 |       View on Google Maps
0182 |     </a>
0183 |   </div>
0184 | )}
0185 |
0186 | { /* INLINE NOTE - shown until both area and plan are selected */
0187 | {!bothSelected && (
0188 |   <div style={{ margin: "0.75rem 1.5rem 0", display: "flex", alignItems: "center", gap: 8, fontSize: 12, color: "#6B6762" }}>
0189 |     <svg width="14" height="14" viewBox="0 0 24 24" fill="none" stroke="#6B6762" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round" style={{ flex
0190 |       xShrink: 0 }}>
0191 |       <circle cx="12" cy="12" r="10"/><line x1="12" y1="16" x2="12" y2="12"/><line x1="12" y1="8" x2="12.01" y2="8"/>
0192 |     </svg>
0193 |     Select an area and plan above to enable reservation
0194 |   </div>
0195 | )}
0196 |
0197 | { /* DEVELOPER - unchanged */
0198 | {developer && (
0199 |   <div style={{ margin: "1rem 1.5rem 0", background: "#343437", borderRadius: 14, border: "0.5px solid rgba(201,151,58,0.18)", padding: "1.5rem" }}>
0200 |     <p style={{ fontSize: 9, letterSpacing: "0.18em", textTransform: "uppercase", color: "#6B6762", marginBottom: 14 }}>Developer</p>
0201 |     <div style={{ display: "flex", alignItems: "center", gap: 14, marginBottom: developer.bio 12 : 0 }}>
0202 |       <div style={{ width: 44, height: 44, borderRadius: "50%", background: "rgba(201,151,58,0.1)", border: "0.5px solid rgba(201,151,58,0.25)", display:
0203 |         "flex", alignItems: "center", justifyContent: "center", fontFamily: "Georgia, serif", fontSize: 18, color: "#C9973A", flexShrink: 0, overflow: "hidden" }}>
0204 |         {developer.logo_url (
0205 |           <Image src={developer.logo_url} alt={developer.name} width={44} height={44} style={{ objectFit: "cover" }} />
0206 |         ) : (
0207 |           developer.name.charAt(0)
0208 |         )}
0209 |       </div>
0210 |       <div style={{ fontFamily: "Georgia, serif", fontSize: 17, color: "#F0EDE6" }}>{developer.name}</div>
0211 |     </div>
0212 |     {developer.bio && (
0213 |       <p style={{ fontSize: 13, color: "#9A9489", lineHeight: 1.7 }}>{developer.bio}</p>
0214 |     )}

```

```

0213 |     </div>
0214 |   )}
0215 |
0216 |   {/ * CONTACT INVEGATE */}
0217 |   <div style={{ margin: "1rem 1.5rem 0", background: "#343437", borderRadius: 14, border: "0.5px solid rgba(201,151,58,0.18)", padding: "1.5rem" }}>
0218 |     <p style={{ fontSize: 9, letterSpacing: "0.18em", textTransform: "uppercase", color: "#6B6762", marginBottom: 10 }}>Contact Invegate</p>
0219 |     <div style={{ display: "flex", alignItems: "center", gap: 10, background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.12)", borderRadius: 10, padding: "11px 14px",
0220 |       marginBottom: 14, fontSize: 12, color: "#6B6762" }}>
0221 |       <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="#C9973A" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0222 |         <circle cx="12" cy="12" r="10"/><line x1="12" y1="8" x2="12" y2="12"/><line x1="12" y1="16" x2="12.01" y2="16"/>
0223 |       </svg>
0224 |       All inquiries go directly to Invegate - we handle everything for you
0225 |     </div>
0226 |
0227 |     <div style={{ display: "flex", flexDirection: "column", gap: 10 }}>
0228 |       <a href={developerWhatsappUrl} target="_blank" rel="noopener noreferrer" style={{ display: "flex", alignItems: "center", justifyContent: "center", gap: 10, background: "rgba(30,120,70,0.18)", border: "0.5px solid rgba(201,138,0.35)", color: "#4DC98A", borderRadius: 12, padding: "14px", textDecoration: "none", fontSize: 14, fontWeight: 500 }}>
0229 |         <svg width="18" height="18" viewBox="0 0 24 24" fill="none" stroke="#4DC98A" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0230 |           <path d="M21 15a2 2 0 0 1-2 2H7l-4 4V5a2 2 0 0 1-2 2h14a2 2 0 0 1 2 2z"/>
0231 |         </svg>
0232 |         WhatsApp the Developer
0233 |       </a>
0234 |
0235 |       <ReserveButton
0236 |         landTitle={land.title}
0237 |         landId={land.id}
0238 |         selectedArea={selectedArea}
0239 |         selectedPlan={selectedPlan}
0240 |         totalPrice={totalPrice}
0241 |         downPaymentAmount={down_payment_amount}
0242 |         developer={developer}
0243 |         developerBankAccount={developer_bank_account}
0244 |         developerWhatsapp={developer_whatsapp}
0245 |         ammanWhatsapp={amman_whatsapp}
0246 |       />
0247 |
0248 |       <button
0249 |         onClick={() => setShowMeetingForm(true)}
0250 |         style={{
0251 |           display: "flex", alignItems: "center", justifyContent: "center", gap: 10,
0252 |           background: "transparent",
0253 |           border: "0.5px solid rgba(201,151,58,0.18)",
0254 |           color: "#9A9489",
0255 |           borderRadius: 12, padding: "14px", fontSize: 14, fontWeight: 500, width: "100%",
0256 |           cursor: "pointer", fontFamily: "Inter, Arial, sans-serif",
0257 |         }}
0258 |       >
0259 |         Request a meeting
0260 |     </button>
0261 |   </div>
0262 | </div>
0263 |
0264 | {/ * REQUEST A MEETING - expanded panel below Contact Invegate */}
0265 | {showMeetingForm && (
0266 |   <div style={{ margin: "1rem 1.5rem 0" }}>
0267 |     <MeetingRequestForm
0268 |       landId={land.id}
0269 |       landTitle={land.title}
0270 |       officeSchedule={office_schedule}
0271 |       onClose={() => setShowMeetingForm(false)}
0272 |     />
0273 |   </div>
0274 | )}
0275 |
0276 | {/ * AREA MODAL - grouped by spec (area_sqm, bedrooms); tapping an available
0277 |   spec opens the UnitPickerCard rather than selecting an area directly. */}
0278 | {showAreaModal && (
0279 |   <div onClick={() => setShowAreaModal(false)} style={overlayStyle}>
0280 |     <div onClick={(e) => e.stopPropagation()} style={modalCardStyle}>
0281 |       <div style={modalHeaderRow}>
0282 |         <span style={modalTitleStyle}>Select area</span>
0283 |         <button onClick={() => setShowAreaModal(false)} style={closeBtnStyle}>x</button>
0284 |       </div>
0285 |       {specGroups.length === 0 (
0286 |         <p style={emptyModalText}>No area options listed yet for this project.</p>
0287 |       ) : (
0288 |         <div style={{ display: "flex", flexDirection: "column", gap: 8 }}>
0289 |           {specGroups.map((group) => {
0290 |             const availableCount = group.units.filter((u) => u.status === "available").length;
0291 |             const disabled = availableCount === 0;
0292 |             const isActiveSelection =
0293 |               selectedArea &&
0294 |               selectedArea.area_sqm === group.area_sqm &&
0295 |               (selectedArea.bedrooms null) === group.bedrooms;
0296 |             return (
0297 |               <button
0298 |                 key={group.key}
0299 |                 onClick={() => openSpec(group)}
0300 |                 disabled={disabled}
0301 |                 style={{
0302 |                   display: "flex", alignItems: "center", justifyContent: "space-between",
0303 |                   background: "#3A3A3D",
0304 |                   border: isActiveSelection ? "0.5px solid #C9973A" : "0.5px solid rgba(201,151,58,0.15)",
0305 |                   borderRadius: 10, padding: "12px 14px", textAlign: "left",
0306 |                   cursor: disabled ? "not-allowed" : "pointer",
0307 |                   opacity: disabled ? 0.5 : 1, fontFamily: "inherit", width: "100%",
0308 |                 }}

```



```

0309 |         >
0310 |         <span style={{ fontSize: 14, color: "#F0EDE6" }}>
0311 |             {Number(group.area_sqm).toLocaleString()} m2{group.bedrooms   -   ${group.bedrooms} bed : ""}
0312 |         </span>
0313 |         <span
0314 |             style={{
0315 |                 fontSize: 10,
0316 |                 background: disabled   "rgba(200,60,60,0.12)" : "rgba(30,120,70,0.18)",
0317 |                 border: `0.5px solid ${disabled   "rgba(200,60,60,0.3)" : "rgba(77,201,138,0.35)"}`,
0318 |                 color: disabled   "#E07070" : "#4DC98A",
0319 |                 padding: "3px 10px", borderRadius: 20, letterSpacing: "0.06em",
0320 |             }}
0321 |         >
0322 |             {disabled   "Sold out" : `${availableCount} available`}
0323 |         </span>
0324 |     </button>
0325 | );
0326 | }}
0327 | </div>
0328 | })
0329 | </div>
0330 | </div>
0331 | })
0332 |
0333 | /* UNIT PICKER CARD - masterplan gallery + slider of available units for the chosen spec */
0334 | {activeGroup && (
0335 |     <UnitPickerCard
0336 |         units={activeGroup.units.filter((u) => u.status === "available")}
0337 |         masterplanImages={masterplanImages}
0338 |         landTitle={land.title}
0339 |         specLabel={activeGroupLabel}
0340 |         onSelectUnit={selectUnit}
0341 |         onClose={closeUnitPicker}
0342 |     />
0343 | )}
0344 |
0345 | /* INSTALLMENT PLAN MODAL */
0346 | {showPlanModal && (
0347 |     <div onClick={() => setShowPlanModal(false)} style={overlayStyle}>
0348 |         <div onClick={(e) => e.stopPropagation()} style={modalCardStyle}>
0349 |             <div style={modalHeaderRow}>
0350 |                 <span style={modalTitleStyle}>Select installment plan</span>
0351 |                 <button onClick={() => setShowPlanModal(false)} style={closeBtnStyle}>x</button>
0352 |             </div>
0353 |             {installmentPlans.length === 0   (
0354 |                 <p style={emptyModalText}>No installment plans listed yet for this project.</p>
0355 |             ) : (
0356 |                 <div style={{ display: "flex", flexDirection: "column", gap: 8 }}>
0357 |                     {installmentPlans.map((plan) => (
0358 |                         <button
0359 |                             key={plan.id}
0360 |                             onClick={() => pickPlan(plan)}
0361 |                             style={{
0362 |                                 display: "flex", flexDirection: "column", gap: 2,
0363 |                                 background: "#3A3A3D",
0364 |                                 border: plan.id === selectedPlanId   "0.5px solid #C9973A" : "0.5px solid rgba(201,151,58,0.15)",
0365 |                                 borderRadius: 10, padding: "12px 14px", textAlign: "left", cursor: "pointer",
0366 |                                 fontFamily: "inherit", width: "100%",
0367 |                             }}
0368 |                         >
0369 |                             <span style={{ fontSize: 14, color: "#F0EDE6" }}>{plan.label}</span>
0370 |                             <span style={{ fontSize: 11, color: "#9A9489" }}>
0371 |                                 {plan.down_payment_percent}% down payment - {plan.years} years
0372 |                             </span>
0373 |                         </button>
0374 |                     ))}
0375 |                 </div>
0376 |             )}
0377 |
0378 | {customize_plan_whatsapp && (
0379 |     <div style={{ height: 1, background: "rgba(201,151,58,0.15)", margin: "12px 0" }} />
0380 |     <button
0381 |         onClick={openCustomizePlan}
0382 |         style={{
0383 |             display: "flex", flexDirection: "column", gap: 2,
0384 |             background: "#3A3A3D",
0385 |             border: "0.5px solid #C9973A",
0386 |             borderRadius: 10, padding: "12px 14px", textAlign: "left", cursor: "pointer",
0387 |             fontFamily: "inherit", width: "100%",
0388 |         }}
0389 |     >
0390 |         <span style={{ fontSize: 14, color: "#E8C97A" }}>Customize plan</span>
0391 |     </button>
0392 | </div>
0393 | </div>
0394 | ))
0395 | </div>
0396 | </div>
0397 | })
0398 | </div>
0399 | );
0400 | }

```

src/app/components/UnitPickerCard.js

Lines: 113.

```

0001 | "use client";
0002 | import PhotoGallery from "../PhotoGallery";
0003 |
0004 | const AREA_STATUS_STYLES = {
0005 |   available: { bg: "rgba(30,120,70,0.18)", border: "rgba(77,201,138,0.35)", text: "#4DC98A" },
0006 |   reserved: { bg: "rgba(200,150,40,0.12)", border: "rgba(200,150,40,0.3)", text: "#E8C97A" },
0007 |   sold: { bg: "rgba(200,60,60,0.12)", border: "rgba(200,60,60,0.3)", text: "#E07070" },
0008 | };
0009 |
0010 | const overlayStyle = {
0011 |   position: "fixed", inset: 0, background: "#2C2C2E",
0012 |   zIndex: 1000, overflowY: "auto", WebkitOverflowScrolling: "touch",
0013 | };
0014 | const modalHeaderRow = {
0015 |   position: "sticky", top: 0, zIndex: 2,
0016 |   display: "flex", alignItems: "center", justifyContent: "space-between",
0017 |   padding: "1.1rem 1.5rem", background: "#2C2C2E",
0018 |   borderBottom: "0.5px solid rgba(201,151,58,0.15)",
0019 | };
0020 | const modalTitleStyle = { fontFamily: "Georgia, serif", fontSize: 18, color: "#F0EDE6" };
0021 | const closeBtnStyle = {
0022 |   background: "rgba(255,255,255,0.06)", border: "none", color: "#F0EDE6",
0023 |   fontSize: 22, cursor: "pointer", lineHeight: 1, padding: "6px 12px",
0024 |   borderRadius: 8,
0025 | };
0026 | const sectionLabelStyle = {
0027 |   fontSize: 10, letterSpacing: "0.18em", textTransform: "uppercase", color: "#6B6762",
0028 |   margin: "0 1.5rem 12px",
0029 | };
0030 | const emptyModalText = { fontSize: 13, color: "#6B6762", textAlign: "center", padding: "1rem 1.5rem 2rem" };
0031 |
0032 | // Props:
0033 | // - units: land_areas rows for the chosen (area_sqm, bedrooms) spec, already
0034 | //   filtered to status === "available" by the caller (ProjectDetails).
0035 | // - masterplanImages: land_images rows where is_masterplan = true for this project.
0036 | //   Section is omitted entirely if this array is empty - no placeholder.
0037 | // - landTitle: used for the masterplan gallery alt text.
0038 | // - specLabel: header text, e.g. "120 m2 - 2 bed".
0039 | // - onSelectUnit(area): called with the chosen land_areas row.
0040 | // - onClose(): closes the card without selecting.
0041 | export default function UnitPickerCard({
0042 |   units, masterplanImages, landTitle, specLabel, onSelectUnit, onClose,
0043 | }) {
0044 |   function unitLabel(unit) {
0045 |     return unit.unit_label && unit.unit_label.trim()
0046 |       ? unit.unit_label
0047 |       : `${Number(unit.area_sqm).toLocaleString()} m2${unit.bedrooms - 1 ? `${unit.bedrooms} bed` : ""}`;
0048 |   }
0049 |
0050 |   return (
0051 |     <div style={overlayStyle}>
0052 |       <div style={modalHeaderRow}>
0053 |         <span style={modalTitleStyle}><specLabel "Select unit"></span>
0054 |         <button onClick={onClose} style={closeBtnStyle}>x</button>
0055 |       </div>
0056 |
0057 |       {masterplanImages && masterplanImages.length > 0 && (
0058 |         <div style={{ marginTop: 20, marginBottom: 28 }}>
0059 |           <p style={sectionLabelStyle}>Masterplan</p>
0060 |           <PhotoGallery
0061 |             images={masterplanImages}
0062 |             alt={` ${landTitle} masterplan` }
0063 |             hideStatusBadge
0064 |           />
0065 |         </div>
0066 |       )}
0067 |
0068 |       <p style={sectionLabelStyle}>Available units</p>
0069 |
0070 |       {units.length === 0 (
0071 |         <p style={emptyModalText}>No units currently available for this size.</p>
0072 |       ) : (
0073 |         <div
0074 |           style={{
0075 |             display: "flex", gap: 10, overflowX: "auto",
0076 |             scrollSnapType: "x mandatory", WebkitOverflowScrolling: "touch",
0077 |             padding: "0 1.5rem 2rem",
0078 |           }}
0079 |         >
0080 |           {units.map((unit) => {
0081 |             const st = AREA_STATUS_STYLES[unit.status] AREA_STATUS_STYLES.available;
0082 |             return (
0083 |               <button
0084 |                 key={unit.id}
0085 |                 onClick={() => onSelectUnit(unit)}
0086 |                 style={{
0087 |                   flex: "0 0 220px", scrollSnapAlign: "start",
0088 |                   display: "flex", flexDirection: "column", gap: 10,
0089 |                   background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.15)",
0090 |                   borderRadius: 10, padding: "18px 16px", textAlign: "left",
0091 |                   cursor: "pointer", fontFamily: "inherit",
0092 |                 }}
0093 |             >
0094 |               <span style={{ fontSize: 15, color: "#F0EDE6", fontWeight: 500 }}>
0095 |                 {unitLabel(unit)}
0096 |               </span>
0097 |               <span
0098 |                 style={{

```

```

0099 |         fontSize: 10, background: st.bg, border: `0.5px solid ${st.border}`, color: st.text,
0100 |         padding: "3px 10px", borderRadius: 20, textTransform: "capitalize",
0101 |         letterSpacing: "0.06em", alignSelf: "flex-start",
0102 |     }}
0103 |     >
0104 |     {unit.status}
0105 |   </span>
0106 | </button>
0107 |   );
0108 |   }}}
0109 | </div>
0110 | })
0111 | </div>
0112 | );
0113 | }

```

src/app/components/ReserveButton.js

Lines: 363. Sensitive JWT-like token redacted.

```

0001 | "use client";
0002 | import { useState } from "react";
0003 | import Image from "next/image";
0004 | import { createClient } from "@supabase/supabase-js";
0005 |
0006 | const supabase = createClient(
0007 |   "https://wfxrtbfyvyslglyhbwq.supabase.co",
0008 |   "<SUPABASE_ANON_KEY_REDACTED>"
0009 | );
0010 |
0011 | export default function ReserveButton({
0012 |   landTitle,
0013 |   landId,
0014 |   selectedArea,
0015 |   selectedPlan,
0016 |   totalPrice,
0017 |   developer,
0018 |   downPaymentAmount,
0019 |   developerWhatsapp,
0020 |   ammanWhatsapp,
0021 | }) {
0022 |   const [step, setStep] = useState("idle");
0023 |   const [form, setForm] = useState({ name: "", phone: "" });
0024 |   const [idFront, setIdFront] = useState(null);
0025 |   const [idBack, setIdBack] = useState(null);
0026 |   const [loading, setLoading] = useState(false);
0027 |   const [error, setError] = useState(null);
0028 |   const [copied, setCopied] = useState(false);
0029 |
0030 |   const canReserve = Boolean(selectedArea && selectedPlan);
0031 |
0032 |   async function handleSubmit() {
0033 |     if (!form.name || !form.phone || !selectedArea || !selectedPlan) return;
0034 |     setLoading(true);
0035 |     setError(null);
0036 |
0037 |     try {
0038 |       let frontUrl = null;
0039 |       let backUrl = null;
0040 |
0041 |       // Upload front ID photo
0042 |       if (idFront) {
0043 |         const frontPath = `${landId}/${Date.now()}_front_${idFront.name}`;
0044 |         const { error: frontError } = await supabase.storage
0045 |           .from("reservations")
0046 |           .upload(frontPath, idFront);
0047 |         if (frontError) throw new Error("Failed to upload front ID: " + frontError.message);
0048 |         frontUrl = frontPath;
0049 |       }
0050 |
0051 |       // Upload back ID photo
0052 |       if (idBack) {
0053 |         const backPath = `${landId}/${Date.now()}_back_${idBack.name}`;
0054 |         const { error: backError } = await supabase.storage
0055 |           .from("reservations")
0056 |           .upload(backPath, idBack);
0057 |         if (backError) throw new Error("Failed to upload back ID: " + backError.message);
0058 |         backUrl = backPath;
0059 |       }
0060 |
0061 |       // Save reservation to database
0062 |       const { error: insertError } = await supabase
0063 |         .from("reservations")
0064 |         .insert({
0065 |           land_id: landId,
0066 |           land_area_id: selectedArea.id,
0067 |           installment_plan_id: selectedPlan.id,
0068 |           full_name: form.name,
0069 |           phone: form.phone,
0070 |           national_id_front: frontUrl,
0071 |           national_id_back: backUrl,
0072 |           status: "pending",
0073 |         });
0074 |
0075 |       if (insertError) throw new Error("Failed to save reservation: " + insertError.message);
0076 |
0077 |       setStep("payment");

```

```

0078 |     } catch (err) {
0079 |         setError(err.message);
0080 |     } finally {
0081 |         setLoading(false);
0082 |     }
0083 | }
0084 |
0085 | function handleCopyBankAccount() {
0086 |     if (!developer.bank_account) return;
0087 |     navigator.clipboard.writeText(developer.bank_account);
0088 |     setCopied(true);
0089 |     setTimeout(() => setCopied(false), 1500);
0090 | }
0091 |
0092 | if (step === "idle") {
0093 |     return (
0094 |         <button
0095 |             onClick={() => canReserve && setStep("form")}
0096 |             disabled={!canReserve}
0097 |             style={{
0098 |                 display: "flex", alignItems: "center", justifyContent: "center", gap: 10,
0099 |                 background: canReserve ? "rgba(201,151,58,0.08)" : "rgba(201,151,58,0.04)",
0100 |                 border: `0.5px solid ${canReserve ? "rgba(201,151,58,0.35)" : "rgba(201,151,58,0.15)"}`,
0101 |                 color: canReserve ? "#E8C97A" : "#6B6762",
0102 |                 borderRadius: 12, padding: "14px", fontSize: 14, fontWeight: 500, width: "100%",
0103 |                 cursor: canReserve ? "pointer" : "not-allowed", fontFamily: "Inter, Arial, sans-serif",
0104 |             }}
0105 |         >
0106 |             <svg width="17" height="17" viewBox="0 0 24 24" fill="none" stroke={canReserve ? "#E8C97A" : "#6B6762"} strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0107 |                 <rect x="3" y="4" width="18" height="18" rx="2" ry="2"/><line x1="16" y1="2" x2="16" y2="6"/><line x1="8" y1="2" x2="8" y2="6"/><line x1="3" y1="10" x2="21" y2="10"/>
0108 |             </svg>
0109 |             Buy your unit now
0110 |         </button>
0111 |     );
0112 | }
0113 |
0114 | if (step === "form") {
0115 |     return (
0116 |         <div style={{ background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: 12, padding: "1.5rem", marginTop: 4 }}>
0117 |
0118 |             </* Step indicator */>
0119 |             <div style={{ display: "flex", alignItems: "center", gap: 8, marginBottom: 16 }}>
0120 |                 {[ "Info", "Down Payment" ].map((label, i) => (
0121 |                     <div key={label} style={{ display: "flex", alignItems: "center", gap: 8 }}>
0122 |                         <div style={{ width: 24, height: 24, borderRadius: "50%", background: i === 0 ? "rgba(201,151,58,0.15)" : "transparent", border: `0.5px solid ${i === 0 ? "#C9973A" : "rgba(201,151,58,0.2)"}`, display: "flex", alignItems: "center", justifyContent: "center", fontSize: 10, color: i === 0 ? "#C9973A" : "#6B6762" }}>{i + 1}</div>
0123 |                         <span style={{ fontSize: 11, color: i === 0 ? "#C9973A" : "#6B6762" }}>{label}</span>
0124 |                     <div style={{ width: 30, height: 0.5, background: "rgba(201,151,58,0.2)" }} />
0125 |                 </div>
0126 |             </div>
0127 |
0128 |             <div style={{ fontFamily: "Georgia, serif", fontSize: 16, color: "#F0EDE6", marginBottom: 4 }}>Reserve your project</div>
0129 |             <div style={{ fontSize: 11, color: "#6B6762", marginBottom: 20 }}>
0130 |                 {<label>landTitle</label> - {selectedArea ? `${Number(selectedArea.area_sqm).toLocaleString()} m2` : ""} - {selectedPlan ? selectedPlan.label : ""}
0131 |             </div>
0132 |
0133 |             </* Full name */>
0134 |             <div style={{ marginBottom: 14 }}>
0135 |                 <label style={{ display: "block", fontSize: 9, letterSpacing: "0.12em", textTransform: "uppercase", color: "#6B6762", marginBottom: 6 }}>Full name</label>
0136 |                 <input
0137 |                     type="text"
0138 |                     value={form.name}
0139 |                     onChange={(e) => setForm({ ...form, name: e.target.value })}
0140 |                     placeholder="Ahmed Mohamed"
0141 |                     style={{ width: "100%", background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: 8, padding: "11px 14px", fontSize: 13, color: "#F0EDE6", fontFamily: "Inter, Arial, sans-serif", outline: "none", boxSizing: "border-box" }}
0142 |                 />
0143 |             </div>
0144 |
0145 |             </* Phone */>
0146 |             <div style={{ marginBottom: 14 }}>
0147 |                 <label style={{ display: "block", fontSize: 9, letterSpacing: "0.12em", textTransform: "uppercase", color: "#6B6762", marginBottom: 6 }}>Phone number</label>
0148 |                 <input
0149 |                     type="tel"
0150 |                     value={form.phone}
0151 |                     onChange={(e) => setForm({ ...form, phone: e.target.value })}
0152 |                     placeholder="+20 1XX XXX XXXX"
0153 |                     style={{ width: "100%", background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: 8, padding: "11px 14px", fontSize: 13, color: "#F0EDE6", fontFamily: "Inter, Arial, sans-serif", outline: "none", boxSizing: "border-box" }}
0154 |                 />
0155 |             </div>
0156 |
0157 |             </* National ID front */>
0158 |             <div style={{ marginBottom: 14 }}>
0159 |                 <label style={{ display: "block", fontSize: 9, letterSpacing: "0.12em", textTransform: "uppercase", color: "#6B6762", marginBottom: 6 }}>National ID - front</label>
0160 |                 <div style={{ display: "flex", flexDirection: "column", alignItems: "center", justifyContent: "center", gap: 8, background: "#2C2C2E", border: "0.5px solid rgba(77,201,138,0.35)" : "0.5px dashed rgba(201,151,58,0.25)", borderRadius: 8, padding: "20px", cursor: "pointer", textAlign: "center" }}>
0161 |                     <svg width="24" height="24" viewBox="0 0 24 24" fill="none" stroke={idFront ? "#4DC98A" : "rgba(201,151,58,0.3)"} strokeWidth="1.5" strokeLinecap="round" strokeLinejoin="round">
0162 |                         <rect x="2" y="5" width="20" height="14" rx="2"/><line x1="2" y1="10" x2="22" y2="10"/>
0163 |                     </svg>
0164 |                 </div>

```

```

0165 |         <span style={{ fontSize: 12, color: idFront "#4DC98A" : "#6B6762" }}>{idFront idFront.name : "Tap to upload front"}</span>
0166 |         <span style={{ fontSize: 10, color: "#6B6762", opacity: 0.6 }}>JPG or PNG - max 5MB</span>
0167 |         <input type="file" accept="image/*" style={{ display: "none" }} onChange={(e) => setIdFront(e.target.files[0])} />
0168 |     </label>
0169 | </div>
0170 |
0171 |     {/* National ID back */}
0172 |     <div style={{ marginBottom: 20 }}>
0173 |         <label style={{ display: "block", fontSize: 9, letterSpacing: "0.12em", textTransform: "uppercase", color: "#6B6762", marginBottom: 6 }}>National ID -
0174 |         <div style={{ display: "flex", flexDirection: "column", alignItems: "center", justifyContent: "center", gap: 8, background: "#2C2C2E", border: idBack
0175 |         k "0.5px solid rgba(77,201,138,0.35)" : "0.5px dashed rgba(201,151,58,0.25)", borderRadius: 8, padding: "20px", cursor: "pointer", textAlign: "center" }}>
0176 |         <svg width="24" height="24" viewBox="0 0 24 24" fill="none" stroke={idBack "#4DC98A" : "rgba(201,151,58,0.3)"} strokeWidth="1.5" strokeLinecap="rou
0177 |         nd" strokeLinejoin="round">
0178 |             <rect x="2" y="5" width="20" height="14" rx="2"/><line x1="2" y1="10" x2="22" y2="10"/>
0179 |         </svg>
0180 |         <span style={{ fontSize: 12, color: idBack "#4DC98A" : "#6B6762" }}>{idBack idBack.name : "Tap to upload back"}</span>
0181 |         <span style={{ fontSize: 10, color: "#6B6762", opacity: 0.6 }}>JPG or PNG - max 5MB</span>
0182 |         <input type="file" accept="image/*" style={{ display: "none" }} onChange={(e) => setIdBack(e.target.files[0])} />
0183 |     </label>
0184 | </div>
0185 |
0186 |     {/* Error message */}
0187 |     {error && (
0188 |         <div style={{ background: "rgba(200,60,60,0.1)", border: "0.5px solid rgba(200,60,60,0.3)", borderRadius: 8, padding: "10px 14px", fontSize: 12, color
0189 |         : "#E07070", marginBottom: 14 }}>
0190 |             {error}
0191 |         </div>
0192 |     )}
0193 |
0194 |     <div style={{ display: "flex", gap: 10 }}>
0195 |         <button onClick={() => setStep("idle")} style={{ flex: 1, background: "transparent", border: "0.5px solid rgba(201,151,58,0.2)", color: "#6B6762", bor
0196 |         derRadius: 10, padding: "12px", fontSize: 13, cursor: "pointer", fontFamily: "Inter, Arial, sans-serif" }}>
0197 |             Cancel
0198 |         </button>
0199 |         <button
0200 |             onClick={handleSubmit}
0201 |             disabled={!form.name || !form.phone || loading}
0202 |             style={{ flex: 2, background: form.name && form.phone "rgba(201,151,58,0.12)" : "rgba(201,151,58,0.04)", border: `0.5px solid ${form.name && form.p
0203 |             hone "#C9973A" : "rgba(201,151,58,0.15)"}`, color: form.name && form.phone "#E8C97A" : "#6B6762", borderRadius: 10, padding: "12px", fontSize: 13, fontWeight:
0204 |             500, cursor: form.name && form.phone && !loading "pointer" : "not-allowed", fontFamily: "Inter, Arial, sans-serif", transition: "all 0.2s" }}>
0205 |             >
0206 |             {loading "Saving..." : "Confirm & proceed to payment ->"}
0207 |         </button>
0208 |     </div>
0209 | </div>
0210 |
0211 | );
0212 | }
0213 |
0214 | if (step === "payment") {
0215 |     const waConfirmMessage = encodeURIComponent(
0216 |         `Hi, I've completed the down payment for ${landTitle}. Here is my confirmation.`
0217 |     );
0218 |     const waConfirmUrl = `https://wa.me/${developerWhatsapp} ""text=${waConfirmMessage}`;
0219 |
0220 |     const ammanMessage = encodeURIComponent(
0221 |         `Hi, I'd like to request the Amman service for my reservation of ${landTitle}.`
0222 |     );
0223 |     const ammanUrl = `https://wa.me/${ammanWhatsapp} ""text=${ammanMessage}`;
0224 |
0225 |     const depositLabel = downPaymentAmount
0226 |     `EGP ${Number(downPaymentAmount).toLocaleString()}`
0227 |     : null;
0228 |
0229 |     const hasAmman = Boolean(ammanWhatsapp);
0230 |
0231 |     return (
0232 |         <div style={{ background: "#3A3A3D", border: "0.5px solid rgba(91,155,213,0.3)", borderRadius: 12, padding: "1.5rem", marginTop: 4 }}>
0233 |
0234 |             {/* Step indicator */}
0235 |             <div style={{ display: "flex", alignItems: "center", gap: 8, marginBottom: 16 }}>
0236 |                 {[["Info", "Down Payment"].map((label, i) => (
0237 |                     <div key={label} style={{ display: "flex", alignItems: "center", gap: 8 }}>
0238 |                         <div style={{ width: 24, height: 24, borderRadius: "50%", background: i === 1 "rgba(91,155,213,0.15)" : "rgba(77,201,138,0.15)", border: `0.5px s
0239 |                         olid ${i === 1 "#5B9BD5" : "#4DC98A"}`, display: "flex", alignItems: "center", justifyContent: "center", fontSize: 10, color: i === 1 "#5B9BD5" : "#4DC98A" }}
0240 |                         >{i === 0 "check" : "2"}</div>
0241 |                         <span style={{ fontSize: 11, color: i === 1 "#5B9BD5" : "#4DC98A" }}>{label}</span>
0242 |                         {i === 0 && <div style={{ width: 30, height: 0.5, background: "rgba(91,155,213,0.3)" }} />
0243 |                     </div>
0244 |                 )]}
0245 |             </div>
0246 |
0247 |             {/* Success note */}
0248 |             <div style={{ display: "flex", alignItems: "center", gap: 10, background: "rgba(77,201,138,0.08)", border: "0.5px solid rgba(77,201,138,0.25)", borderRa
0249 |             dius: 10, padding: "11px 14px", marginBottom: 14, fontSize: 12, color: "#4DC98A" }}>
0250 |                 <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="#4DC98A" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0251 |                     <polyline points="20 6 9 17 4 12"/>
0252 |                 </svg>
0253 |                 Your details have been saved - complete payment to confirm
0254 |             </div>
0255 |
0256 |             {/* Deposit amount */}
0257 |             <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.15)", borderRadius: 10, padding: "16px", textAlign: "center", marginBottom:
0258 |             12 }}>
0259 |                 <div style={{ fontSize: 9, letterSpacing: "0.15em", textTransform: "uppercase", color: "#6B6762", marginBottom: 8 }}>Down Payment</div>
0260 |                 {depositLabel (
0261 |                     <div style={{ fontFamily: "Georgia, serif", fontSize: 28, color: "#C9973A" }}>{depositLabel}</div>
0262 |                 ) : (

```

```

0252 |         <div style={{ fontFamily: "Georgia, serif", fontSize: 28, color: "#6B6762" }}>To be confirmed</div>
0253 |     })
0254 | </div>
0255 |
0256 |     {/* Developer identity block */}
0257 |     <div style={{ display: "flex", alignItems: "center", gap: 12, background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.18)", borderRadius: 10, padding: "14px 16px", marginBottom: 12 }}>
0258 |         <div style={{ width: 44, height: 44, borderRadius: "50%", background: "rgba(201,151,58,0.1)", border: "0.5px solid rgba(201,151,58,0.25)", display: "flex", alignItems: "center", justifyContent: "center", fontFamily: "Georgia, serif", fontSize: 18, color: "#C9973A", flexShrink: 0, overflow: "hidden" }}>
0259 |             {developer.logo_url (
0260 |                 <Image src={developer.logo_url} alt={developer.name} width={44} height={44} style={{ objectFit: "cover" }} />
0261 |             ) : (
0262 |                 developer.name.charAt(0) + "-"
0263 |             )}
0264 |         </div>
0265 |         <div style={{ fontFamily: "Georgia, serif", fontSize: 18, color: "#F0EDE6" }}><{developer.name} -"</div>
0266 |     </div>
0267 |
0268 |     {/* Payment options: Bank Account + Amman */}
0269 |     <div style={{ display: "flex", gap: 12, marginBottom: 12 }}>
0270 |         {/* Bank Account */}
0271 |         <div style={{ flex: 1, background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.15)", borderRadius: 10, padding: "14px 16px" }}>
0272 |             <div style={{ fontSize: 9, letterSpacing: "0.15em", textTransform: "uppercase", color: "#6B6762", marginBottom: 8 }}>Bank Account</div>
0273 |             {developer.bank_account (
0274 |                 <div style={{ fontSize: 15, fontWeight: 500, color: "#F0EDE6", letterSpacing: "0.02em", marginBottom: 8, wordBreak: "break-all" }}>
0275 |                     {developer.bank_account}
0276 |                 </div>
0277 |                 <button
0278 |                     onClick={handleCopyBankAccount}
0279 |                     style={{
0280 |                         display: "flex", alignItems: "center", gap: 6,
0281 |                         background: copied ? "rgba(77,201,138,0.12)" : "rgba(201,151,58,0.1)",
0282 |                         border: `0.5px solid ${copied ? "rgba(77,201,138,0.4)" : "rgba(201,151,58,0.3)"}`,
0283 |                         color: copied ? "#4DC98A" : "#C9973A",
0284 |                         borderRadius: 7, padding: "6px 10px", fontSize: 11, cursor: "pointer",
0285 |                         fontFamily: "Inter, Arial, sans-serif",
0286 |                     }}
0287 |                 >
0288 |                     <svg width="12" height="12" viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"
0289 |                         >
0290 |                         <rect x="9" y="9" width="13" height="13" rx="2" ry="2"/>
0291 |                         <path d="M5 15H4a2 2 0 1-2-2V4a2 2 0 12-2h9a2 2 0 12-2v1"/>
0292 |                     </svg>
0293 |                     {copied ? "Copied" : "Copy"}
0294 |                 </button>
0295 |             </div>
0296 |             <div style={{ fontSize: 13, color: "#6B6762" }}>Contact developer</div>
0297 |         </div>
0298 |     </div>
0299 |
0300 |     {/* Amman */}
0301 |     {hasAmman && (
0302 |         <div style={{ flex: 1, background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.15)", borderRadius: 10, padding: "14px 16px" }}>
0303 |             <div style={{ fontSize: 9, letterSpacing: "0.15em", textTransform: "uppercase", color: "#6B6762", marginBottom: 8 }}>Amman</div>
0304 |             <p style={{ fontSize: 11, color: "#9A9489", lineHeight: 1.5, marginBottom: 10 }}>
0305 |                 A trusted courier collects your payment, issues an insurance note, and returns your signed contract within 10 days.
0306 |             </p>
0307 |             <a
0308 |                 href={ammanUrl}
0309 |                 target="_blank"
0310 |                 rel="noopener noreferrer"
0311 |                 style={{
0312 |                     display: "inline-flex", alignItems: "center", gap: 6,
0313 |                     background: "rgba(201,151,58,0.1)", border: "0.5px solid rgba(201,151,58,0.3)",
0314 |                     color: "#C9973A", borderRadius: 7, padding: "6px 10px", fontSize: 11,
0315 |                     textDecoration: "none", fontFamily: "Inter, Arial, sans-serif",
0316 |                 }}
0317 |             >
0318 |                 Request Amman
0319 |             </a>
0320 |         </div>
0321 |     </div>
0322 | )}
0323 | </div>
0324 |
0325 |     {/* Steps */}
0326 |     <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.12)", borderRadius: 10, padding: "14px 16px", marginBottom: 12 }}>
0327 |         <div style={{ fontSize: 9, letterSpacing: "0.15em", textTransform: "uppercase", color: "#6B6762", marginBottom: 12 }}>How to pay</div>
0328 |         <div>
0329 |             "Open your banking app and go to InstaPay",
0330 |             "Transfer the down payment to the bank account above or use the Amman service",
0331 |             "Take a screenshot of the confirmation",
0332 |             "Send the screenshot to Invegate on WhatsApp below",
0333 |         ].map((text, i) => (
0334 |             <div key={i} style={{ display: "flex", gap: 10, alignItems: "flex-start", marginBottom: i < 3 ? 10 : 0 }}>
0335 |                 <div style={{ width: 18, height: 18, borderRadius: "50%", background: "rgba(201,151,58,0.1)", border: "0.5px solid rgba(201,151,58,0.25)", display: "flex", alignItems: "center", justifyContent: "center", fontSize: 9, color: "#C9973A", flexShrink: 0, marginTop: 1 }}><{i + 1}></div>
0336 |                 <span style={{ fontSize: 12, color: "#9A9489", lineHeight: 1.5 }}><{text}></span>
0337 |             </div>
0338 |         ))}
0339 |     </div>
0340 |
0341 |     {/* Shield note */}
0342 |     <div style={{ display: "flex", gap: 10, background: "rgba(201,151,58,0.04)", border: "0.5px solid rgba(201,151,58,0.12)", borderRadius: 10, padding: "12px 14px", marginBottom: 14, fontSize: 11, color: "#6B6762", lineHeight: 1.6 }}>
0343 |         <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="#C9973A" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round" style={{ flexShrink: 0, marginTop: 1 }}>

```

```

0344 |         <path d="M12 22s8-4 8-10V51-8-3-8 3v7c0 6 8 10 8 10z"/>
0345 |     </svg>
0346 |     Your reservation is confirmed once Invegate verifies the payment. You will receive a confirmation within 24 hours.
0347 | </div>
0348 |
0349 |     <a href={waConfirmUrl} target="_blank" rel="noopener noreferrer"
0350 |       style={{ display: "flex", alignItems: "center", justifyContent: "center", gap: 10, background: "rgba(91,155,213,0.12)", border: "0.5px solid rgba(91,1
55,213,0.35)", color: "#5B9BD5", borderRadius: 10, padding: "13px", textDecoration: "none", fontSize: 13, fontWeight: 500, marginBottom: 10 }}>
0351 |     <svg width="17" height="17" viewBox="0 0 24 24" fill="none" stroke="#5B9BD5" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0352 |       <path d="M21 15a2 2 0 0-2 2H7l-4 4V5a2 2 0 012-2h14a2 2 0 012 2z"/>
0353 |     </svg>
0354 |     Send confirmation screenshot on WhatsApp
0355 |   </a>
0356 |
0357 |   <button onClick={() => setStep("idle")} style={{ width: "100%", background: "transparent", border: "none", color: "#6B6762", fontSize: 12, cursor: "poin
ter", padding: "8px", fontFamily: "Inter, Arial, sans-serif" }}>
0358 |     <- Back to project
0359 |   </button>
0360 | </div>
0361 |   );
0362 | }
0363 | }

```

src/app/components/MeetingRequestForm.js

Lines: 280.

```

0001 | "use client";
0002 | import { useState, useMemo } from "react";
0003 | import { createClient } from "@supabase/supabase-js";
0004 |
0005 | const supabase = createClient(
0006 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0007 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0008 | );
0009 |
0010 | const DAY_NAMES = ["Sunday", "Monday", "Tuesday", "Wednesday", "Thursday", "Friday", "Saturday"];
0011 |
0012 | function pad(n) {
0013 |   return String(n).padStart(2, "0");
0014 | }
0015 |
0016 | // Turns "10:00:00" or "10:00" into { h: 10, m: 0 }
0017 | function parseTime(t) {
0018 |   if (!t) return null;
0019 |   const [h, m] = t.split(":").map((v) => parseInt(v, 10));
0020 |   return { h, m };
0021 | }
0022 |
0023 | // Builds 30-minute increment slots between open_time and close_time, e.g. ["10:00", "10:30", ...]
0024 | function buildTimeSlots(openTime, closeTime) {
0025 |   const open = parseTime(openTime);
0026 |   const close = parseTime(closeTime);
0027 |   if (!open || !close) return [];
0028 |
0029 |   const slots = [];
0030 |   let cursorMinutes = open.h * 60 + open.m;
0031 |   const endMinutes = close.h * 60 + close.m;
0032 |
0033 |   while (cursorMinutes < endMinutes) {
0034 |     const h = Math.floor(cursorMinutes / 60);
0035 |     const m = cursorMinutes % 60;
0036 |     slots.push(`${pad(h)}:${pad(m)}`);
0037 |     cursorMinutes += 30;
0038 |   }
0039 |   return slots;
0040 | }
0041 |
0042 | function formatSlotLabel(slot) {
0043 |   const [h, m] = slot.split(":").map(Number);
0044 |   const period = h >= 12 ? "PM" : "AM";
0045 |   const hour12 = h % 12 === 0 ? 12 : h % 12;
0046 |   return `${hour12}:${pad(m)} ${period}`;
0047 | }
0048 |
0049 | export default function MeetingRequestForm({ landId, landTitle, officeSchedule, onClose }) {
0050 |   const [form, setForm] = useState({ name: "", phone: "", date: "", time: "" });
0051 |   const [dateError, setDateError] = useState("");
0052 |   const [loading, setLoading] = useState(false);
0053 |   const [error, setError] = useState(null);
0054 |   const [success, setSuccess] = useState(false);
0055 |
0056 |   const openDaysSet = useMemo(() => {
0057 |     const set = new Set();
0058 |     (officeSchedule []).forEach((row) => {
0059 |       if (row.is_open) set.add(row.day_of_week);
0060 |     });
0061 |     return set;
0062 |   }, [officeSchedule]);
0063 |
0064 |   const scheduleForSelectedDate = useMemo(() => {
0065 |     if (!form.date) return null;
0066 |     const dow = new Date(`${form.date}T00:00:00`).getDay();
0067 |     return (officeSchedule []).find((row) => row.day_of_week === dow) null;
0068 |   }, [form.date, officeSchedule]);
0069 |
0070 |   const timeSlots = useMemo(() => {

```



```

0167 | });
0168 | }
0169 |
0170 | return (
0171 |   <div style={{ background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: 12, padding: "1.5rem", marginTop: 4 }}>
0172 |     <div style={{ display: "flex", alignItems: "center", justifyContent: "space-between", marginBottom: 4 }}>
0173 |       <div style={{ fontFamily: "Georgia, serif", fontSize: 16, color: "#F0EDE6" }}>Request a meeting</div>
0174 |       {onClose && (
0175 |         <button
0176 |           onClick={onClose}
0177 |           style={{ background: "transparent", border: "none", color: "#6B6762", fontSize: 20, cursor: "pointer", lineHeight: 1, padding: "4px 8px" }}
0178 |         >
0179 |           x
0180 |         </button>
0181 |       )}
0182 |     </div>
0183 |     <div style={{ fontSize: 11, color: "#6B6762", marginBottom: 20 }}>
0184 |       {landTitle}
0185 |     </div>
0186 |
0187 |     {/* Full name */}
0188 |     <div style={{ marginBottom: 14 }}>
0189 |       <label style={labelStyle}>Full name</label>
0190 |       <input
0191 |         type="text"
0192 |         value={form.name}
0193 |         onChange={(e) => setForm((f) => ({ ...f, name: e.target.value })))
0194 |         placeholder="Ahmed Mohamed"
0195 |         style={inputStyle}
0196 |       />
0197 |     </div>
0198 |
0199 |     {/* Phone */}
0200 |     <div style={{ marginBottom: 14 }}>
0201 |       <label style={labelStyle}>Phone number</label>
0202 |       <input
0203 |         type="tel"
0204 |         value={form.phone}
0205 |         onChange={(e) => setForm((f) => ({ ...f, phone: e.target.value })))
0206 |         placeholder="+20 1XX XXX XXXX"
0207 |         style={inputStyle}
0208 |       />
0209 |     </div>
0210 |
0211 |     {/* Date */}
0212 |     <div style={{ marginBottom: 14 }}>
0213 |       <label style={labelStyle}>Preferred date</label>
0214 |       <input
0215 |         type="date"
0216 |         value={form.date}
0217 |         onChange={(e) => handleDateChange(e.target.value)}
0218 |         style={inputStyle}
0219 |       />
0220 |       {dateError && (
0221 |         <p style={{ fontSize: 11, color: "#E07070", marginTop: 6, marginBottom: 0 }}>
0222 |           {dateError}
0223 |         </p>
0224 |       )}
0225 |     </div>
0226 |
0227 |     {/* Time */}
0228 |     {form.date && !dateError && (
0229 |       <div style={{ marginBottom: 20 }}>
0230 |         <label style={labelStyle}>Preferred time</label>
0231 |         {timeSlots.length > 0 (
0232 |           <select
0233 |             value={form.time}
0234 |             onChange={(e) => setForm((f) => ({ ...f, time: e.target.value })))
0235 |             style={{ ...inputStyle, cursor: "pointer" }}
0236 |           >
0237 |             <option value="">Select a time...</option>
0238 |             {timeSlots.map((slot) => (
0239 |               <option key={slot} value={slot}>
0240 |                 {formatSlotLabel(slot)}
0241 |               </option>
0242 |             ))}
0243 |           </select>
0244 |         ) : (
0245 |           <p style={{ fontSize: 12, color: "#6B6762", margin: 0 }}>
0246 |             No available time slots for this day.
0247 |           </p>
0248 |         )}
0249 |       </div>
0250 |     )}
0251 |
0252 |     {/* Error message */}
0253 |     {error && (
0254 |       <div style={{ background: "rgba(200,60,60,0.1)", border: "0.5px solid rgba(200,60,60,0.3)", borderRadius: 8, padding: "10px 14px", fontSize: 12, color:
0255 | "#E07070", marginBottom: 14 }}>
0256 |       {error}
0257 |     </div>
0258 |   )}
0259 |
0260 |   <button
0261 |     onClick={handleSubmit}
0262 |     disabled={!form.name || !form.phone || !isValidSelection || loading}
0263 |     style={{
0264 |       width: "100%",

```

```

0264 |         background: form.name && form.phone && isValidSelection "rgba(201,151,58,0.12)" : "rgba(201,151,58,0.04)",
0265 |         border: `0.5px solid ${form.name && form.phone && isValidSelection "#C9973A" : "rgba(201,151,58,0.15)"}`,
0266 |         color: form.name && form.phone && isValidSelection "#E8C97A" : "#6B6762",
0267 |         borderRadius: 10,
0268 |         padding: "12px",
0269 |         fontSize: 13,
0270 |         fontWeight: 500,
0271 |         cursor: form.name && form.phone && isValidSelection && !loading "pointer" : "not-allowed",
0272 |         fontFamily: "Inter, Arial, sans-serif",
0273 |         transition: "all 0.2s",
0274 |     }}
0275 |     >
0276 |     {loading "Submitting..." : "Request meeting"}
0277 | </button>
0278 | </div>
0279 | );
0280 | }

```