

INVEGATE Complete Project Handoff

Last updated: August 6, 2026. A single source of truth for understanding, maintaining, and extending this web app.

Note: This documentation is generated from the current workspace at C:/Users/Ahmed/OneDrive/bis/land-platform-optimized-before-admin. The source appendix includes every app page, component, library module, and key config file. The hard-coded Supabase anon key found in ReserveButton.js is intentionally redacted in the documentation copy.

1. What Is Invegate?

Invegate is a luxury Egyptian land real estate platform for browsing curated land projects, viewing location and project details, contacting Invegate on WhatsApp, and submitting reservation requests. The business team manages locations, developers, land projects, gallery images, installment options, and buyer reservations through a custom admin panel.

- Public users browse from the home page to a location page, then to a project detail page.
- Project details include gallery photos, status, price per square meter, total project area, selectable area options, installment plans, exact map link, developer information, WhatsApp contact, and reservation flow.
- Reservations collect buyer name, phone, national ID front/back uploads, selected land area, selected installment plan, and a pending status before manual payment verification.
- Admins can create, edit, and delete locations, developers, projects, images, area options, installment plans, price-grid values, and reservations.

2. Tech Stack

Layer	Technology / Detail
Framework	Next.js 16.2.9 with App Router in src/app
React	React 19.2.4 and react-dom 19.2.4
Language	JavaScript, no TypeScript source files
Database	Supabase PostgreSQL
Auth	Supabase Auth email/password for admin login
Storage	Supabase Storage buckets for locations, developers, land photos, and reservation ID files
Styling	Mostly inline React styles plus src/app/globals.css and Tailwind v4 import
Fonts	Cormorant Garamond for headings and Manrope for body via next/font/google
Payments	Manual InstaPay/payment confirmation flow; no payment gateway API in code
Maps	External location_url links; no embedded map component

3. Architecture

High Level Flow

- Server components fetch public Supabase data for home, location, project detail, and admin dashboard routes.
- Client components handle search, hover states, splash animation, gallery interaction, CRUD forms, uploads, reservation submission, and admin logout.
- The public Supabase client in src/lib/supabase.js uses NEXT_PUBLIC_SUPABASE_URL and NEXT_PUBLIC_SUPABASE_ANON_KEY.
- The admin dashboard uses createSupabaseServerClient in src/lib/supabaseServer.js to read authenticated server-side data using cookies.
- Most admin CRUD screens instantiate Supabase directly in client components and depend on Supabase Auth plus RLS policies for protection.

Route Map

Route	File	Purpose	Main Data
/	src/app/page.js	Home page with hero, counts, search, and location cards	locations, lands, developers
/location/[id]	src/app/location/[id]/page.js	Shows one location and its projects	locations, lands, developers
/land/[id]	src/app/land/[id]/page.js	Shows project gallery, details, options, contact, and reserve flow	lands, locations, developers, land_images, land_areas, installment plans, price rows
/admin/login	src/app/admin/login/page.js	Admin email/password sign-in	Supabase Auth
/admin	src/app/admin/page.js	Admin dashboard stats and recent activity	locations, lands, developers, reservations
/admin/locations	src/app/admin/locations/page.js	Location CRUD and cover upload	locations, location-images bucket
/admin/lands	src/app/admin/lands/page.js	Project CRUD, gallery upload, thumbnail, area options, installment plans, price grid	lands, land_images, land_areas, land_installment_plans, land_area_plan_prices
/admin/developers	src/app/admin/developers/page.js	Developer CRUD and logo upload	developers, developer-logos bucket
/admin/reservations	src/app/admin/reservations/page.js	Reservation review, signed ID URLs, status updates, deletion	reservations, lands, locations, land_areas, installment plans, reservations bucket

4. User Workflows

Buyer Discovery Flow

- The root layout wraps every page in SplashScreen, so first load shows a brief Invegate logo splash.
- Home fetches location cards and counts available projects per location.
- LocationSearch filters locations by name on the client.
- A location page fetches location details, all lands in that location, and developer names for cards.
- Project cards link to /land/[id], where the project page fetches gallery images, developer, location, area options, installment plans, and total prices.
- ProjectDetails requires the buyer to choose an available area and an installment plan before ReserveButton is enabled.
- The WhatsApp button opens wa.me with a pre-filled interest message.

Reservation Flow

- ReserveButton starts disabled until selectedArea and selectedPlan are both present.
- The form collects buyer name, phone, optional national ID front image, and optional national ID back image.
- ID files upload to the private reservations storage bucket under {landId}/{timestamp}_front/back_{filename}.
- A row is inserted into reservations with land_id, land_area_id, installment_plan_id, full_name, phone, national_id_front, national_id_back, and status pending.
- After the database insert succeeds, the UI switches to a payment instruction step. Payment verification is manual and handled later by admin status updates.

Admin Flow

- AdminLoginPage signs in with Supabase Auth and redirects to /admin.
- AdminLayout provides desktop sidebar navigation, mobile bottom navigation, and sign-out.
- AdminDashboard shows counts, recent pending reservations, and recent projects.
- Locations and developers are simple CRUD pages with public storage uploads for images/logos.
- Projects include basic fields, multiple gallery images, a thumbnail, area options, installment plans, and an exact price grid for every area-plan pair.
- Reservations can be filtered by all, pending, confirmed, or rejected; selecting one shows buyer/project/details plus signed private ID photo URLs for one hour.

5. Design System

Token	Value	Usage
Gold	#C9973A	Primary brand accent, borders, buttons, links
Gold Light	#E8C97A	Highlighted price/status text
Charcoal Background	#2C2C2E	Main app background
Charcoal Card	#343437	Cards, panels, form surfaces
Charcoal Inset	#3A3A3D	Inputs and nested controls
Text Primary	#F0EDE6	Main copy and headings
Text Secondary	#9A9489	Descriptions and helper text
Text Muted	#6B6762	Labels, placeholders, metadata
Available	#4DC98A	Available status
Reserved	#E8C97A	Reserved status
Sold / Rejected	#E07070	Sold or rejected status

- Headings use the Cormorant Garamond font variable where available; many admin pages still hard-code Georgia, serif.
- Body text uses Manrope globally, while several older page snippets still specify Inter, Arial, sans-serif inline.
- Cards use dark surfaces, thin gold borders, subtle hover lifts, and restrained rounded corners.
- Admin layouts are responsive through inline media-query style tags in AdminLayout.
- Most visual behavior lives directly inside component files rather than a shared component library.

6. Data Model

Note: The schema below is inferred from the current application code and previous documentation. Confirm exact constraints in Supabase before migrations or production deployment.

Table	Columns Used By App	Purpose
locations	id, name, description, image_url, created_at	Public browsing locations and admin-managed location covers
developers	id, name, bio, logo_url	Developer profile shown on projects and managed by admin
lands	id, location_id, developer_id, title, price, area_sqm, price_per_meter, status, description, location_url, contact_whatsapp, contact_phone, image_url, created_at	Core project/listing record
land_images	id, land_id, image_url	Gallery images for a project
land_areas	id, land_id, area_sqm, status, created_at	Selectable buyer plot sizes with availability per size
land_installment_plans	id, land_id, label, down_payment_percent, years, created_at	Selectable payment plans per project
land_area_plan_prices	land_area_id, installment_plan_id, total_price	Exact price for one area-plan combination; upsert expects unique land_area_id + installment_plan_id
reservations	id, land_id, land_area_id, installment_plan_id, full_name, phone, national_id_front, national_id_back, status, created_at	Buyer reservation records and private ID file paths

Storage Buckets

Bucket	Access	Used In	Purpose / Path Pattern
location-images	Public	Admin locations	{timestamp}_{random}.{ext}; public URL saved to locations.image_url
developer-logos	Public	Admin developers	{timestamp}_{random}.{ext}; public URL saved to developers.logo_url
land-images	Public	Admin lands	lands/{landId}/{timestamp}_{random}.{ext}; public URL saved to land_images and lands.image_url thumbnail
reservations	Private	ReserveButton and Admin reservations	{landId}/{timestamp}_front/back_{filename}; path saved in reservations and viewed through signed URLs

7. Configuration And Environment

- Required environment variables: NEXT_PUBLIC_SUPABASE_URL and NEXT_PUBLIC_SUPABASE_ANON_KEY.
- jsconfig.json maps @/* to ./src/*.
- next.config.mjs allows remote images from any HTTPS hostname using images.remotePatterns hostname **.
- next.config.mjs enables reactStrictMode and disables the powered-by header.
- The current code references /logo.png in SplashScreen and Home, but public/logo.png is not present in this workspace. The visible public asset is public/envegate_logo-removebg-preview.png.
- The admin middleware code is located at src/app/admin/middleware.js. Next.js middleware is normally discovered from middleware.js at the project root or src/middleware.js, so this file may not protect admin routes until moved or confirmed in the deployed runtime.

8. Supabase And RLS Expectations

- Public read access is needed for locations, lands, developers, land_images, land_areas, land_installment_plans, and land_area_plan_prices.
- Public reservation insert access is needed if unauthenticated buyers can reserve, but it should be limited to expected columns and should force status to pending.
- Reservation ID files should remain private; buyers upload, admins generate signed read URLs.
- Admin writes for locations, developers, lands, images, areas, plans, prices, and reservations should require authenticated Supabase users.
- Because most admin screens use a browser-side Supabase anon client, RLS is the true security boundary. The app must not rely on hidden routes alone.

9. Page And Component Responsibilities

File	Responsibility
src/app/layout.js	Loads global CSS, Google fonts, metadata, and wraps app with SplashScreen.
src/app/page.js	Home page: fetches locations, lands, developers; computes counts; renders hero and LocationSearch.
src/app/location/[id]/page.js	Location details page: fetches one location, projects, developers; renders ProjectCard list.
src/app/land/[id]/page.js	Project detail page: fetches land, developer, images, location, area options, installment plans, prices; renders PhotoGallery and ProjectDetails.
src/app/admin/layout.js	Client admin shell: desktop sidebar, mobile top/bottom navigation, logout, active-route states.
src/app/admin/page.js	Server admin dashboard: counts, pending reservations, recent projects.
src/app/admin/login/page.js	Client login screen with Supabase Auth signInWithPassword.
src/app/admin/locations/page.js	Client CRUD for locations and location cover uploads.

File	Responsibility
src/app/admin/lands/page.js	Client CRUD for projects, images, thumbnails, area options, installment plans, and price grid.
src/app/admin/developers/page.js	Client CRUD for developers and logo uploads.
src/app/admin/reservations/page.js	Client reservation inbox, status controls, signed ID previews, and deletion.
SplashScreen.js	Timed startup overlay with logo and fade-out phases.
LocationSearch.js	Client search over locations and filtered card grid.
LocationCard.js	Clickable location card with image fallback and project count.
ProjectCard.js	Clickable project card with thumbnail, status, developer, and price-per-meter display.
PhotoGallery.js	Responsive project gallery: mobile scroll-snap carousel and desktop main image with side peeks and thumbnails.
ProjectDetails.js	Project summary, area/plan selection modals, map link, developer block, WhatsApp, and ReserveButton integration.
ReserveButton.js	Buyer reservation form, ID upload, reservation insert, and payment instruction step.

10. Local Development

- Install dependencies with `npm install` if `node_modules` is missing.
- Create `.env.local` with `NEXT_PUBLIC_SUPABASE_URL` and `NEXT_PUBLIC_SUPABASE_ANON_KEY`.
- Run `npm run dev` and open `http://localhost:3000`.
- Use `/admin/login` for the admin panel after creating a Supabase Auth user.
- Run `npm run build` before deployment.
- Run `npm run lint` and fix lint errors before treating the project as clean.

11. Verification Snapshot

Check	Result	Details
Production build	Passed	<code>npm.cmd</code> run build completed successfully on August 6, 2026.
Generated routes	10 app routes	<code>/</code> , <code>/admin</code> , <code>/admin/developers</code> , <code>/admin/lands</code> , <code>/admin/locations</code> , <code>/admin/login</code> , <code>/admin/reservations</code> , <code>/land/[id]</code> , <code>/location/[id]</code> , <code>/_not-found</code>
Lint	Failed	<code>npm.cmd</code> run lint reported 6 errors and 12 warnings.
Main lint errors	React hook/lint rules	<code>set-state-in-effect</code> in <code>admin/developers/lands/locations</code> , <code>immutability warning</code> for <code>fetchReservations</code> declaration order, <code>unescaped quotes</code> in <code>admin lands</code> .
Main lint warnings	Image optimization	Several <code>admin/gallery</code> files use raw <code>img</code> tags instead of <code>next/image</code> .

12. Important Implementation Notes

- Security: `ReserveButton.js` currently hard-codes the Supabase project URL and anon key. Move this to environment variables for consistency and reduce accidental sharing.
- Security: Admin protection depends on middleware placement and Supabase RLS. Verify middleware is actually discovered in the deployed app.
- Assets: Home and SplashScreen reference `/logo.png`, but that file is missing from public in this workspace.

- Storage cleanup: deleting land images/projects removes database rows but does not remove public storage objects from land-images. Reservation deletion does remove ID files.
- Data integrity: land_area_plan_prices relies on an onConflict unique key across land_area_id and installment_plan_id.
- Payment: the app records reservation details before payment verification. Admin confirmation is manual.
- Performance: next.config.mjs permits images from any HTTPS host, which is flexible but broad.
- Maintainability: inline styles dominate the codebase; extracting repeated admin styles/components would reduce future churn, but this document records the current implementation as-is.

13. Full Source Code Appendix

Note: This appendix includes the application code required to understand the current app. Long lines wrap visually in the PDF; the Markdown file preserves the source line breaks. The package-lock file is intentionally excluded because it is generated dependency metadata, not page/app code.

package.json

Lines: 24.

```
0001 | {
0002 |   "name": "land-platform",
0003 |   "version": "0.1.0",
0004 |   "private": true,
0005 |   "scripts": {
0006 |     "dev": "next dev",
0007 |     "build": "next build",
0008 |     "start": "next start",
0009 |     "lint": "eslint"
0010 |   },
0011 |   "dependencies": {
0012 |     "@supabase/ssr": "^0.12.0",
0013 |     "@supabase/supabase-js": "^2.108.2",
0014 |     "next": "16.2.9",
0015 |     "react": "19.2.4",
0016 |     "react-dom": "19.2.4"
0017 |   },
0018 |   "devDependencies": {
0019 |     "@tailwindcss/postcss": "^4",
0020 |     "eslint": "^9",
0021 |     "eslint-config-next": "16.2.9",
0022 |     "tailwindcss": "^4"
0023 |   }
0024 | }
```

next.config.mjs

Lines: 16.

```
0001 | /** @type {import('next').NextConfig} */
0002 | const nextConfig = {
0003 |   images: {
0004 |     remotePatterns: [
0005 |       {
0006 |         protocol: "https",
0007 |         hostname: "***",
0008 |       },
0009 |     ],
0010 |   },
0011 |   poweredByHeader: false,
0012 |   reactStrictMode: true,
0013 |   allowedDevOrigins: ["192.168.100.4"],
0014 | };
0015 |
0016 | export default nextConfig;
```

jsconfig.json

Lines: 7.

```
0001 | {
0002 |   "compilerOptions": {
0003 |     "paths": {
0004 |       "@/*": ["../src/*"]
0005 |     }
0006 |   }
0007 | }
```

eslint.config.mjs

Lines: 16.

```
0001 | import { defineConfig, globalIgnores } from "eslint/config";
0002 | import nextVitals from "eslint-config-next/core-web-vitals";
```

```

0003 |
0004 | const eslintConfig = defineConfig([
0005 |   ...nextVitals,
0006 |   // Override default ignores of eslint-config-next.
0007 |   globalIgnores([
0008 |     // Default ignores of eslint-config-next:
0009 |     ".next/**",
0010 |     "out/**",
0011 |     "build/**",
0012 |     "next-env.d.ts",
0013 |   ]),
0014 | ]);
0015 |
0016 | export default eslintConfig;

```

postcss.config.mjs

Lines: 7.

```

0001 | const config = {
0002 |   plugins: {
0003 |     "@tailwindcss/postcss": {},
0004 |   },
0005 | };
0006 |
0007 | export default config;

```

src/lib/supabase.js

Lines: 10.

```

0001 | import { createClient } from "@supabase/supabase-js";
0002 |
0003 | const supabaseUrl = process.env.NEXT_PUBLIC_SUPABASE_URL;
0004 | const supabaseAnonKey = process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY;
0005 |
0006 | if (!supabaseUrl || !supabaseAnonKey) {
0007 |   throw new Error("Missing Supabase environment variables.");
0008 | }
0009 |
0010 | export const supabase = createClient(supabaseUrl, supabaseAnonKey);

```

src/lib/supabaseServer.js

Lines: 27.

```

0001 | import { createServerClient } from "@supabase/ssr";
0002 | import { cookies } from "next/headers";
0003 |
0004 | export async function createSupabaseServerClient() {
0005 |   const cookieStore = await cookies();
0006 |
0007 |   return createServerClient(
0008 |     process.env.NEXT_PUBLIC_SUPABASE_URL,
0009 |     process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY,
0010 |     {
0011 |       cookies: {
0012 |         getAll() {
0013 |           return cookieStore.getAll();
0014 |         },
0015 |         setAll(cookiesToSet) {
0016 |           try {
0017 |             cookiesToSet.forEach(({ name, value, options }) =>
0018 |               cookieStore.set(name, value, options)
0019 |             );
0020 |           } catch {
0021 |             // Server component – cookie setting is handled by middleware
0022 |           }
0023 |         },
0024 |       },
0025 |     }
0026 |   );
0027 | }

```

src/app/layout.js

Lines: 35.

```

0001 | import { Cormorant_Garamond, Manrope } from "next/font/google";
0002 | import "./globals.css";
0003 | import SplashScreen from "../components/SplashScreen";
0004 |
0005 | const cormorant = Cormorant_Garamond({
0006 |   subsets: ["latin"],
0007 |   weight: ["300", "400", "500", "600", "700"],
0008 |   variable: "--font-heading",
0009 | });
0010 |

```

```

0011 | const manrope = Manrope({
0012 |   subsets: ["latin"],
0013 |   weight: ["300", "400", "500", "600", "700", "800"],
0014 |   variable: "--font-body",
0015 | });
0016 |
0017 | export const metadata = {
0018 |   title: "Invegate",
0019 |   description: "Browse curated land listings across Egypt.",
0020 | };
0021 |
0022 | export default function RootLayout({ children }) {
0023 |   return (
0024 |     <html
0025 |       lang="en"
0026 |       className={` ${cormorant.variable} ${manrope.variable} h-full antialiased`}
0027 |     >
0028 |       <body className="min-h-full flex flex-col">
0029 |         <SplashScreen>
0030 |           {children}
0031 |         </SplashScreen>
0032 |       </body>
0033 |     </html>
0034 |   );
0035 | }

```

src/app/globals.css

Lines: 89.

```

0001 | @import "tailwindcss";
0002 |
0003 | :root {
0004 |   --background: #2C2C2E;
0005 |   --foreground: #F0EDE6;
0006 |
0007 |   --gold: #C9973A;
0008 |   --gold-soft: rgba(201, 151, 58, 0.18);
0009 |
0010 |   --font-heading: "Cormorant Garamond", serif;
0011 |   --font-body: "Manrope", sans-serif;
0012 | }
0013 |
0014 | @theme inline {
0015 |   --color-background: var(--background);
0016 |   --color-foreground: var(--foreground);
0017 |   --font-sans: var(--font-body);
0018 | }
0019 |
0020 | * {
0021 |   box-sizing: border-box;
0022 | }
0023 |
0024 | html,
0025 | body {
0026 |   margin: 0;
0027 |   min-height: 100%;
0028 |   scroll-behavior: smooth;
0029 | }
0030 |
0031 | body {
0032 |   background: var(--background);
0033 |   color: var(--foreground);
0034 |   font-family: var(--font-body);
0035 | }
0036 |
0037 | img {
0038 |   max-width: 100%;
0039 |   display: block;
0040 | }
0041 |
0042 | /*
0043 |   IMPORTANT:
0044 |   Do NOT apply transform transitions
0045 |   to every div on the site.
0046 |   This causes animation conflicts and
0047 |   hurts splash screen performance.
0048 | */
0049 | a,
0050 | button,
0051 | input {
0052 |   transition:
0053 |     color 0.3s ease,
0054 |     background-color 0.3s ease,
0055 |     border-color 0.3s ease,
0056 |     transform 0.35s ease,
0057 |     box-shadow 0.35s ease;
0058 | }
0059 |
0060 | /* Optional utility animation */
0061 |

```



```

0062 | @keyframes fadeIn {
0063 |   from {
0064 |     opacity: 0;
0065 |   }
0066 |
0067 |   to {
0068 |     opacity: 1;
0069 |   }
0070 | }
0071 |
0072 | /* Luxury Scrollbar */
0073 |
0074 | ::-webkit-scrollbar {
0075 |   width: 8px;
0076 | }
0077 |
0078 | ::-webkit-scrollbar-track {
0079 |   background: #2C2C2E;
0080 | }
0081 |
0082 | ::-webkit-scrollbar-thumb {
0083 |   background: rgba(201, 151, 58, 0.25);
0084 |   border-radius: 20px;
0085 | }
0086 |
0087 | ::-webkit-scrollbar-thumb:hover {
0088 |   background: rgba(201, 151, 58, 0.45);
0089 | }

```

src/app/page.js

Lines: 186.

```

0001 | import { supabase } from "@lib/supabase";
0002 | import Image from "next/image";
0003 | import LocationSearch from "../components/LocationSearch";
0004 |
0005 | export default async function Home() {
0006 |   const [{ data: locations }, { data: lands }, { data: developers }] =
0007 |     await Promise.all([
0008 |       supabase.from("locations").select("id, name, description, image_url"),
0009 |       supabase.from("lands").select("id, location_id, status"),
0010 |       supabase.from("developers").select("id"),
0011 |     ]);
0012 |
0013 |   const locationList = locations ?? [];
0014 |   const landList = lands ?? [];
0015 |   const developerList = developers ?? [];
0016 |   const countByLocation = {};
0017 |   let availableCount = 0;
0018 |
0019 |   landList.forEach((land) => {
0020 |     if (land.status === "available") {
0021 |       availableCount += 1;
0022 |       countByLocation[land.location_id] =
0023 |         (countByLocation[land.location_id] || 0) + 1;
0024 |     }
0025 |   });
0026 |
0027 |   return (
0028 |     <main
0029 |       style={{
0030 |         fontFamily: "var(--font-body)",
0031 |         background: "#2C2C2E",
0032 |         minHeight: "100vh",
0033 |         color: "#F0EDE6",
0034 |       }}
0035 |     >
0036 |     <section
0037 |       style={{
0038 |         padding: "4rem 2rem 3rem",
0039 |         textAlign: "center",
0040 |         borderBottom: "0.5px solid rgba(201,151,58,0.18)",
0041 |         position: "relative",
0042 |         overflow: "hidden",
0043 |       }}
0044 |     >
0045 |     <div
0046 |       style={{
0047 |         position: "absolute",
0048 |         top: -80,
0049 |         left: "50%",
0050 |         transform: "translateX(-50%)",
0051 |         width: 500,
0052 |         height: 500,
0053 |         background:
0054 |           "radial-gradient(circle, rgba(201,151,58,0.08) 0%, transparent 70%)",
0055 |         pointerEvents: "none",
0056 |       }}
0057 |     />
0058 |

```

```

0059 | <div style={{ marginBottom: "1.5rem", position: "relative" }}>
0060 |   <Image
0061 |     src="/logo.png"
0062 |     alt="Invegate"
0063 |     width={240}
0064 |     height={120}
0065 |     priority
0066 |     style={{
0067 |       width: "240px",
0068 |       height: "auto",
0069 |       margin: "0 auto 10px",
0070 |       display: "block",
0071 |     }}
0072 |   />
0073 |
0074 |   <div
0075 |     style={{
0076 |       fontSize: 10,
0077 |       letterSpacing: "0.18em",
0078 |       textTransform: "uppercase",
0079 |       color: "#6B6762",
0080 |     }}
0081 |   >
0082 |     Luxury Real Estate Redefined · Where Safety Meets Sophistication
0083 |   </div>
0084 | </div>
0085 |
0086 | <div
0087 |   style={{
0088 |     width: 40,
0089 |     height: 1,
0090 |     background: "rgba(201,151,58,0.35)",
0091 |     margin: "0 auto 1.5rem",
0092 |   }}
0093 | />
0094 |
0095 | <h1
0096 |   style={{
0097 |     fontFamily: "var(--font-heading)",
0098 |     fontSize: 42,
0099 |     fontWeight: 400,
0100 |     color: "#F0EDE6",
0101 |     lineHeight: 1.15,
0102 |     marginBottom: 14,
0103 |     position: "relative",
0104 |   }}
0105 | >
0106 |   Find your{" "}
0107 |   <em style={{ color: "#C9973A", fontStyle: "italic" }}>
0108 |     perfect project
0109 |   </em>
0110 |   <br />
0111 |   across Egypt
0112 | </h1>
0113 |
0114 | <p
0115 |   style={{
0116 |     color: "#9A9489",
0117 |     maxWidth: 460,
0118 |     margin: "0 auto",
0119 |     lineHeight: 1.8,
0120 |     fontSize: 14,
0121 |     position: "relative",
0122 |   }}
0123 | >
0124 |   Curated land projects across Egypt's most prestigious
0125 |   addresses – verified, trusted, and direct.
0126 | </p>
0127 | </section>
0128 |
0129 | <div
0130 |   style={{
0131 |     display: "grid",
0132 |     gridTemplateColumns: "repeat(3, 1fr)",
0133 |   }}
0134 | >
0135 |   [
0136 |     { num: locationList.length, label: "Locations" },
0137 |     { num: availableCount, label: "Projects" },
0138 |     { num: developerList.length, label: "Developers" },
0139 |   ].map(({ num, label }, i) => (
0140 |     <div
0141 |       key={label}
0142 |       style={{
0143 |         padding: "22px 8px",
0144 |         textAlign: "center",
0145 |         borderRight:
0146 |           i < 2
0147 |             ? "0.5px solid rgba(201,151,58,0.18)"
0148 |             : "none",
0149 |         borderBottom: "0.5px solid rgba(201,151,58,0.18)",
0150 |       }}

```

```

0151 |         >
0152 |         <div
0153 |             style={{
0154 |                 fontFamily: "var(--font-heading)",
0155 |                 fontSize: 40,
0156 |                 color: "#C9973A",
0157 |                 lineHeight: 1,
0158 |                 marginBottom: 4,
0159 |             }}
0160 |         >
0161 |             {num}
0162 |         </div>
0163 |
0164 |         <div
0165 |             style={{
0166 |                 fontSize: 10,
0167 |                 color: "#6B6762",
0168 |                 letterSpacing: "0.18em",
0169 |                 textTransform: "uppercase",
0170 |             }}
0171 |         >
0172 |             {label}
0173 |         </div>
0174 |     </div>
0175 |   )}}
0176 | </div>
0177 |
0178 | <section style={{ padding: "2rem 1.5rem 4rem" }}>
0179 |   <LocationSearch
0180 |     locations={locationList}
0181 |     countByLocation={countByLocation}
0182 |   />
0183 | </section>
0184 | </main>
0185 | );
0186 | }

```

src/app/location/[id]/page.js

Lines: 68.

```

0001 | import { supabase } from "@lib/supabase";
0002 | import Link from "next/link";
0003 | import ProjectCard from "@app/components/ProjectCard";
0004 |
0005 | export default async function LocationPage({ params }) {
0006 |   const { id } = await params;
0007 |
0008 |   const [{ data: location }, { data: lands }, { data: developers }] = await Promise.all([
0009 |     supabase.from("locations").select("*").eq("id", id).maybeSingle(),
0010 |     supabase.from("lands").select("*").eq("location_id", id),
0011 |     supabase.from("developers").select("id", "name"),
0012 |   ]);
0013 |
0014 |   const locationLands = lands ?? [];
0015 |
0016 |   const devMap = {};
0017 |   developers?.forEach((d) => { devMap[d.id] = d.name; });
0018 |
0019 |   if (!location) {
0020 |     return (
0021 |       <main style={{ padding: 40, fontFamily: "Inter, Arial, sans-serif", background: "#2C2C2E", minHeight: "100vh", color: "#F0EDE6" }}>
0022 |         <Link href="/" style={{ color: "#C9973A", textDecoration: "none", fontSize: 13 }}>← All locations</Link>
0023 |         <h2 style={{ marginTop: 20, fontFamily: "Georgia, serif", fontWeight: 400 }}>Location not found</h2>
0024 |       </main>
0025 |     );
0026 |   }
0027 |
0028 |   return (
0029 |     <main style={{ fontFamily: "Inter, Arial, sans-serif", background: "#2C2C2E", minHeight: "100vh", color: "#F0EDE6" }}>
0030 |
0031 |       <div style={{ padding: "1.5rem 1.5rem 0" }}>
0032 |         <Link href="/" style={{ color: "#C9973A", textDecoration: "none", display: "inline-flex", alignItems: "center", gap: 6 }}>
0033 |           ← All locations
0034 |         </Link>
0035 |       </div>
0036 |
0037 |
0038 |       <div style={{ padding: "1.25rem 1.5rem", background: "#343437", margin: "1rem 1.5rem 0", borderRadius: 12, border: "0.5px solid rgba(201,151,58,0.18)" }}>
0039 |         <p style={{ fontSize: 9, letterSpacing: "0.2em", textTransform: "uppercase", color: "#6B6762", marginBottom: 8 }}>Location</p>
0040 |         <h1 style={{ fontFamily: "Georgia, serif", fontSize: 26, fontWeight: 400, color: "#F0EDE6", marginBottom: 6 }}>{location.name}</h1>
0041 |         <p style={{ fontSize: 13, color: "#9A9489", lineHeight: 1.6 }}>{location.description}</p>
0042 |       </div>
0043 |
0044 |       <div style={{ padding: "1.5rem" }}>
0045 |         <p style={{ fontSize: 9, letterSpacing: "0.2em", textTransform: "uppercase", color: "#6B6762", marginBottom: 14 }}>
0046 |           {locationLands.length} projects in this area
0047 |         </p>
0048 |
0049 |         {!locationLands.length ? (

```

```

0050 |         <div style={{ textAlign: "center", padding: "3rem", color: "#6B6762", background: "#343437", borderRadius: 12, border: "0.5px solid rgba(2
| 01,151,58,0.18)" }}>
0051 |             No projects listed here yet
0052 |         </div>
0053 |     ) : (
0054 |         <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minmax(260px, 320px))", gap: 14 }}>
0055 |             {locationLands.map((land) => (
0056 |                 <ProjectCard
0057 |                     key={land.id}
0058 |                     land={land}
0059 |                     developerName={devMap[land.developer_id] ?? ""}
0060 |                 />
0061 |             ))}
0062 |         </div>
0063 |     )}
0064 | </div>
0065 |
0066 | </main>
0067 | );
0068 | }

```

src/app/land/[id]/page.js

Lines: 94.

```

0001 | import { supabase } from "@lib/supabase";
0002 | import Link from "next/link";
0003 | import ProjectDetails from "@app/components/ProjectDetails";
0004 | import PhotoGallery from "@app/components/PhotoGallery";
0005 |
0006 | const STATUS_STYLES = {
0007 |   available: { bg: "rgba(30,120,70,0.18)", border: "rgba(77,201,138,0.35)", text: "#4DC98A" },
0008 |   reserved: { bg: "rgba(200,150,40,0.12)", border: "rgba(200,150,40,0.3)", text: "#E8C97A" },
0009 |   sold: { bg: "rgba(200,60,60,0.12)", border: "rgba(200,60,60,0.3)", text: "#E07070" },
0010 | };
0011 |
0012 | export default async function LandPage({ params }) {
0013 |   const { id } = await params;
0014 |
0015 |   const { data: land } = await supabase
0016 |     .from("lands")
0017 |     .select("*")
0018 |     .eq("id", id)
0019 |     .maybeSingle();
0020 |
0021 |   if (!land) {
0022 |     return (
0023 |       <main style={{ padding: 40, fontFamily: "Inter, Arial, sans-serif", background: "#2C2C2E", minHeight: "100vh", color: "#F0EDE6" }}>
0024 |         <Link href="/" style={{ color: "#C9973A", textDecoration: "none", fontSize: 13 }}>← Back</Link>
0025 |         <h2 style={{ marginTop: 20, fontFamily: "Georgia, serif", fontWeight: 400 }}>Project not found</h2>
0026 |       </main>
0027 |     );
0028 |   }
0029 |
0030 |   const [{ data: developer }, { data: images }, { data: location }, { data: landAreas }, { data: installmentPlans }] =
0031 |     await Promise.all([
0032 |       land.developer_id
0033 |         ? supabase.from("developers").select("*").eq("id", land.developer_id).maybeSingle()
0034 |         : Promise.resolve({ data: null }),
0035 |       supabase.from("land_images").select("*").eq("land_id", id),
0036 |       land.location_id
0037 |         ? supabase.from("locations").select("*").eq("id", land.location_id).maybeSingle()
0038 |         : Promise.resolve({ data: null }),
0039 |       supabase.from("land_areas").select("*").eq("land_id", id).order("area_sqm"),
0040 |       supabase.from("land_installment_plans").select("*").eq("land_id", id).order("created_at"),
0041 |     ]);
0042 |
0043 |   const areaList = landAreas ?? [];
0044 |   const planList = installmentPlans ?? [];
0045 |   const areaIds = areaList.map((a) => a.id);
0046 |
0047 |   const { data: priceRows } =
0048 |     areaIds.length > 0
0049 |       ? await supabase.from("land_area_plan_prices").select("*").in("land_area_id", areaIds)
0050 |       : { data: [] };
0051 |
0052 |   const imageList = images ?? [];
0053 |   const status = land.status ?? "available";
0054 |   const s = STATUS_STYLES[status] ?? STATUS_STYLES.available;
0055 |
0056 |   const whatsappNumber = land.contact_whatsapp ?? "201000000000";
0057 |   const whatsappMessage = encodeURIComponent(
0058 |     `I am interested in ${land.title} in ${location?.name ?? "your area"}, price EGP ${Number(land.price).toLocaleString()}`
0059 |   );
0060 |   const whatsappUrl = `https://wa.me/${whatsappNumber}?text=${whatsappMessage}`;
0061 |
0062 |   const mapsUrl = land.location_url || null;
0063 |
0064 |   return (
0065 |     <main style={{ fontFamily: "Inter, Arial, sans-serif", background: "#2C2C2E", minHeight: "100vh", color: "#F0EDE6", paddingBottom: "4rem" }}>
0066 |

```

```

0067 |     {/* BACK */}
0068 |     <div style={{ padding: "1.5rem 1.5rem 0" }}>
0069 |         <Link
0070 |             href={location ? `/location/${land.location_id}` : "/" }
0071 |             style={{ fontSize: 13, color: "#C9973A", textDecoration: "none" }}
0072 |         >
0073 |             {location ? location.name : "All locations"}
0074 |         </Link>
0075 |     </div>
0076 |
0077 |     {/* PHOTO GALLERY – mobile: scroll carousel · desktop: main + grayscale peeks + thumbnail rail */}
0078 |     <PhotoGallery images={imageList} alt={land.title} status={status} statusStyle={s} />
0079 |
0080 |     {/* KEY INFO, AREA/PLAN PICKERS, LOCATION, DEVELOPER, CONTACT */}
0081 |     <ProjectDetails
0082 |         land={land}
0083 |         developer={developer}
0084 |         location={location}
0085 |         mapsUrl={mapsUrl}
0086 |         whatsappUrl={whatsappUrl}
0087 |         landAreas={areaList}
0088 |         installmentPlans={planList}
0089 |         priceRows={priceRows ?? []}
0090 |     />
0091 |
0092 | </main>
0093 | );
0094 | }

```

src/app/admin/layout.js

Lines: 271.

```

0001 | "use client";
0002 |
0003 | import { useState } from "react";
0004 | import Link from "next/link";
0005 | import { usePathname, useRouter } from "next/navigation";
0006 | import { createClient } from "@supabase/supabase-js";
0007 |
0008 | const supabase = createClient(
0009 |     process.env.NEXT_PUBLIC_SUPABASE_URL,
0010 |     process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0011 | );
0012 |
0013 | const navItems = [
0014 |     { label: "Dashboard", href: "/admin", icon: " " },
0015 |     { label: "Locations", href: "/admin/locations", icon: " " },
0016 |     { label: "Projects", href: "/admin/lands", icon: " " },
0017 |     { label: "Developers", href: "/admin/developers", icon: " " },
0018 |     { label: "Reservations", href: "/admin/reservations", icon: " " },
0019 | ];
0020 |
0021 | export default function AdminLayout({ children }) {
0022 |     const pathname = usePathname();
0023 |     const router = useRouter();
0024 |     const [loggingOut, setLoggingOut] = useState(false);
0025 |     const [collapsed, setCollapsed] = useState(false);
0026 |     const [hovered, setHovered] = useState(false);
0027 |
0028 |     if (pathname === "/admin/login") return <>{children}</>;
0029 |
0030 |     async function handleLogout() {
0031 |         setLoggingOut(true);
0032 |         await supabase.auth.signOut();
0033 |         router.push("/admin/login");
0034 |     }
0035 |
0036 |     const expanded = !collapsed || hovered;
0037 |     const sidebarW = expanded ? 220 : 60;
0038 |
0039 |     return (
0040 |         <>
0041 |             {/* _____
0042 |              DESKTOP LAYOUT (hidden on mobile)
0043 |              _____ */}
0044 |             <div style={{
0045 |                 minHeight: "100vh",
0046 |                 background: "#2C2C2E",
0047 |                 display: "flex",
0048 |                 fontFamily: "Inter, Arial, sans-serif",
0049 |             }}
0050 |                 className="admin-desktop-layout"
0051 |             >
0052 |                 {/* Sidebar */}
0053 |                 <aside
0054 |                     onMouseEnter={() => collapsed && setHovered(true)}
0055 |                     onMouseLeave={() => setHovered(false)}
0056 |                     style={{
0057 |                         width: sidebarW,
0058 |                         minWidth: sidebarW,

```

```

0059 |         minHeight: "100vh",
0060 |         background: "#222224",
0061 |         borderRight: "0.5px solid rgba(201,151,58,0.15)",
0062 |         display: "flex",
0063 |         flexDirection: "column",
0064 |         flexShrink: 0,
0065 |         position: "sticky",
0066 |         top: 0,
0067 |         height: "100vh",
0068 |         overflow: "hidden",
0069 |         transition: "width 0.25s ease, min-width 0.25s ease",
0070 |         zIndex: 50,
0071 |     }}
0072 | >
0073 |     { /* Brand + toggle */ }
0074 |     <div style={{
0075 |         padding: expanded ? "28px 20px 20px" : "20px 0 20px",
0076 |         borderBottom: "0.5px solid rgba(201,151,58,0.12)",
0077 |         display: "flex",
0078 |         alignItems: "center",
0079 |         justifyContent: expanded ? "space-between" : "center",
0080 |         flexShrink: 0,
0081 |     }}>
0082 |         {expanded && (
0083 |             <div>
0084 |                 <div style={{ fontFamily: "Georgia, serif", fontSize: "22px", color: "#C9973A", letterSpacing: "0.04em", whiteSpace: "nowrap" }}>
0085 |                     Invegate
0086 |                 </div>
0087 |                 <div style={{ fontSize: "10px", color: "#6B6762", letterSpacing: "0.15em", textTransform: "uppercase", marginTop: "3px", whiteSpace:
| "nowrap" }}>
0088 |                     Admin Panel
0089 |                 </div>
0090 |             </div>
0091 |         )}
0092 |         <button
0093 |             onClick={() => { setCollapsed(c => !c); setHovered(false); }}
0094 |             title={collapsed ? "Expand sidebar" : "Collapse sidebar"}
0095 |             style={{
0096 |                 background: "none",
0097 |                 border: "0.5px solid rgba(201,151,58,0.22)",
0098 |                 borderRadius: "7px",
0099 |                 width: 28, height: 28,
0100 |                 display: "flex", alignItems: "center", justifyContent: "center",
0101 |                 cursor: "pointer", color: "#6B6762", flexShrink: 0,
0102 |                 transition: "all 0.2s ease", padding: 0,
0103 |             }}
0104 |             onMouseEnter={e => { e.currentTarget.style.borderColor = "rgba(201,151,58,0.55)"; e.currentTarget.style.color = "#C9973A"; }}
0105 |             onMouseLeave={e => { e.currentTarget.style.borderColor = "rgba(201,151,58,0.22)"; e.currentTarget.style.color = "#6B6762"; }}
0106 |         >
0107 |             <svg width="13" height="13" viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2.2" strokeLinecap="round" strokeLinejo
| in="round"
0108 |                 style={{ transform: collapsed ? "rotate(0deg)" : "rotate(180deg)", transition: "transform 0.25s ease" }}>
0109 |                 <polyline points="9 18 15 12 9 6" />
0110 |             </svg>
0111 |         </button>
0112 |     </div>
0113 |
0114 |     { /* Nav */ }
0115 |     <nav style={{ padding: expanded ? "16px 12px" : "16px 8px", flex: 1 }}>
0116 |         {navItems.map(item => {
0117 |             const active = pathname === item.href || (item.href !== "/admin" && pathname.startsWith(item.href));
0118 |             return (
0119 |                 <Link key={item.href} href={item.href} style={{ textDecoration: "none" }} title={!expanded ? item.label : undefined}>
0120 |                     <div style={{
0121 |                         display: "flex", alignItems: "center",
0122 |                         justifyContent: expanded ? "flex-start" : "center",
0123 |                         gap: expanded ? "10px" : "0",
0124 |                         padding: expanded ? "10px 12px" : "10px 0",
0125 |                         borderRadius: "8px", marginBottom: "2px",
0126 |                         background: active ? "rgba(201,151,58,0.12)" : "transparent",
0127 |                         border: active ? "0.5px solid rgba(201,151,58,0.3)" : "0.5px solid transparent",
0128 |                         color: active ? "#E8C97A" : "#9A9489",
0129 |                         fontSize: "13px", fontWeight: active ? "500" : "400",
0130 |                         transition: "all 0.2s ease", cursor: "pointer",
0131 |                         whiteSpace: "nowrap", overflow: "hidden",
0132 |                     }}>
0133 |                         <span style={{ fontSize: "15px", flexShrink: 0 }}>{item.icon}</span>
0134 |                         {expanded && item.label}
0135 |                     </div>
0136 |                 </Link>
0137 |             );
0138 |         })}
0139 |     </nav>
0140 |
0141 |     { /* Logout */ }
0142 |     <div style={{ padding: expanded ? "16px 12px" : "16px 8px", borderTop: "0.5px solid rgba(201,151,58,0.12)", flexShrink: 0 }}>
0143 |         <button
0144 |             onClick={handleLogout}
0145 |             disabled={loggingOut}
0146 |             title={!expanded ? "Sign out" : undefined}
0147 |             style={{
0148 |                 width: "100%", background: "transparent",

```

```

0149 |         border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: "8px",
0150 |         padding: expanded ? "10px 12px" : "10px 0",
0151 |         color: "#9A9489", fontSize: "13px", cursor: "pointer",
0152 |         textAlign: expanded ? "left" : "center",
0153 |         display: "flex", alignItems: "center",
0154 |         justifyContent: expanded ? "flex-start" : "center",
0155 |         gap: expanded ? "10px" : "0",
0156 |         transition: "all 0.2s ease", whiteSpace: "nowrap", overflow: "hidden",
0157 |     }}
0158 |     >
0159 |     <span style={{ flexShrink: 0 }}> </span>
0160 |     {expanded && (loggingOut ? "Signing out..." : "Sign out")}
0161 | </button>
0162 | </div>
0163 | </aside>
0164 |
0165 | {/ Main content - desktop */}
0166 | <main style={{ flex: 1, padding: "36px 40px", overflowY: "auto", minWidth: 0 }}>
0167 |   {children}
0168 | </main>
0169 | </div>
0170 |
0171 | {/ Mobile layout (hidden on desktop) */}
0172 |
0173 | MOBILE LAYOUT (hidden on desktop) */}
0174 | <div className="admin-mobile-layout" style={{ display: "none", flexDirection: "column", minHeight: "100vh", background: "#2C2C2E", fontFamily:
"Inter, Arial, sans-serif" }}>
0175 |
0176 | {/ Mobile top bar */}
0177 | <div style={{
0178 |   background: "#222224",
0179 |   borderBottom: "0.5px solid rgba(201,151,58,0.15)",
0180 |   padding: "14px 20px",
0181 |   display: "flex",
0182 |   alignItems: "center",
0183 |   justifyContent: "space-between",
0184 |   position: "sticky",
0185 |   top: 0,
0186 |   zIndex: 50,
0187 |   flexShrink: 0,
0188 | }}>
0189 |   <div style={{ fontFamily: "Georgia, serif", fontSize: "20px", color: "#C9973A", letterSpacing: "0.04em" }}>
0190 |     Invegate
0191 |   </div>
0192 |   <div style={{ fontSize: "10px", color: "#6B6762", letterSpacing: "0.15em", textTransform: "uppercase" }}>
0193 |     Admin Panel
0194 |   </div>
0195 |   <button
0196 |     onClick={handleLogout}
0197 |     disabled={loggingOut}
0198 |     style={{
0199 |       background: "none", border: "0.5px solid rgba(201,151,58,0.2)",
0200 |       borderRadius: "7px", padding: "6px 10px",
0201 |       color: "#9A9489", fontSize: "11px", cursor: "pointer",
0202 |     }}
0203 |   >
0204 |     {loggingOut ? "... : " : ""}
0205 |   </button>
0206 | </div>
0207 |
0208 | {/ Mobile main content */}
0209 | <main style={{ flex: 1, padding: "20px 16px", overflowY: "auto", paddingBottom: "90px" }}>
0210 |   {children}
0211 | </main>
0212 |
0213 | {/ Mobile bottom navigation bar */}
0214 | <nav style={{
0215 |   position: "fixed",
0216 |   bottom: 0,
0217 |   left: 0,
0218 |   right: 0,
0219 |   background: "#222224",
0220 |   borderTop: "0.5px solid rgba(201,151,58,0.18)",
0221 |   display: "flex",
0222 |   zIndex: 100,
0223 |   paddingBottom: "env(safe-area-inset-bottom)", /* handles iPhone notch */
0224 | }}>
0225 |   {navItems.map(item => {
0226 |     const active = pathname === item.href || (item.href !== "/admin" && pathname.startsWith(item.href));
0227 |     return (
0228 |       <Link
0229 |         key={item.href}
0230 |         href={item.href}
0231 |         style={{
0232 |           flex: 1,
0233 |           display: "flex",
0234 |           flexDirection: "column",
0235 |           alignItems: "center",
0236 |           justifyContent: "center",
0237 |           padding: "10px 4px",
0238 |           textDecoration: "none",
0239 |           color: active ? "#C9973A" : "#6B6762",

```

```

0240 |         borderTop: active ? "2px solid #C9973A" : "2px solid transparent",
0241 |         background: active ? "rgba(201,151,58,0.06)" : "transparent",
0242 |         transition: "all 0.2s ease",
0243 |         gap: 3,
0244 |     }}
0245 |     >
0246 |     <span style={{ fontSize: "18px", lineHeight: 1 }}>{item.icon}</span>
0247 |     <span style={{ fontSize: "9px", letterSpacing: "0.06em", textTransform: "uppercase", fontWeight: active ? 600 : 400, whiteSpace: "no
wrap" }}>
0248 |         {item.label}
0249 |     </span>
0250 | </Link>
0251 | );
0252 | }}}
0253 | </nav>
0254 | </div>
0255 |
0256 | /* _____
0257 |    RESPONSIVE SWITCH  (pure CSS, no JS)
0258 |    _____ */
0259 | <style>{
0260 |     @media (max-width: 768px) {
0261 |         .admin-desktop-layout { display: none !important; }
0262 |         .admin-mobile-layout { display: flex !important; }
0263 |     }
0264 |     @media (min-width: 769px) {
0265 |         .admin-desktop-layout { display: flex !important; }
0266 |         .admin-mobile-layout { display: none !important; }
0267 |     }
0268 | }</style>
0269 | </>
0270 | );
0271 | }

```

src/app/admin/middleware.js

Lines: 49.

```

0001 | import { createServerClient } from "@supabase/ssr";
0002 | import { NextResponse } from "next/server";
0003 |
0004 | export async function middleware(request) {
0005 |     const { pathname } = request.nextUrl;
0006 |
0007 |     // Only protect /admin routes (except /admin/login)
0008 |     if (!pathname.startsWith("/admin") || pathname === "/admin/login") {
0009 |         return NextResponse.next();
0010 |     }
0011 |
0012 |     let response = NextResponse.next({ request });
0013 |
0014 |     const supabase = createServerClient(
0015 |         process.env.NEXT_PUBLIC_SUPABASE_URL,
0016 |         process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY,
0017 |         {
0018 |             cookies: {
0019 |                 getAll() {
0020 |                     return request.cookies.getAll();
0021 |                 },
0022 |                 setAll(cookiesToSet) {
0023 |                     cookiesToSet.forEach(({ name, value }) =>
0024 |                         request.cookies.set(name, value)
0025 |                     );
0026 |                     response = NextResponse.next({ request });
0027 |                     cookiesToSet.forEach(({ name, value, options }) =>
0028 |                         response.cookies.set(name, value, options)
0029 |                     );
0030 |                 },
0031 |             },
0032 |         }
0033 |     );
0034 |
0035 |     const {
0036 |         data: { user },
0037 |     } = await supabase.auth.getUser();
0038 |
0039 |     if (!user) {
0040 |         const loginUrl = new URL("/admin/login", request.url);
0041 |         return NextResponse.redirect(loginUrl);
0042 |     }
0043 |
0044 |     return response;
0045 | }
0046 |
0047 | export const config = {
0048 |     matcher: ["/admin/:path*"],
0049 | };

```

src/app/admin/page.js

Lines: 217.

```
0001 | import { createSupabaseServerClient } from "@lib/supabaseServer";
0002 | import Link from "next/link";
0003 |
0004 | export default async function AdminDashboard() {
0005 |   const supabase = await createSupabaseServerClient();
0006 |
0007 |   const [
0008 |     { count: locationsCount },
0009 |     { count: landsCount },
0010 |     { count: developersCount },
0011 |     { count: reservationsCount },
0012 |     { data: pendingReservations },
0013 |     { data: recentLands },
0014 |   ] = await Promise.all([
0015 |     supabase.from("locations").select("*", { count: "exact", head: true }),
0016 |     supabase.from("lands").select("*", { count: "exact", head: true }),
0017 |     supabase.from("developers").select("*", { count: "exact", head: true }),
0018 |     supabase.from("reservations").select("*", { count: "exact", head: true }),
0019 |     supabase.from("reservations").select("*").eq("status", "pending").limit(5).order("created_at", { ascending: false }),
0020 |     supabase.from("lands").select("id, title, status, created_at").limit(5).order("created_at", { ascending: false }),
0021 |   ]);
0022 |
0023 |   const stats = [
0024 |     { label: "Locations", value: locationsCount ?? 0, href: "/admin/locations", color: "#C9973A" },
0025 |     { label: "Projects", value: landsCount ?? 0, href: "/admin/lands", color: "#C9973A" },
0026 |     { label: "Developers", value: developersCount ?? 0, href: "/admin/developers", color: "#C9973A" },
0027 |     { label: "Reservations", value: reservationsCount ?? 0, href: "/admin/reservations", color: "#C9973A" },
0028 |   ];
0029 |
0030 |   const statusColor = {
0031 |     available: { color: "#4DC98A", bg: "rgba(30,120,70,0.18)" },
0032 |     reserved: { color: "#E8C97A", bg: "rgba(200,150,40,0.12)" },
0033 |     sold: { color: "#E07070", bg: "rgba(200,60,60,0.12)" },
0034 |   };
0035 |
0036 |   return (
0037 |     <div>
0038 |       { /* Header */ }
0039 |       <div style={{ marginBottom: "36px" }}>
0040 |         <h1 style={{
0041 |           fontFamily: "Georgia, serif",
0042 |           fontSize: "28px",
0043 |           color: "#F0EDE6",
0044 |           margin: 0,
0045 |           marginBottom: "6px",
0046 |         }}>
0047 |           Dashboard
0048 |         </h1>
0049 |         <p style={{ color: "#9A9489", fontSize: "13px", margin: 0 }}>
0050 |           Overview of your Invegate platform
0051 |         </p>
0052 |       </div>
0053 |
0054 |       { /* Stats grid */ }
0055 |       <div style={{
0056 |         display: "grid",
0057 |         gridTemplateColumns: "repeat(4, 1fr)",
0058 |         gap: "16px",
0059 |         marginBottom: "36px",
0060 |       }}>
0061 |         {stats.map(stat => (
0062 |           <Link key={stat.label} href={stat.href} style={{ textDecoration: "none" }}>
0063 |             <div style={{
0064 |               background: "#343437",
0065 |               border: "0.5px solid rgba(201,151,58,0.18)",
0066 |               borderRadius: "12px",
0067 |               padding: "22px 20px",
0068 |               transition: "all 0.25s ease",
0069 |             }}>
0070 |               <div style={{
0071 |                 fontSize: "32px",
0072 |                 fontFamily: "Georgia, serif",
0073 |                 color: "#E8C97A",
0074 |                 marginBottom: "4px",
0075 |               }}>
0076 |                 {stat.value}
0077 |               </div>
0078 |               <div style={{
0079 |                 fontSize: "11px",
0080 |                 color: "#9A9489",
0081 |                 letterSpacing: "0.12em",
0082 |                 textTransform: "uppercase",
0083 |               }}>
0084 |                 {stat.label}
0085 |               </div>
0086 |             </div>
0087 |           </Link>
0088 |         ))}
0089 |       </div>
0090 |     </div>
```

```

0091 |     { /* Bottom row */ }
0092 |     <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: "20px" }}>
0093 |
0094 |         { /* Pending reservations */ }
0095 |         <div style={{
0096 |             background: "#343437",
0097 |             border: "0.5px solid rgba(201,151,58,0.18)",
0098 |             borderRadius: "12px",
0099 |             padding: "24px",
0100 |         }}>
0101 |             <div style={{
0102 |                 display: "flex",
0103 |                 justifyContent: "space-between",
0104 |                 alignItems: "center",
0105 |                 marginBottom: "18px",
0106 |             }}>
0107 |                 <h2 style={{
0108 |                     fontSize: "14px",
0109 |                     color: "#F0EDE6",
0110 |                     margin: 0,
0111 |                     fontWeight: "500",
0112 |                 }}>
0113 |                     Pending Reservations
0114 |                 </h2>
0115 |                 <Link href="/admin/reservations" style={{
0116 |                     fontSize: "12px",
0117 |                     color: "#C9973A",
0118 |                     textDecoration: "none",
0119 |                 }}>
0120 |                     View all →
0121 |                 </Link>
0122 |             </div>
0123 |             { !pendingReservations?.length ? (
0124 |                 <p style={{ color: "#6B6762", fontSize: "13px", margin: 0 }}>No pending reservations</p>
0125 |             ) : (
0126 |                 pendingReservations.map(r => (
0127 |                     <div key={r.id} style={{
0128 |                         padding: "10px 0",
0129 |                         borderBottom: "0.5px solid rgba(201,151,58,0.1)",
0130 |                         display: "flex",
0131 |                         justifyContent: "space-between",
0132 |                         alignItems: "center",
0133 |                     }}>
0134 |                         <div>
0135 |                             <div style={{ fontSize: "13px", color: "#F0EDE6" }}>{r.full_name}</div>
0136 |                             <div style={{ fontSize: "11px", color: "#6B6762", marginTop: "2px" }}>{r.phone}</div>
0137 |                         </div>
0138 |                         <span style={{
0139 |                             fontSize: "10px",
0140 |                             background: "rgba(200,150,40,0.12)",
0141 |                             color: "#E8C97A",
0142 |                             border: "0.5px solid rgba(200,150,40,0.3)",
0143 |                             borderRadius: "999px",
0144 |                             padding: "3px 10px",
0145 |                             letterSpacing: "0.08em",
0146 |                         }}>
0147 |                             PENDING
0148 |                         </span>
0149 |                     </div>
0150 |                 ))
0151 |             ) }
0152 |         </div>
0153 |
0154 |         { /* Recent projects */ }
0155 |         <div style={{
0156 |             background: "#343437",
0157 |             border: "0.5px solid rgba(201,151,58,0.18)",
0158 |             borderRadius: "12px",
0159 |             padding: "24px",
0160 |         }}>
0161 |             <div style={{
0162 |                 display: "flex",
0163 |                 justifyContent: "space-between",
0164 |                 alignItems: "center",
0165 |                 marginBottom: "18px",
0166 |             }}>
0167 |                 <h2 style={{
0168 |                     fontSize: "14px",
0169 |                     color: "#F0EDE6",
0170 |                     margin: 0,
0171 |                     fontWeight: "500",
0172 |                 }}>
0173 |                     Recent Projects
0174 |                 </h2>
0175 |                 <Link href="/admin/lands" style={{
0176 |                     fontSize: "12px",
0177 |                     color: "#C9973A",
0178 |                     textDecoration: "none",
0179 |                 }}>
0180 |                     View all →
0181 |                 </Link>
0182 |             </div>

```

```

0183 |         {!recentLands?.length ? (
0184 |           <p style={{ color: "#6B6762", fontSize: "13px", margin: 0 }}>No projects yet</p>
0185 |         ) : (
0186 |           recentLands.map(land => {
0187 |             const s = statusColor[land.status] || statusColor.available;
0188 |             return (
0189 |               <div key={land.id} style={{
0190 |                 padding: "10px 0",
0191 |                 borderBottom: "0.5px solid rgba(201,151,58,0.1)",
0192 |                 display: "flex",
0193 |                 justifyContent: "space-between",
0194 |                 alignItems: "center",
0195 |               }}>
0196 |                 <div style={{ fontSize: "13px", color: "#F0EDE6" }}>{land.title}</div>
0197 |                 <span style={{
0198 |                   fontSize: "10px",
0199 |                   background: s.bg,
0200 |                   color: s.color,
0201 |                   border: `0.5px solid ${s.color}55`,
0202 |                   borderRadius: "999px",
0203 |                   padding: "3px 10px",
0204 |                   letterSpacing: "0.08em",
0205 |                   textTransform: "uppercase",
0206 |                 }}>
0207 |                   {land.status}
0208 |                 </span>
0209 |               </div>
0210 |             );
0211 |           })
0212 |         )}
0213 |       </div>
0214 |     </div>
0215 |   </div>
0216 | );
0217 | }

```

src/app/admin/login/page.js

Lines: 173.

```

0001 | "use client";
0002 |
0003 | import { useState } from "react";
0004 | import { createClient } from "@supabase/supabase-js";
0005 | import { useRouter } from "next/navigation";
0006 |
0007 | const supabase = createClient(
0008 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0009 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0010 | );
0011 |
0012 | export default function AdminLoginPage() {
0013 |   const router = useRouter();
0014 |   const [email, setEmail] = useState("");
0015 |   const [password, setPassword] = useState("");
0016 |   const [loading, setLoading] = useState(false);
0017 |   const [error, setError] = useState("");
0018 |
0019 |   async function handleLogin() {
0020 |     setLoading(true);
0021 |     setError("");
0022 |     const { error } = await supabase.auth.signInWithPassword({ email, password });
0023 |     if (error) {
0024 |       setError("Invalid email or password.");
0025 |       setLoading(false);
0026 |     } else {
0027 |       router.push("/admin");
0028 |       router.refresh();
0029 |     }
0030 |   }
0031 |
0032 |   return (
0033 |     <div style={{
0034 |       minHeight: "100vh",
0035 |       background: "#2C2C2E",
0036 |       display: "flex",
0037 |       alignItems: "center",
0038 |       justifyContent: "center",
0039 |       fontFamily: "Inter, Arial, sans-serif",
0040 |       padding: "24px",
0041 |     }}>
0042 |       <div style={{
0043 |         background: "#343437",
0044 |         border: "0.5px solid rgba(201,151,58,0.25)",
0045 |         borderRadius: "16px",
0046 |         padding: "48px 40px",
0047 |         width: "100%",
0048 |         maxWidth: "400px",
0049 |       }}>
0050 |         {/* Logo area */}
0051 |         <div style={{ textAlign: "center", marginBottom: "36px" }}>

```

```

0052 |     <div style={{
0053 |         fontFamily: "Georgia, serif",
0054 |         fontSize: "28px",
0055 |         color: "#C9973A",
0056 |         letterSpacing: "0.04em",
0057 |         marginBottom: "6px",
0058 |     }}>
0059 |         Invegate
0060 |     </div>
0061 |     <div style={{
0062 |         fontSize: "11px",
0063 |         color: "#6B6762",
0064 |         letterSpacing: "0.15em",
0065 |         textTransform: "uppercase",
0066 |     }}>
0067 |         Admin Panel
0068 |     </div>
0069 | </div>
0070 |
0071 | { /* Email */}
0072 | <div style={{ marginBottom: "16px" }}>
0073 |     <label style={{
0074 |         display: "block",
0075 |         fontSize: "11px",
0076 |         color: "#9A9489",
0077 |         letterSpacing: "0.12em",
0078 |         textTransform: "uppercase",
0079 |         marginBottom: "8px",
0080 |     }}>
0081 |         Email
0082 |     </label>
0083 |     <input
0084 |         type="email"
0085 |         value={email}
0086 |         onChange={e => setEmail(e.target.value)}
0087 |         onKeyDown={e => e.key === "Enter" && handleLogin()}
0088 |         placeholder="admin@invegate.com"
0089 |         style={{
0090 |             width: "100%",
0091 |             background: "#3A3A3D",
0092 |             border: "0.5px solid rgba(201,151,58,0.25)",
0093 |             borderRadius: "10px",
0094 |             padding: "12px 14px",
0095 |             color: "#F0EDE6",
0096 |             fontSize: "14px",
0097 |             outline: "none",
0098 |             boxSizing: "border-box",
0099 |         }}
0100 |     />
0101 | </div>
0102 |
0103 | { /* Password */}
0104 | <div style={{ marginBottom: "24px" }}>
0105 |     <label style={{
0106 |         display: "block",
0107 |         fontSize: "11px",
0108 |         color: "#9A9489",
0109 |         letterSpacing: "0.12em",
0110 |         textTransform: "uppercase",
0111 |         marginBottom: "8px",
0112 |     }}>
0113 |         Password
0114 |     </label>
0115 |     <input
0116 |         type="password"
0117 |         value={password}
0118 |         onChange={e => setPassword(e.target.value)}
0119 |         onKeyDown={e => e.key === "Enter" && handleLogin()}
0120 |         placeholder="*****"
0121 |         style={{
0122 |             width: "100%",
0123 |             background: "#3A3A3D",
0124 |             border: "0.5px solid rgba(201,151,58,0.25)",
0125 |             borderRadius: "10px",
0126 |             padding: "12px 14px",
0127 |             color: "#F0EDE6",
0128 |             fontSize: "14px",
0129 |             outline: "none",
0130 |             boxSizing: "border-box",
0131 |         }}
0132 |     />
0133 | </div>
0134 |
0135 | { /* Error */}
0136 | {error && (
0137 |     <div style={{
0138 |         background: "rgba(200,60,60,0.12)",
0139 |         border: "0.5px solid rgba(200,60,60,0.4)",
0140 |         borderRadius: "8px",
0141 |         padding: "10px 14px",
0142 |         color: "#E07070",
0143 |         fontSize: "13px",

```

```

0144 |         marginBottom: "16px",
0145 |     }}>
0146 |     {error}
0147 | </div>
0148 | })
0149 |
0150 | { /* Login button */}
0151 | <button
0152 |   onClick={handleLogin}
0153 |   disabled={loading || !email || !password}
0154 |   style={{
0155 |     width: "100%",
0156 |     background: loading || !email || !password ? "rgba(201,151,58,0.3)" : "#C9973A",
0157 |     color: loading || !email || !password ? "rgba(240,237,230,0.4)" : "#2C2C2E",
0158 |     border: "none",
0159 |     borderRadius: "10px",
0160 |     padding: "13px",
0161 |     fontSize: "14px",
0162 |     fontWeight: "600",
0163 |     cursor: loading || !email || !password ? "not-allowed" : "pointer",
0164 |     letterSpacing: "0.04em",
0165 |     transition: "all 0.25s ease",
0166 |   }}
0167 | >
0168 |   {loading ? "Signing in..." : "Sign in"}
0169 | </button>
0170 | </div>
0171 | </div>
0172 | );
0173 | }

```

src/app/admin/locations/page.js

Lines: 292.

```

0001 | "use client";
0002 |
0003 | import { useState, useEffect } from "react";
0004 | import { createClient } from "@supabase/supabase-js";
0005 |
0006 | const supabase = createClient(
0007 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0008 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0009 | );
0010 |
0011 | const emptyForm = { name: "", description: "", image_url: "" };
0012 |
0013 | export default function AdminLocations() {
0014 |   const [locations, setLocations] = useState([]);
0015 |   const [loading, setLoading] = useState(true);
0016 |   const [showForm, setShowForm] = useState(false);
0017 |   const [form, setForm] = useState(emptyForm);
0018 |   const [editId, setEditId] = useState(null);
0019 |   const [saving, setSaving] = useState(false);
0020 |   const [deletingId, setDeletingId] = useState(null);
0021 |   const [error, setError] = useState("");
0022 |   const [imageFile, setImageFile] = useState(null);
0023 |   const [uploading, setUploading] = useState(false);
0024 |
0025 |   async function fetchLocations() {
0026 |     const { data } = await supabase.from("locations").select("*").order("created_at", { ascending: false });
0027 |     setLocations(data || []);
0028 |     setLoading(false);
0029 |   }
0030 |
0031 |   useEffect(() => { fetchLocations(); }, []);
0032 |
0033 |   function openAdd() {
0034 |     setForm(emptyForm);
0035 |     setEditId(null);
0036 |     setError("");
0037 |     setImageFile(null);
0038 |     setShowForm(true);
0039 |   }
0040 |
0041 |   function openEdit(loc) {
0042 |     setForm({ name: loc.name || "", description: loc.description || "", image_url: loc.image_url || "" });
0043 |     setEditId(loc.id);
0044 |     setError("");
0045 |     setImageFile(null);
0046 |     setShowForm(true);
0047 |   }
0048 |
0049 |   function cancelForm() {
0050 |     setShowForm(false);
0051 |     setForm(emptyForm);
0052 |     setEditId(null);
0053 |     setError("");
0054 |     setImageFile(null);
0055 |   }
0056 |

```

```

0057 | async function uploadImage(file) {
0058 |     const ext = file.name.split(".").pop();
0059 |     const path = `${Date.now()}_${Math.random().toString(36).slice(2)}.${ext}`;
0060 |     const { error } = await supabase.storage.from("location-images").upload(path, file);
0061 |     if (error) throw error;
0062 |     const { data: urlData } = supabase.storage.from("location-images").getPublicUrl(path);
0063 |     return urlData.publicUrl;
0064 | }
0065 |
0066 | async function handleSave() {
0067 |     if (!form.name.trim()) { setError("Name is required."); return; }
0068 |     setSaving(true);
0069 |     setError("");
0070 |
0071 |     let finalImageUrl = form.image_url.trim() || null;
0072 |
0073 |     if (imageFile) {
0074 |         setUploading(true);
0075 |         try {
0076 |             finalImageUrl = await uploadImage(imageFile);
0077 |         } catch (err) {
0078 |             setError("Image upload failed: " + err.message);
0079 |             setSaving(false);
0080 |             setUploading(false);
0081 |             return;
0082 |         }
0083 |         setUploading(false);
0084 |     }
0085 |
0086 |     if (editId) {
0087 |         const { error } = await supabase.from("locations").update({
0088 |             name: form.name.trim(),
0089 |             description: form.description.trim(),
0090 |             image_url: finalImageUrl,
0091 |         }).eq("id", editId);
0092 |         if (error) { setError(error.message); setSaving(false); return; }
0093 |     } else {
0094 |         const { error } = await supabase.from("locations").insert({
0095 |             name: form.name.trim(),
0096 |             description: form.description.trim(),
0097 |             image_url: finalImageUrl,
0098 |         });
0099 |         if (error) { setError(error.message); setSaving(false); return; }
0100 |     }
0101 |     setSaving(false);
0102 |     cancelForm();
0103 |     fetchLocations();
0104 | }
0105 |
0106 | async function handleDelete(id) {
0107 |     if (!confirm("Delete this location? This cannot be undone.")) return;
0108 |     setDeletingId(id);
0109 |     await supabase.from("locations").delete().eq("id", id);
0110 |     setDeletingId(null);
0111 |     fetchLocations();
0112 | }
0113 |
0114 | const inputStyle = {
0115 |     width: "100%",
0116 |     background: "#3A3A3D",
0117 |     border: "0.5px solid rgba(201,151,58,0.25)",
0118 |     borderRadius: "10px",
0119 |     padding: "11px 14px",
0120 |     color: "#F0EDE6",
0121 |     fontSize: "14px",
0122 |     outline: "none",
0123 |     boxSizing: "border-box",
0124 |     fontFamily: "Inter, Arial, sans-serif",
0125 | };
0126 |
0127 | const labelStyle = {
0128 |     display: "block",
0129 |     fontSize: "11px",
0130 |     color: "#9A9489",
0131 |     letterSpacing: "0.12em",
0132 |     textTransform: "uppercase",
0133 |     marginBottom: "7px",
0134 | };
0135 |
0136 | const previewUrl = imageFile ? URL.createObjectURL(imageFile) : form.image_url;
0137 |
0138 | return (
0139 |     <div>
0140 |         </* Header */>
0141 |         <div style={{ display: "flex", justifyContent: "space-between", alignItems: "flex-start", marginBottom: "32px" }}>
0142 |             <div>
0143 |                 <h1 style={{ fontFamily: "Georgia, serif", fontSize: "26px", color: "#F0EDE6", margin: 0, marginBottom: "5px" }}>
0144 |                     Locations
0145 |                 </h1>
0146 |                 <p style={{ color: "#9A9489", fontSize: "13px", margin: 0 }}>{locations.length} location{locations.length !== 1 ? "s" : ""}</p>
0147 |             </div>
0148 |             <button onClick={openAdd} style={{

```

```

0149 |         background: "#C9973A", color: "#2C2C2E", border: "none", borderRadius: "10px",
0150 |         padding: "11px 20px", fontSize: "13px", fontWeight: "600", cursor: "pointer",
0151 |     }}>
0152 |         + Add location
0153 |     </button>
0154 | </div>
0155 |
0156 | {/* Form */}
0157 | {showForm && (
0158 |     <div style={{
0159 |         background: "#343437", border: "0.5px solid rgba(201,151,58,0.3)",
0160 |         borderRadius: "14px", padding: "28px", marginBottom: "28px",
0161 |     }}>
0162 |         <h2 style={{ fontSize: "16px", color: "#F0EDE6", margin: "0 0 22px", fontWeight: "500" }}>
0163 |             {editId ? "Edit location" : "New location"}
0164 |         </h2>
0165 |
0166 |         <div style={{ marginBottom: "16px" }}>
0167 |             <label style={labelStyle}>Name *</label>
0168 |             <input style={inputStyle} value={form.name} onChange={e => setForm(f => ({ ...f, name: e.target.value }))) placeholder="e.g. El Tagamoa"
0169 |         </div>
0170 |
0171 |         <div style={{ marginBottom: "20px" }}>
0172 |             <label style={labelStyle}>Description</label>
0173 |             <textarea style={{ ...inputStyle, minHeight: "80px", resize: "vertical" }}
0174 |                 value={form.description} onChange={e => setForm(f => ({ ...f, description: e.target.value })))
0175 |                 placeholder="Short description shown on the location card..." />
0176 |         </div>
0177 |
0178 | {/* Cover image upload */}
0179 | <div style={{ marginBottom: "20px" }}>
0180 |     <label style={labelStyle}>Cover Image</label>
0181 |
0182 |     {previewUrl && (
0183 |         <div style={{ marginBottom: "12px" }}>
0184 |             <img src={previewUrl} alt="" style={{
0185 |                 width: "160px", height: "100px", objectFit: "cover",
0186 |                 borderRadius: "8px", border: "0.5px solid rgba(201,151,58,0.2)",
0187 |             }} />
0188 |         </div>
0189 |     )}
0190 |
0191 |     <label style={{
0192 |         display: "flex", flexDirection: "column", alignItems: "center",
0193 |         justifyContent: "center", gap: "8px",
0194 |         border: "1.5px dashed ${imageFile ? "rgba(77,201,138,0.5)" : "rgba(201,151,58,0.25)"}",
0195 |         borderRadius: "10px", padding: "20px",
0196 |         cursor: "pointer", background: imageFile ? "rgba(30,120,70,0.08)" : "transparent",
0197 |         transition: "all 0.2s ease",
0198 |     }}>
0199 |         <input type="file" accept="image/*"
0200 |             style={{ display: "none" }}
0201 |             onChange={e => setImageFile(e.target.files[0] || null)} />
0202 |         <span style={{ fontSize: "22px" }}> </span>
0203 |         <span style={{ fontSize: "13px", color: imageFile ? "#4DC98A" : "#9A9489" }}>
0204 |             {imageFile ? imageFile.name : "Click to upload cover image"}
0205 |         </span>
0206 |     </label>
0207 | </div>
0208 |
0209 | {error && (
0210 |     <div style={{ background: "rgba(200,60,60,0.12)", border: "0.5px solid rgba(200,60,60,0.4)", borderRadius: "8px", padding: "10px 14px",
0211 |         color: "#E07070", fontSize: "13px", marginBottom: "16px" }}>
0212 |         {error}
0213 |     </div>
0214 | )}
0215 | <div style={{ display: "flex", gap: "10px" }}>
0216 |     <button onClick={handleSave} disabled={saving} style={{
0217 |         background: saving ? "rgba(201,151,58,0.4)" : "#C9973A", color: "#2C2C2E",
0218 |         border: "none", borderRadius: "10px", padding: "11px 24px",
0219 |         fontSize: "13px", fontWeight: "600", cursor: saving ? "not-allowed" : "pointer",
0220 |     }}>
0221 |         {uploading ? "Uploading..." : saving ? "Saving..." : editId ? "Save changes" : "Add location"}
0222 |     </button>
0223 |     <button onClick={cancelForm} style={{
0224 |         background: "transparent", color: "#9A9489",
0225 |         border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: "10px",
0226 |         padding: "11px 20px", fontSize: "13px", cursor: "pointer",
0227 |     }}>
0228 |         Cancel
0229 |     </button>
0230 | </div>
0231 | )}
0232 |
0233 | {/* Table */}
0234 | {loading ? (
0235 |     <p style={{ color: "#9A9489", fontSize: "14px" }}>Loading...</p>
0236 | ) : locations.length === 0 ? (
0237 |     <div style={{ background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)", borderRadius: "12px", padding: "48px", textAlign: "center"
0238 | }}>

```

```

0238 |         <p style={{ color: "#6B6762", fontSize: "14px", margin: 0 }}>No locations yet. Add your first one above.</p>
0239 |     </div>
0240 |   ) : (
0241 |     <div style={{ background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)", borderRadius: "12px", overflow: "hidden" }}>
0242 |       {locations.map((loc, i) => (
0243 |         <div key={loc.id} style={{
0244 |           display: "flex", alignItems: "center", gap: "16px",
0245 |           padding: "16px 20px",
0246 |           borderBottom: i < locations.length - 1 ? "0.5px solid rgba(201,151,58,0.1)" : "none",
0247 |         }}>
0248 |           {/* Thumb */}
0249 |           <div style={{
0250 |             width: "48px", height: "48px", borderRadius: "8px", flexShrink: 0,
0251 |             background: "#3A3A3D", overflow: "hidden",
0252 |             border: "0.5px solid rgba(201,151,58,0.15)",
0253 |           }}>
0254 |             {loc.image_url ? (
0255 |               <img src={loc.image_url} alt="" style={{ width: "100%", height: "100%", objectFit: "cover" }} />
0256 |             ) : (
0257 |               <div style={{ width: "100%", height: "100%", display: "flex", alignItems: "center", justifyContent: "center", color: "#6B6762", fo
0258 |                 ntSize: "18px" }}> </div>
0259 |             )}
0260 |           </div>
0261 |           {/* Info */}
0262 |           <div style={{ flex: 1, minWidth: 0 }}>
0263 |             <div style={{ fontSize: "14px", color: "#F0EDE6", fontWeight: "500" }}>{loc.name}</div>
0264 |             {loc.description && (
0265 |               <div style={{ fontSize: "12px", color: "#6B6762", marginTop: "2px", overflow: "hidden", textOverflow: "ellipsis", whiteSpace: "now
0266 |                 rap" }}>
0267 |                 {loc.description}
0268 |               </div>
0269 |             )}
0270 |           </div>
0271 |           {/* Actions */}
0272 |           <div style={{ display: "flex", gap: "8px", flexShrink: 0 }}>
0273 |             <button onClick={() => openEdit(loc)} style={{
0274 |               background: "transparent", border: "0.5px solid rgba(201,151,58,0.25)",
0275 |               borderRadius: "8px", padding: "7px 14px", color: "#C9973A",
0276 |               fontSize: "12px", cursor: "pointer",
0277 |             }}>
0278 |               Edit
0279 |             </button>
0280 |             <button onClick={() => handleDelete(loc.id)} disabled={deletingId === loc.id} style={{
0281 |               background: "transparent", border: "0.5px solid rgba(200,60,60,0.3)",
0282 |               borderRadius: "8px", padding: "7px 14px", color: "#E07070",
0283 |               fontSize: "12px", cursor: "pointer",
0284 |             }}>
0285 |               {deletingId === loc.id ? "...": "Delete"}
0286 |             </button>
0287 |           </div>
0288 |         </div>
0289 |       )}
0290 |     </div>
0291 |   );
0292 | }

```

src/app/admin/lands/page.js

Lines: 879.

```

0001 | "use client";
0002 |
0003 | import { useState, useEffect } from "react";
0004 | import { createClient } from "@supabase/supabase-js";
0005 |
0006 | const supabase = createClient(
0007 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0008 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0009 | );
0010 |
0011 | const emptyForm = {
0012 |   title: "", location_id: "", developer_id: "", price: "",
0013 |   area_sqm: "", price_per_meter: "", status: "available", description: "",
0014 |   location_url: "", contact_whatsapp: "", contact_phone: "",
0015 | };
0016 |
0017 | const emptyNewArea = { area_sqm: "", status: "available" };
0018 | const emptyNewPlan = { label: "", down_payment_percent: "", years: "" };
0019 |
0020 | const statusColors = {
0021 |   available: { color: "#4DC98A", bg: "rgba(30,120,70,0.18)" },
0022 |   reserved: { color: "#E8C97A", bg: "rgba(200,150,40,0.12)" },
0023 |   sold: { color: "#E07070", bg: "rgba(200,60,60,0.12)" },
0024 | };
0025 |
0026 | function priceKey(areaId, planId) {
0027 |   return `${areaId}_${planId}`;
0028 | }
0029 |

```



```

0030 | export default function AdminLands() {
0031 |   const [lands, setLands] = useState([]);
0032 |   const [locations, setLocations] = useState([]);
0033 |   const [developers, setDevelopers] = useState([]);
0034 |   const [loading, setLoading] = useState(true);
0035 |   const [showForm, setShowForm] = useState(false);
0036 |   const [form, setForm] = useState(emptyForm);
0037 |   const [editId, setEditId] = useState(null);
0038 |   const [saving, setSaving] = useState(false);
0039 |   const [deletingId, setDeletingId] = useState(null);
0040 |   const [error, setError] = useState("");
0041 |   const [imageFiles, setImageFiles] = useState([]);
0042 |   const [uploadingImages, setUploadingImages] = useState(false);
0043 |   const [existingImages, setExistingImages] = useState([]);
0044 |   const [deletingImageId, setDeletingImageId] = useState(null);
0045 |   const [thumbnailUrl, setThumbnailUrl] = useState(null);
0046 |   const [settingThumbId, setSettingThumbId] = useState(null);
0047 |
0048 |   // Area options / installment plans / price grid
0049 |   const [areaOptions, setAreaOptions] = useState([]);
0050 |   const [installmentPlans, setInstallmentPlans] = useState([]);
0051 |   const [priceGrid, setPriceGrid] = useState({});
0052 |   const [newArea, setNewArea] = useState(emptyNewArea);
0053 |   const [newPlan, setNewPlan] = useState(emptyNewPlan);
0054 |
0055 |   async function fetchAll() {
0056 |     const [{ data: landsData }, { data: locsData }, { data: devsData }] = await Promise.all([
0057 |       supabase.from("lands").select("*", { locations(name), developers(name) }).order("created_at", { ascending: false }),
0058 |       supabase.from("locations").select("id, name").order("name"),
0059 |       supabase.from("developers").select("id, name").order("name"),
0060 |     ]);
0061 |     setLands(landsData || []);
0062 |     setLocations(locsData || []);
0063 |     setDevelopers(devsData || []);
0064 |     setLoading(false);
0065 |   }
0066 |
0067 |   useEffect(() => { fetchAll(); }, []);
0068 |
0069 |   async function fetchAreasPlansPrices(landId) {
0070 |     const [{ data: areas }, { data: plans }] = await Promise.all([
0071 |       supabase.from("land_areas").select("*").eq("land_id", landId).order("created_at"),
0072 |       supabase.from("land_installment_plans").select("*").eq("land_id", landId).order("created_at"),
0073 |     ]);
0074 |     const areaList = areas || [];
0075 |     const planList = plans || [];
0076 |
0077 |     setAreaOptions(areaList.map(a => ({ id: a.id, area_sqm: a.area_sqm, status: a.status, _new: false })));
0078 |     setInstallmentPlans(planList.map(p => ({
0079 |       id: p.id, label: p.label, down_payment_percent: p.down_payment_percent, years: p.years, _new: false,
0080 |     })));
0081 |
0082 |     const areaIds = areaList.map(a => a.id);
0083 |     if (areaIds.length > 0) {
0084 |       const { data: prices } = await supabase
0085 |         .from("land_area_plan_prices")
0086 |         .select("")
0087 |         .in("land_area_id", areaIds);
0088 |       const grid = {};
0089 |       (prices || []).forEach(p => {
0090 |         grid[priceKey(p.land_area_id, p.installment_plan_id)] = String(p.total_price);
0091 |       });
0092 |       setPriceGrid(grid);
0093 |     } else {
0094 |       setPriceGrid({});
0095 |     }
0096 |   }
0097 |
0098 |   function openAdd() {
0099 |     setForm(emptyForm); setEditId(null); setError("");
0100 |     setImageFiles([]); setExistingImages([]); setThumbnailUrl(null);
0101 |     setAreaOptions([]); setInstallmentPlans([]); setPriceGrid({});
0102 |     setNewArea(emptyNewArea); setNewPlan(emptyNewPlan);
0103 |     setShowForm(true);
0104 |     setTimeout(() => document.getElementById("land-form)?.scrollIntoView({ behavior: "smooth" }), 50);
0105 |   }
0106 |
0107 |   async function openEdit(land) {
0108 |     setForm({
0109 |       title: land.title || "", location_id: land.location_id || "",
0110 |       developer_id: land.developer_id || "", price: land.price || "",
0111 |       area_sqm: land.area_sqm || "", price_per_meter: land.price_per_meter || "",
0112 |       status: land.status || "available",
0113 |       description: land.description || "", location_url: land.location_url || "",
0114 |       contact_whatsapp: land.contact_whatsapp || "",
0115 |       contact_phone: land.contact_phone || "",
0116 |     });
0117 |     setEditId(land.id); setError(""); setImageFiles([]);
0118 |     setThumbnailUrl(land.image_url || null);
0119 |     const { data: imgs } = await supabase.from("land_images").select("*").eq("land_id", land.id);
0120 |     setExistingImages(imgs || []);
0121 |     setNewArea(emptyNewArea); setNewPlan(emptyNewPlan);

```

```

0122 |     await fetchAreasPlansPrices(land.id);
0123 |     setShowForm(true);
0124 |     setTimeout(() => document.getElementById("land-form")?.scrollIntoView({ behavior: "smooth" }), 50);
0125 | }
0126 |
0127 | function cancelForm() {
0128 |     setShowForm(false); setForm(emptyForm); setEditId(null);
0129 |     setError(""); setImageFiles([]); setExistingImages([]); setThumbnailUrl(null);
0130 |     setAreaOptions([]); setInstallmentPlans([]); setPriceGrid({});
0131 |     setNewArea(emptyNewArea); setNewPlan(emptyNewPlan);
0132 | }
0133 |
0134 | async function uploadImages(landId, files) {
0135 |     const urls = [];
0136 |     for (const file of files) {
0137 |         const ext = file.name.split(".").pop();
0138 |         const path = `lands/${landId}/${Date.now()}_${Math.random().toString(36).slice(2)}.${ext}`;
0139 |         const { error } = await supabase.storage.from("land-images").upload(path, file);
0140 |         if (!error) {
0141 |             const { data: urlData } = supabase.storage.from("land-images").getPublicUrl(path);
0142 |             urls.push(urlData.publicUrl);
0143 |         }
0144 |     }
0145 |     return urls;
0146 | }
0147 |
0148 | // ---- Area options ----
0149 | async function addAreaOption() {
0150 |     if (!newArea.area_sqm) return;
0151 |     const areaPayload = { area_sqm: parseFloat(newArea.area_sqm), status: newArea.status };
0152 |     if (editId) {
0153 |         const { data, error } = await supabase
0154 |             .from("land_areas")
0155 |             .insert({ land_id: editId, ...areaPayload })
0156 |             .select()
0157 |             .single();
0158 |         if (error) { setError(error.message); return; }
0159 |         setAreaOptions(prev => [...prev, { id: data.id, area_sqm: data.area_sqm, status: data.status, _new: false }]);
0160 |     } else {
0161 |         const tempId = `temp-${Date.now()}-${Math.random().toString(36).slice(2)}`;
0162 |         setAreaOptions(prev => [...prev, { id: tempId, ...areaPayload, _new: true }]);
0163 |     }
0164 |     setNewArea(emptyNewArea);
0165 | }
0166 |
0167 | async function removeAreaOption(area) {
0168 |     if (!area._new && editId) {
0169 |         await supabase.from("land_areas").delete().eq("id", area.id);
0170 |     }
0171 |     setAreaOptions(prev => prev.filter(a => a.id !== area.id));
0172 |     setPriceGrid(prev => {
0173 |         const next = { ...prev };
0174 |         Object.keys(next).forEach(key => { if (key.startsWith(`${area.id}_`)) delete next[key]; });
0175 |         return next;
0176 |     });
0177 | }
0178 |
0179 | async function updateAreaStatus(area, status) {
0180 |     if (!area._new && editId) {
0181 |         await supabase.from("land_areas").update({ status }).eq("id", area.id);
0182 |     }
0183 |     setAreaOptions(prev => prev.map(a => (a.id === area.id ? { ...a, status } : a)));
0184 | }
0185 |
0186 | // ---- Installment plans ----
0187 | async function addInstallmentPlan() {
0188 |     if (!newPlan.label.trim() || newPlan.down_payment_percent === "" || newPlan.years === "") return;
0189 |     const planPayload = {
0190 |         label: newPlan.label.trim(),
0191 |         down_payment_percent: parseFloat(newPlan.down_payment_percent),
0192 |         years: parseFloat(newPlan.years),
0193 |     };
0194 |     if (editId) {
0195 |         const { data, error } = await supabase
0196 |             .from("land_installment_plans")
0197 |             .insert({ land_id: editId, ...planPayload })
0198 |             .select()
0199 |             .single();
0200 |         if (error) { setError(error.message); return; }
0201 |         setInstallmentPlans(prev => [...prev, { id: data.id, ...planPayload, _new: false }]);
0202 |     } else {
0203 |         const tempId = `temp-${Date.now()}-${Math.random().toString(36).slice(2)}`;
0204 |         setInstallmentPlans(prev => [...prev, { id: tempId, ...planPayload, _new: true }]);
0205 |     }
0206 |     setNewPlan(emptyNewPlan);
0207 | }
0208 |
0209 | async function removeInstallmentPlan(plan) {
0210 |     if (!plan._new && editId) {
0211 |         await supabase.from("land_installment_plans").delete().eq("id", plan.id);
0212 |     }
0213 |     setInstallmentPlans(prev => prev.filter(p => p.id !== plan.id));

```

```

0214 |     setPriceGrid(prev => {
0215 |         const next = { ...prev };
0216 |         Object.keys(next).forEach(key => { if (key.endsWith(`_${plan.id}`)) delete next[key]; });
0217 |         return next;
0218 |     });
0219 | }
0220 |
0221 | // ---- Price grid ----
0222 | function handlePriceChange(areaId, planId, value) {
0223 |     setPriceGrid(prev => ({ ...prev, [priceKey(areaId, planId)]: value }));
0224 | }
0225 |
0226 | async function handlePriceBlur(areaId, planId) {
0227 |     if (!editId) return; // brand-new project: committed later, inside handleSave
0228 |     const value = priceGrid[priceKey(areaId, planId)];
0229 |     if (value === undefined || value === "") return;
0230 |     const totalPrice = parseFloat(value);
0231 |     if (Number.isNaN(totalPrice)) return;
0232 |     await supabase.from("land_area_plan_prices").upsert(
0233 |         { land_area_id: areaId, installment_plan_id: planId, total_price: totalPrice },
0234 |         { onConflict: "land_area_id,installment_plan_id" }
0235 |     );
0236 | }
0237 |
0238 | async function handleSave() {
0239 |     if (!form.title.trim()) { setError("Title is required."); return; }
0240 |     if (!form.location_id) { setError("Location is required."); return; }
0241 |     if (!form.developer_id) { setError("Developer is required."); return; }
0242 |     setSaving(true); setError("");
0243 |
0244 |     const payload = {
0245 |         title: form.title.trim(),
0246 |         location_id: form.location_id,
0247 |         developer_id: form.developer_id,
0248 |         price: form.price ? parseFloat(form.price) : null,
0249 |         area_sqm: form.area_sqm ? parseFloat(form.area_sqm) : null,
0250 |         price_per_meter: form.price_per_meter ? parseFloat(form.price_per_meter) : null,
0251 |         status: form.status,
0252 |         description: form.description.trim() || null,
0253 |         location_url: form.location_url.trim() || null,
0254 |         contact_whatsapp: form.contact_whatsapp.trim() || null,
0255 |         contact_phone: form.contact_phone.trim() || null,
0256 |     };
0257 |
0258 |     let landId = editId;
0259 |     let finalThumbnail = thumbnailUrl; // preserve existing thumbnail
0260 |
0261 |     if (editId) {
0262 |         const { error } = await supabase.from("lands").update(payload).eq("id", editId);
0263 |         if (error) { setError(error.message); setSaving(false); return; }
0264 |     } else {
0265 |         const { data, error } = await supabase.from("lands").insert(payload).select().single();
0266 |         if (error) { setError(error.message); setSaving(false); return; }
0267 |         landId = data.id;
0268 |     }
0269 |
0270 |     // Brand-new project: areas/plans/price-grid were staged locally – commit now that landId is known
0271 |     if (!editId) {
0272 |         const areaIdMap = {};
0273 |         const planIdMap = {};
0274 |
0275 |         if (areaOptions.length > 0) {
0276 |             const { data: insertedAreas, error: areaErr } = await supabase
0277 |                 .from("land_areas")
0278 |                 .insert(areaOptions.map(a => ({ land_id: landId, area_sqm: a.area_sqm, status: a.status })))
0279 |                 .select();
0280 |             if (areaErr) { setError("Project saved but area options failed: " + areaErr.message); setSaving(false); return; }
0281 |             insertedAreas.forEach((row, idx) => { areaIdMap[areaOptions[idx].id] = row.id; });
0282 |         }
0283 |
0284 |         if (installmentPlans.length > 0) {
0285 |             const { data: insertedPlans, error: planErr } = await supabase
0286 |                 .from("land_installment_plans")
0287 |                 .insert(installmentPlans.map(p => ({
0288 |                     land_id: landId, label: p.label, down_payment_percent: p.down_payment_percent, years: p.years,
0289 |                 })))
0290 |                 .select();
0291 |             if (planErr) { setError("Project saved but installment plans failed: " + planErr.message); setSaving(false); return; }
0292 |             insertedPlans.forEach((row, idx) => { planIdMap[installmentPlans[idx].id] = row.id; });
0293 |         }
0294 |
0295 |         const priceRows = [];
0296 |         Object.entries(priceGrid).forEach(([key, value]) => {
0297 |             if (value === "" || value === undefined) return;
0298 |             const [tempAreaId, tempPlanId] = key.split("_");
0299 |             const realAreaId = areaIdMap[tempAreaId];
0300 |             const realPlanId = planIdMap[tempPlanId];
0301 |             if (realAreaId && realPlanId) {
0302 |                 priceRows.push({ land_area_id: realAreaId, installment_plan_id: realPlanId, total_price: parseFloat(value) });
0303 |             }
0304 |         });
0305 |         if (priceRows.length > 0) {

```

```

0306 |     const { error: priceErr } = await supabase.from("land_area_plan_prices").insert(priceRows);
0307 |     if (priceErr) { setError("Project saved but price grid failed: " + priceErr.message); setSaving(false); return; }
0308 |   }
0309 | }
0310 |
0311 | // Upload new images if selected
0312 | if (imageFiles.length > 0) {
0313 |   setUploadingImages(true);
0314 |   const urls = await uploadImages(landId, imageFiles);
0315 |
0316 |   if (urls.length > 0) {
0317 |     const imageRows = urls.map(url => ({ land_id: landId, image_url: url }));
0318 |     const { error: insertErr } = await supabase.from("land_images").insert(imageRows);
0319 |     if (insertErr) {
0320 |       setError("Images uploaded but failed to save: " + insertErr.message);
0321 |       setSaving(false); setUploadingImages(false); return;
0322 |     }
0323 |     // Only set thumbnail from new upload if no thumbnail exists yet
0324 |     if (!finalThumbnail) {
0325 |       finalThumbnail = urls[0];
0326 |     }
0327 |   }
0328 |   setUploadingImages(false);
0329 | }
0330 |
0331 | // Always sync image_url on the lands row – unconditional
0332 | const { error: thumbErr } = await supabase
0333 |   .from("lands")
0334 |   .update({ image_url: finalThumbnail })
0335 |   .eq("id", landId);
0336 |
0337 | if (thumbErr) {
0338 |   setError("Project saved but thumbnail failed to update: " + thumbErr.message);
0339 |   setSaving(false); return;
0340 | }
0341 |
0342 | setSaving(false); cancelForm(); fetchAll();
0343 | }
0344 |
0345 | async function handleDelete(id) {
0346 |   if (!confirm("Delete this project? This cannot be undone. ")) return;
0347 |   setDeletingId(id);
0348 |   await supabase.from("land_images").delete().eq("land_id", id);
0349 |   await supabase.from("lands").delete().eq("id", id);
0350 |   setDeletingId(null); fetchAll();
0351 | }
0352 |
0353 | async function handleDeleteImage(img) {
0354 |   setDeletingImageId(img.id);
0355 |   await supabase.from("land_images").delete().eq("id", img.id);
0356 |   setExistingImages(prev => prev.filter(i => i.id !== img.id));
0357 |   if (thumbnailUrl === img.image_url) setThumbnailUrl(null);
0358 |   setDeletingImageId(null);
0359 | }
0360 |
0361 | async function handleSetThumbnail(url, key) {
0362 |   setSettingThumbId(key);
0363 |   setThumbnailUrl(url);
0364 |   if (editId) {
0365 |     await supabase.from("lands").update({ image_url: url }).eq("id", editId);
0366 |   }
0367 |   setSettingThumbId(null);
0368 | }
0369 |
0370 | const inputStyle = {
0371 |   width: "100%", background: "#3A3A3D",
0372 |   border: "0.5px solid rgba(201,151,58,0.25)", borderRadius: "10px",
0373 |   padding: "11px 14px", color: "#F0EDE6", fontSize: "14px",
0374 |   outline: "none", boxSizing: "border-box", fontFamily: "Inter, Arial, sans-serif",
0375 | };
0376 | const selectStyle = { ...inputStyle, cursor: "pointer" };
0377 | const labelStyle = {
0378 |   display: "block", fontSize: "11px", color: "#9A9489",
0379 |   letterSpacing: "0.12em", textTransform: "uppercase", marginBottom: "7px",
0380 | };
0381 | const gridTwo = { display: "grid", gridTemplateColumns: "1fr 1fr", gap: "16px", marginBottom: "16px" };
0382 |
0383 | return (
0384 |   <div>
0385 |     <div style={{ display: "flex", justifyContent: "space-between", alignItems: "flex-start", marginBottom: "32px" }}>
0386 |       <div>
0387 |         <h1 style={{ fontFamily: "Georgia, serif", fontSize: "26px", color: "#F0EDE6", margin: 0, marginBottom: "5px" }}>Projects</h1>
0388 |         <p style={{ color: "#9A9489", fontSize: "13px", margin: 0 }}>{lands.length} project{lands.length !== 1 ? "s" : ""}</p>
0389 |       </div>
0390 |       <button onClick={openAdd} style={{
0391 |         background: "#C9973A", color: "#2C2C2E", border: "none", borderRadius: "10px",
0392 |         padding: "11px 20px", fontSize: "13px", fontWeight: "600", cursor: "pointer",
0393 |       }}>
0394 |         + Add project
0395 |       </button>
0396 |     </div>
0397 |   )

```

```

0398 |     { /* Form */
0399 |     {showForm && (
0400 |         <div id="land-form" style={{
0401 |             background: "#343437", border: "0.5px solid rgba(201,151,58,0.3)",
0402 |             borderRadius: "14px", padding: "28px", marginBottom: "28px",
0403 |         }}>
0404 |             <h2 style={{ fontSize: "16px", color: "#F0EDE6", margin: "0 0 24px", fontWeight: "500" }}>
0405 |                 {editId ? "Edit project" : "New project"}
0406 |             </h2>
0407 |
0408 |             { /* Title */
0409 |             <div style={{ marginBottom: "16px" }}>
0410 |                 <label style={labelStyle}>Project Title </label>
0411 |                 <input style={inputStyle} value={form.title}
0412 |                     onChange={e => setForm(f => ({ ...f, title: e.target.value })))}
0413 |                 placeholder="Project name" />
0414 |             </div>
0415 |
0416 |             <div style={gridTwo}>
0417 |                 <div>
0418 |                     <label style={labelStyle}>Location </label>
0419 |                     <select style={selectStyle} value={form.location_id}
0420 |                         onChange={e => setForm(f => ({ ...f, location_id: e.target.value })))}
0421 |                     <option value="">Select location...</option>
0422 |                     {locations.map(l => <option key={l.id} value={l.id}>{l.name}</option>)}
0423 |                     </select>
0424 |                 </div>
0425 |                 <div>
0426 |                     <label style={labelStyle}>Developer </label>
0427 |                     <select style={selectStyle} value={form.developer_id}
0428 |                         onChange={e => setForm(f => ({ ...f, developer_id: e.target.value })))}
0429 |                     <option value="">Select developer...</option>
0430 |                     {developers.map(d => <option key={d.id} value={d.id}>{d.name}</option>)}
0431 |                     </select>
0432 |                 </div>
0433 |             </div>
0434 |
0435 |             <div style={gridTwo}>
0436 |                 <div>
0437 |                     <label style={labelStyle}>Price (EGP)</label>
0438 |                     <input style={inputStyle} type="number" value={form.price}
0439 |                         onChange={e => setForm(f => ({ ...f, price: e.target.value })))}
0440 |                     placeholder="e.g. 2500000" />
0441 |                 </div>
0442 |                 <div>
0443 |                     <label style={labelStyle}>Area (m²)</label>
0444 |                     <input style={inputStyle} type="number" value={form.area_sqm}
0445 |                         onChange={e => setForm(f => ({ ...f, area_sqm: e.target.value })))}
0446 |                     placeholder="e.g. 500" />
0447 |                 </div>
0448 |             </div>
0449 |
0450 |             <div style={{ marginBottom: "16px" }}>
0451 |                 <label style={labelStyle}>Price per m² (EGP)</label>
0452 |                 <input style={inputStyle} type="number" value={form.price_per_meter}
0453 |                     onChange={e => setForm(f => ({ ...f, price_per_meter: e.target.value })))}
0454 |                 placeholder="e.g. 12000" />
0455 |                 <p style={{ fontSize: "11px", color: "#6B6762", margin: "6px 0 0" }}>
0456 |                     Constant for the whole project – shown on the project details page regardless of which
0457 |                     size/plan the buyer picks.
0458 |                 </p>
0459 |             </div>
0460 |
0461 |             <div style={{ marginBottom: "16px" }}>
0462 |                 <label style={labelStyle}>Status</label>
0463 |                 <select style={selectStyle} value={form.status}
0464 |                     onChange={e => setForm(f => ({ ...f, status: e.target.value })))}
0465 |                 <option value="available">Available</option>
0466 |                 <option value="reserved">Reserved</option>
0467 |                 <option value="sold">Sold</option>
0468 |                 </select>
0469 |             </div>
0470 |
0471 |             <div style={{ marginBottom: "16px" }}>
0472 |                 <label style={labelStyle}>Description</label>
0473 |                 <textarea style={{ ...inputStyle, minHeight: "80px", resize: "vertical" }}
0474 |                     value={form.description}
0475 |                     onChange={e => setForm(f => ({ ...f, description: e.target.value })))}
0476 |                 placeholder="Optional project description..." />
0477 |             </div>
0478 |
0479 |             <div style={{ marginBottom: "16px" }}>
0480 |                 <label style={labelStyle}>Location URL</label>
0481 |                 <input style={inputStyle} type="url" value={form.location_url}
0482 |                     onChange={e => setForm(f => ({ ...f, location_url: e.target.value })))}
0483 |                 placeholder="e.g. https://maps.app.goo.gl/xxxxx or https://www.google.com/maps?q=30.0444,31.2357" />
0484 |                 <p style={{ fontSize: "11px", color: "#6B6762", margin: "6px 0 0" }}>
0485 |                     Paste a Google Maps link (share → copy link). Buyers tap "View on Google Maps" and are
0486 |                     taken straight to this URL.
0487 |                 </p>
0488 |             </div>
0489 |

```

```

0490 | <div style={gridTwo}>
0491 |   <div>
0492 |     <label style={labelStyle}>WhatsApp Number</label>
0493 |     <input style={inputStyle} value={form.contact_whatsapp}
0494 |       onChange={e => setForm(f => ({ ...f, contact_whatsapp: e.target.value })))
0495 |     placeholder="e.g. 201XXXXXXX" />
0496 |   </div>
0497 |   <div>
0498 |     <label style={labelStyle}>Phone Number</label>
0499 |     <input style={inputStyle} value={form.contact_phone}
0500 |       onChange={e => setForm(f => ({ ...f, contact_phone: e.target.value })))
0501 |     placeholder="e.g. 01XXXXXXX" />
0502 |   </div>
0503 | </div>
0504 |
0505 | {/* Image upload section */}
0506 | <div style={{ marginBottom: "20px" }}>
0507 |   <label style={labelStyle}>Project Images</label>
0508 |   <p style={{ fontSize: "11px", color: "#6B6762", margin: "0 0 12px" }}>
0509 |     {thumbnailUrl
0510 |       ? "Current thumbnail is marked with a gold border. Click any image below to set it as thumbnail."
0511 |       : "No thumbnail set yet – the first uploaded image becomes the thumbnail automatically."}
0512 |   </p>
0513 |
0514 |   {/* Existing images */}
0515 |   {existingImages.length > 0 && (
0516 |     <div style={{ display: "flex", gap: "12px", flexWrap: "wrap", marginBottom: "14px" }}>
0517 |       {existingImages.map(img => {
0518 |         const isThumb = thumbnailUrl === img.image_url;
0519 |         return (
0520 |           <div key={img.id} style={{ position: "relative", width: "100px" }}>
0521 |             <img src={img.image_url} alt="" style={{
0522 |               width: "100px", height: "70px", objectFit: "cover",
0523 |               borderRadius: "8px",
0524 |               border: isThumb ? "2px solid #C9973A" : "0.5px solid rgba(201,151,58,0.2)",
0525 |             }} />
0526 |             <button
0527 |               onClick={() => handleDeleteImage(img)}
0528 |               disabled={deletingImageId === img.id}
0529 |               style={{
0530 |                 position: "absolute", top: "-6px", right: "-6px",
0531 |                 background: "#E07070", border: "none", borderRadius: "999px",
0532 |                 width: "18px", height: "18px", cursor: "pointer",
0533 |                 color: "#fff", fontSize: "11px", lineHeight: 1,
0534 |                 display: "flex", alignItems: "center", justifyContent: "center",
0535 |               }}>
0536 |               ×
0537 |             </button>
0538 |             <button
0539 |               onClick={() => handleSetThumbnail(img.image_url, img.id)}
0540 |               disabled={isThumb || settingThumbId === img.id}
0541 |               style={{
0542 |                 width: "100%", marginTop: "5px",
0543 |                 background: isThumb ? "rgba(201,151,58,0.15)" : "transparent",
0544 |                 border: `0.5px solid ${isThumb ? "rgba(201,151,58,0.4)" : "rgba(201,151,58,0.2)"}`,
0545 |                 borderRadius: "6px", padding: "4px 2px",
0546 |                 color: isThumb ? "#E8C97A" : "#9A9489",
0547 |                 fontSize: "10px", cursor: isThumb ? "default" : "pointer",
0548 |               }}>
0549 |               {isThumb ? "Thumbnail" : settingThumbId === img.id ? "...": "Set as thumbnail"}
0550 |             </button>
0551 |           </div>
0552 |         );
0553 |       })}
0554 |     </div>
0555 |   )}
0556 |
0557 | {/* New upload */}
0558 | <label style={{
0559 |   display: "flex", flexDirection: "column", alignItems: "center",
0560 |   justifyContent: "center", gap: "8px",
0561 |   border: `1.5px dashed ${imageFiles.length > 0 ? "rgba(77,201,138,0.5)" : "rgba(201,151,58,0.25)"}`,
0562 |   borderRadius: "10px", padding: "20px",
0563 |   cursor: "pointer",
0564 |   background: imageFiles.length > 0 ? "rgba(30,120,70,0.08)" : "transparent",
0565 |   transition: "all 0.2s ease",
0566 | }}>
0567 |   <input type="file" multiple accept="image/*"
0568 |     style={{ display: "none" }}
0569 |     onChange={e => setImageFiles(Array.from(e.target.files))} />
0570 |   <span style={{ fontSize: "22px" }}></span>
0571 |   <span style={{ fontSize: "13px", color: imageFiles.length > 0 ? "#4DC98A" : "#9A9489" }}>
0572 |     {imageFiles.length > 0
0573 |       ? `${imageFiles.length} image${imageFiles.length > 1 ? "s" : ""} selected`
0574 |       : "Click to upload images"}
0575 |   </span>
0576 |   <span style={{ fontSize: "11px", color: "#6B6762" }}>
0577 |     {existingImages.length === 0 && !thumbnailUrl
0578 |       ? "First image becomes the thumbnail automatically"
0579 |       : "New images are added to the gallery"}
0580 |   </span>
0581 | </label>

```

```

0582 |     </div>
0583 |
0584 |     { /* Area options manager */ }
0585 |     <div style={{ marginBottom: "20px" }}>
0586 |         <label style={labelStyle}>Available Area Options</label>
0587 |         <p style={{ fontSize: "11px", color: "#6B6762", margin: "0 0 12px" }}>
0588 |             Plot sizes buyers can choose from for this project. Price/m2 above stays constant – only
0589 |             status varies per size.
0590 |         </p>
0591 |
0592 |         {areaOptions.length > 0 && (
0593 |             <div style={{ display: "flex", flexDirection: "column", gap: "8px", marginBottom: "12px" }}>
0594 |                 {areaOptions.map(area => {
0595 |                     const s = statusColors[area.status] || statusColors.available;
0596 |                     return (
0597 |                         <div key={area.id} style={{ display: "flex", alignItems: "center", gap: "10px" }}>
0598 |                             <div style={{
0599 |                                 flex: 1, background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.2)",
0600 |                                 borderRadius: "8px", padding: "9px 14px", fontSize: "13px", color: "#F0EDE6",
0601 |                             }}>
0602 |                                 {Number(area.area_sqm).toLocaleString()} m2
0603 |                             </div>
0604 |                             <span style={{ width: "10px", height: "10px", borderRadius: "50%", background: s.color, flexShrink: 0 }} />
0605 |                             <select style={{ ...selectStyle, width: "140px" }} value={area.status}>
0606 |                                 <option value={e => updateAreaStatus(area, e.target.value)}>
0607 |                                     <option value="available">Available</option>
0608 |                                     <option value="reserved">Reserved</option>
0609 |                                     <option value="sold">Sold</option>
0610 |                                 </select>
0611 |                                 <button onClick={() => removeAreaOption(area)} style={{
0612 |                                     background: "transparent", border: "0.5px solid rgba(200,60,60,0.3)",
0613 |                                     borderRadius: "8px", padding: "7px 12px", color: "#E07070", fontSize: "12px",
0614 |                                     cursor: "pointer", flexShrink: 0,
0615 |                                 }}>
0616 |                                     Remove
0617 |                                 </button>
0618 |                             </div>
0619 |                         );
0620 |                     })}
0621 |                 </div>
0622 |             )}
0623 |
0624 |             <div style={{ display: "flex", gap: "10px" }}>
0625 |                 <input style={{ ...inputStyle, flex: 1 }} type="number" value={newArea.area_sqm}
0626 |                     onChange={e => setNewArea(a => ({ ...a, area_sqm: e.target.value })}
0627 |                     placeholder="e.g. 400 (m2)" />
0628 |                 <select style={{ ...selectStyle, width: "140px" }} value={newArea.status}>
0629 |                     <option value={e => setNewArea(a => ({ ...a, status: e.target.value })}>
0630 |                         <option value="available">Available</option>
0631 |                         <option value="reserved">Reserved</option>
0632 |                         <option value="sold">Sold</option>
0633 |                     </select>
0634 |                     <button onClick={addAreaOption} style={{
0635 |                         background: "rgba(201,151,58,0.12)", border: "0.5px solid rgba(201,151,58,0.4)",
0636 |                         borderRadius: "8px", padding: "9px 16px", color: "#E8C97A", fontSize: "12px",
0637 |                         fontWeight: "600", cursor: "pointer", flexShrink: 0,
0638 |                     }}>
0639 |                         + Add size
0640 |                     </button>
0641 |                 </div>
0642 |             </div>
0643 |
0644 |         { /* Installment plans manager */ }
0645 |         <div style={{ marginBottom: "20px" }}>
0646 |             <label style={labelStyle}>Installment Plans</label>
0647 |             <p style={{ fontSize: "11px", color: "#6B6762", margin: "0 0 12px" }}>
0648 |                 Payment plans buyers can choose from for this project.
0649 |             </p>
0650 |
0651 |             {installmentPlans.length > 0 && (
0652 |                 <div style={{ display: "flex", flexDirection: "column", gap: "8px", marginBottom: "12px" }}>
0653 |                     {installmentPlans.map(plan => (
0654 |                         <div key={plan.id} style={{ display: "flex", alignItems: "center", gap: "10px" }}>
0655 |                             <div style={{
0656 |                                 flex: 1, background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.2)",
0657 |                                 borderRadius: "8px", padding: "9px 14px", fontSize: "13px", color: "#F0EDE6",
0658 |                             }}>
0659 |                                 {plan.label} · {plan.down_payment_percent}% down · {plan.years} yrs
0660 |                             </div>
0661 |                             <button onClick={() => removeInstallmentPlan(plan)} style={{
0662 |                                 background: "transparent", border: "0.5px solid rgba(200,60,60,0.3)",
0663 |                                 borderRadius: "8px", padding: "7px 12px", color: "#E07070", fontSize: "12px",
0664 |                                 cursor: "pointer", flexShrink: 0,
0665 |                             }}>
0666 |                                 Remove
0667 |                             </button>
0668 |                         </div>
0669 |                     ))}
0670 |                 </div>
0671 |             )}
0672 |
0673 |             <div style={{ display: "flex", gap: "10px", flexWrap: "wrap" }}>

```



```

0674 | <input style={{ ...inputStyle, flex: "2 1 160px" }} value={newPlan.label}
0675 |   onChange={e => setNewPlan(p => ({ ...p, label: e.target.value })))
0676 |   placeholder="e.g. 10% Down - 5 Years" />
0677 | <input style={{ ...inputStyle, flex: "1 1 100px" }} type="number" value={newPlan.down_payment_percent}
0678 |   onChange={e => setNewPlan(p => ({ ...p, down_payment_percent: e.target.value })))
0679 |   placeholder="Down %" />
0680 | <input style={{ ...inputStyle, flex: "1 1 80px" }} type="number" value={newPlan.years}
0681 |   onChange={e => setNewPlan(p => ({ ...p, years: e.target.value })))
0682 |   placeholder="Years" />
0683 | <button onClick={addInstallmentPlan} style={{
0684 |   background: "rgba(201,151,58,0.12)", border: "0.5px solid rgba(201,151,58,0.4)",
0685 |   borderRadius: "8px", padding: "9px 16px", color: "#E8C97A", fontSize: "12px",
0686 |   fontWeight: "600", cursor: "pointer", flexShrink: 0,
0687 | }}>
0688 |   + Add plan
0689 | </button>
0690 | </div>
0691 | </div>
0692 |
0693 | {/* Price grid */}
0694 | <div style={{ marginBottom: "20px" }}>
0695 |   <label style={labelStyle}>Price Grid</label>
0696 |   <p style={{ fontSize: "11px", color: "#6B6762", margin: "0 0 12px" }}>
0697 |     Exact reservation price for every size x plan combination. This is the price shown to the
0698 |     buyer – it is typed in directly, not calculated.
0699 |   </p>
0700 |
0701 |   {areaOptions.length === 0 || installmentPlans.length === 0 ? (
0702 |     <div style={{
0703 |       background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.15)",
0704 |       borderRadius: "8px", padding: "16px", textAlign: "center",
0705 |       color: "#6B6762", fontSize: "12px",
0706 |     }}>
0707 |       Add at least one area and one plan to set prices.
0708 |     </div>
0709 |   ) : (
0710 |     <div style={{ overflowX: "auto" }}>
0711 |       <table style={{ borderCollapse: "collapse", width: "100%", minWidth: `${140 + installmentPlans.length * 120}px` }}>
0712 |         <thead>
0713 |           <tr>
0714 |             <th style={{
0715 |               textAlign: "left", padding: "8px 10px", fontSize: "10px", color: "#6B6762",
0716 |               textTransform: "uppercase", letterSpacing: "0.08em",
0717 |               borderBottom: "0.5px solid rgba(201,151,58,0.2)",
0718 |             }}>
0719 |               Size
0720 |             </th>
0721 |             {installmentPlans.map(plan => (
0722 |               <th key={plan.id} style={{
0723 |                 textAlign: "left", padding: "8px 10px", fontSize: "10px", color: "#6B6762",
0724 |                 textTransform: "uppercase", letterSpacing: "0.08em",
0725 |                 borderBottom: "0.5px solid rgba(201,151,58,0.2)",
0726 |               }}>
0727 |                 {plan.label}
0728 |               </th>
0729 |             ))}
0730 |           </tr>
0731 |         </thead>
0732 |         <tbody>
0733 |           {areaOptions.map(area => (
0734 |             <tr key={area.id}>
0735 |               <td style={{
0736 |                 padding: "8px 10px", fontSize: "13px", color: "#F0EDE6",
0737 |                 borderBottom: "0.5px solid rgba(201,151,58,0.08)",
0738 |               }}>
0739 |                 {Number(area.area_sqm).toLocaleString()} m2
0740 |               </td>
0741 |               {installmentPlans.map(plan => (
0742 |                 <td key={plan.id} style={{ padding: "6px 8px", borderBottom: "0.5px solid rgba(201,151,58,0.08)" }}>
0743 |                   <input
0744 |                     type="number"
0745 |                     style={{ ...inputStyle, padding: "8px 10px", fontSize: "13px" }}
0746 |                     value={priceGrid[priceKey(area.id, plan.id)] ?? ""}
0747 |                     onChange={e => handlePriceChange(area.id, plan.id, e.target.value)}
0748 |                     onBlur={() => handlePriceBlur(area.id, plan.id)}
0749 |                     placeholder="EGP"
0750 |                   />
0751 |                 </td>
0752 |               ))}
0753 |             </tr>
0754 |           ))}
0755 |         </tbody>
0756 |       </table>
0757 |     </div>
0758 |   )}
0759 | </div>
0760 |
0761 | {error && (
0762 |   <div style={{
0763 |     background: "rgba(200,60,60,0.12)", border: "0.5px solid rgba(200,60,60,0.4)",
0764 |     borderRadius: "8px", padding: "10px 14px", color: "#E07070",
0765 |     fontSize: "13px", marginBottom: "16px",

```



```

0766 |     >>>
0767 |     {error}
0768 |   </div>
0769 | })
0770 |
0771 | <div style={{ display: "flex", gap: "10px" }}>
0772 |   <button onClick={handleSave} disabled={saving || uploadingImages} style={{
0773 |     background: saving || uploadingImages ? "rgba(201,151,58,0.4)" : "#C9973A",
0774 |     color: "#2C2C2E", border: "none", borderRadius: "10px", padding: "11px 24px",
0775 |     fontSize: "13px", fontWeight: "600",
0776 |     cursor: saving || uploadingImages ? "not-allowed" : "pointer",
0777 |   }}>
0778 |     {uploadingImages ? "Uploading images..." : saving ? "Saving..." : editId ? "Save changes" : "Add project"}
0779 |   </button>
0780 |   <button onClick={cancelForm} style={{
0781 |     background: "transparent", color: "#9A9489",
0782 |     border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: "10px",
0783 |     padding: "11px 20px", fontSize: "13px", cursor: "pointer",
0784 |   }}>
0785 |     Cancel
0786 |   </button>
0787 | </div>
0788 | </div>
0789 | })
0790 |
0791 | {/* Project list */}
0792 | {loading ? (
0793 |   <p style={{ color: "#9A9489", fontSize: "14px" }}>Loading...</p>
0794 | ) : lands.length === 0 ? (
0795 |   <div style={{
0796 |     background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)",
0797 |     borderRadius: "12px", padding: "48px", textAlign: "center",
0798 |   }}>
0799 |     <p style={{ color: "#6B6762", fontSize: "14px", margin: 0 }}>No projects yet. Add your first one above.</p>
0800 |   </div>
0801 | ) : (
0802 |   <div style={{
0803 |     background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)",
0804 |     borderRadius: "12px", overflow: "hidden",
0805 |   }}>
0806 |     {lands.map((land, i) => {
0807 |       const s = statusColors[land.status] || statusColors.available;
0808 |       return (
0809 |         <div key={land.id} style={{
0810 |           display: "flex", alignItems: "center", gap: "14px",
0811 |           padding: "14px 20px",
0812 |           borderBottom: i < lands.length - 1 ? "0.5px solid rgba(201,151,58,0.1)" : "none",
0813 |         }}>
0814 |           {/* Thumbnail */}
0815 |           <div style={{
0816 |             width: "56px", height: "42px", borderRadius: "8px", flexShrink: 0,
0817 |             background: "#3A3A3D", overflow: "hidden",
0818 |             border: "0.5px solid rgba(201,151,58,0.15)",
0819 |           }}>
0820 |             {land.image_url ? (
0821 |               <img src={land.image_url} alt=""
0822 |                 style={{ width: "100%", height: "100%", objectFit: "cover" }} />
0823 |             ) : (
0824 |               <div style={{
0825 |                 width: "100%", height: "100%", display: "flex",
0826 |                 alignItems: "center", justifyContent: "center",
0827 |                 color: "#6B6762", fontSize: "16px",
0828 |               }}> </div>
0829 |             )}
0830 |           </div>
0831 |
0832 |           {/* Info */}
0833 |           <div style={{ flex: 1, minWidth: 0 }}>
0834 |             <div style={{ fontSize: "14px", color: "#F0EDE6", fontWeight: "500" }}>
0835 |               {land.title}
0836 |             </div>
0837 |             <div style={{ fontSize: "12px", color: "#6B6762", marginTop: "2px" }}>
0838 |               {land.locations?.name || "-"} · {land.developers?.name || "-"}
0839 |               {land.price ? ` · EGP ${Number(land.price).toLocaleString()}` : ""}
0840 |             </div>
0841 |           </div>
0842 |
0843 |           {/* Status */}
0844 |           <span style={{
0845 |             fontSize: "10px", background: s.bg, color: s.color,
0846 |             border: `0.5px solid ${s.color}55`, borderRadius: "999px",
0847 |             padding: "3px 10px", letterSpacing: "0.08em",
0848 |             textTransform: "uppercase", flexShrink: 0,
0849 |           }}>
0850 |             {land.status}
0851 |           </span>
0852 |
0853 |           {/* Actions */}
0854 |           <div style={{ display: "flex", gap: "8px", flexShrink: 0 }}>
0855 |             <button onClick={() => openEdit(land)} style={{
0856 |               background: "transparent",
0857 |               border: "0.5px solid rgba(201,151,58,0.25)",

```

```

0858 |         borderRadius: "8px", padding: "7px 14px",
0859 |         color: "#C9973A", fontSize: "12px", cursor: "pointer",
0860 |     }}>
0861 |     Edit
0862 | </button>
0863 | <button onClick={() => handleDelete(land.id)} disabled={deletingId === land.id} style={{
0864 |     background: "transparent",
0865 |     border: "0.5px solid rgba(200,60,0,0.3)",
0866 |     borderRadius: "8px", padding: "7px 14px",
0867 |     color: "#E07070", fontSize: "12px", cursor: "pointer",
0868 | }}>
0869 |     {deletingId === land.id ? "...": "Delete"}
0870 | </button>
0871 | </div>
0872 | </div>
0873 |     );
0874 |   }}}
0875 | </div>
0876 |   })
0877 | </div>
0878 |   );
0879 | }

```

src/app/admin/developers/page.js

Lines: 242.

```

0001 | "use client";
0002 |
0003 | import { useState, useEffect } from "react";
0004 | import { createClient } from "@supabase/supabase-js";
0005 |
0006 | const supabase = createClient(
0007 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0008 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0009 | );
0010 |
0011 | const emptyForm = { name: "", bio: "", logo_url: "" };
0012 |
0013 | export default function AdminDevelopers() {
0014 |   const [developers, setDevelopers] = useState([]);
0015 |   const [loading, setLoading] = useState(true);
0016 |   const [showForm, setShowForm] = useState(false);
0017 |   const [form, setForm] = useState(emptyForm);
0018 |   const [editId, setEditId] = useState(null);
0019 |   const [saving, setSaving] = useState(false);
0020 |   const [deletingId, setDeletingId] = useState(null);
0021 |   const [error, setError] = useState("");
0022 |   const [logoFile, setLogoFile] = useState(null);
0023 |   const [uploading, setUploading] = useState(false);
0024 |
0025 |   async function fetchDevelopers() {
0026 |     const { data } = await supabase.from("developers").select("*").order("name");
0027 |     setDevelopers(data || []);
0028 |     setLoading(false);
0029 |   }
0030 |
0031 |   useEffect(() => { fetchDevelopers(); }, []);
0032 |
0033 |   function openAdd() { setForm(emptyForm); setEditId(null); setError(""); setLogoFile(null); setShowForm(true); }
0034 |   function openEdit(dev) {
0035 |     setForm({ name: dev.name || "", bio: dev.bio || "", logo_url: dev.logo_url || "" });
0036 |     setEditId(dev.id); setError(""); setLogoFile(null); setShowForm(true);
0037 |   }
0038 |   function cancelForm() { setShowForm(false); setForm(emptyForm); setEditId(null); setError(""); setLogoFile(null); }
0039 |
0040 |   async function uploadLogo(file) {
0041 |     const ext = file.name.split(".").pop();
0042 |     const path = `${Date.now()}_${Math.random().toString(36).slice(2)}.${ext}`;
0043 |     const { error } = await supabase.storage.from("developer-logos").upload(path, file);
0044 |     if (error) throw error;
0045 |     const { data: urlData } = supabase.storage.from("developer-logos").getPublicUrl(path);
0046 |     return urlData.publicUrl;
0047 |   }
0048 |
0049 |   async function handleSave() {
0050 |     if (!form.name.trim()) { setError("Name is required."); return; }
0051 |     setSaving(true); setError("");
0052 |
0053 |     let finalLogoUrl = form.logo_url.trim() || null;
0054 |
0055 |     if (logoFile) {
0056 |       setUploading(true);
0057 |       try {
0058 |         finalLogoUrl = await uploadLogo(logoFile);
0059 |       } catch (err) {
0060 |         setError("Logo upload failed: " + err.message);
0061 |         setSaving(false);
0062 |         setUploading(false);
0063 |         return;
0064 |       }

```

```

0065 |     setUploading(false);
0066 |   }
0067 |
0068 |   if (editId) {
0069 |     const { error } = await supabase.from("developers").update({
0070 |       name: form.name.trim(), bio: form.bio.trim(), logo_url: finalLogoUrl,
0071 |     }).eq("id", editId);
0072 |     if (error) { setError(error.message); setSaving(false); return; }
0073 |   } else {
0074 |     const { error } = await supabase.from("developers").insert({
0075 |       name: form.name.trim(), bio: form.bio.trim(), logo_url: finalLogoUrl,
0076 |     });
0077 |     if (error) { setError(error.message); setSaving(false); return; }
0078 |   }
0079 |   setSaving(false); cancelForm(); fetchDevelopers();
0080 | }
0081 |
0082 | async function handleDelete(id) {
0083 |   if (!confirm("Delete this developer?")) return;
0084 |   setDeletingId(id);
0085 |   await supabase.from("developers").delete().eq("id", id);
0086 |   setDeletingId(null); fetchDevelopers();
0087 | }
0088 |
0089 | const inputStyle = {
0090 |   width: "100%", background: "#3A3A3D",
0091 |   border: "0.5px solid rgba(201,151,58,0.25)", borderRadius: "10px",
0092 |   padding: "11px 14px", color: "#F0EDE6", fontSize: "14px",
0093 |   outline: "none", boxSizing: "border-box", fontFamily: "Inter, Arial, sans-serif",
0094 | };
0095 | const labelStyle = {
0096 |   display: "block", fontSize: "11px", color: "#9A9489",
0097 |   letterSpacing: "0.12em", textTransform: "uppercase", marginBottom: "7px",
0098 | };
0099 |
0100 | const previewUrl = logoFile ? URL.createObjectURL(logoFile) : form.logo_url;
0101 |
0102 | return (
0103 |   <div>
0104 |     <div style={{ display: "flex", justifyContent: "space-between", alignItems: "flex-start", marginBottom: "32px" }}>
0105 |       <div>
0106 |         <h1 style={{ fontFamily: "Georgia, serif", fontSize: "26px", color: "#F0EDE6", margin: 0, marginBottom: "5px" }}>Developers</h1>
0107 |         <p style={{ color: "#9A9489", fontSize: "13px", margin: 0 }}>{developers.length} developer{developers.length !== 1 ? "s" : ""}</p>
0108 |       </div>
0109 |       <button onClick={openAdd} style={{
0110 |         background: "#C9973A", color: "#2C2C2E", border: "none", borderRadius: "10px",
0111 |         padding: "11px 20px", fontSize: "13px", fontWeight: "600", cursor: "pointer",
0112 |       }}>
0113 |         + Add developer
0114 |       </button>
0115 |     </div>
0116 |
0117 |     {showForm && (
0118 |       <div style={{ background: "#343437", border: "0.5px solid rgba(201,151,58,0.3)", borderRadius: "14px", padding: "28px", marginBottom: "28px" }}>
0119 |         <h2 style={{ fontSize: "16px", color: "#F0EDE6", margin: "0 0 22px", fontWeight: "500" }}>
0120 |           {editId ? "Edit developer" : "New developer"}
0121 |         </h2>
0122 |         <div style={{ marginBottom: "16px" }}>
0123 |           <label style={labelStyle}>Name *</label>
0124 |           <input style={inputStyle} value={form.name} onChange={e => setForm(f => ({ ...f, name: e.target.value }))} placeholder="Developer company name" />
0125 |         </div>
0126 |         <div style={{ marginBottom: "20px" }}>
0127 |           <label style={labelStyle}>Bio</label>
0128 |           <textarea style={{ ...inputStyle, minHeight: "80px", resize: "vertical" }}
0129 |             value={form.bio} onChange={e => setForm(f => ({ ...f, bio: e.target.value }))}
0130 |             placeholder="Short paragraph shown on project pages..." />
0131 |         </div>
0132 |
0133 |         {/* Logo upload */}
0134 |         <div style={{ marginBottom: "20px" }}>
0135 |           <label style={labelStyle}>Logo</label>
0136 |
0137 |           {previewUrl && (
0138 |             <div style={{ marginBottom: "12px" }}>
0139 |               <img src={previewUrl} alt="" style={{
0140 |                 width: "72px", height: "72px", objectFit: "cover",
0141 |                 borderRadius: "999px", border: "0.5px solid rgba(201,151,58,0.25)",
0142 |               }} />
0143 |             </div>
0144 |           )}
0145 |
0146 |           <label style={{
0147 |             display: "flex", flexDirection: "column", alignItems: "center",
0148 |             justifyContent: "center", gap: "8px",
0149 |             border: `1.5px dashed ${logoFile ? "rgba(77,201,138,0.5)" : "rgba(201,151,58,0.25)"}`,
0150 |             borderRadius: "10px", padding: "20px",
0151 |             cursor: "pointer", background: logoFile ? "rgba(30,120,70,0.08)" : "transparent",
0152 |             transition: "all 0.2s ease",
0153 |           }}>
0154 |             <input type="file" accept="image/*"

```

```

0155 |         style={{ display: "none" }}
0156 |         onChange={e => setLogoFile(e.target.files[0] || null)} />
0157 |         <span style={{ fontSize: "22px" }}> </span>
0158 |         <span style={{ fontSize: "13px", color: logoFile ? "#4DC98A" : "#9A9489" }}>
0159 |             {logoFile ? logoFile.name : "Click to upload logo"}
0160 |         </span>
0161 |     </label>
0162 | </div>
0163 |
0164 |     {error && (
0165 |         <div style={{ background: "rgba(200,60,60,0.12)", border: "0.5px solid rgba(200,60,60,0.4)", borderRadius: "8px", padding: "10px 14px",
color: "#E07070", fontSize: "13px", marginBottom: "16px" }}>
0166 |             {error}
0167 |         </div>
0168 |     )}
0169 |     <div style={{ display: "flex", gap: "10px" }}>
0170 |         <button onClick={handleSave} disabled={saving} style={{
0171 |             background: saving ? "rgba(201,151,58,0.4)" : "#C9973A", color: "#2C2C2E",
0172 |             border: "none", borderRadius: "10px", padding: "11px 24px",
0173 |             fontSize: "13px", fontWeight: "600", cursor: saving ? "not-allowed" : "pointer",
0174 |         }}>
0175 |             {uploading ? "Uploading..." : saving ? "Saving..." : editId ? "Save changes" : "Add developer"}
0176 |         </button>
0177 |         <button onClick={cancelForm} style={{
0178 |             background: "transparent", color: "#9A9489",
0179 |             border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: "10px",
0180 |             padding: "11px 20px", fontSize: "13px", cursor: "pointer",
0181 |         }}>
0182 |             Cancel
0183 |         </button>
0184 |     </div>
0185 | </div>
0186 | )}
0187 |
0188 | {loading ? (
0189 |     <p style={{ color: "#9A9489", fontSize: "14px" }}>Loading...</p>
0190 | ) : developers.length === 0 ? (
0191 |     <div style={{ background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)", borderRadius: "12px", padding: "48px", textAlign: "center"
}}>
0192 |         <p style={{ color: "#6B6762", fontSize: "14px", margin: 0 }}>No developers yet.</p>
0193 |     </div>
0194 | ) : (
0195 |     <div style={{ background: "#343437", border: "0.5px solid rgba(201,151,58,0.18)", borderRadius: "12px", overflow: "hidden" }}>
0196 |         {developers.map((dev, i) => (
0197 |             <div key={dev.id} style={{
0198 |                 display: "flex", alignItems: "center", gap: "16px",
0199 |                 padding: "16px 20px",
0200 |                 borderBottom: i < developers.length - 1 ? "0.5px solid rgba(201,151,58,0.1)" : "none",
0201 |             }}>
0202 |                 { /* Avatar / logo */ }
0203 |                 <div style={{
0204 |                     width: "44px", height: "44px", borderRadius: "999px", flexShrink: 0,
0205 |                     background: "rgba(201,151,58,0.15)", border: "0.5px solid rgba(201,151,58,0.3)",
0206 |                     display: "flex", alignItems: "center", justifyContent: "center",
0207 |                     fontSize: "16px", color: "#C9973A", fontFamily: "Georgia, serif", fontWeight: "bold",
0208 |                     overflow: "hidden",
0209 |                 }}>
0210 |                     {dev.logo_url ? (
0211 |                         <img src={dev.logo_url} alt="" style={{ width: "100%", height: "100%", objectFit: "cover" }} />
0212 |                     ) : (
0213 |                         dev.name?.charAt(0).toUpperCase()
0214 |                     )}
0215 |                 </div>
0216 |                 <div style={{ flex: 1, minWidth: 0 }}>
0217 |                     <div style={{ fontSize: "14px", color: "#F0EDE6", fontWeight: "500" }}>{dev.name}</div>
0218 |                     {dev.bio && (
0219 |                         <div style={{ fontSize: "12px", color: "#6B6762", marginTop: "2px", overflow: "hidden", textOverflow: "ellipsis", whiteSpace: "now
rap" }}>
0220 |                             {dev.bio}
0221 |                         </div>
0222 |                     )}
0223 |                 </div>
0224 |                 <div style={{ display: "flex", gap: "8px", flexShrink: 0 }}>
0225 |                     <button onClick={() => openEdit(dev)} style={{
0226 |                         background: "transparent", border: "0.5px solid rgba(201,151,58,0.25)",
0227 |                         borderRadius: "8px", padding: "7px 14px", color: "#C9973A", fontSize: "12px", cursor: "pointer",
0228 |                     }}>Edit</button>
0229 |                     <button onClick={() => handleDelete(dev.id)} disabled={deletingId === dev.id} style={{
0230 |                         background: "transparent", border: "0.5px solid rgba(200,60,60,0.3)",
0231 |                         borderRadius: "8px", padding: "7px 14px", color: "#E07070", fontSize: "12px", cursor: "pointer",
0232 |                     }}>
0233 |                         {deletingId === dev.id ? "..." : "Delete"}
0234 |                     </button>
0235 |                 </div>
0236 |                 </div>
0237 |             )}
0238 |         </div>
0239 |     )}
0240 | </div>
0241 | );
0242 | }

```

src/app/admin/reservations/page.js

Lines: 532.

```
0001 | "use client";
0002 | import { useState, useEffect } from "react";
0003 | import { createClient } from "@supabase/supabase-js";
0004 |
0005 | const supabase = createClient(
0006 |   process.env.NEXT_PUBLIC_SUPABASE_URL,
0007 |   process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
0008 | );
0009 |
0010 | const STATUS_TABS = ["all", "pending", "confirmed", "rejected"];
0011 |
0012 | const STATUS_STYLES = {
0013 |   pending: { color: "#E8C97A", bg: "rgba(200,150,40,0.12)", border: "rgba(200,150,40,0.3)" },
0014 |   confirmed: { color: "#4DC98A", bg: "rgba(30,120,70,0.18)", border: "rgba(77,201,138,0.35)" },
0015 |   rejected: { color: "#E07070", bg: "rgba(200,60,60,0.12)", border: "rgba(200,60,60,0.3)" },
0016 | };
0017 |
0018 | function StatusBadge({ status }) {
0019 |   const s = STATUS_STYLES[status] ?? STATUS_STYLES.pending;
0020 |   return (
0021 |     <span style={{
0022 |       fontSize: 10, fontWeight: 500, padding: "3px 10px", borderRadius: 20,
0023 |       textTransform: "capitalize", letterSpacing: "0.08em",
0024 |       color: s.color, background: s.bg, border: `0.5px solid ${s.border}`,
0025 |       display: "inline-block",
0026 |     }}>
0027 |       {status}
0028 |     </span>
0029 |   );
0030 | }
0031 |
0032 | function InfoRow({ label, value, gold }) {
0033 |   return (
0034 |     <div style={{ marginBottom: 12 }}>
0035 |       <div style={{ fontSize: 9, color: "#6B6762", textTransform: "uppercase", letterSpacing: "0.14em", marginBottom: 3 }}>
0036 |         {label}
0037 |       </div>
0038 |       <div style={{ fontSize: 14, color: gold ? "#E8C97A" : "#F0EDE6", fontWeight: gold ? 500 : 400 }}>
0039 |         {value || "-"}
0040 |       </div>
0041 |     </div>
0042 |   );
0043 | }
0044 |
0045 | function SectionLabel({ children }) {
0046 |   return (
0047 |     <p style={{
0048 |       fontSize: 9, letterSpacing: "0.18em", textTransform: "uppercase",
0049 |       color: "#6B6762", marginBottom: 12, marginTop: 0,
0050 |     }}>
0051 |       {children}
0052 |     </p>
0053 |   );
0054 | }
0055 |
0056 | export default function ReservationsPage() {
0057 |   const [reservations, setReservations] = useState([]);
0058 |   const [loading, setLoading] = useState(true);
0059 |   const [activeTab, setActiveTab] = useState("all");
0060 |   const [selected, setSelected] = useState(null);
0061 |   const [idFrontUrl, setIdFrontUrl] = useState(null);
0062 |   const [idBackUrl, setIdBackUrl] = useState(null);
0063 |   const [updatingStatus, setUpdatingStatus] = useState(false);
0064 |   const [confirmDelete, setConfirmDelete] = useState(false);
0065 |   const [deleting, setDeleting] = useState(false);
0066 |
0067 |   useEffect(() => { fetchReservations(); }, []);
0068 |
0069 |   async function fetchReservations() {
0070 |     setLoading(true);
0071 |     const { data, error } = await supabase
0072 |       .from("reservations")
0073 |       .select(`
0074 |         *,
0075 |         lands (
0076 |           id, title, area_sqm, price_per_meter,
0077 |           locations ( name )
0078 |         ),
0079 |         land_areas ( area_sqm, status ),
0080 |         land_installment_plans ( label, down_payment_percent, years )
0081 |       `)
0082 |       .order("created_at", { ascending: false });
0083 |
0084 |     if (!error) setReservations(data ?? []);
0085 |     setLoading(false);
0086 |   }
0087 |
0088 |   async function selectReservation(r) {
```

```

0089 |     setSelected(r);
0090 |     setIdFrontUrl(null);
0091 |     setIdBackUrl(null);
0092 |     setConfirmDelete(false);
0093 |
0094 |     if (r.national_id_front) {
0095 |         const { data } = await supabase.storage.from("reservations").createSignedUrl(r.national_id_front, 3600);
0096 |         if (data?.signedUrl) setIdFrontUrl(data.signedUrl);
0097 |     }
0098 |     if (r.national_id_back) {
0099 |         const { data } = await supabase.storage.from("reservations").createSignedUrl(r.national_id_back, 3600);
0100 |         if (data?.signedUrl) setIdBackUrl(data.signedUrl);
0101 |     }
0102 | }
0103 |
0104 | async function updateStatus(newStatus) {
0105 |     if (!selected) return;
0106 |     setUpdatingStatus(true);
0107 |     const { error } = await supabase.from("reservations").update({ status: newStatus }).eq("id", selected.id);
0108 |     if (!error) {
0109 |         const updated = { ...selected, status: newStatus };
0110 |         setSelected(updated);
0111 |         setReservations(prev => prev.map(r => r.id === selected.id ? { ...r, status: newStatus } : r));
0112 |     }
0113 |     setUpdatingStatus(false);
0114 | }
0115 |
0116 | async function handleDelete() {
0117 |     if (!selected) return;
0118 |     setDeleting(true);
0119 |
0120 |     // Delete storage files if they exist
0121 |     const filesToDelete = [];
0122 |     if (selected.national_id_front) filesToDelete.push(selected.national_id_front);
0123 |     if (selected.national_id_back) filesToDelete.push(selected.national_id_back);
0124 |     if (filesToDelete.length > 0) {
0125 |         await supabase.storage.from("reservations").remove(filesToDelete);
0126 |     }
0127 |
0128 |     // Delete the reservation row
0129 |     const { error } = await supabase.from("reservations").delete().eq("id", selected.id);
0130 |     if (!error) {
0131 |         setReservations(prev => prev.filter(r => r.id !== selected.id));
0132 |         setSelected(null);
0133 |         setConfirmDelete(false);
0134 |     }
0135 |     setDeleting(false);
0136 | }
0137 |
0138 | const filtered = activeTab === "all"
0139 |   ? reservations
0140 |   : reservations.filter(r => r.status === activeTab);
0141 |
0142 | function formatDate(ts) {
0143 |     if (!ts) return "-";
0144 |     return new Date(ts).toLocaleDateString("en-EG", { year: "numeric", month: "short", day: "numeric" });
0145 | }
0146 |
0147 | function getProjectName(r) { return r.lands?.title ?? "-"; }
0148 | function getLocationName(r) { return r.lands?.locations?.name ?? "-"; }
0149 | function getReservedArea(r) {
0150 |     if (r.land_areas?.area_sqm) return `${Number(r.land_areas.area_sqm).toLocaleString()} m²`;
0151 |     if (r.lands?.area_sqm) return `${Number(r.lands.area_sqm).toLocaleString()} m² (project total)`;
0152 |     return "-";
0153 | }
0154 | function getPlanLabel(r) {
0155 |     const plan = r.land_installment_plans;
0156 |     if (!plan) return "-";
0157 |     return plan.label || `${plan.down_payment_percent}% down - ${plan.years} yrs`;
0158 | }
0159 | function getPlanDetails(r) {
0160 |     const plan = r.land_installment_plans;
0161 |     if (!plan) return null;
0162 |     const parts = [];
0163 |     if (plan.down_payment_percent !== null) parts.push(`${plan.down_payment_percent}% down payment`);
0164 |     if (plan.years !== null) parts.push(`${plan.years} year${plan.years !== 1 ? "s" : ""}`);
0165 |     return parts.join(" · ") || null;
0166 | }
0167 | function getPricePerMeter(r) {
0168 |     const ppm = r.lands?.price_per_meter;
0169 |     if (!ppm) return "-";
0170 |     return `EGP ${Number(ppm).toLocaleString()} / m²`;
0171 | }
0172 |
0173 | return (
0174 |     <div style={{ padding: "32px 28px", minHeight: "100vh", color: "#F0EDE6" }}>
0175 |         <h1 style={{
0176 |             fontFamily: "var(--font-heading, 'Cormorant Garamond', Georgia, serif)",
0177 |             fontSize: 28, fontWeight: 400, color: "#F0EDE6", marginBottom: 6,
0178 |         }}>
0179 |             Reservations
0180 |         </h1>

```

```

0181 | <p style={{ fontSize: 13, color: "#6B6762", marginBottom: 28 }}>
0182 |   {reservations.length} total reservation{reservations.length !== 1 ? "s" : ""}
0183 | </p>
0184 |
0185 | /* Tab filter */
0186 | <div style={{ display: "flex", gap: 6, marginBottom: 20 }}>
0187 |   {STATUS_TABS.map(tab => {
0188 |     const isActive = activeTab === tab;
0189 |     return (
0190 |       <button
0191 |         key={tab}
0192 |         onClick={() => setActiveTab(tab)}
0193 |         style={{
0194 |           padding: "6px 16px", borderRadius: 20, fontSize: 12,
0195 |           fontWeight: isActive ? 500 : 400, letterSpacing: "0.04em",
0196 |           textTransform: "capitalize", cursor: "pointer",
0197 |           border: isActive ? "0.5px solid rgba(201,151,58,0.55)" : "0.5px solid rgba(201,151,58,0.18)",
0198 |           background: isActive ? "rgba(201,151,58,0.1)" : "transparent",
0199 |           color: isActive ? "#C9973A" : "#9A9489",
0200 |           transition: "all 0.2s ease",
0201 |         }}
0202 |       >
0203 |         {tab}
0204 |         {tab !== "all" && (
0205 |           <span style={{ marginLeft: 6, color: isActive ? "#C9973A" : "#6B6762" }}>
0206 |             ({reservations.filter(r => r.status === tab).length})
0207 |           </span>
0208 |         )}
0209 |       </button>
0210 |     );
0211 |   })}
0212 | </div>
0213 |
0214 | {loading ? (
0215 |   <div style={{ color: "#6B6762", fontSize: 14, padding: "40px 0", textAlign: "center" }}>
0216 |     Loading reservations...
0217 |   </div>
0218 | ) : (
0219 |   <div style={{ display: "grid", gridTemplateColumns: selected ? "1fr 380px" : "1fr", gap: 20, alignItems: "start" }}>
0220 |
0221 |     /* — LEFT: list — */
0222 |     <div style={{ display: "flex", flexDirection: "column", gap: 8 }}>
0223 |       {filtered.length === 0 ? (
0224 |         <div style={{
0225 |           textAlign: "center", padding: "3rem", color: "#6B6762",
0226 |           background: "#343437", borderRadius: 12, border: "0.5px solid rgba(201,151,58,0.18)", fontSize: 14,
0227 |         }}>
0228 |           No {activeTab === "all" ? "" : activeTab} reservations yet
0229 |         </div>
0230 |       ) : (
0231 |         filtered.map(r => {
0232 |           const isSelected = selected?.id === r.id;
0233 |           return (
0234 |             <div
0235 |               key={r.id}
0236 |               onClick={() => selectReservation(r)}
0237 |               style={{
0238 |                 padding: "14px 16px",
0239 |                 background: isSelected ? "rgba(201,151,58,0.07)" : "#343437",
0240 |                 border: isSelected ? "0.5px solid rgba(201,151,58,0.45)" : "0.5px solid rgba(201,151,58,0.18)",
0241 |                 borderRadius: 12, cursor: "pointer", transition: "all 0.2s ease",
0242 |                 display: "flex", alignItems: "flex-start", gap: 14,
0243 |               }}
0244 |               onMouseEnter={e => {
0245 |                 if (!isSelected) {
0246 |                   e.currentTarget.style.borderColor = "rgba(201,151,58,0.35)";
0247 |                   e.currentTarget.style.background = "rgba(201,151,58,0.04)";
0248 |                 }
0249 |               }}
0250 |               onMouseLeave={e => {
0251 |                 if (!isSelected) {
0252 |                   e.currentTarget.style.borderColor = "rgba(201,151,58,0.18)";
0253 |                   e.currentTarget.style.background = "#343437";
0254 |                 }
0255 |               }}
0256 |             >
0257 |               /* Avatar */
0258 |               <div style={{
0259 |                 width: 38, height: 38, borderRadius: "50%",
0260 |                 background: "rgba(201,151,58,0.1)", border: "0.5px solid rgba(201,151,58,0.25)",
0261 |                 display: "flex", alignItems: "center", justifyContent: "center",
0262 |                 fontFamily: "var(--font-heading, Georgia, serif)",
0263 |                 fontSize: 16, color: "#C9973A", flexShrink: 0,
0264 |               }}>
0265 |                 {r.full_name?.charAt(0)?.toUpperCase() ?? "?"}
0266 |               </div>
0267 |
0268 |               <div style={{ flex: 1, minWidth: 0 }}>
0269 |                 <div style={{ display: "flex", alignItems: "center", justifyContent: "space-between", gap: 8, marginBottom: 3 }}>
0270 |                   <span style={{ fontSize: 14, fontWeight: 500, color: "#F0EDE6", whiteSpace: "nowrap", overflow: "hidden", textOverflow: "ell
0271 | ipsis" }}>

```

```

0272 |         </span>
0273 |         <StatusBadge status={r.status} />
0274 |     </div>
0275 |     <div style={{ fontSize: 12, color: "#C9973A", marginBottom: 2, whiteSpace: "nowrap", overflow: "hidden", textOverflow: "ellips
is" }}>
0276 |         {getProjectName(r)}
0277 |         {getLocationName(r) !== "-" && <span style={{ color: "#6B6762" }}> · {getLocationName(r)}</span>}
0278 |     </div>
0279 |     <div style={{ display: "flex", gap: 12, fontSize: 11, color: "#6B6762", flexWrap: "wrap" }}>
0280 |         {r.land_areas && <span>{getReservedArea(r)}</span>}
0281 |         {r.land_installment_plans && <span>{getPlanLabel(r)}</span>}
0282 |         <span style={{ marginLeft: "auto" }}>{formatDate(r.created_at)}</span>
0283 |     </div>
0284 | </div>
0285 | </div>
0286 |     );
0287 | })
0288 | })
0289 | </div>
0290 |
0291 | /* — RIGHT: detail panel — */
0292 | {selected && (
0293 |     <div style={{
0294 |         background: "#343437",
0295 |         border: "0.5px solid rgba(201,151,58,0.22)",
0296 |         borderRadius: 14,
0297 |         padding: "20px",
0298 |         position: "sticky",
0299 |         top: 20,
0300 |         display: "flex",
0301 |         flexDirection: "column",
0302 |         gap: 0,
0303 |     }}>
0304 |         /* Header */
0305 |         <div style={{ display: "flex", alignItems: "flex-start", justifyContent: "space-between", marginBottom: 18 }}>
0306 |             <div>
0307 |                 <div style={{
0308 |                     fontFamily: "var(--font-heading, Georgia, serif)",
0309 |                     fontSize: 20, fontWeight: 400, color: "#F0EDE6", marginBottom: 4,
0310 |                 }}>
0311 |                     {selected.full_name}
0312 |                 </div>
0313 |                 <StatusBadge status={selected.status} />
0314 |             </div>
0315 |             <button
0316 |                 onClick={() => { setSelected(null); setConfirmDelete(false); }}
0317 |                 style={{
0318 |                     background: "none", border: "none", color: "#6B6762",
0319 |                     cursor: "pointer", fontSize: 18, padding: "2px 6px",
0320 |                     lineHeight: 1, borderRadius: 6, transition: "color 0.2s",
0321 |                 }}
0322 |                 onMouseEnter={e => e.currentTarget.style.color = "#F0EDE6"}
0323 |                 onMouseLeave={e => e.currentTarget.style.color = "#6B6762"}
0324 |                 title="Close"
0325 |             >
0326 |                 ×
0327 |             </button>
0328 |         </div>
0329 |
0330 |         /* Section 1: Project */
0331 |         <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px 14px 6px", marginBo
ttom: 14 }}>
0332 |             <SectionLabel>Project</SectionLabel>
0333 |             <InfoRow label="Project name" value={getProjectName(selected)} gold />
0334 |             <InfoRow label="Location" value={getLocationName(selected)} />
0335 |             <InfoRow label="Price / m²" value={getPricePerMeter(selected)} gold />
0336 |         </div>
0337 |
0338 |         /* Section 2: Reservation details */
0339 |         <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px 14px 6px", marginBo
ttom: 14 }}>
0340 |             <SectionLabel>Reservation Details</SectionLabel>
0341 |
0342 |             <div style={{ marginBottom: 12 }}>
0343 |                 <div style={{ fontSize: 9, color: "#6B6762", textTransform: "uppercase", letterSpacing: "0.14em", marginBottom: 3 }}>Reserved Area
</div>
0344 |                 {selected.land_areas ? (
0345 |                     <div style={{ display: "flex", alignItems: "center", gap: 8 }}>
0346 |                         <span style={{ fontSize: 14, color: "#E8C97A", fontWeight: 500 }}>{getReservedArea(selected)}</span>
0347 |                         <StatusBadge status={selected.land_areas.status} />
0348 |                     </div>
0349 |                 ) : (
0350 |                     <span style={{ fontSize: 13, color: "#6B6762", fontStyle: "italic" }}>No area selected (legacy reservation)</span>
0351 |                 )
0352 |             </div>
0353 |
0354 |             <div style={{ marginBottom: 12 }}>
0355 |                 <div style={{ fontSize: 9, color: "#6B6762", textTransform: "uppercase", letterSpacing: "0.14em", marginBottom: 3 }}>Payment Plan<
/div>
0356 |                 {selected.land_installment_plans ? (
0357 |                     <div>
0358 |                         <div style={{ fontSize: 14, color: "#E8C97A", fontWeight: 500, marginBottom: 2 }}>{getPlanLabel(selected)}</div>

```



```

0359 |         {getPlanDetails(selected) && <div style={{ fontSize: 11, color: "#9A9489" }}>{getPlanDetails(selected)}</div>}
0360 |     </div>
0361 |     ) : (
0362 |         <span style={{ fontSize: 13, color: "#6B6762", fontStyle: "italic" }}>No plan selected (legacy reservation)</span>
0363 |     )
0364 | </div>
0365 | </div>
0366 |
0367 | /* Section 3: Buyer */
0368 | <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px 14px 6px", marginBo
ttom: 14 }}>
0369 |     <SectionLabel>Buyer</SectionLabel>
0370 |     <InfoRow label="Full name" value={selected.full_name} />
0371 |     <InfoRow label="Phone" value={selected.phone} />
0372 |     <InfoRow label="Submitted" value={formatDate(selected.created_at)} />
0373 | </div>
0374 |
0375 | /* Section 4: National ID photos */
0376 | <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.14)", borderRadius: 10, padding: "14px", marginBottom: 14
}}>
0377 |     <SectionLabel>National ID</SectionLabel>
0378 |     <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 10 }}>
0379 |         {[
0380 |             { label: "Front", url: idFrontUrl, path: selected.national_id_front },
0381 |             { label: "Back", url: idBackUrl, path: selected.national_id_back },
0382 |         ].map(({ label, url, path }) => (
0383 |             <div key={label}>
0384 |                 <div style={{ fontSize: 9, color: "#6B6762", textTransform: "uppercase", letterSpacing: "0.1em", marginBottom: 6 }}>{label}</d
iv>
0385 |                 {path ? (
0386 |                     url ? (
0387 |                         <a href={url} target="_blank" rel="noopener noreferrer" style={{ display: "block" }}>
0388 |                             <img src={url} alt={`National ID ${label}`} style={{
0389 |                                 width: "100%", aspectRatio: "4/3", objectFit: "cover",
0390 |                                 borderRadius: 8, border: "0.5px solid rgba(201,151,58,0.22)", display: "block",
0391 |                             }} />
0392 |                         </a>
0393 |                     ) : (
0394 |                         <div style={{
0395 |                             width: "100%", aspectRatio: "4/3", borderRadius: 8,
0396 |                             background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.14)",
0397 |                             display: "flex", alignItems: "center", justifyContent: "center",
0398 |                             fontSize: 11, color: "#6B6762",
0399 |                         }}>Loading...</div>
0400 |                     )
0401 |                 ) : (
0402 |                     <div style={{
0403 |                         width: "100%", aspectRatio: "4/3", borderRadius: 8,
0404 |                         background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.12)",
0405 |                         display: "flex", alignItems: "center", justifyContent: "center",
0406 |                         fontSize: 11, color: "#6B6762",
0407 |                     }}>Not uploaded</div>
0408 |                 )
0409 |             </div>
0410 |         )]}
0411 |     </div>
0412 | </div>
0413 |
0414 | /* Section 5: Status controls */
0415 | <div style={{ marginBottom: 14 }}>
0416 |     <SectionLabel>Update Status</SectionLabel>
0417 |     <div style={{ display: "flex", gap: 8 }}>
0418 |         {[
0419 |             "pending", "confirmed", "rejected"].map(s => {
0420 |             const st = STATUS_STYLES[s];
0421 |             const isActive = selected.status === s;
0422 |             return (
0423 |                 <button
0424 |                     key={s}
0425 |                     disabled={updatingStatus || isActive}
0426 |                     onClick={() => updateStatus(s)}
0427 |                     style={{
0428 |                         flex: 1, padding: "9px 6px", borderRadius: 9, fontSize: 11,
0429 |                         fontWeight: isActive ? 500 : 400, letterSpacing: "0.06em",
0430 |                         textTransform: "capitalize", cursor: isActive ? "default" : "pointer",
0431 |                         border: `0.5px solid ${isActive ? st.border : "rgba(201,151,58,0.18)"}`,
0432 |                         background: isActive ? st.bg : "transparent",
0433 |                         color: isActive ? st.color : "#6B6762",
0434 |                         opacity: updatingStatus && !isActive ? 0.5 : 1,
0435 |                         transition: "all 0.2s ease",
0436 |                     }}
0437 |                     onMouseEnter={e => {
0438 |                         if (!isActive && !updatingStatus) {
0439 |                             e.currentTarget.style.color = st.color;
0440 |                             e.currentTarget.style.borderColor = st.border;
0441 |                             e.currentTarget.style.background = st.bg;
0442 |                         }
0443 |                     }}
0444 |                     onMouseLeave={e => {
0445 |                         if (!isActive) {
0446 |                             e.currentTarget.style.color = "#6B6762";
0447 |                             e.currentTarget.style.borderColor = "rgba(201,151,58,0.18)";
0448 |                             e.currentTarget.style.background = "transparent";

```

```

0448 |         }
0449 |     }}
0450 |     >
0451 |     {s}
0452 |     </button>
0453 | );
0454 | }}}
0455 | </div>
0456 | </div>
0457 |
0458 | /* Section 6: Delete */
0459 | <div style={{ borderTop: "0.5px solid rgba(201,151,58,0.12)", paddingTop: 14 }}>
0460 |     {!confirmDelete ? (
0461 |         <button
0462 |             onClick={() => setConfirmDelete(true)}
0463 |             style={{
0464 |                 width: "100%", padding: "9px", borderRadius: 9, fontSize: 12,
0465 |                 cursor: "pointer", letterSpacing: "0.04em",
0466 |                 border: "0.5px solid rgba(200,60,60,0.25)",
0467 |                 background: "transparent", color: "#6B6762",
0468 |                 transition: "all 0.2s ease",
0469 |                 display: "flex", alignItems: "center", justifyContent: "center", gap: 7,
0470 |             }}
0471 |             onMouseEnter={e => {
0472 |                 e.currentTarget.style.color = "#E07070";
0473 |                 e.currentTarget.style.borderColor = "rgba(200,60,60,0.5)";
0474 |                 e.currentTarget.style.background = "rgba(200,60,60,0.08)";
0475 |             }}
0476 |             onMouseLeave={e => {
0477 |                 e.currentTarget.style.color = "#6B6762";
0478 |                 e.currentTarget.style.borderColor = "rgba(200,60,60,0.25)";
0479 |                 e.currentTarget.style.background = "transparent";
0480 |             }}
0481 |         >
0482 |             <svg width="13" height="13" viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round" strokeLi
nejoin="round">
0483 |                 <polyline points="3 6 5 6 21 6"/><path d="M19 6l-1 14H6L5 6"/><path d="M10 11v6M14 11v6"/><path d="M9 6V4h6v2"/>
0484 |             </svg>
0485 |             Delete reservation
0486 |         </button>
0487 |     ) : (
0488 |         <div style={{
0489 |             background: "rgba(200,60,60,0.08)", border: "0.5px solid rgba(200,60,60,0.3)",
0490 |             borderRadius: 9, padding: "12px 14px",
0491 |         }}>
0492 |             <p style={{ fontSize: 12, color: "#E07070", marginBottom: 10, lineHeight: 1.5 }}>
0493 |                 This will permanently delete this reservation and its ID photos. This cannot be undone.
0494 |             </p>
0495 |             <div style={{ display: "flex", gap: 8 }}>
0496 |                 <button
0497 |                     onClick={() => setConfirmDelete(false)}
0498 |                     disabled={deleting}
0499 |                     style={{
0500 |                         flex: 1, padding: "8px", borderRadius: 8, fontSize: 12,
0501 |                         cursor: "pointer", border: "0.5px solid rgba(201,151,58,0.18)",
0502 |                         background: "transparent", color: "#9A9489", transition: "all 0.2s ease",
0503 |                     }}
0504 |                 >
0505 |                     Cancel
0506 |                 </button>
0507 |                 <button
0508 |                     onClick={handleDelete}
0509 |                     disabled={deleting}
0510 |                     style={{
0511 |                         flex: 1, padding: "8px", borderRadius: 8, fontSize: 12,
0512 |                         cursor: deleting ? "default" : "pointer",
0513 |                         border: "0.5px solid rgba(200,60,60,0.5)",
0514 |                         background: "rgba(200,60,60,0.15)", color: "#E07070",
0515 |                         fontWeight: 500, transition: "all 0.2s ease",
0516 |                         opacity: deleting ? 0.6 : 1,
0517 |                     }}
0518 |                 >
0519 |                     {deleting ? "Deleting..." : "Yes, delete"}
0520 |                 </button>
0521 |             </div>
0522 |         </div>
0523 |     )}
0524 | </div>
0525 |
0526 | </div>
0527 | }}
0528 | </div>
0529 | )}
0530 | </div>
0531 | );
0532 | }

```

src/app/components/SplashScreen.js

Lines: 127.

```

0001 | "use client";
0002 |
0003 | import { useEffect, useState } from "react";
0004 | import Image from "next/image";
0005 |
0006 | export default function SplashScreen({ children }) {
0007 |   const [phase, setPhase] = useState("hidden");
0008 |
0009 |   useEffect(() => {
0010 |     const showTimer = setTimeout(() => {
0011 |       setPhase("visible");
0012 |     }, 100);
0013 |
0014 |     const fadeTimer = setTimeout(() => {
0015 |       setPhase("fadeout");
0016 |     }, 2200);
0017 |
0018 |     const removeTimer = setTimeout(() => {
0019 |       setPhase("done");
0020 |     }, 3400);
0021 |
0022 |     return () => {
0023 |       clearTimeout(showTimer);
0024 |       clearTimeout(fadeTimer);
0025 |       clearTimeout(removeTimer);
0026 |     };
0027 |   }, []);
0028 |
0029 |   return (
0030 |     <>
0031 |       {children}
0032 |
0033 |       {phase !== "done" && (
0034 |         <div
0035 |           style={{
0036 |             position: "fixed",
0037 |             inset: 0,
0038 |             background: "#2C2C2E",
0039 |             display: "flex",
0040 |             alignItems: "center",
0041 |             justifyContent: "center",
0042 |             overflow: "hidden",
0043 |             zIndex: 9999,
0044 |             pointerEvents: "none",
0045 |
0046 |             opacity: phase === "fadeout" ? 0 : 1,
0047 |             transition: "opacity 1.2s ease",
0048 |           }}
0049 |         >
0050 |           {/* Gold glow */}
0051 |           <div
0052 |             style={{
0053 |               position: "absolute",
0054 |               width: 600,
0055 |               height: 600,
0056 |               borderRadius: "50%",
0057 |               background:
0058 |                 "radial-gradient(circle, rgba(201,151,58,0.10) 0%, transparent 70%)",
0059 |
0060 |               opacity: phase === "fadeout" ? 0 : 1,
0061 |
0062 |               transform:
0063 |                 phase === "fadeout"
0064 |                   ? "scale(1.25)"
0065 |                   : "scale(1)",
0066 |
0067 |               transition:
0068 |                 "opacity 1.2s ease, transform 1.2s ease",
0069 |             }}
0070 |           />
0071 |
0072 |           {/* Logo */}
0073 |           <div
0074 |             style={{
0075 |               display: "flex",
0076 |               flexDirection: "column",
0077 |               alignItems: "center",
0078 |
0079 |               opacity:
0080 |                 phase === "hidden"
0081 |                   ? 0
0082 |                   : phase === "fadeout"
0083 |                     ? 0
0084 |                     : 1,
0085 |
0086 |               transform:
0087 |                 phase === "hidden"
0088 |                   ? "translateY(12px) scale(0.96)"
0089 |                   : phase === "fadeout"
0090 |                     ? "translateY(-8px) scale(1.03)"
0091 |                     : "translateY(0) scale(1)",

```

```

0093 |         transition:
0094 |           "opacity 1s ease, transform 1s ease",
0095 |       }}
0096 |     >
0097 |     <Image
0098 |       src="/logo.png"
0099 |       alt="Invegate"
0100 |       width={240}
0101 |       height={120}
0102 |       priority
0103 |       style={{
0104 |         width: "240px",
0105 |         height: "auto",
0106 |         filter:
0107 |           "drop-shadow(0 0 28px rgba(201,151,58,0.18))",
0108 |       }}
0109 |   />
0110 |
0111 |   <div
0112 |     style={{
0113 |       marginTop: 14,
0114 |       fontSize: 10,
0115 |       letterSpacing: "0.18em",
0116 |       textTransform: "uppercase",
0117 |       color: "#6B6762",
0118 |     }}
0119 |   >
0120 |     Luxury Real Estate Redefined
0121 |   </div>
0122 | </div>
0123 | </div>
0124 |   )}
0125 | </>
0126 | );
0127 | }

```

src/app/components/LocationSearch.js

Lines: 105.

```

0001 | "use client";
0002 | import { useState } from "react";
0003 | import LocationCard from "../LocationCard";
0004 |
0005 | export default function LocationSearch({ locations, countByLocation }) {
0006 |   const [query, setQuery] = useState("");
0007 |   const [focused, setFocused] = useState(false);
0008 |
0009 |   const filtered = locations?.filter((loc) =>
0010 |     loc.name.toLowerCase().includes(query.toLowerCase())
0011 |   ) ?? [];
0012 |
0013 |   return (
0014 |     <>
0015 |       {/* Search bar */}
0016 |       <div style={{
0017 |         display: "flex",
0018 |         alignItems: "center",
0019 |         gap: 12,
0020 |         borderBottom: focused ? "2px solid #C9973A" : "2px solid rgba(201,151,58,0.25)",
0021 |         padding: "12px 4px",
0022 |         marginBottom: "2.5rem",
0023 |         transition: "border-color 0.2s ease",
0024 |       }}>
0025 |         <svg width="20" height="20" viewBox="0 0 24 24" fill="none"
0026 |           stroke={focused ? "#C9973A" : "#6B6762"}
0027 |           strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"
0028 |           style={{ flexShrink: 0, transition: "stroke 0.2s" }}>
0029 |           <circle cx="11" cy="11" r="8"/>
0030 |           <line x1="21" y1="21" x2="16.65" y2="16.65"/>
0031 |         </svg>
0032 |
0033 |         <input
0034 |           type="text"
0035 |           value={query}
0036 |           onChange={(e) => setQuery(e.target.value)}
0037 |           onFocus={() => setFocused(true)}
0038 |           onBlur={() => setFocused(false)}
0039 |           placeholder="Search locations..."
0040 |           style={{
0041 |             flex: 1,
0042 |             background: "transparent",
0043 |             border: "none",
0044 |             outline: "none",
0045 |             fontSize: 16,
0046 |             color: "#F0EDE6",
0047 |             fontFamily: "Inter, Arial, sans-serif",
0048 |           }}
0049 |         />
0050 |
0051 |         {query && (

```

```

0052 |         <button
0053 |             onClick={() => setQuery("")}
0054 |             style={{
0055 |                 background: "none",
0056 |                 border: "none",
0057 |                 color: "#6B6762",
0058 |                 cursor: "pointer",
0059 |                 fontSize: 20,
0060 |                 padding: "0 4px",
0061 |                 lineHeight: 1,
0062 |                 flexShrink: 0,
0063 |             }}
0064 |         >
0065 |             x
0066 |         </button>
0067 |     }}
0068 | </div>
0069 |
0070 | {/* Results label */}
0071 | {query && (
0072 |     <p style={{
0073 |         fontSize: 11,
0074 |         color: "#6B6762",
0075 |         letterSpacing: "0.12em",
0076 |         textTransform: "uppercase",
0077 |         marginBottom: 14,
0078 |     }}>
0079 |         {filtered.length} result{filtered.length !== 1 ? "s" : ""}
0080 |     </p>
0081 | )}
0082 |
0083 | {/* Grid */}
0084 | {filtered.length === 0 ? (
0085 |     <p style={{ color: "#6B6762", fontSize: 14 }}>
0086 |         No locations match &quot;{query}&quot;;
0087 |     </p>
0088 | ) : (
0089 |     <div style={{
0090 |         display: "grid",
0091 |         gridTemplateColumns: "repeat(auto-fit, minmax(260px, 320px))",
0092 |         gap: 14,
0093 |     }}>
0094 |         {filtered.map((loc) => (
0095 |             <LocationCard
0096 |                 key={loc.id}
0097 |                 loc={loc}
0098 |                 count={countByLocation[loc.id] ?? 0}
0099 |             />
0100 |         ))}
0101 |     </div>
0102 | )}
0103 | </>
0104 | );
0105 | }

```

src/app/components/LocationCard.js

Lines: 155.

```

0001 | "use client";
0002 | import Image from "next/image";
0003 | import Link from "next/link";
0004 | import { useState } from "react";
0005 |
0006 | export default function LocationCard({ loc, count }) {
0007 |     const [hovered, setHovered] = useState(false);
0008 |
0009 |     return (
0010 |         <Link href={` /location/${loc.id}`} style={{ textDecoration: "none" }}>
0011 |             <div
0012 |                 onMouseEnter={() => setHovered(true)}
0013 |                 onMouseLeave={() => setHovered(false)}
0014 |                 style={{
0015 |                     background: "#343437",
0016 |                     borderRadius: 12,
0017 |                     overflow: "hidden",
0018 |                     border: hovered
0019 |                         ? "0.5px solid rgba(201,151,58,0.55)"
0020 |                         : "0.5px solid rgba(201,151,58,0.18)",
0021 |                     transform: hovered ? "translateY(-5px)" : "translateY(0)",
0022 |                     boxShadow: hovered
0023 |                         ? "0 18px 40px rgba(0,0,0,0.28)"
0024 |                         : "0 0 0 rgba(0,0,0,0)",
0025 |                     transition: "all 0.35s ease",
0026 |                 }}
0027 |             >
0028 |                 <div
0029 |                     style={{
0030 |                         width: "100%",
0031 |                         aspectRatio: "16 / 10",
0032 |                         background: "#3A3A3D",

```

```
0033 |         position: "relative",
0034 |         overflow: "hidden",
0035 |     }}
0036 | >
0037 |     {loc.image_url ? (
0038 |         <Image
0039 |             src={loc.image_url}
0040 |             alt={loc.name}
0041 |             fill
0042 |             sizes="(max-width: 768px) 100vw, 33vw"
0043 |             style={{
0044 |                 objectFit: "cover",
0045 |                 transform: hovered ? "scale(1.04)" : "scale(1)",
0046 |                 transition: "transform 0.6s ease",
0047 |             }}
0048 |         />
0049 |     ) : (
0050 |         <div
0051 |             style={{
0052 |                 width: "100%",
0053 |                 height: "100%",
0054 |                 display: "flex",
0055 |                 alignItems: "center",
0056 |                 justifyContent: "center",
0057 |             }}
0058 |         >
0059 |             <svg
0060 |                 width="32"
0061 |                 height="32"
0062 |                 viewBox="0 0 24 24"
0063 |                 fill="none"
0064 |                 stroke="rgba(201,151,58,0.2)"
0065 |                 strokeWidth="1.5"
0066 |             >
0067 |                 <path d="M3 9l9-7 9 7v11a2 2 0 0 1-2 2H5a2 2 0 0 1-2-2z" />
0068 |                 <polyline points="9 22 9 12 15 12 15 22" />
0069 |             </svg>
0070 |         </div>
0071 |     )}
0072 |
0073 |     <div
0074 |         style={{
0075 |             position: "absolute",
0076 |             inset: 0,
0077 |             background:
0078 |                 "linear-gradient(to top, rgba(44,44,46,0.78) 0%, transparent 60%)",
0079 |         }}
0080 |     />
0081 | </div>
0082 |
0083 | <div style={{ padding: "14px 16px" }}>
0084 |     <h2
0085 |         style={{
0086 |             fontFamily: "var(--font-heading)",
0087 |             fontSize: 22,
0088 |             fontWeight: 500,
0089 |             color: "#F0EDE6",
0090 |             marginBottom: 6,
0091 |         }}
0092 |     >
0093 |         {loc.name}
0094 |     </h2>
0095 |
0096 |     <p
0097 |         style={{
0098 |             color: "#9A9489",
0099 |             fontSize: 13,
0100 |             lineHeight: 1.6,
0101 |             marginBottom: 14,
0102 |             minHeight: 40,
0103 |         }}
0104 |     >
0105 |         {loc.description}
0106 |     </p>
0107 |
0108 |     <div
0109 |         style={{
0110 |             display: "flex",
0111 |             justifyContent: "space-between",
0112 |             alignItems: "center",
0113 |         }}
0114 |     >
0115 |         <span
0116 |             style={{
0117 |                 fontSize: 11,
0118 |                 color: "#6B6762",
0119 |                 letterSpacing: "0.08em",
0120 |                 textTransform: "uppercase",
0121 |             }}
0122 |         >
0123 |             {count ?? 0} Projects
0124 |         </span>
```

```

0125 |
0126 |         <div
0127 |             style={{
0128 |                 width: 28,
0129 |                 height: 28,
0130 |                 border: hovered
0131 |                     ? "0.5px solid rgba(201,151,58,0.55)"
0132 |                     : "0.5px solid rgba(201,151,58,0.3)",
0133 |                 borderRadius: "50%",
0134 |                 display: "flex",
0135 |                 alignItems: "center",
0136 |                 justifyContent: "center",
0137 |                 color: "#C9973A",
0138 |                 fontSize: 13,
0139 |                 background: hovered
0140 |                     ? "rgba(201,151,58,0.1)"
0141 |                     : "transparent",
0142 |                 transform: hovered
0143 |                     ? "translateX(2px)"
0144 |                     : "translateX(0)",
0145 |                 transition: "all 0.35s ease",
0146 |             }}
0147 |         >
0148 |             →
0149 |         </div>
0150 |     </div>
0151 | </div>
0152 | </div>
0153 | </Link>
0154 | );
0155 | }

```

src/app/components/ProjectCard.js

Lines: 200.

```

0001 | "use client";
0002 |
0003 | import Image from "next/image";
0004 | import Link from "next/link";
0005 | import { useState } from "react";
0006 |
0007 | const statusStyles = {
0008 |   available: {
0009 |     bg: "rgba(30,120,70,0.18)",
0010 |     border: "rgba(77,201,138,0.35)",
0011 |     text: "#4DC98A",
0012 |   },
0013 |   reserved: {
0014 |     bg: "rgba(200,150,40,0.12)",
0015 |     border: "rgba(200,150,40,0.3)",
0016 |     text: "#E8C97A",
0017 |   },
0018 |   sold: {
0019 |     bg: "rgba(200,60,60,0.12)",
0020 |     border: "rgba(200,60,60,0.3)",
0021 |     text: "#E07070",
0022 |   },
0023 | };
0024 |
0025 | export default function ProjectCard({ land, developerName }) {
0026 |   const [hovered, setHovered] = useState(false);
0027 |
0028 |   const status = land.status ?? "available";
0029 |   const s = statusStyles[status] ?? statusStyles.available;
0030 |   const firstImage = land.image_url ?? null;
0031 |
0032 |   const pricePerMeter =
0033 |     land.price && land.area_sqm
0034 |       ? Math.round(land.price / land.area_sqm)
0035 |       : null;
0036 |
0037 |   return (
0038 |     <Link
0039 |       href={` /land/${land.id}`}
0040 |       style={{ textDecoration: "none" }}
0041 |     >
0042 |       <div
0043 |         onMouseEnter={() => setHovered(true)}
0044 |         onMouseLeave={() => setHovered(false)}
0045 |         style={{
0046 |           background: "#343437",
0047 |           border: hovered
0048 |             ? "0.5px solid rgba(201,151,58,0.55)"
0049 |             : "0.5px solid rgba(201,151,58,0.18)",
0050 |           borderRadius: 14,
0051 |           overflow: "hidden",
0052 |           transition:
0053 |             "border-color 0.25s ease, transform 0.25s ease",
0054 |           transform: hovered
0055 |             ? "translateY(-2px)"

```



```

0148 |         color: "#F0EDE6",
0149 |         marginBottom: 6,
0150 |         lineHeight: 1.3,
0151 |     }}
0152 | >
0153 |     {land.title}
0154 | </div>
0155 |
0156 | <div
0157 |     style={{
0158 |         fontSize: 12,
0159 |         color: "#6B6762",
0160 |         marginBottom: 18,
0161 |     }}
0162 | >
0163 |     {developerName}
0164 | </div>
0165 |
0166 | <div
0167 |     style={{
0168 |         display: "flex",
0169 |         justifyContent: "space-between",
0170 |         alignItems: "center",
0171 |         marginTop: "auto",
0172 |     }}
0173 | >
0174 |     <div
0175 |         style={{
0176 |             fontSize: 15,
0177 |             fontWeight: 500,
0178 |             color: "#E8C97A",
0179 |         }}
0180 |     >
0181 |         {pricePerMeter
0182 |           ? `EGP ${pricePerMeter.toLocaleString()}/m²`
0183 |           : "On request"}
0184 |     </div>
0185 |
0186 |     <div
0187 |         style={{
0188 |             fontSize: 12,
0189 |             color: hovered ? "#C9973A" : "#6B6762",
0190 |             transition: "color 0.2s ease",
0191 |         }}
0192 |     >
0193 |         Details →
0194 |     </div>
0195 | </div>
0196 | </div>
0197 | </div>
0198 | </Link>
0199 | );
0200 | }

```

src/app/components/PhotoGallery.js

Lines: 367.

```

0001 | "use client";
0002 |
0003 | import { useState, useRef, useEffect } from "react";
0004 |
0005 | export default function PhotoGallery({ images, alt, status, statusStyle }) {
0006 |     const [activeIndex, setActiveIndex] = useState(0);
0007 |     const [hoverZone, setHoverZone] = useState(null); // "left" | "right" | null – drives arrow visibility
0008 |
0009 |     // ---- Edge-hover auto-scroll (desktop only) ----
0010 |     // Tracked via continuous mousemove rather than enter/leave on thin overlay
0011 |     // strips, which is more reliable and re-evaluates on every frame the mouse moves.
0012 |     const intervalRef = useRef(null);
0013 |     const directionRef = useRef(null);
0014 |
0015 |     function clearAutoScroll() {
0016 |         if (intervalRef.current) {
0017 |             clearInterval(intervalRef.current);
0018 |             intervalRef.current = null;
0019 |         }
0020 |         directionRef.current = null;
0021 |     }
0022 |
0023 |     function startAutoScroll(direction, count) {
0024 |         if (directionRef.current === direction) return; // already running this way
0025 |         clearAutoScroll();
0026 |         directionRef.current = direction;
0027 |         intervalRef.current = setInterval(() => {
0028 |             setActiveIndex(prev => {
0029 |                 const next = direction === "left" ? prev - 1 : prev + 1;
0030 |                 if (next < 0 || next > count - 1) {
0031 |                     clearAutoScroll();
0032 |                     return prev;
0033 |                 }

```

```

0034 |     return next;
0035 |   });
0036 | }, 700);
0037 | }
0038 |
0039 | function handleMainMouseMove(e) {
0040 |   if (images.length <= 1) return;
0041 |   const rect = e.currentTarget.getBoundingClientRect();
0042 |   if (rect.width === 0) return;
0043 |   const relX = (e.clientX - rect.left) / rect.width;
0044 |
0045 |   if (relX < 0.28 && activeIndex > 0) {
0046 |     setHoverZone("left");
0047 |     startAutoScroll("left", images.length);
0048 |   } else if (relX > 0.72 && activeIndex < images.length - 1) {
0049 |     setHoverZone("right");
0050 |     startAutoScroll("right", images.length);
0051 |   } else {
0052 |     setHoverZone(null);
0053 |     clearAutoScroll();
0054 |   }
0055 | }
0056 |
0057 | function handleMainMouseLeave() {
0058 |   setHoverZone(null);
0059 |   clearAutoScroll();
0060 | }
0061 |
0062 | useEffect(() => () => clearAutoScroll(), []);
0063 |
0064 | if (!images || images.length === 0) {
0065 |   return (
0066 |     <div style={{ width: "92%", margin: "1rem auto 0", boxSizing: "border-box" }}>
0067 |       <div style={{ borderRadius: 14, position: "relative" }}>
0068 |         <div
0069 |           style={{
0070 |             width: "100%",
0071 |             aspectRatio: "16 / 10",
0072 |             background: "#3A3A3D",
0073 |             borderRadius: 14,
0074 |             display: "flex",
0075 |             alignItems: "center",
0076 |             justifyContent: "center",
0077 |           }}
0078 |         >
0079 |           <svg width="48" height="48" viewBox="0 0 24 24" fill="none" stroke="rgba(201,151,58,0.2)" strokeWidth="1.5">
0080 |             <path d="M3 9l9-7 9 7v11a2 2 0 0 1 2 2h5a2 2 0 0 1 2 2z" />
0081 |             <polyline points="9 22 9 12 15 12 15 22" />
0082 |           </svg>
0083 |         </div>
0084 |         <div
0085 |           style={{
0086 |             position: "absolute", top: 14, right: 14, background: statusStyle.bg,
0087 |             border: `0.5px solid ${statusStyle.border}`, color: statusStyle.text,
0088 |             fontSize: 10, fontWeight: 500, padding: "4px 12px", borderRadius: 20,
0089 |             textTransform: "capitalize", letterSpacing: "0.08em",
0090 |           }}
0091 |         >
0092 |           {status}
0093 |         </div>
0094 |       </div>
0095 |     </div>
0096 |   );
0097 | }
0098 |
0099 | const prevImage = activeIndex > 0 ? images[activeIndex - 1] : null;
0100 | const nextImage = activeIndex < images.length - 1 ? images[activeIndex + 1] : null;
0101 |
0102 | return (
0103 |   <div style={{ width: "92%", margin: "1rem auto 0", boxSizing: "border-box" }}>
0104 |
0105 |     {/* MOBILE – unchanged horizontal scroll-snap carousel */}
0106 |     <div
0107 |       className="pg-mobile"
0108 |       style={{ borderRadius: 14, position: "relative" }}
0109 |     >
0110 |       <div
0111 |         style={{
0112 |           display: "flex",
0113 |           flexWrap: "nowrap",
0114 |           overflowX: "scroll",
0115 |           scrollSnapType: "x mandatory",
0116 |           WebkitOverflowScrolling: "touch",
0117 |           borderRadius: 14,
0118 |           background: "#3A3A3D",
0119 |           width: "100%",
0120 |           maxWidth: "100%",
0121 |         }}
0122 |       >
0123 |         {images.map((img, i) => (
0124 |           <div
0125 |             key={img.id ?? i}

```

```

0126 |         style={{
0127 |             flex: "0 0 100%",
0128 |             maxWidth: "100%",
0129 |             width: "100%",
0130 |             aspectRatio: "16 / 10",
0131 |             scrollSnapAlign: "start",
0132 |             scrollSnapStop: "always",
0133 |             overflow: "hidden",
0134 |         }}
0135 |     >
0136 |         <img
0137 |             src={img.image_url}
0138 |             alt={alt}
0139 |             style={{ width: "100%", height: "100%", objectFit: "cover", display: "block" }}
0140 |         />
0141 |     </div>
0142 |   )))
0143 | </div>
0144 |
0145 | <div
0146 |   style={{
0147 |     position: "absolute", top: 14, right: 14, background: statusStyle.bg,
0148 |     border: `0.5px solid ${statusStyle.border}`, color: statusStyle.text,
0149 |     fontSize: 10, fontWeight: 500, padding: "4px 12px", borderRadius: 20,
0150 |     textTransform: "capitalize", letterSpacing: "0.08em",
0151 |   }}
0152 | >
0153 |   {status}
0154 | </div>
0155 |
0156 | {images.length > 1 && (
0157 |   <div
0158 |     style={{
0159 |       position: "absolute", bottom: 14, right: 14, background: "rgba(0,0,0,0.55)",
0160 |       color: "#F0EDE6", fontSize: 11, padding: "4px 10px", borderRadius: 20, letterSpacing: "0.04em",
0161 |     }}
0162 |   >
0163 |     {images.length} photos · swipe →
0164 |   </div>
0165 | )}
0166 | </div>
0167 |
0168 | {/* DESKTOP – main image + grayscale side peeks + thumbnail rail, centered */}
0169 | <div
0170 |   className="pg-desktop"
0171 |   style={{ display: "none", gap: 10, alignItems: "stretch", justifyContent: "center" }}
0172 | >
0173 |   {/* Left grayscale peek */}
0174 |   <div
0175 |     style={{
0176 |       flex: "0 0 130px",
0177 |       borderRadius: 12,
0178 |       overflow: "hidden",
0179 |       background: "#3A3A3D",
0180 |       position: "relative",
0181 |     }}
0182 |   >
0183 |     {prevImage && (
0184 |       <img
0185 |         src={prevImage.image_url}
0186 |         alt=""
0187 |         onClick={() => setActiveIndex(activeIndex - 1)}
0188 |         style={{
0189 |           width: "100%", height: "100%", objectFit: "cover",
0190 |           filter: "grayscale(1) brightness(0.65)",
0191 |           cursor: "pointer", display: "block",
0192 |         }}
0193 |       />
0194 |     )}
0195 |   </div>
0196 |
0197 |   {/* Main image – sliding strip with smooth transition, fills remaining width */}
0198 |   <div
0199 |     onMouseMove={handleMainMouseMove}
0200 |     onMouseLeave={handleMainMouseLeave}
0201 |     style={{
0202 |       flex: "1 1 auto",
0203 |       borderRadius: 14,
0204 |       overflow: "hidden",
0205 |       position: "relative",
0206 |       background: "#3A3A3D",
0207 |       cursor: hoverZone === "left" ? "w-resize" : hoverZone === "right" ? "e-resize" : "default",
0208 |     }}
0209 |   >
0210 |     <div
0211 |       style={{
0212 |         display: "flex",
0213 |         width: `${images.length * 100}%`,
0214 |         transform: `translateX(-${(activeIndex * 100) / images.length}%)`,
0215 |         transition: "transform 0.55s cubic-bezier(0.65, 0, 0.35, 1)",
0216 |       }}
0217 |     >

```

```

0218 |         {images.map((img, i) => (
0219 |             <div
0220 |                 key={img.id ?? i}
0221 |                 style={{ width: `${100 / images.length}%`, flexShrink: 0, aspectRatio: "16 / 10" }}
0222 |             >
0223 |                 <img
0224 |                     src={img.image_url}
0225 |                     alt={alt}
0226 |                     style={{ width: "100%", height: "100%", objectFit: "cover", display: "block" }}
0227 |                 />
0228 |             </div>
0229 |         )]}
0230 |     </div>
0231 |
0232 |     {/* Left edge affordance – gradient scrim + chevron, purely decorative */}
0233 |     {images.length > 1 && activeIndex > 0 && (
0234 |         <div
0235 |             style={{
0236 |                 position: "absolute", left: 0, top: 0, bottom: 0, width: "32%",
0237 |                 background: "linear-gradient(to right, rgba(0,0,0,0.32), transparent)",
0238 |                 display: "flex", alignItems: "center", justifyContent: "flex-start",
0239 |                 paddingLeft: 16, pointerEvents: "none",
0240 |                 opacity: hoverZone === "left" ? 1 : 0,
0241 |                 transition: "opacity 0.25s ease",
0242 |             }}
0243 |         >
0244 |             <svg width="22" height="22" viewBox="0 0 24 24" fill="none" stroke="#F0EDE6" strokeWidth="2" strokeLinecap="round" strokeLinejoin="rou
nd">
0245 |                 <polyline points="15 18 9 12 15 6" />
0246 |             </svg>
0247 |         </div>
0248 |     )}
0249 |
0250 |     {/* Right edge affordance */}
0251 |     {images.length > 1 && activeIndex < images.length - 1 && (
0252 |         <div
0253 |             style={{
0254 |                 position: "absolute", right: 0, top: 0, bottom: 0, width: "32%",
0255 |                 background: "linear-gradient(to left, rgba(0,0,0,0.32), transparent)",
0256 |                 display: "flex", alignItems: "center", justifyContent: "flex-end",
0257 |                 paddingRight: 16, pointerEvents: "none",
0258 |                 opacity: hoverZone === "right" ? 1 : 0,
0259 |                 transition: "opacity 0.25s ease",
0260 |             }}
0261 |         >
0262 |             <svg width="22" height="22" viewBox="0 0 24 24" fill="none" stroke="#F0EDE6" strokeWidth="2" strokeLinecap="round" strokeLinejoin="rou
nd">
0263 |                 <polyline points="9 18 15 12 9 6" />
0264 |             </svg>
0265 |         </div>
0266 |     )}
0267 |
0268 |     <div
0269 |         style={{
0270 |             position: "absolute", top: 14, right: 14, background: statusStyle.bg,
0271 |             border: `0.5px solid ${statusStyle.border}`, color: statusStyle.text,
0272 |             fontSize: 10, fontWeight: 500, padding: "4px 12px", borderRadius: 20,
0273 |             textTransform: "capitalize", letterSpacing: "0.08em",
0274 |             pointerEvents: "none", zIndex: 3,
0275 |         }}
0276 |     >
0277 |         {status}
0278 |     </div>
0279 |
0280 |     {images.length > 1 && (
0281 |         <div
0282 |             style={{
0283 |                 position: "absolute", bottom: 14, right: 14, background: "rgba(0,0,0,0.55)",
0284 |                 color: "#F0EDE6", fontSize: 11, padding: "4px 10px", borderRadius: 20, letterSpacing: "0.04em",
0285 |                 pointerEvents: "none", zIndex: 3,
0286 |             }}
0287 |         >
0288 |             {activeIndex + 1} / {images.length}
0289 |         </div>
0290 |     )}
0291 | </div>
0292 |
0293 |     {/* Right grayscale peek */}
0294 |     <div
0295 |         style={{
0296 |             flex: "0 0 130px",
0297 |             borderRadius: 12,
0298 |             overflow: "hidden",
0299 |             background: "#3A3A3D",
0300 |             position: "relative",
0301 |         }}
0302 |     >
0303 |         {nextImage && (
0304 |             <img
0305 |                 src={nextImage.image_url}
0306 |                 alt=""
0307 |                 onClick={() => setActiveIndex(activeIndex + 1)}

```

```

0308 |         style={{
0309 |             width: "100%", height: "100%", objectFit: "cover",
0310 |             filter: "grayscale(1) brightness(0.65)",
0311 |             cursor: "pointer", display: "block",
0312 |         }}
0313 |     />
0314 | })
0315 | </div>
0316 |
0317 | {/* Thumbnail rail */}
0318 | {images.length > 1 && (
0319 |     <div
0320 |         style={{
0321 |             flex: "0 0 72px",
0322 |             display: "flex",
0323 |             flexDirection: "column",
0324 |             gap: 6,
0325 |             maxHeight: 360,
0326 |             overflowY: "auto",
0327 |         }}
0328 |     >
0329 |         {images.map((img, i) => (
0330 |             <button
0331 |                 key={img.id ?? i}
0332 |                 onClick={() => setActiveIndex(i)}
0333 |                 style={{
0334 |                     border: i === activeIndex ? "2px solid #C9973A" : "0.5px solid rgba(201,151,58,0.18)",
0335 |                     borderRadius: 8,
0336 |                     padding: 0,
0337 |                     cursor: "pointer",
0338 |                     background: "none",
0339 |                     width: "100%",
0340 |                     aspectRatio: "4 / 3",
0341 |                     overflow: "hidden",
0342 |                     flexShrink: 0,
0343 |                 }}
0344 |             >
0345 |                 <img
0346 |                     src={img.image_url}
0347 |                     alt=""
0348 |                     style={{
0349 |                         width: "100%", height: "100%", objectFit: "cover", display: "block",
0350 |                         filter: i === activeIndex ? "none" : "grayscale(1) brightness(0.75)",
0351 |                     }}
0352 |                 />
0353 |             </button>
0354 |         ))}
0355 |     </div>
0356 | })
0357 | </div>
0358 |
0359 | <style>{`
0360 |     @media (min-width: 860px) {
0361 |         .pg-mobile { display: none; }
0362 |         .pg-desktop { display: flex !important; }
0363 |     }
0364 | `}</style>
0365 | </div>
0366 | );
0367 | }

```

src/app/components/ProjectDetails.js

Lines: 277.

```

0001 | "use client";
0002 | import { useState } from "react";
0003 | import Image from "next/image";
0004 | import ReserveButton from "../ReserveButton";
0005 |
0006 | const AREA_STATUS_STYLES = {
0007 |     available: { bg: "rgba(30,120,70,0.18)", border: "rgba(77,201,138,0.35)", text: "#4DC98A" },
0008 |     reserved: { bg: "rgba(200,150,40,0.12)", border: "rgba(200,150,40,0.3)", text: "#E8C97A" },
0009 |     sold: { bg: "rgba(200,60,60,0.12)", border: "rgba(200,60,60,0.3)", text: "#E07070" },
0010 | };
0011 |
0012 | const overlayStyle = {
0013 |     position: "fixed", inset: 0, background: "rgba(0,0,0,0.6)",
0014 |     display: "flex", alignItems: "center", justifyContent: "center",
0015 |     zIndex: 1000, padding: "1.5rem",
0016 | };
0017 | const modalCardStyle = {
0018 |     background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.3)",
0019 |     borderRadius: 14, padding: "1.5rem", width: "100%", maxWidth: 380,
0020 |     maxHeight: "70vh", overflowY: "auto", boxSizing: "border-box",
0021 | };
0022 | const modalHeaderRow = { display: "flex", alignItems: "center", justifyContent: "space-between", marginBottom: 16 };
0023 | const modalTitleStyle = { fontFamily: "Georgia, serif", fontSize: 16, color: "#F0EDE6" };
0024 | const closeButtonStyle = {
0025 |     background: "transparent", border: "none", color: "#6B6762",
0026 |     fontSize: 20, cursor: "pointer", lineHeight: 1, padding: "4px 8px",

```

```

0027 | };
0028 | const emptyModalText = { fontSize: 13, color: "#6B6762", textAlign: "center", padding: "1rem 0" };
0029 |
0030 | const cardStyle = {
0031 |   background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.12)",
0032 |   borderRadius: 10, padding: "12px 14px",
0033 | };
0034 | const cardLabelStyle = { fontSize: 9, color: "#6B6762", marginBottom: 5, textTransform: "uppercase", letterSpacing: "0.1em" };
0035 | const cardValueStyle = { fontSize: 14, fontWeight: 500, color: "#E8C97A" };
0036 |
0037 | export default function ProjectDetails({
0038 |   land, developer, location, mapsUrl, whatsappUrl,
0039 |   landAreas, installmentPlans, priceRows,
0040 | }) {
0041 |   const [selectedAreaId, setSelectedAreaId] = useState(null);
0042 |   const [selectedPlanId, setSelectedPlanId] = useState(null);
0043 |   const [showAreaModal, setShowAreaModal] = useState(false);
0044 |   const [showPlanModal, setShowPlanModal] = useState(false);
0045 |
0046 |   const selectedArea = landAreas.find((a) => a.id === selectedAreaId) ?? null;
0047 |   const selectedPlan = installmentPlans.find((p) => p.id === selectedPlanId) ?? null;
0048 |   const bothSelected = Boolean(selectedArea && selectedPlan);
0049 |
0050 |   const totalPrice = bothSelected
0051 |     ? priceRows.find(
0052 |       (r) => r.land_area_id === selectedAreaId && r.installment_plan_id === selectedPlanId
0053 |     ).total_price ?? null
0054 |     : null;
0055 |
0056 |   function pickArea(area) {
0057 |     if (area.status !== "available") return;
0058 |     setSelectedAreaId(area.id);
0059 |     setShowAreaModal(false);
0060 |   }
0061 |
0062 |   function pickPlan(plan) {
0063 |     setSelectedPlanId(plan.id);
0064 |     setShowPlanModal(false);
0065 |   }
0066 |
0067 |   return (
0068 |     <>
0069 |       { /* KEY INFO */ }
0070 |       <div style={{ margin: "1rem 1.5rem 0", background: "#343437", borderRadius: 14, border: "0.5px solid rgba(201,151,58,0.18)", padding: "1.5rem" }}>
0071 |         <h1 style={{ fontFamily: "Georgia, serif", fontSize: 22, fontWeight: 400, color: "#F0EDE6", lineHeight: 1.3, marginBottom: 16 }}>
0072 |           {land.title}
0073 |         </h1>
0074 |
0075 |         { /* Row 1 – static */ }
0076 |         <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minmax(120px, 1fr))", gap: 10, marginBottom: 10 }}>
0077 |           <div style={cardStyle}>
0078 |             <div style={cardLabelStyle}>Price / m²</div>
0079 |             <div style={cardValueStyle}>
0080 |               {land.price_per_meter ? `EGP ${Number(land.price_per_meter).toLocaleString()}/m²` : "On request"}
0081 |             </div>
0082 |           </div>
0083 |           <div style={cardStyle}>
0084 |             <div style={cardLabelStyle}>Project area</div>
0085 |             <div style={cardValueStyle}>
0086 |               {land.area_sqm ? `${Number(land.area_sqm).toLocaleString()} m²` : "TBC"}
0087 |             </div>
0088 |           </div>
0089 |         </div>
0090 |
0091 |         { /* Row 2 – clickable */ }
0092 |         <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minmax(120px, 1fr))", gap: 10, marginBottom: land.description ? 16 : 0 }}>
0093 |           <button
0094 |             onClick={() => setShowAreaModal(true)}
0095 |             style={{ ...cardStyle, textAlign: "left", cursor: "pointer", width: "100%", fontFamily: "inherit" }}
0096 |           >
0097 |             <div style={cardLabelStyle}>Available Area</div>
0098 |             <div style={{ ...cardValueStyle, color: selectedArea ? "#E8C97A" : "#9A9489" }}>
0099 |               {selectedArea ? `${Number(selectedArea.area_sqm).toLocaleString()} m²` : "Select size →"}
0100 |             </div>
0101 |           </button>
0102 |           <button
0103 |             onClick={() => setShowPlanModal(true)}
0104 |             style={{ ...cardStyle, textAlign: "left", cursor: "pointer", width: "100%", fontFamily: "inherit" }}
0105 |           >
0106 |             <div style={cardLabelStyle}>Installment Plan</div>
0107 |             <div style={{ ...cardValueStyle, color: selectedPlan ? "#E8C97A" : "#9A9489" }}>
0108 |               {selectedPlan ? `${selectedPlan.down_payment_percent}% / ${selectedPlan.years} yrs` : "Select plan →"}
0109 |             </div>
0110 |           </button>
0111 |         </div>
0112 |
0113 |         {land.description && (
0114 |           <p style={{ fontSize: 14, color: "#9A9489", lineHeight: 1.7, borderTop: "0.5px solid rgba(201,151,58,0.12)", paddingTop: 16 }}>
0115 |             {land.description}
0116 |           </p>

```

```

0117 |     })
0118 |   </div>
0119 |
0120 |   {/ EXACT LOCATION – unchanged */}
0121 |   {mapsUrl && (
0122 |     <div style={{ margin: "1rem 1.5rem 0", background: "#343437", borderRadius: 14, border: "0.5px solid rgba(201,151,58,0.18)", padding: "1.5rem 1.5rem 0 0" }}>
0123 |       <p style={{ fontSize: 9, letterSpacing: "0.18em", textTransform: "uppercase", color: "#6B6762", marginBottom: 12 }}>Exact location</p>
0124 |       <a href={mapsUrl} target="_blank" rel="noopener noreferrer"
0125 |         style={{ display: "flex", alignItems: "center", gap: 12, background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.12)", borderRadius: 10, padding: "13px 16px", textDecoration: "none", color: "#F0EDE6", fontSize: 14 }}>
0126 |         <svg width="18" height="18" viewBox="0 0 24 24" fill="none" stroke="#C9973A" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0127 |           <path d="M21 10c0 7-9 13-9 13s-9-6-9-13a9 9 0 118 0z"/>
0128 |           <circle cx="12" cy="10" r="3"/>
0129 |         </svg>
0130 |         View on Google Maps
0131 |       <span style={{ marginLeft: "auto", color: "#C9973A", fontSize: 12 }}>Open →</span>
0132 |     </a>
0133 |   </div>
0134 | )}
0135 |
0136 | {/ INLINE NOTE – shown until both area and plan are selected */}
0137 | {!bothSelected && (
0138 |   <div style={{ margin: "0.75rem 1.5rem 0", display: "flex", alignItems: "center", gap: 8, fontSize: 12, color: "#6B6762" }}>
0139 |     <svg width="14" height="14" viewBox="0 0 24 24" fill="none" stroke="#6B6762" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round" style={{ flexShrink: 0 }}>
0140 |       <circle cx="12" cy="12" r="10"/><line x1="12" y1="16" x2="12" y2="12"/><line x1="12" y1="8" x2="12.01" y2="8"/>
0141 |     </svg>
0142 |     Select an area and plan above to enable reservation
0143 |   </div>
0144 | )}
0145 |
0146 | {/ DEVELOPER – unchanged */}
0147 | {developer && (
0148 |   <div style={{ margin: "1rem 1.5rem 0", background: "#343437", borderRadius: 14, border: "0.5px solid rgba(201,151,58,0.18)", padding: "1.5rem 1.5rem 0 0" }}>
0149 |     <p style={{ fontSize: 9, letterSpacing: "0.18em", textTransform: "uppercase", color: "#6B6762", marginBottom: 14 }}>Developer</p>
0150 |     <div style={{ display: "flex", alignItems: "center", gap: 14, marginBottom: developer.bio ? 12 : 0 }}>
0151 |       <div style={{ width: 44, height: 44, borderRadius: "50%", background: "rgba(201,151,58,0.1)", border: "0.5px solid rgba(201,151,58,0.25)", display: "flex", alignItems: "center", justifyContent: "center", fontFamily: "Georgia, serif", fontSize: 18, color: "#C9973A", flexShrink: 0, overflow: "hidden" }}>
0152 |         {developer.logo_url ? (
0153 |           <Image src={developer.logo_url} alt={developer.name} width={44} height={44} style={{ objectFit: "cover" }} />
0154 |         ) : (
0155 |           developer.name?.charAt(0)
0156 |         )}
0157 |       </div>
0158 |       <div style={{ fontFamily: "Georgia, serif", fontSize: 17, color: "#F0EDE6" }}>{developer.name}</div>
0159 |     </div>
0160 |     {developer.bio && (
0161 |       <p style={{ fontSize: 13, color: "#9A9489", lineHeight: 1.7 }}>{developer.bio}</p>
0162 |     )}
0163 |   </div>
0164 | )}
0165 |
0166 | {/ CONTACT INVEGATE */}
0167 | <div style={{ margin: "1rem 1.5rem 0", background: "#343437", borderRadius: 14, border: "0.5px solid rgba(201,151,58,0.18)", padding: "1.5rem 1.5rem 0 0" }}>
0168 |   <p style={{ fontSize: 9, letterSpacing: "0.18em", textTransform: "uppercase", color: "#6B6762", marginBottom: 10 }}>Contact Invegate</p>
0169 |   <div style={{ display: "flex", alignItems: "center", gap: 10, background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.12)", borderRadius: 10, padding: "11px 14px", margin: "10px 0 0 0", fontSize: 12, color: "#6B6762" }}>
0170 |     <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="#C9973A" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0171 |       <circle cx="12" cy="12" r="10"/><line x1="12" y1="8" x2="12" y2="12"/><line x1="12" y1="16" x2="12.01" y2="16"/>
0172 |     </svg>
0173 |     All inquiries go directly to Invegate – we handle everything for you
0174 |   </div>
0175 |
0176 |   <div style={{ display: "flex", flexDirection: "column", gap: 10 }}>
0177 |     <a href={whatsappUrl} target="_blank" rel="noopener noreferrer"
0178 |       style={{ display: "flex", alignItems: "center", justifyContent: "center", gap: 10, background: "rgba(30,120,70,0.18)", border: "0.5px solid rgba(77,201,138,0.35)", color: "#4DC98A", borderRadius: 12, padding: "14px", textDecoration: "none", fontSize: 14, fontWeight: 500 }}>
0179 |       <svg width="18" height="18" viewBox="0 0 24 24" fill="none" stroke="#4DC98A" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0180 |         <path d="M21 15a2 2 0 0 1-2 2H7l-4 4V5a2 2 0 0 12-2h14a2 2 0 0 12 2z"/>
0181 |       </svg>
0182 |       WhatsApp Invegate
0183 |     </a>
0184 |
0185 |     <ReserveButton
0186 |       landTitle={land.title}
0187 |       landId={land.id}
0188 |       selectedArea={selectedArea}
0189 |       selectedPlan={selectedPlan}
0190 |       totalPrice={totalPrice}
0191 |     />
0192 |   </div>
0193 | </div>
0194 |
0195 | {/ AREA MODAL */}
0196 | {showAreaModal && (
0197 |   <div onClick={() => setShowAreaModal(false)} style={overlayStyle}>

```

```

02198 |         <div onClick={(e) => e.stopPropagation()} style={modalCardStyle}>
02199 |             <div style={modalHeaderRow}>
02200 |                 <span style={modalTitleStyle}>Select area</span>
02201 |                 <button onClick={() => setShowAreaModal(false)} style={closeBtnStyle}><×</button>
02202 |             </div>
02203 |             {landAreas.length === 0 ? (
02204 |                 <p style={emptyModalText}>No area options listed yet for this project.</p>
02205 |             ) : (
02206 |                 <div style={{ display: "flex", flexDirection: "column", gap: 8 }}>
02207 |                     {landAreas.map((area) => {
02208 |                         const st = AREA_STATUS_STYLES[area.status] ?? AREA_STATUS_STYLES.available;
02209 |                         const disabled = area.status !== "available";
02210 |                         return (
02211 |                             <button
02212 |                                 key={area.id}
02213 |                                 onClick={() => pickArea(area)}
02214 |                                 disabled={disabled}
02215 |                                 style={{
02216 |                                     display: "flex", alignItems: "center", justifyContent: "space-between",
02217 |                                     background: "#3A3A3D",
02218 |                                     border: area.id === selectedAreaId ? "0.5px solid #C9973A" : "0.5px solid rgba(201,151,58,0.15)",
02219 |                                     borderRadius: 10, padding: "12px 14px", textAlign: "left",
02220 |                                     cursor: disabled ? "not-allowed" : "pointer",
02221 |                                     opacity: disabled ? 0.5 : 1, fontFamily: "inherit", width: "100%",
02222 |                                 }}
02223 |                             >
02224 |                                 <span style={{ fontSize: 14, color: "#F0EDE6" }}>{Number(area.area_sqm).toLocaleString()} m²</span>
02225 |                                 <span style={{
02226 |                                     fontSize: 10, background: st.bg, border: `0.5px solid ${st.border}`, color: st.text,
02227 |                                     padding: "3px 10px", borderRadius: 20, textTransform: "capitalize", letterSpacing: "0.06em",
02228 |                                 }}>
02229 |                                     {area.status}
02230 |                                 </span>
02231 |                             </button>
02232 |                         );
02233 |                     })}
02234 |                 </div>
02235 |             )}
02236 |         </div>
02237 |     </div>
02238 | )}
02239 |
02240 | /* INSTALLMENT PLAN MODAL */
02241 | {showPlanModal && (
02242 |     <div onClick={() => setShowPlanModal(false)} style={overlayStyle}>
02243 |         <div onClick={(e) => e.stopPropagation()} style={modalCardStyle}>
02244 |             <div style={modalHeaderRow}>
02245 |                 <span style={modalTitleStyle}>Select installment plan</span>
02246 |                 <button onClick={() => setShowPlanModal(false)} style={closeBtnStyle}><×</button>
02247 |             </div>
02248 |             {installmentPlans.length === 0 ? (
02249 |                 <p style={emptyModalText}>No installment plans listed yet for this project.</p>
02250 |             ) : (
02251 |                 <div style={{ display: "flex", flexDirection: "column", gap: 8 }}>
02252 |                     {installmentPlans.map((plan) => (
02253 |                         <button
02254 |                             key={plan.id}
02255 |                             onClick={() => pickPlan(plan)}
02256 |                             style={{
02257 |                                 display: "flex", flexDirection: "column", gap: 2,
02258 |                                 background: "#3A3A3D",
02259 |                                 border: plan.id === selectedPlanId ? "0.5px solid #C9973A" : "0.5px solid rgba(201,151,58,0.15)",
02260 |                                 borderRadius: 10, padding: "12px 14px", textAlign: "left", cursor: "pointer",
02261 |                                 fontFamily: "inherit", width: "100%",
02262 |                             }}
02263 |                         >
02264 |                             <span style={{ fontSize: 14, color: "#F0EDE6" }}>{plan.label}</span>
02265 |                             <span style={{ fontSize: 11, color: "#9A9489" }}>{
02266 |                                 {plan.down_payment_percent}% down payment · {plan.years} years
02267 |                             }</span>
02268 |                         </button>
02269 |                     ))}
02270 |                 </div>
02271 |             )}
02272 |         </div>
02273 |     </div>
02274 | )}
02275 | </>
02276 | );
02277 | }

```

src/app/components/ReserveButton.js

Lines: 267. One sensitive token is redacted in this documentation copy.

```

00001 | "use client";
00002 | import { useState } from "react";
00003 | import { createClient } from "@supabase/supabase-js";
00004 |
00005 | const supabase = createClient(
00006 |     "https://wfxrtbfyvyslglyhbwdq.supabase.co",

```



```

0007 | "<SUPABASE_ANON_KEY_REDACTED>"
0008 | );
0009 |
0010 | export default function ReserveButton({ landTitle, landId, selectedArea, selectedPlan, totalPrice }) {
0011 |   const [step, setStep] = useState("idle");
0012 |   const [form, setForm] = useState({ name: "", phone: "" });
0013 |   const [idFront, setIdFront] = useState(null);
0014 |   const [idBack, setIdBack] = useState(null);
0015 |   const [loading, setLoading] = useState(false);
0016 |   const [error, setError] = useState(null);
0017 |
0018 |   const canReserve = Boolean(selectedArea && selectedPlan);
0019 |
0020 |   async function handleSubmit() {
0021 |     if (!form.name || !form.phone || !selectedArea || !selectedPlan) return;
0022 |     setLoading(true);
0023 |     setError(null);
0024 |
0025 |     try {
0026 |       let frontUrl = null;
0027 |       let backUrl = null;
0028 |
0029 |       // Upload front ID photo
0030 |       if (idFront) {
0031 |         const frontPath = `${landId}/${Date.now()}_front_${idFront.name}`;
0032 |         const { error: frontError } = await supabase.storage
0033 |           .from("reservations")
0034 |           .upload(frontPath, idFront);
0035 |         if (frontError) throw new Error("Failed to upload front ID: " + frontError.message);
0036 |         frontUrl = frontPath;
0037 |       }
0038 |
0039 |       // Upload back ID photo
0040 |       if (idBack) {
0041 |         const backPath = `${landId}/${Date.now()}_back_${idBack.name}`;
0042 |         const { error: backError } = await supabase.storage
0043 |           .from("reservations")
0044 |           .upload(backPath, idBack);
0045 |         if (backError) throw new Error("Failed to upload back ID: " + backError.message);
0046 |         backUrl = backPath;
0047 |       }
0048 |
0049 |       // Save reservation to database
0050 |       const { error: insertError } = await supabase
0051 |         .from("reservations")
0052 |         .insert({
0053 |           land_id: landId,
0054 |           land_area_id: selectedArea.id,
0055 |           installment_plan_id: selectedPlan.id,
0056 |           full_name: form.name,
0057 |           phone: form.phone,
0058 |           national_id_front: frontUrl,
0059 |           national_id_back: backUrl,
0060 |           status: "pending",
0061 |         });
0062 |
0063 |       if (insertError) throw new Error("Failed to save reservation: " + insertError.message);
0064 |
0065 |       setStep("payment");
0066 |     } catch (err) {
0067 |       setError(err.message);
0068 |     } finally {
0069 |       setLoading(false);
0070 |     }
0071 |   }
0072 |
0073 |   if (step === "idle") {
0074 |     return (
0075 |       <button
0076 |         onClick={() => canReserve && setStep("form")}
0077 |         disabled={!canReserve}
0078 |         style={{
0079 |           display: "flex", alignItems: "center", justifyContent: "center", gap: 10,
0080 |           background: canReserve ? "rgba(201,151,58,0.08)" : "rgba(201,151,58,0.04)",
0081 |           border: `0.5px solid ${canReserve ? "rgba(201,151,58,0.35)" : "rgba(201,151,58,0.15)"}`,
0082 |           color: canReserve ? "#E8C97A" : "#6B6762",
0083 |           borderRadius: 12, padding: "14px", fontSize: 14, fontWeight: 500, width: "100%",
0084 |           cursor: canReserve ? "pointer" : "not-allowed", fontFamily: "Inter, Arial, sans-serif",
0085 |         }}
0086 |       >
0087 |         <svg width="17" height="17" viewBox="0 0 24 24" fill="none" stroke={canReserve ? "#E8C97A" : "#6B6762"} strokeWidth="2" strokeLinecap="round"
0088 |           strokeLinejoin="round">
0089 |           <rect x="3" y="4" width="18" height="18" rx="2" ry="2"/><line x1="16" y1="2" x2="16" y2="6"/><line x1="8" y1="2" x2="8" y2="6"/><line x1="
0090 |           3" y1="10" x2="21" y2="10"/>
0091 |         </svg>
0092 |         Reserve this project
0093 |       </button>
0094 |     );
0095 |   }
0096 |   if (step === "form") {
0097 |     return (

```

```

0097 | <div style={{ background: "#3A3A3D", border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: 12, padding: "1.5rem", marginTop: 4 }}>
0098 |
0099 |     /* Step indicator */
0100 |     <div style={{ display: "flex", alignItems: "center", gap: 8, marginBottom: 16 }}>
0101 |         {[ "Info", "Payment"].map((label, i) => (
0102 |             <div key={label} style={{ display: "flex", alignItems: "center", gap: 8 }}>
0103 |                 <div style={{ width: 24, height: 24, borderRadius: "50%", background: i === 0 ? "rgba(201,151,58,0.15)" : "transparent", border: `0.5px
x solid ${i === 0 ? "#C9973A" : "rgba(201,151,58,0.2)"}`, display: "flex", alignItems: "center", justifyContent: "center", fontSize: 10, color: i ==
= 0 ? "#C9973A" : "#6B6762" }}><i>{i + 1}</i></div>
0104 |                 <span style={{ fontSize: 11, color: i === 0 ? "#C9973A" : "#6B6762" }}><i>{label}</i></span>
0105 |                 {i === 0 && <div style={{ width: 30, height: 0.5, background: "rgba(201,151,58,0.2)" }} />}
0106 |             </div>
0107 |         )]}
0108 |     </div>
0109 |
0110 |     <div style={{ fontFamily: "Georgia, serif", fontSize: 16, color: "#F0EDE6", marginBottom: 4 }}>Reserve your project</div>
0111 |     <div style={{ fontSize: 11, color: "#6B6762", marginBottom: 20 }}>
0112 |         {landTitle} · {selectedArea ? `${Number(selectedArea.area_sqm).toLocaleString()} m²` : ""} · {selectedPlan ? selectedPlan.label : ""}
0113 |     </div>
0114 |
0115 |     /* Full name */
0116 |     <div style={{ marginBottom: 14 }}>
0117 |         <label style={{ display: "block", fontSize: 9, letterSpacing: "0.12em", textTransform: "uppercase", color: "#6B6762", marginBottom: 6 }}>F
ull name</label>
0118 |         <input
0119 |             type="text"
0120 |             value={form.name}
0121 |             onChange={(e) => setForm({ ...form, name: e.target.value })}
0122 |             placeholder="Ahmed Mohamed"
0123 |             style={{ width: "100%", background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: 8, padding: "11px 14px", fontSi
ze: 13, color: "#F0EDE6", fontFamily: "Inter, Arial, sans-serif", outline: "none", boxSizing: "border-box" }}
0124 |         />
0125 |     </div>
0126 |
0127 |     /* Phone */
0128 |     <div style={{ marginBottom: 14 }}>
0129 |         <label style={{ display: "block", fontSize: 9, letterSpacing: "0.12em", textTransform: "uppercase", color: "#6B6762", marginBottom: 6 }}>P
hone number</label>
0130 |         <input
0131 |             type="tel"
0132 |             value={form.phone}
0133 |             onChange={(e) => setForm({ ...form, phone: e.target.value })}
0134 |             placeholder="+20 1XX XXX XXXX"
0135 |             style={{ width: "100%", background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.2)", borderRadius: 8, padding: "11px 14px", fontSi
ze: 13, color: "#F0EDE6", fontFamily: "Inter, Arial, sans-serif", outline: "none", boxSizing: "border-box" }}
0136 |         />
0137 |     </div>
0138 |
0139 |     /* National ID front */
0140 |     <div style={{ marginBottom: 14 }}>
0141 |         <label style={{ display: "block", fontSize: 9, letterSpacing: "0.12em", textTransform: "uppercase", color: "#6B6762", marginBottom: 6 }}>N
ational ID – front</label>
0142 |         <label style={{ display: "flex", flexDirection: "column", alignItems: "center", justifyContent: "center", gap: 8, background: "#2C2C2E", b
order: idFront ? "0.5px solid rgba(77,201,138,0.35)" : "0.5px dashed rgba(201,151,58,0.25)", borderRadius: 8, padding: "20px", cursor: "pointer", te
xtAlign: "center" }}>
0143 |             <svg width="24" height="24" viewBox="0 0 24 24" fill="none" stroke={idFront ? "#4DC98A" : "rgba(201,151,58,0.3)"} strokeWidth="1.5" stro
keLinecap="round" strokeLinejoin="round">
0144 |                 <rect x="2" y="5" width="20" height="14" rx="2"/><line x1="2" y1="10" x2="22" y2="10"/>
0145 |             </svg>
0146 |             <span style={{ fontSize: 12, color: idFront ? "#4DC98A" : "#6B6762" }}><i>{idFront ? idFront.name : "Tap to upload front"}</i></span>
0147 |             <span style={{ fontSize: 10, color: "#6B6762", opacity: 0.6 }}>JPG or PNG · max 5MB</span>
0148 |             <input type="file" accept="image/*" style={{ display: "none" }} onChange={(e) => setIdFront(e.target.files[0])} />
0149 |         </label>
0150 |     </div>
0151 |
0152 |     /* National ID back */
0153 |     <div style={{ marginBottom: 20 }}>
0154 |         <label style={{ display: "block", fontSize: 9, letterSpacing: "0.12em", textTransform: "uppercase", color: "#6B6762", marginBottom: 6 }}>N
ational ID – back</label>
0155 |         <label style={{ display: "flex", flexDirection: "column", alignItems: "center", justifyContent: "center", gap: 8, background: "#2C2C2E", b
order: idBack ? "0.5px solid rgba(77,201,138,0.35)" : "0.5px dashed rgba(201,151,58,0.25)", borderRadius: 8, padding: "20px", cursor: "pointer", tex
tAlign: "center" }}>
0156 |             <svg width="24" height="24" viewBox="0 0 24 24" fill="none" stroke={idBack ? "#4DC98A" : "rgba(201,151,58,0.3)"} strokeWidth="1.5" strok
eLinecap="round" strokeLinejoin="round">
0157 |                 <rect x="2" y="5" width="20" height="14" rx="2"/><line x1="2" y1="10" x2="22" y2="10"/>
0158 |             </svg>
0159 |             <span style={{ fontSize: 12, color: idBack ? "#4DC98A" : "#6B6762" }}><i>{idBack ? idBack.name : "Tap to upload back"}</i></span>
0160 |             <span style={{ fontSize: 10, color: "#6B6762", opacity: 0.6 }}>JPG or PNG · max 5MB</span>
0161 |             <input type="file" accept="image/*" style={{ display: "none" }} onChange={(e) => setIdBack(e.target.files[0])} />
0162 |         </label>
0163 |     </div>
0164 |
0165 |     /* Error message */
0166 |     {error && (
0167 |         <div style={{ background: "rgba(200,60,60,0.1)", border: "0.5px solid rgba(200,60,60,0.3)", borderRadius: 8, padding: "10px 14px", fontSiz
e: 12, color: "#E07070", marginBottom: 14 }}>
0168 |             {error}
0169 |         </div>
0170 |     )}
0171 |
0172 |     <div style={{ display: "flex", gap: 10 }}>
0173 |         <button onClick={() => setStep("idle")} style={{ flex: 1, background: "transparent", border: "0.5px solid rgba(201,151,58,0.2)", color: "#

```

```

6B6762", borderRadius: 10, padding: "12px", fontSize: 13, cursor: "pointer", fontFamily: "Inter, Arial, sans-serif" }}>
0174 |     Cancel
0175 |   </button>
0176 |   <button
0177 |     onClick={handleSubmit}
0178 |     disabled={!form.name || !form.phone || loading}
0179 |     style={{ flex: 2, background: form.name && form.phone ? "rgba(201,151,58,0.12)" : "rgba(201,151,58,0.04)", border: `0.5px solid ${form.n
ame && form.phone ? "#C9973A" : "rgba(201,151,58,0.15)"}`, color: form.name && form.phone ? "#E8C97A" : "#6B6762", borderRadius: 10, padding: "12px"
, fontSize: 13, fontWeight: 500, cursor: form.name && form.phone && !loading ? "pointer" : "not-allowed", fontFamily: "Inter, Arial, sans-serif", tr
ansition: "all 0.2s" }}
0180 |   >
0181 |     {loading ? "Saving..." : "Confirm & proceed to payment →"}
0182 |   </button>
0183 | </div>
0184 | </div>
0185 | );
0186 | }
0187 |
0188 | if (step === "payment") {
0189 |   const waMessage = encodeURIComponent(`Reservation confirmation for: ${landTitle}\nName: ${form.name}\nPhone: ${form.phone}`);
0190 |   const waUrl = `https://wa.me/201000000000?text=${waMessage}`;
0191 |   const depositLabel = totalPrice ? `EGP ${Number(totalPrice).toLocaleString()}` : "Price on request";
0192 |
0193 |   return (
0194 |     <div style={{ background: "#3A3A3D", border: "0.5px solid rgba(91,155,213,0.3)", borderRadius: 12, padding: "1.5rem", marginTop: 4 }}>
0195 |
0196 |       <div style={{ display: "flex", alignItems: "center", gap: 8, margin: "10px 0 16px 0" }}>
0197 |         <div style={{ display: "flex", alignItems: "center", gap: 8 }}>
0198 |           <div style={{ width: 24, height: 24, borderRadius: "50%", background: i === 1 ? "rgba(91,155,213,0.15)" : "rgba(77,201,138,0.15)", bor
der: `0.5px solid ${i === 1 ? "#5B9BD5" : "#4DC98A"}`, display: "flex", alignItems: "center", justify-content: "center", font-size: 10, color: i === 1
? "#5B9BD5" : "#4DC98A" }}><span style={{ font-size: 11, color: i === 1 ? "#5B9BD5" : "#4DC98A" }}>{label}</span>
0200 |           <div style={{ width: 30, height: 0.5, background: "rgba(91,155,213,0.3)" }} />
0201 |         </div>
0202 |         <div style={{ width: 30, height: 0.5, background: "rgba(91,155,213,0.3)" }} />
0203 |       </div>
0204 |
0205 |       <div style={{ display: "flex", alignItems: "center", gap: 10, background: "rgba(77,201,138,0.08)", border: "0.5px solid rgba(77,201,138,0.25
)", borderRadius: 10, padding: "11px 14px", margin: "10px 0 14px 0", font-size: 12, color: "#4DC98A" }}>
0206 |         <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="#4DC98A" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0207 |           <polyline points="20 6 9 17 4 12"/>
0208 |         </svg>
0209 |         Your details have been saved – complete payment to confirm
0210 |       </div>
0211 |
0212 |       <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.15)", borderRadius: 10, padding: "16px", text-align: "center", ma
rginBottom: 12 }}>
0213 |         <div style={{ font-size: 9, letterSpacing: "0.15em", textTransform: "uppercase", color: "#6B6762", margin: "10px 0 8px 0" }}>Reservation deposit</
div>
0214 |
0215 |         <div style={{ font-family: "Georgia, serif", font-size: 28, color: "#C9973A" }}>{depositLabel}</div>
0216 |         <div style={{ font-size: 11, color: "#6B6762", margin: "10px 0 4px 0" }}>Secures your project with Invegate</div>
0217 |       </div>
0218 |
0219 |       <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(91,155,213,0.3)", borderRadius: 10, padding: "14px 16px", margin: "10px 0 12px 0" }}>
0220 |         <div style={{ font-size: 9, letterSpacing: "0.15em", textTransform: "uppercase", color: "#5B9BD5", margin: "10px 0 6px 0" }}>InstaPay number</div>
0221 |         <div style={{ font-size: 22, font-weight: 500, color: "#F0EDE6", letterSpacing: "0.04em", margin: "10px 0 3px 0" }}>01XX XXX XXXX</div>
0222 |         <div style={{ font-size: 11, color: "#6B6762" }}>Invegate Real Estate</div>
0223 |       </div>
0224 |
0225 |       <div style={{ background: "#2C2C2E", border: "0.5px solid rgba(201,151,58,0.12)", borderRadius: 10, padding: "14px 16px", margin: "10px 0 12px 0" }}>
0226 |         <div style={{ font-size: 9, letterSpacing: "0.15em", textTransform: "uppercase", color: "#6B6762", margin: "10px 0 12px 0" }}>How to pay</div>
0227 |         <div style={{ font-size: 9, letterSpacing: "0.15em", textTransform: "uppercase", color: "#6B6762", margin: "10px 0 12px 0" }}>
0228 |           "Open your banking app and go to InstaPay",
0229 |           "Enter the number above and send ${depositLabel}",
0230 |           "Take a screenshot of the confirmation",
0231 |           "Send the screenshot to Invegate on WhatsApp below",
0232 |         </div>
0233 |         <div style={{ display: "flex", gap: 10, align-items: "flex-start", margin: "10px 0 12px 0" }}>
0234 |           <div style={{ width: 18, height: 18, borderRadius: "50%", background: "rgba(201,151,58,0.1)", border: "0.5px solid rgba(201,151,58,0.2
5)", display: "flex", align-items: "center", justify-content: "center", font-size: 9, color: "#C9973A", flexShrink: 0, margin: "10px 0 1px 0" }}>{i + 1}</div>
0235 |           <div style={{ font-size: 12, color: "#9A9489", line-height: 1.5 }}>{text}</div>
0236 |         </div>
0237 |       </div>
0238 |
0239 |       <div style={{ display: "flex", gap: 10, background: "rgba(201,151,58,0.04)", border: "0.5px solid rgba(201,151,58,0.12)", borderRadius: 10,
padding: "12px 14px", margin: "10px 0 14px 0", font-size: 11, color: "#6B6762", line-height: 1.6 }}>
0240 |         <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="#C9973A" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"
style={{ flexShrink: 0, margin: "10px 0 1px 0" }}>
0241 |           <path d="M12 22s-4 8-10V5l-8-3-8 3v7c0 6 8 10 8 10z"/>
0242 |         </svg>
0243 |         Your reservation is confirmed once Invegate verifies the payment. You will receive a confirmation within 24 hours.
0244 |       </div>
0245 |
0246 |     </div>
0247 |
0248 |   </div>
0249 |
0250 |   </div>
0251 |

```

```

0252 |
0253 |     <a href={waUrl} target="_blank" rel="noopener noreferrer"
0254 |         style={{ display: "flex", alignItems: "center", justifyContent: "center", gap: 10, background: "rgba(91,155,213,0.12)", border: "0.5px solid
0255 |         id rgba(91,155,213,0.35)", color: "#5B9BD5", borderRadius: 10, padding: "13px", textDecoration: "none", fontSize: 13, fontWeight: 500, marginBottom:
0256 |         10 }}>
0257 |         <svg width="17" height="17" viewBox="0 0 24 24" fill="none" stroke="#5B9BD5" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">
0258 |             <path d="M21 15a2 2 0 0 1-2 2H7l-4 4V5a2 2 0 0 1-2 2h14a2 2 0 0 1 2 2z"/>
0259 |         </svg>
0260 |         Send confirmation screenshot on WhatsApp
0261 |     </a>
0262 |     <button onClick={() => setStep("idle")} style={{ width: "100%", background: "transparent", border: "none", color: "#6B6762", fontSize: 12, cursor: "pointer", padding: "8px", fontFamily: "Inter, Arial, sans-serif" }}>
0263 |         ← Back to project
0264 |     </button>
0265 | </div>
0266 | );
0267 | }

```