

## Q1) Choose the correct answer (41 m):

1) What does SQL stand for? (v11)

- A) Structured Query Language
- B) Strong Question Line
- C) Simple Query Language
- D) Structured Question Language

2) In relational databases, normalization is used to: (v40)

- A) Eliminate data redundancy
- B) Create more tables
- C) Increase data access speed
- D) Reduce indexing

3) Which SQL function is used to count the number of rows in a SQL query? (v8)

- A) COUNT()
- B) SUM()
- C) TOTAL()
- D) NUMBER()

4) In relational databases, normalization is used to: (v50)

- A) Eliminate data redundancy
- B) Create more tables
- C) Increase data access speed
- D) Reduce indexing

5) In relational databases, normalization is used to: (v10)

- A) Eliminate data redundancy
- B) Create more tables
- C) Increase data access speed
- D) Reduce indexing

6) Which SQL statement is used to extract data from a database? (v12)

- A) SELECT
- B) GET
- C) EXTRACT
- D) OPEN

7) Which SQL statement is used to extract data from a database? (v42)

- A) SELECT
- B) GET
- C) EXTRACT
- D) OPEN

8) Which command is used to remove all records from a table in SQL? (v23)

- A) DELETE
- B) REMOVE
- C) DROP
- D) CLEAR

**9) In SQL, which keyword is used to sort the result-set? (v26)**

- A) ORDER BY
- B) SORT
- C) GROUP BY
- D) ARRANGE

**11) Which SQL function is used to count the number of rows in a SQL query? (v18)**

- A) COUNT()
- B) SUM()
- C) TOTAL()
- D) NUMBER()

**13) In SQL, which keyword is used to sort the result-set? (v6)**

- A) ORDER BY
- B) SORT
- C) GROUP BY
- D) ARRANGE

**15) Which SQL statement is used to extract data from a database? (v22)**

- A) SELECT
- B) GET
- C) EXTRACT
- D) OPEN

**17) Which command is used to remove all records from a table in SQL? (v33)**

- A) DELETE
- B) REMOVE
- C) DROP
- D) CLEAR

**19) Which clause is used in SQL to filter the records? (v35)**

- A) WHERE
- B) HAVING
- C) ORDER
- D) GROUP

**10) In SQL, which keyword is used to sort the result-set? (v36)**

- A) ORDER BY
- B) SORT
- C) GROUP BY
- D) ARRANGE

**12) Which SQL function is used to count the number of rows in a SQL query? (v48)**

- A) COUNT()
- B) SUM()
- C) TOTAL()
- D) NUMBER()

**14) A FOREIGN KEY in one table points to a \_\_\_\_\_ in another table. (v7)**

- A) PRIMARY KEY
- B) FOREIGN KEY
- C) UNIQUE KEY
- D) ALTERNATE KEY

**16) Which command is used to remove all records from a table in SQL? (v3)**

- A) DELETE
- B) REMOVE
- C) DROP
- D) CLEAR

**18) Which clause is used in SQL to filter the records? (v25)**

- A) WHERE
- B) HAVING
- C) ORDER
- D) GROUP

**20) What is a primary key in a database? (v34)**

- A) A unique identifier for each record
- B) A duplicate value for each record
- C) An optional field
- D) A calculated field

**21) What does SQL stand for? (v1)**

- A) Structured Query Language
- B) Strong Question Line
- C) Simple Query Language
- D) Structured Question Language

**23) What does SQL stand for? (v41)**

- A) Structured Query Language
- B) Strong Question Line
- C) Simple Query Language
- D) Structured Question Language

**25) In SQL, which keyword is used to sort the result-set? (v16)**

- A) ORDER BY
- B) SORT
- C) GROUP BY
- D) ARRANGE

**27) What does SQL stand for? (v21)**

- A) Structured Query Language
- B) Strong Question Line
- C) Simple Query Language
- D) Structured Question Language

**29) Which SQL statement is used to extract data from a database? (v32)**

- A) SELECT
- B) GET
- C) EXTRACT
- D) OPEN

**31) What is a primary key in a database? (v14)**

- A) A unique identifier for each record
- B) A duplicate value for each record
- C) An optional field

**22) In SQL, which keyword is used to sort the result-set? (v46)**

- A) ORDER BY
- B) SORT
- C) GROUP BY
- D) ARRANGE

**24) Which command is used to remove all records from a table in SQL? (v43)**

- A) DELETE
- B) REMOVE
- C) DROP
- D) CLEAR

**26) Which clause is used in SQL to filter the records? (v15)**

- A) WHERE
- B) HAVING
- C) ORDER
- D) GROUP

**28) Which SQL statement is used to extract data from a database? (v2)**

- A) SELECT
- B) GET
- C) EXTRACT
- D) OPEN

**30) Which command is used to remove all records from a table in SQL? (v13)**

- A) DELETE
- B) REMOVE
- C) DROP
- D) CLEAR

**32) Which SQL function is used to count the number of rows in a SQL query? (v28)**

- A) COUNT()
- B) SUM()

D) A calculated field

C) TOTAL()

D) NUMBER()

**33) Which clause is used in SQL to filter the records? (v45)**

A) WHERE

B) HAVING

C) ORDER

D) GROUP

**34) What does SQL stand for? (v31)**

A) Structured Query Language

B) Strong Question Line

C) Simple Query Language

D) Structured Question Language

**35) In relational databases, normalization is used to: (v20)**

A) Eliminate data redundancy

B) Create more tables

C) Increase data access speed

D) Reduce indexing

**36) Which SQL function is used to count the number of rows in a SQL query? (v38)**

A) COUNT()

B) SUM()

C) TOTAL()

D) NUMBER()

**37) What is a primary key in a database? (v44)**

A) A unique identifier for each record

B) A duplicate value for each record

C) An optional field

D) A calculated field

**38) What is a primary key in a database? (v4)**

A) A unique identifier for each record

B) A duplicate value for each record

C) An optional field

D) A calculated field

**39) Which clause is used in SQL to filter the records? (v5)**

A) WHERE

B) HAVING

C) ORDER

D) GROUP

**40) What is a primary key in a database? (v24)**

A) A unique identifier for each record

B) A duplicate value for each record

C) An optional field

D) A calculated field

**41) In relational databases, normalization is used to: (v30)**

A) Eliminate data redundancy

B) Create more tables

C) Increase data access speed

D) Reduce indexing