

## FAST ADMISSION TEST PAST PAPERS

www.markhorwrites.blogspot.com

## **MATHEMATICS**

- 1. Find  $(A B) \cap B$  when  $A = \{a,e,i,o,u\}$  and  $B = \{a,b,c,d\}$ 
  - а. Ф

c. B

b. A

- d. A B
- 2. Find the value of ' $\lambda$ ' if both the vectors if a = 2i j 2k,  $b = 3i 2\lambda j$  are perpendicular to each other
  - a. -3

c. 6

b. -6

d. 3

- 3. When there are 10 balls of different colours. In how many ways you can choose 7 balls of different colours black and white balls are excluded?
  - a. 8

c. 12

b. 10

d. 60

- 4. When  $cos\theta sin\theta = 0.22$  then  $(cos\theta sin\theta)^2 =$ 
  - a.  $\frac{1}{2}$

c. 0.44

b. 0.56

- d. 0.0484
- 5. Find the point dividing (1,2) & (7,-4) in the ratios 1:2
  - a. (0,-3)

c. (-3,0)

b. (0,3)

- d. (3,0)
- 6. Find the geometric progression when  $a = 4 \& r = \frac{1}{2}$ 
  - a.  $4, \frac{4}{3}, \frac{4}{9}, \frac{4}{27}, \dots$

c.  $1, 4, \frac{16}{3}, \frac{64}{9}, \frac{256}{27}, \dots$ 

b.  $4, \frac{16}{3}, \frac{64}{9}, \frac{256}{27}, \dots$ 

- d. None
- 7. Find the derivative of  $7x^6 + 6x^5 + 5x^4$ 
  - a.  $7x^5 + 6x^4 + 5x^3$

c.  $42x^5 + 30x^4 + 20x^3$ 

b.  $13x^6 + 11x^5 + 9x^4$ 

- d.  $6x^5 + 5x^4 + 4x^3$
- 8. Find the fifth derivative of  $f(x) = e^{ab}$ 
  - a.  $e^{ab}$

c.  $(ab)^5 e^{ab}$ 

b. 0

- d. 1
- 9. What is the value of 'x' if  $\begin{bmatrix} 2 & 4 \\ 4 & x \end{bmatrix}$  is singular matrix?
  - a. 0

c. 6

b. 2

d. 8

- 10.  $A = \begin{bmatrix} 2 & 4 \\ 4 & 2 \end{bmatrix}$  is a
  - a. Singleton

c. Non-singular

b. Singular

d. Null

- 11.  $2sin45^{\circ}cos45^{\circ} = ?$ 
  - a.  $\sqrt{2}$

c. 1

b.  $\frac{\sqrt{3}}{2}$ 

d.  $\frac{1}{\sqrt{2}}$ 

12.  $r^2 = g^2 + f^2 - c$  represents:

a. Circle

c. None

b. Point circle

d. Ellipse

13. If a = x + y and b = x - y then the value of ab = ?

a.  $x^2 - y^2$ 

c. xy

b.  $x^2 + y^2$ 

d.  $x^2 + y^2 - 2xy$ 

14. What is the probability of getting a red card from an ordinary deck of cards?

c.  $\frac{1}{2}$  d.  $\frac{1}{9}$ 

15. If a curve is given by  $x^2 - \frac{y^2}{5} = 1$ , find the coordinates of foci

a.  $(\pm \sqrt{3}, 0)$ 

c.  $(\pm 1,0)$ 

b.  $(\pm \sqrt{5}, 0)$ 

d.  $(\pm \sqrt{6}, 0)$ 

16.  $\int \frac{\cos x}{\sqrt{\sin x}} dx = ?$ 

a.  $\sqrt{\sin x} + c$ 

b.  $2\sqrt{\sin x} + c$ 

c.  $\frac{1}{2\sqrt{sinx}} + c$ <br/>d.  $\frac{1}{2}\sqrt{sinx} + c$ 

 $17. \frac{d}{dx} e^{x^3} = ?$ 

c.  $3x^2e^{x^2}$ 

b.  $3x^2e^{x^3}$ 

d.  $x^2 e^{x^3}$ 

18. Find the sum of first 'n' odd integers:

a.  $n^2$ 

b. (2sn + 1)

c.  $\frac{(2n+1)}{2}$ d.  $\frac{n(n+1)}{2}$ 

19. Evaluate:  $\begin{vmatrix} xyz^2 & x^2yz & xy^2z \\ \frac{x}{y} & \frac{y}{z} & \frac{z}{x} \\ \frac{y}{z} & \frac{z}{z} & \frac{x}{z} \end{vmatrix}$ 

- a. 0
- c.  $x^2y^2z^2(x^2-y^2)(z^2-x^2)(y^2-z^2)$
- d.  $x^2y^2 + y^2z^2 + z^2x^2 x^4 y^4 z^4$

20. How many tangents can be drawn to circle if a point lies outside the circle?

a. 1

c. 0

b. 2

d. None

 $21. \sin 15^{\circ} = ?$ 

a.  $\frac{\sqrt{6} - \sqrt{2}}{4}$ <br/>b.  $\frac{\sqrt{6} + \sqrt{2}}{4}$ 

 $c. \quad \frac{-\sqrt{6}-\sqrt{2}}{4}$   $d. \quad \frac{-\sqrt{6}+\sqrt{2}}{4}$ 

22.  $\int x^2 e^x dx = ?$ 

a. 
$$e^x(x^2 - 2x + 2) + c$$

b. 
$$e^x(2x^2-1)+c$$

c.  $e^{x}(2x+1)+c$ 

c. Left open parabola

d. Right open parabola

d.  $2xe^{x}x^{2} + c$ 

c.  $tanx sec^2x$ 

c.  $\frac{1}{9}(e^{41}-2)$ 

d.  $e^{3x^2}$ 

c. 5

d. 16

d.  $2tan^2x sec^2x$ 

- 23. If the focus of parabola is (0, -3) then it is:
  - a. Cup up parabola
  - b. Cup down parabola

24. 
$$\frac{1}{1-\sin^2\theta} + \frac{1}{1+\sin^2\theta} = ?$$

- a.  $\frac{1}{1+\sin^2\theta}$ <br/>b.  $\frac{2}{1-\sin^2\theta}$
- $25. \frac{d}{dx} tan^2 x = ?$ 
  - a.  $2tanx sec^2x$
  - b.  $sec^2x$
- $26. \int_0^{lne^2} x^2 e^{3x^3} = ?$ 

  - b.  $9e^{3x^2}$
  - a.  $\frac{1}{9}(e^{24}-1)$
- 27. Find the distance between (2, -6) and (6, -3)
  - a. 25

  - b. 4
- 28. Slope of line  $\frac{5x}{2} + \frac{7y}{2} = \frac{49}{10}$  is:

  - b.  $-\frac{5}{7}$

- c.
- d. 11
- 29. Standard equation of hyperbola if centre is at (0,0):
  - a.  $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$
  - b.  $\frac{x^2}{a^2} \frac{y^2}{b^2} = 1$

- c.  $\frac{x^2}{a^2} + y^2 = 1$
- d.  $\frac{x^2}{a^2} y^2 = 1$

c. x + y = -1

d. x - y = 1

- 30. Find the equation of tangent to the curve  $3x^2 4y^2 = 12$  at (4, -3):
  - a. x + y = 1

  - b. x y = -1
- 31.  $\frac{d}{dx}[f(x).g(x)]^2 = ?$ 
  - a.  $[f(x).g(x)]^2$
  - b.  $2[f(x).g(x)][f(x).\frac{d}{dx}g(x) +$ 
    - $g(x) \cdot \frac{d}{dx} f(x)$
- 32. If  $z = -7 + \sqrt{3}i$  then find  $(z \overline{z})^3$ 
  - a. 343
  - b. -343

- c.  $-12\sqrt{3}i$
- d.  $-24\sqrt{3}i$

- 33. If  $f(x) = x^3 + \cos x$  then f(x) is?
  - a. An odd function
  - b. A even function

c. Neither odd nor even

c.  $[f(x).g(x)]^{-1}$ d.  $[f(x).\frac{d}{dx}g(x) + g(x).\frac{d}{dx}f(x)]$ 

d. A constant function

$$34. \lim_{x \to 3} \frac{3x^2 - 7x - 6}{x^2 - 8x + 15} =$$

b. 
$$\frac{11}{15}$$

d. 
$$-\frac{11}{2}$$

35. Find f'(x), if  $f(x) = \sin^3 x$ 

a. 
$$3 \sin^2 x \cos x$$

b. 
$$3 \sin^2 x \cos^2 x$$

c. 
$$3\sin x \cos x$$

36. If dy =  $\ln x$  dx and the slope at (x, y) is same as when it is parallel to x axis find x?

b. 1

c. e

d.  $\frac{1}{e}$ 

37. The derivative of  $\cos^2 3x$ 

a.  $-6 \cos 3x \sin x$ 

c.  $-2\cos 3x\sin x$ 

b.  $6 \cos 3x \sin x$ 

d. None

38. Curve  $y = x^2 - 8$  has:

I. Maximum value

II. Minimum value

III. No extreme value

a. I only

b. II only

c. I and II only

d. III only

39. The equation of the line which is parallel to x axis and 5 units above it is?

a. 
$$y = 5$$

b. 
$$y = -5$$

c. 
$$x = -5$$

d. 
$$x = 5$$

40. The derivative of the function  $y = \cos x$  is equal to?

a. sin x

c. -sin x

b. -tan x

d. cos x

41. If  $\alpha$ ,  $\beta$  are the roots of  $x^2 - 2x + 1 = 0$ , then  $(\alpha + \beta)^2$  is equal to

A. -2

B. 1

42. The possible number of root(s) of the equation  $x^{\frac{2}{3}} = 9$  is/are

A. one.

C. no roots.

B. two.

D. infinite many roots.

43. The real quadratic equation whose coefficients are rational and whose one root is  $\sqrt{2}$  +  $\sqrt{9}$ , is

A. 
$$x^2 - 7x - 11 = 0$$

B. 
$$x^2 - 6x + 7 = 0$$

C. 
$$-x^2 + 2x - 1 = 0$$
  
D.  $x^2 - 13x - 15 = 0$ 

D. 
$$x^2 - 13x - 15 = 0$$

44.  $\omega$  being the complex cube roots of unity then consider the following statements

I. 
$$\omega^2 = \frac{1}{\omega}$$

II. 
$$\omega^{3n} = \frac{1}{\omega}$$
;  $n \in \text{integer}$ 

III. 
$$\omega^n + \omega^{n+1} + \omega^{n+2} = 0$$
;  $n \in \text{integer}$ 

A. I only

C. I and II

B. II only

D. I and III

- 45. If one root of  $5x^2 + 7abdx t^2 + 196 = 0$  is zero then t is equal to

B. 0

D. -14

- 46.  $\frac{x+1}{x(x+2)^2}$  =

  - A.  $\frac{A}{x} + \frac{B}{x+2}$ B.  $\frac{A}{x} + \frac{B}{x+2} + \frac{C}{(x+2)^2}$

- C.  $\frac{A}{x} + \frac{B}{x+2} + \frac{Cx+D}{(x+2)^2}$ D.  $\frac{A}{x} + \frac{Bx+C}{(x+2)^2}$
- 47.  $\sqrt{x+2} = -1$  then real root(s) of the equation is/are
  - A. one

C. three

B. two

- D. no roots
- 48. If  $\alpha$ ,  $\beta$  are the roots of  $3x^2 + 2x + 5 = 0$  then sum of  $\frac{\alpha+1}{\alpha}$  and  $\frac{\beta+1}{\beta}$  is equal to
  - A.  $-\frac{8}{9}$

B.  $\frac{8}{5}$ 

- 49. If the equation  $7x^2 + 15x + k = 0$  has roots  $\sqrt{\alpha}$  and  $\frac{1}{\sqrt{\alpha}}$ , then k is equals to
  - A. -11

B. 2

- D. 15
- 50. If the sum of a number and its reciprocal is  $\frac{41}{20}$ , then the number is

C.  $-\frac{4}{5}$ D.  $\frac{1}{5}$ 

## **BASIC MATH**

- 1. The 180 students in a group are to be seated in rows so that there is equal number of students in each row. Each of the following could be the number of rows EXCEPT
  - (A)4

(B) 20

(E) 90

- (C) 30
- 2. A parking garage rents parking spaces for \$10 per week or \$30 per month. How much does a person save in a year by renting by the month rather than by the week?
  - (A) \$140

(B) \$160

(E) \$260

- (C) \$220
- If  $y = 5x^2 2x$  and x = 3, then y = (A) 24

  - (B) 27

- (D) 51
- (E) 219

- (C) 39
- 4. Of the following, which is the best approximation to  $\sqrt{0.0026}$ ?
  - (A) 0.05

(D) 0.5

(B) 0.06

(E) 0.6

- (C) 0.16
- 5. At a certain diner, a hamburger and coleslaw cost \$3.59, and a hamburger and french fries cost \$4.40. If french fries cost twice as much as coleslaw, how much do french fries cost?
  - (A) \$0.30

(C) \$0.60

(B) \$0.45

- (D) \$0.75
- 6. If  $\angle XYZ$  in the figure above is a right angle, what is the value of x?
  - (A) 155
  - (B) 145

(D) 125 (E) 110

- (C) 135

- 7. In the expression above, a, b, and c are different numbers and each is one of the numbers 2, 3, or 5. What is the <u>least</u> possible value of the expression?
  - (A)  $\frac{1}{30}$

(C)  $\frac{1}{6}$ 

(B)  $\frac{2}{15}$ 

(D)  $\frac{3}{10}$ 

- (E)  $\frac{5}{6}$
- 8. A certain culture of bacteria quadruples every hour. If a container with these bacteria was half full at 10:00 a.m., at what time was it one-eighth full?
  - (A) 9:00 a.m.

(C) 6:00 a.m.

(B) 7:00 a.m.

(D) 4:00 a.m.

(E)	2:00	1 a m
LLI	4.00	, a.m

- 9. Al, Lew, and Karen pooled their funds to buy a gift for a friend. Al contributed \$2 less than  $\frac{1}{2}$  of the cost of the gift and Lew contributed \$2 more than  $\frac{1}{4}$  of the cost. If Karen contributed the remaining \$15, what was the cost of the gift?
  - (A) \$24

(D) \$43

(B) \$33

(E) \$45

- (C) \$36
- 10. What is the total number of integers between 100 and 200 that are divisible by 3?
  - (A) 33

(D) 30

(B) 32

(E) 29

- (C) 31
- 11. Which of the following inequalities is equivalent to 10 2x > 18?

(A) x > -14

(D) x < 4

(B) x > -4

(E) x < -4

(C) x > 4

12. In 1979 approximately  $\frac{1}{3}$  of the 37.3 million airline passengers traveling to or from the United States

used Kennedy Airport. If the number of such passengers that used Miami Airport was  $\frac{1}{2}$  the number that used Kennedy Airport and 4 times the number that used Logan Airport, approximately how many millions of these passengers used Logan Airport that year?

(A) 18.6

(D) 3.1

(B) 9.3

(E) 1.6

(C) 6.2

13. A certain basketball team that has played  $\frac{2}{3}$  of its games has a record of 17 wins and 3 losses. What is

the greatest number of the remaining games that the team can lose and still win at least  $\frac{3}{4}$  of all of its games?

(A) 7

(D) 4

(B)6

(E)3

(C) 5

14. Dan and Karen, who live 10 miles apart meet at a cafe that is directly north of Dan's house and directly east of Karen's house. If the cafe is 2 miles closer to Dan's house than to Karen's house, how many miles is the cafe from Karen's house?

(A) 6

(D)9

(B) 7

(E) 10

(C) 8

15. If *n* is an integer and  $n = \frac{2 \cdot 3 \cdot 5 \cdot 7 \cdot 11 \cdot 13}{77k}$  then which of the following could be the value of *k*?

(A) 22

(D) 54

(B) 26

(E) 60

(C)35

- 16. There were 36.000 hardback copies of a certain novel sold before the paperback version was issued. From the time the first paperback copy was sold until the last copy of the novel was sold. 9 times as many paperback copies as hardback copies were sold. If a total of 441.000 copies of the novel were sold in all, how many paperback copies were sold?
  - (A) 45.000

(D) 392.000

(B) 360.000

(E) 396.900

- (C) 364.500
- 17. In the formula  $w = \frac{p}{t\sqrt{v}}$ , integers p and t are positive constants. If w = 2 when v = 1 and if  $w = \frac{1}{2}$  when

v = 64, then t =

(A) 1

(D)4

(B)2

(E) 16

- (C)3
- 18. Last year Mrs. Long received \$160 in dividends on her shares of Company X stock, all of which she had held for the entire year. If she had had 12 more shares of the stock last year, she would have received \$15 more in total annual dividends. How many shares of the stock did she have last year?
  - (A) 128

(D) 175

(B) 140

(E) 200

(C) 172

Month	Average Price per Dozen
April	\$1.26
May	\$1.20
June	\$1.08

- 19. The table above shows the average (arithmetic mean) price per dozen of the large grade A eggs sold in a certain store during three successive months. If  $\frac{2}{3}$  as many dozen were sold in April as in May, and twice as many were sold in June as in April, what was the average price per dozen of the eggs sold over the three-month period?
  - (A) \$1.08

(D) \$1.16

(B) \$1.10

(E) \$1.18

- (C) \$1.14
- 20. If  $y \ne 3$  and  $\frac{3x}{y}$  is a prime integer greater than 2, which of the following must be true?
  - I. x = y
  - II. y = 1
  - III. x and y are prime integers.
    - (A) None

(D) IIIonly

(B) I only


(E) I and III

(C) II only

## <u>IQ</u>

**QUESTION 1** 


Which of the lower circles replaces the question mark?






**QUESTION 2** 


Which number replaces the question mark and completes the puzzle?




QUESTION 3

Which letter completes the puzzle?









A, B, E, F

**QUESTION 4** 

What is missing from the last star?




## Which letter completes the puzzle?



A, U, V, W

**QUESTION 6** 


Which number replaces the question mark and completes the puzzle?



5, 6, 4, 3


**QUESTION 7** 

Which number replaces the question mark and completes the puzzle?



**QUESTION 8** 

## Which segment completes the puzzle?




Which letter replaces the question mark and completes the puzzle?











**QUESTION 10** 

Which letter follows the sequence to complete the puzzle?




















X, V, W, Q


## **QUESTION 11**

Which number replaces the question mark and completes the sequence?










4, 8, 11, 10

## **QUESTION 12**


Which number replaces the question mark and completes the sequence?



7. 6, 9, 10

## **QUESTION 13**

Which number replaces the question mark and completes the sequence?



8, 7, 10, 13

## **QUESTION 14**


Which letter replaces the question mark and completes the sequence?

13	INC	2
6	QRG	7
4	DOM	8
7	SUI	7
8	AD?	2

K, L, M, N

## **QUESTION 15**

Which letter replaces the question mark and completes the sequence?



Which number replaces the question mark and completes the sequence?

4	2	8	7
6	3	6	6
5	1	5	3

1	0	8	8
7	1	4	2
8	7	2	9


3	2	4	8
2	1	8	9
7	4	9	7

3	0	6	2
4	1	6	4
6	3	?	5

0, 10, 12, 9

**QUESTION 17** 

Which letter replaces the question mark and completes the puzzle?



**QUESTION 18:** 

Which number replaces the question mark and completes the puzzle?

3		9
7	2	2
4		1

	1		6
3	5	7	3
	4		8


	8 8	
9		8
2	1	7
6		3

	86 8	
4	GC -	5
8	?	1
2		3

4, 5, 2, 10

**QUESTION 19:** 


Which letter replaces the question mark and completes the puzzle?



**QUESTION 20:** 

A, W, E, Q

Which letter replaces the question mark and completes the puzzle?



A, B, D, R

## **ENGLISH**

## **ANALOGIES**

1. BANDAGE : LACERATION A. ambulance : transportation C. cast : fracture E. oxygen : shock	B. alcohol : a D. transfusion : blood	_	
2. PEDAL : FOOT A. thimble : finger C. knob : hand E. pillow : head	B. crutch : le D. belt : wais		
SYNONYMS			
3. Synonym of ANTIPATHY A. abnormal D. firm dislike	B. indifference E. daring	C. conjoine	d
<ul><li>4. Synonym of ENGENDER</li><li>A. to put in danger</li><li>D. to produce</li></ul>	B. to show composure E. to admire	C. to impro	ve
ANTONYMS			
5. Antonym of NORM A. linchpin D. anomaly	B. benchmark E. mode	C. watershe	ed
6. Antonym of APPREHEND A. purloin D. release	B. gambol E. confer	C. speculate	e
SENTENCE COMPLETION			
7. After having their current A. investigated D. mastered E. enjo	B. studied	cally ready to mo C. attempt	
8. My friend generously offered t babysitter, I the offer.  A. look aftertook  D. watchdeclined E. take	B. look afterrejected		e we already had a oraccepted
PREPOSITIONS			
9. He will appear the A. in front of B. to	e magistrate. C. before	D. for	E. near
10. I would like to move B in	Marketing.	D at	F. across

## ANEES HUSSAIN FAST PAST PAPER 1

STUDENT'S NAME	DATED:

SECTION - I		SECTION - II SE		SEC	SECTION - III		SECTION - IV		
MATHEMATICS		BAS	IC MATH	IQ		ENGLISH			
1	Α	41	D	1	D	1	1	1	С
2	Α	42	В	2	В	2	4	2	С
3	Α	43	В	3	С	3	В	3	D
4	В	44	D	4	Α	4	5	4	D
5	D	45	С	5		5	U	5	D
6	Α	46	В	6	С	6	5	6	D
7	С	47	D	7	В	7	22	7	D
8	В	48	В	8	Α	8	2	8	В
9	D	49	С	9	С	9	Υ	9	С
10	С	50	Α	10	Α	10	W	10	Α
11	С			11	E	11	4		
12	Α			12	E	12	7		
13	Α			13	D	13	7		
14	С			14	С	14	K		
15	D			15	В	15	Н		
16	В			16	С	16	0		
17	В			17	С	17	F		
18	Α			18	Α	18	5		
19	D			19	D	19	Е		
20	В			20	D	20	В		
21	Α								
22	Α								
23	В								
24	С								
25	Α								
26	Α								
27	С								
28	В								
29	В								
30	Α								
31	В								
32	D								
33	С								
34	D								
35	Α								
36	В								
37	D								
38	В								
39	Α								
40	С								
W		W		W		W		W	
R		R		R		R		R	

## **MATHEMATICS**

- 1. If the ratio of AB to BC is 4:9, what is the area of Parallelogram ABCD?
  - a) 36

c) 18

b) 26

- d) Cannot be determined
- 2. When any circle in 2<sup>nd</sup> Quadrant then what will be the equation of the circle when radius is 5 cm
  - a)  $x^2 + y^2 + 10x + 10y + 25 = 0$

c) 
$$x^2 + y^2 - 10x - 10y + 25 = 0$$

b) 
$$x^2 + y^2 + 10x - 10y + 25 = 0$$

d) 
$$x^2 + y^2 - 10x + 10y + 25 = 0$$

- 3. If a line contains a point  $P_1(3, -3)$  and  $P_2(-3, 3)$  then the slope of line is?
  - a) 2

c) -1

b) 1

d) -2

- 4. If z = (1,2) then  $z^{-1} = ?$ 
  - a) (0.2, 0.4)

c) (0.2, -0.4)

b) (-0.2, 0.4)

d) (-0.2, -0.4)

- 5.  $\bar{Z} =$
- a)  $\bar{Z}$

c) Z

b) -Z

d) None

- 6. The multiplicative inverse of 1 2i is
  - a)  $\frac{1}{5} + \frac{2}{5i}$
  - b)  $\frac{1}{2i}$

- $c)\frac{1}{5} + \frac{2}{5i}$
- d)  $\frac{1}{5} \frac{2}{5i}$
- 7. Which of the following is not monoid w.r.t. addition?
  - a) Z

b) W

\_

- c) N
- d) R
- 8. The middle term is the expansion of  $(a + b)^{12}$  is?
  - a) 13<sup>th</sup>

c) 11th

b) 12<sup>th</sup>

d) None

- 9. If  $A = \{4,3\}$  then P(A) is
  - a)  $\{\phi, \{4\}, \{3\}, \{4,3\}\}$

c)  $\{\varphi, \{3\}, \{4\}\}$ 

b) { {3}, {4}, {4, 3} }

d)  $\{ \varphi, \{3,4\} \}$ 

- 10. The set (Q, +)
  - a) Forms a group

c) Contains not additive identity

b) Does not form a group

d) Contain no additive inverse

- 11. The expansion of  $(1 3x)^{\frac{2}{3}}$  is valid?
  - a)  $|x| < \frac{1}{3}$

c)  $|x| < \frac{2}{3}$ 

b)  $|x| < \frac{1}{2}$ 

d) |x| < 1

- 12. If  $\#n = (n-5)^2 + 5$  then find  $\#3 \times \#4 = ?$ 
  - a) 54

c) 4

b) 12

d) 9

13. Power set of X P(X) Under the binary operation of union	ı U
a) Forms a group	c) Has no identity
b) Does not form a group	d) $\infty$ Set although X is $\infty$
14. If A is non-singular matrix then (A <sup>-1</sup> ) <sup>-1</sup> =?	
a) A	c) 1
b) –A	d) None
15. Out of 800 boys in a school, 334 played cricket, 240 played how	ckey and 336 played basketball of the total 64
played both basketball and hockey 80 played cricket and basketbal	l and 40 played cricket and hockey 24 played all
the games the number of boys who did not play any game is?	
a) 40	c) 24
b) 56	d) 50
16. Let the equation $ax^2 - bx + c = 0$ have district real roots both ly	ing in the open interval (0, 1) where a, b, c are
given to be positive integers then the value of the ordered triplet (a	, b, c) can be?
a) (5, 3, 1)	c) (5, 5, 1)
b) (4, 3, 2)	d) (6, 4, 1)
17. If A and B are disjoint sets, then $A \cap B$ is	
a) A	c) Null set
b) B	d) A U B
18. {1, -1. i, -i} is a group closed under	
a) Multiplication	c) Division
b) Addition	d) Both A & C
19. If $\omega$ is complex cube root of unity then $\omega^{14} + \omega^{16}$ is	
a) 1	c) w
b) 0	d) -1
20. One root of $2x^2+kx+16=0$ is 4 the other root is	
a) 2	c) 4
b) 3	d) Cannot be found
21. If $A = A^t$ then matrix A is	
a) Symmetric	c) Square
b) Screw Symmetric	d) None of these
22. The next term of the following sequence is $\frac{1.1}{7}, \frac{-3.3}{7}, \frac{9.9}{7}$	
_9.9	29.7
a) $\frac{-9.9}{7}$	c) $\frac{29.7}{7}$
b) $\frac{-11.11}{7}$	d) $\frac{-29.7}{7}$
23. The nth term of the following sequence is 0, 6, 24, 60	
a) $n^2 - n$	c) $n^3 - 2n$

24. If the sum of n terms is  $n^2$ -3n then its  $6^{th}$  term is

b)  $n^2 - 2n$ 

d)  $n^3 - n$ 

	a) 6	c) 10
	b) 8	d) 12
25. T	hree arithmetic means between 15 and 7 are	
	a) 13,10,4	c) 13,11,9
	b) 13,9,11	d) 13,10,8
26. If	the sum of n natural numbers is 325 then n is	
	a) 20	c) 15
	b) 30	d) 25
27. T	he product of $(2, 3)$ and $(-2, -3)$ is	
	a) (5, 12)	c) (-5, -12)
	b) (5, -12)	d) (-5, 12)
28. A	coin is tossed twice. The probability of getting at least one h	ead is
	a) $\frac{1}{2}$	c) $\frac{1}{4}$
	b) $\frac{3}{4}$	d) 1
29. Ir	the expansion of $\left(\frac{x-1}{x}\right)^{10}$ , the term independent of x is the r	th term. Find r?
	a) 6	c) 7
	b) 5	d) 8
30. H	ow many different words can be formed using three letters of	f the word "TABLE"?
	a) 15	c) 60
	b) 50	d) 120
31. T	he equation $2x^2+3y^2-4x=0$ represents	
	a) A point	c) Parabola
	b) ellipse	d) circle
32. T	he length of latus rectum of the parabola $y^2 + 12x = 0$ is	
	a) 12	c) 3
	b) -12	d) -3
33. D	istance of point (32) from the line $3x + 4y + 10 = 0$ is	
	a) $\frac{11}{5}$	c) $\frac{11}{17}$
	b) 10	d) 2
34. T	he limit of $\frac{e^{3x}-1}{x}$ as x tends to zero is	
	a) 0	c) 2
	b) 3	d) 1
35. S	econd derivative of $e^{2x+1}$ at $x = 1$ is	
	a) e <sup>3</sup>	c) 4e <sup>3</sup>
	b) 2e <sup>3</sup>	d) 5e <sup>3</sup>
36. T	he derivative of secx <sup>2</sup> w.r.t 'x' is	
	a) sec <sup>2</sup> x	b) secx <sup>2</sup> tanx <sup>2</sup>

c) 2x sec x2 tanx2

d) 2 secxtanx

37. The derivative of  $\frac{x^2+1}{x}$  w.r.t 'x' is

a) 2

b)  $1 + \frac{1}{x}$ 

c)  $1 - \frac{1}{x}$ 

d)  $1 - \frac{1}{x^2}$ 

38. For the curve  $y = 2x - x^2$ , x=1 is a point of

a) Minima

c) Inflexion

b) Maxima

d) None

39. If  $A = \{4,5,6,7,8,9,10\}$ ,  $B = \{1,2,3,4,5,6\}$  then A-B = ?

a) {7,8,9,10}

c)  $\{1,2,3,5\}$ 

b) {4,5,6,7}

d) {1,2,3}

 $40. \int \sin x \, e^{\cos x} \, dx =$ 


a)  $e^{\sin x} + C$ 

d)  $e^{-\sin x} + C$ 

b) 
$$e^{\cos x} + C$$

c) 
$$-e^{\cos x} + C$$

41. The nature of roots of the quadratic equation shown in the diagram is /can




A. real and equal.

B. real and different.

C. not be determined.

D. complex and imaginary.

42. The number of real roots of the curve in the given diagram is/are



- A. 0
- B. 1

- C. 2
- D. 4
- 43. The value of k so that difference between the roots of  $5x^2 kx + 1 = 0$  is unity, is
  - A.  $2\sqrt{2}$
  - A.  $2\sqrt{2}$  B.  $4\sqrt{2}$

- C.  $3\sqrt{5}$
- D.  $7\sqrt{7}$
- 44. The nature of the roots of the quadratic equation  $x^2 2 \cot \theta x 1 = 0$  are

(**Note**:  $\theta \neq n\pi, n \in Z$ )

- A. real and equal
- B. complex and equal
- C. real and irrational

- D. real and rational
- 45. If a, b, c are odd integers then the quadratic equation  $ax^2 + bx + c = 0$ 
  - A. cannot have rational roots
  - B. cannot have irrational roots
  - C. have equal roots only
  - D. have complex roots only
- 46. If  $2 + i\sqrt{3}$  is a root of the equation  $x^2 + px + q = 0$ , where p and q are real numbers then (p, q) is
  - A. (-4,7)

C. (-4, -7)

B. (4, -7)

- D. (4.7)
- 47. If one root of a quadratic equation  $x^2 + bx + c = 0$  is (2 + i + a) then other root is
  - A. -b + 2 + i + a

C. b - 2 - i - a

B. b - 2 - i - a

D. -b - 2 - i - a

- 48.  $\sin\left(-248\frac{\pi}{2}\right)$  is equal to
  - A. -1

C. 1

B. 0

D. ∞

49. The value of  $\frac{3 \sin \theta + 5 \cos \phi}{3 \sin \theta - 5 \cos \phi}$ , when value of  $\sin \theta = \frac{1}{\sqrt{2}}$  and  $\sin \phi = \frac{1}{3}$ A.  $\frac{29}{11}$ C.  $\frac{11}{29}$ D.  $-\frac{11}{29}$ 

A. 
$$\frac{29}{11}$$
 C.  $\frac{11}{29}$ 

B. 
$$-\frac{29}{11}$$
D.  $-\frac{11}{11}$ 

50. If  $\tan \alpha = \frac{1}{\sqrt{3}}$  and  $\sin \beta = \frac{1}{2}$ , then  $\tan(\alpha + \beta)$  is equal to

D. 
$$\sqrt{3}$$

## **BASIC MATH**

- 1. The market value of a certain machine decreased by 30 percent of its purchase price each year. If the machine was purchased in 1982 for its market value of \$8,000, what was its market value two years later?
  - (A) \$8,000

(D) \$2,400

(B) \$5,600

(E) \$800

- (C) \$3,200
- 2. What percent of 50 is 15?
  - (A) 30%
  - (B) 35%
  - (C) 70%
  - (D) 300%

- (E)  $333\frac{1}{3}\%$
- 3. In a certain diving competition, 5 judges score each dive on a scale from 1 to 10. The point value of the dive is obtained by dropping the highest score and the lowest score and multiplying the sum of the remaining scores by the degree of difficulty. If a dive with a degree of difficulty of 3.2 received scores of 7.5, 8.0, 9.0, 6.0, and 8.5, what was the point value of the dive?
  - (A) 68.8

(D) 76.8

(B) 73.6

(E) 81.6

- (C) 75.2
- 4. If 2x = 3y = 10, then 12xy =
  - (A) 1,200

(D) 40

(B) 200

(E) 20

- (C) 120
- 5. If Jack walked 5 miles in 1 hour and 15 minutes, what was his rate of walking in miles per hour?
  - (A) 4

(D) 6.25

(B) 4.5

(E) 15

- (C) 6
- 6. Of a certain high school graduating class, 75 percent of the students continued their formal education, and 80 percent of those who continued their formal education went to four-year colleges. If 300 students in the class went to four-year colleges, how many students were in the graduating class?
  - (A) 500

(D) 225

(B) 375

(E) 180

- (C) 240
- 7. What is the least integer greater than -2+0.5?
  - (A) -2

(D) 1

(B) -1

(E)2

- (C) 0
- 8. Which of the following is equivalent to  $\frac{2x+4}{2x^2+8x+8}$  for all values of x for which both expressions are defined?
  - (A)  $\frac{1}{2x^2 + 6}$

(C)  $\frac{2}{x+6}$ 

(B)  $\frac{1}{9x+2}$ 

- (D)  $\frac{1}{x+4}$
- (E)  $\frac{1}{x+2}$
- 9. A certain business printer can print 40 characters per second, which is 4 times as fast as an average printer. If an average printer can print 5 times as fast as an electric typewriter, how many characters per minute can an electric typewriter print?

(A) 2	(D) 120
(B) 32	(E) 600
(C) 50	. ,

10. When ticket sales began, Pat was the nth customer in line for a ticket, and customers purchased their tickets at the rate of x customers per minute. Of the following, which best approximates the time, in minutes, that Pat had to wait in line from the moment ticket sales began?

(A) 
$$(n - 1) x$$

(B) 
$$n + x - 1$$

(C) 
$$\frac{n-1}{x}$$

(D) 
$$\frac{x}{n-1}$$

(E) 
$$\frac{n}{x-1}$$

11. If 6 gallons of gasoline are added to a tank that is already filled to  $\frac{3}{4}$  of its capacity, the tank is then filled to

 $\frac{9}{10}$  of its capacity. How many gallons does the tank hold?

(A) 20

(B) 24(C)36 (D) 40

(E) 60

12. A bus trip of 450 miles would have taken 1 hour less if the average speed S for the trip had been greater by 5 miles per hour. What was the average speed S, in miles per hour, for the trip?

(A) 10

(D) 50

(B) 40

(E) 55

(C)45

13.  $10^3$  is how many times  $(0.01)^3$ ?

(A)  $10^6$ 

(D)  $10^{12}$ 

(B)  $10^8$ 

(E)  $10^{18}$ 

(C)  $10^9$ 

14. Which of the following groups of numbers could be the lengths of the sides of a right triangle?

I. 1, 4,  $\sqrt{17}$ 

II. 4, 7,  $\sqrt{11}$ 

III. 4, 9, 6

(A) I only

(D) II and III only

(B) I and II only

(E) I, II, and III

(C) I and III only

15. When the stock market opened yesterday, the price of a share of stock X was  $10\frac{1}{2}$ . When the market closed, the

price was  $11\frac{1}{4}$ . Of the following, which is closest to the percent increase in the price of stock X?

(A) 0.5%

(D) 7.1%

(B) 1.0%

(E) 7.5%

(C) 6.7%

16. If x and y are integers and  $xy^2$  is a positive odd integer, which of the following must be true?

I . xy is positive.

 $\coprod xy$  is odd.

 $\coprod x + y$  is even.


(A) I only

(D) I and II

(B) II only

(E) II and III

(C) III only



17. The figure above shows the dimensions of a rectangular box that is to be completely wrapped with paper. If a single sheet of paper is to be used without patching, then the dimensions of the paper could be

A) 17 in by 25 in

(D) 24 in by 14 in

(B) 21 in by 24 in (C) 24 in by 12 in (E) 26 in by 14 in

18.

$$x - y = 3$$
$$2x = 2y + 6$$

The system of equations above has how many solutions?

(A) None

(D) Exactly three

(B) Exactly one

(E) Infinitely many

- (C) Exactly two
- 19. If M and N are positive integers that have remainders of 1 and 3, respectively, when divided by 6, which of the following could NOT be a possible value of M+N?
  - (A) 86

(D) 28

(B) 52

(E) 10

- (C) 34
- 20. The R students in a class agree to contribute equally to buy their teacher a birthday present that costs y dollars. If x of the students later fail to contribute their share, which of the following represents the additional number of dollars that each of the remaining students must contribute in order to pay for the present?
  - (A)  $\frac{y}{R}$

(B)  $\frac{y}{R-x}$ 


(E)  $\frac{y}{R(R-x)}$ 

(C)  $\frac{xy}{R-x}$ 

## <u>IQ</u>

## **QUESTION 1**


Which number replaces the question mark an completes the puzzle?



7, 3, 5, 6,

## **QUESTION 2**


Which letter replaces the question mark and completes the puzzle?



B, A, D, E

## **QUESTION 3**


Which number replaces the question mark and completes the puzzle?



11, 10, 22, 44

## **QUESTION 4**


Which letter replaces the question mark and completes the puzzle?



S, R, T, Q


## **QUESTION 5**

Which number replaces the question mark and completes the puzzle?



1, 2, 3, 5

Which playing card replaces the question mark and completes the puzzle?



2 LEAF, 3 CUBE, 2 LOVE, 2 CUBE

QUESTION 7

Which letter replaces the question mark and completes the sequence?

P	U	Z	E
K	P	U	J
F	К	?	0

X, N, Z, Q


Which letter replaces the question mark and completes the puzzle?

D		F		1	
	X		R		M
E		М		0	
	A		V		R
G		N	(*)	V	
	E		A		?

X, B, N, J


**QUESTION 9** 

Where should the missing hour hand point?




- A. TO THE 4
- B. TO THE 6
- C. TO THE 9
- D. TO THE 1

Which letter replaces the question mark and completes the puzzle?



**QUESTION 11** 

H, M, B, V




avis, Harold and Bette all own properties in rather exclusive areas of the town, and have recently had them valued. Harold lives in Meadow Rise, but his property is not worth £75,000. The property in Honeysuckle Row worked out as the cheapest, despite it being a lovely road. Bette lives in a terrace house, although there are no terraced houses along Shangri-La Way. Mavis's property is not a bungalow. Can you deduce from these clues which person lives where, in which property, and how much the property was valued.

Owner	Property	Road	Value
	Ť Ú		

**QUESTION 12** 


Which letter replaces the question mark and completes the puzzle?



A, N, C, G


## **QUESTION 13**

Which number replaces the question mark and completes the puzzle?




12, 4, 14, 9

## **QUESTION 14**



Y, M, E, C


Which letter replaces the question mark and completes the puzzle?



E, M, N, .B

**QUESTION 16** 


Joe and John are playing marbles. If Joe loses one marble to John, they will both have the same number of marbles, but if John loses one marble to Joe, Joe will have twice the number of marbles as John. How many marbles do the two boys currently have?



- A. JOE HAS 7 JOHN HAS 5
- B. JOE HAS 5 JOHN HAS 7
- C. JOE HAS 3 JOHN HAS 6

**QUESTION 17** 


Which number replaces the question mark and completes the puzzle?



6, 7, 10, 11

### **QUESTION 18:**


Which number replaces the question mark and completes the puzzle?



12, 11, 10, 9

## **QUESTION 19:**


Which number replaces the question mark and completes the puzzle?



2, 4, 7, 5

**QUESTION 20:** 

Which domino replaces the question mark to complete the puzzle?



5, 7, 4, 9

## **ENGLISH**

### **ANALOGIES**

1. A. C. E.	CLOCK : MINUTE ruler: centimetre B. arc : ellipse quart : capacity	sundial D.	: shadow product : shelf life		
2. A. C. E.	LAWYER : CLIENT doctor : surgeon judge : defendant D. tutor : student	B. museun	admiral : sailor n : audience		
SYNON	IYMS				
3. Synon	nym of FIASCO				
A. D. cele	disappointment ebration	E. funfa	B. turning point air		C. complete failure
4. Synor A. incre D. gift	nym of STIPEND ment		B. salary E. perquisite		C. commission
ANTO	NYMS				
5. Anton A. preci D. defer		E. refin	B. hallow e.		C. obfuscate
6. Anton A. rotun D. jaund			B. pervasive E. resilient		C. chronic
SENTE	NCE COMPLETION				
A.	were many cars in the the vulnerable uncommon	eatre parki	ing lot. When Darren four B. ecstatic E. believed		ble parking spot, he felt C. fortunate
A.	el's employees were quite decisivewanted capablerequested		they learned quickly andlisted E. disturbedordered		do most of the tasks heleassigned
PREPO	SITIONS				
9. No go A. at	overnment is hostile B. in	socia C. for	al reforms. D. to	E. as	
10. We A. at	trust God. B. on	C. in	D. to	E. before	

## ANEES HUSSAIN FAST PAST PAPER 2

STUDENT'S NAME		DATED:	
----------------	--	--------	--

SECTION - I		SEC	TION - III	SECTION - IV		SECTION - V			
	MATHE	MATICS		BAS	IC MATH	IQ		ENGLISH	
1	D	41	В	1	С	1	7	1	Α
2	В	42	Α	2	Α	2	Α	2	E
3	С	43	С	3	D	3	22	3	С
4	С	44	D	4	В	4	T	4	В
5	С	45	Α	5	Α	5	2	5	С
6	Α	46	Α	6	Α	6	9 CUBE	6	С
7	С	47	D	7	В	7	Z	7	В
8	D	48	В	8	Е	8	X	8	D
9	Α	49	В	9	D	9	Α	9	D
10	Α	50	D	10	С	10	Н	10	
11	Α			11	D	11	Owner         Property         Road         Value           Mavis         Flat         Shangri-La         275,000           Harold         Bungalow         Meadow         £100,000           Bette         Terrace         Honsysucked         £40,000           Road         \$100,000         \$100,000           Stope         \$100,000         \$100,000           Bette         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000         \$100,000         \$100,000           \$100,000 <td></td> <td>S</td>		S
12	Α			12	С	12	С		$oxed{\mathbf{Z}}$
13	В			13	С	13	12		
14	Α			14	Α	14	E		
15	D			15	D	15	E		
16	С			16	E	16	Α		7
17	С			17	В	17	6		Ē
18	D			18	E	18	11		
19	D			19	Α	19	7		
20	Α			20	D	20	5		
21	Α								$\blacksquare$
22	D								
23	D								
24 25	B C								
26	C								
27	В								
28	В								7.
29	В								<u>E</u>
30	С								
31	В								
32	Α								
33	Α								
34	В								
35	С								
36	С								
37	D								
38	В								
39	Α								
40	С								
\A/		\A/ I		\A/		\A/		\A/	
W R		W R		W R		W R		W R	
		К		К		K		Γ	

## **MATHEMATICS**

1. The integral of  $\frac{1}{9x^2+4}$  w.r.t 'x' is f(x) + c is

a) 
$$\frac{1}{6}$$
 tan<sup>-1</sup>  $\frac{3x}{2}$ 

c) 
$$\frac{1}{3} tan^{-1} \frac{3x}{2}$$

b) 
$$\frac{1}{9} tan^{-1} \frac{3x}{2}$$

d) 
$$\frac{1}{3}tan^{-1}\frac{3x+2}{3x-2}$$

2. If A =  $\{4,5,6,7,8,9,10\}$ , B =  $\{1,2,3,4,5,6\}$  the A - B = ?

3. Division is a binary operation on

- a) Set of natural numbers
- b) Set of positive integers
- c) Set of negative integers
- d) None of these

4. The slope of line passing through the points (4, 5) and (3, 7) is

c) 
$$\frac{1}{2}$$

d) - 
$$\frac{1}{2}$$

 $5. \int a^x dx$ 

a) 
$$\frac{a^x}{\ln x} + C$$

c) 
$$\frac{a^{-x}}{\ln x} + C$$

b) 
$$\frac{a^x}{lna} + C$$

d) 
$$\frac{x}{\ln a} + C$$

6. The product of (2, -1) and (0, 1) is

a) 
$$(1, 2)$$

7. Geometric mean between 50 and 18 is

8. The integral of  $\frac{1}{x^{\frac{2}{3}}}$  w.r.t x is

a) 
$$3x^{\frac{1}{3}} + C$$

c) 
$$\frac{2}{3} x^{-\frac{2}{3}} + C$$

b) 
$$3x^{\frac{1}{2}} + C$$

d) 
$$\frac{2}{3}x^{-\frac{3}{2}} + C$$

9. The sum of the roots of the equation  $x^2 + x + m = 0$  is equal to the product of its roots, then 'm'

c) 3

- d) -2
- 10. A fair coin is tossed twice. What is the probability of both heads?

b)  $\frac{1}{4}$ 

- d)  $\frac{1}{2}$
- 11. The n<sup>th</sup> term of the following sequence 2, 5, 10, 17 is
  - a) 2n-3

c)  $n^2 + 1$ 

b) n + 1

d) 5n - 3

- 12. If x + y = 8 and xy = 15 then x y = ?
  - a) 4

c) 6

b) 2

- d) 9
- 13. The number of ways in which 5 differently colored flags can be arranged in a row are.
  - a) 50

c) 180

b) 120

d) 100

- 14. The limit of  $\frac{\sin x}{x}$  as "x" tends to zero is
  - a) 0

c) 2

b) 1

d) ∞

- 15. If  $y = a^x$ , then y' = ?
  - a)  $a^x$

c)  $a^x \ln x$ 

b)  $a^x$ lna

- d) None of these
- 16. The area of triangle formed from (11, -12), (6, 2) and (-5, 10) is
  - a) 57

c) 50

b) 56

- d) 51
- 17. If two lines are parallel then their slopes are
  - a) 0

c) equal

b) 1

d) unequal

- 18. The angle formed by  $x^2 6xy + 9y^2 = 0$ 
  - a)  $60^{0}$

c)  $45^{\circ}$ 

b)  $90^{0}$ 

 $d) 0^{0}$ 

- 19.  $\int \frac{dx}{a^2 + x^2} = ?$ 
  - a)  $\frac{1}{a} \sin^{-1} \frac{x}{a} + C$

c)  $\frac{1}{a}$  sec<sup>-1</sup>  $\frac{x}{a}$  + C

b)  $\frac{1}{a} \tan^{-1} \frac{x}{a} + C$ 

d)  $\frac{1}{a} \cos^{-1} \frac{x}{a} + C$ 

- 20. Area under the curve  $x^2 + y^2 = 4$  between the ordinates  $x = \frac{1}{2}$  and  $x = \frac{3}{2}$ 
  - a) 32

c) 25

b) 16

- d) none of them
- 21. The centre of  $4x^2 + 4y^2 12x + 4y 15 = 0$  is
  - a)  $\left(\frac{1}{2}, \frac{3}{5}\right)$

c)  $\left(\frac{3}{2}, -\frac{1}{2}\right)$ 

b)  $\left(\frac{1}{5}, \frac{3}{2}\right)$ 

- d)  $\left(\frac{4}{5}, \frac{6}{5}\right)$
- 22. The parametric equation of a circle with radius 'a' are
  - a)  $X = a \cos \theta$ ,  $Y = a \sin \theta$

c)  $X = r \cos \theta$ ,  $Y = r \cos \theta$ 

b)  $X = r \cos \theta$ ,  $Y = r \sin \theta$ 

- d)  $X= r \tan \theta$ ,  $Y= r \sec \theta$
- 23. The radius of the circle  $4x^2 + 4y^2 12x + 4y 15 = 0$  is
  - a)  $\frac{5}{4}$

c)  $\frac{5}{6}$ 

- d)  $\frac{5}{3}$
- 24. The length of the tangent from (-4, 6) to  $2x^2 + 2y^2 = 3$  is
  - a) 18.3

c) 7.1

b) 5.2

- d)  $\frac{5}{3}$
- 25. Equation of the parabola whose vertex is (0,0) and focus is (0,-3) is
  - a)  $y = x^2$

c)  $v^2 = 12x$ 

b)  $x^2 = -12y$ 

d)  $x^2 = 12y$ 

- 26.  $(x + 3i)^2 = 2yi$  then (x, y) is
  - a) (-3, -9)

c)(0,0)

b) (3, 7)

d) none of these

- 27. A unit matrix of order 3x3 is

b)  $\begin{bmatrix} 0 & 0 & 1 \\ 0 & 0 & 0 \\ 1 & 0 & 1 \end{bmatrix}$ 

 $d) \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ 

- 28. If  $\begin{vmatrix} y^2 & y & 1 \\ 8 & 4 & 10 \\ 9 & 3 & 6 \end{vmatrix} = 60 \text{ then y =?}$ 
  - a) 4

c) 3, 4

b) 4, 5

d) 2, 7

29. T	he equation $2x^2 + 6x - 3 = 0$ has $\alpha$ and $\beta$ find the value $\alpha$	of $\frac{1}{\alpha} + \frac{1}{\beta}$
	a) -3	c) 1
	b) $\frac{3}{2}$	d) 2
30. <i>x</i>	+10 = 14 then $x - 8 = ?$	
	a) -4	c) 1
	b) 4	d) 2
31. T	he n <sup>th</sup> term of the geometric mean sequence 8, $16\sqrt{2}$ , 64	is
	a) $n\sqrt{2}$	c) $(2\sqrt{2})^2$
	b) $\left(n\sqrt{2}\right)^2$	c) $(2\sqrt{2})^2$ d) $(2\sqrt{2})^{n+1}$
32. A	machine is depredated at rate of 10% on reducing balance	
man	y years it will be valued at Rs 8100	
	a) 2	c) 4
	b) 3	d) none
33. T	he given progression 4, 3, $\frac{9}{4}$ , is	
	a) H.P	c) A.P
	b) G.P	d) None of these
34. I1	n how many different ways may the seven the letters in th	ne word KARACHI be arranged if all of th
lettei	rs are used each time?	
	a) 2500	c) 2400
	b) 2520	d) 2420
35. H	Iow many words can be formed out of the letters of the w	ord "JEDDAH"
	a) 360	c) 240
	b) 420	d) None of these
36. V	Which of the expansion of $\left(\frac{1}{x} + x^2\right)^9$ contains no power of	x
	a) No term	c) Fifth
	b) Fourth	d) sixth
37. π	radians are always equal to	
	a) 360°	c) 270 <sup>0</sup>
	b) 180°	d) None of these
38. si	$\sin 60^{\circ} \sin 30^{\circ} - \cos 60^{\circ} \sin 60^{\circ}$	
	a) zero	b) $\frac{1}{2}$

c) 
$$\frac{\sqrt{3}}{2}$$

d)  $\frac{3}{2}$ 

39. Composite function of  $g(x) = x^2 - 1$ , f(x) = 2x - 1 is

a) 
$$2x^2 - 1$$

c) 
$$4x^2 - 4x$$

b) 
$$4x^2 - 4x - 2$$

d) None of these

$$40. \frac{d}{dx} \sqrt{x} = ?$$

a) 
$$\frac{1}{2\sqrt{x}}$$

c) 
$$\frac{1}{\sqrt{x}}$$

b) 
$$2/\sqrt{x}$$

d) 
$$2\sqrt{x}$$

41. If 
$$A = \begin{bmatrix} 1 & -1 \\ 2 & -1 \end{bmatrix}$$
 and  $B = \begin{bmatrix} 1 & 1 \\ 4 & 2 \end{bmatrix}$  then  $A + B$  is

$$A. \begin{bmatrix} 1 & -1 \\ 2 & 0 \end{bmatrix}$$

$$C. \begin{bmatrix} 2 & 0 \\ 6 & -1 \end{bmatrix}$$

$$D. \begin{bmatrix} 2 & 0 \\ 6 & 1 \end{bmatrix}$$

B. 
$$\begin{bmatrix} 1 & 0 \\ 2 & 0 \end{bmatrix}$$

D. 
$$\begin{bmatrix} 2 & 0 \\ 6 & 1 \end{bmatrix}$$

42. If 
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 2 & -3 & 4 \end{bmatrix}$$
 and  $B = \begin{bmatrix} -3 \\ 4 \end{bmatrix}$  then  $AB$  is equal to

D. 
$$\begin{bmatrix} -3 \\ 3 \end{bmatrix}$$

$$C.\begin{bmatrix} -3\\ 9 \end{bmatrix}$$

41. If 
$$A = \begin{bmatrix} 2 & -1 \end{bmatrix}$$
 and  $B = \begin{bmatrix} 4 & 2 \end{bmatrix}$  then  $AB$  is equal to

A.  $\begin{bmatrix} 1 & -1 \\ 2 & 0 \end{bmatrix}$ 

B.  $\begin{bmatrix} 1 & 0 \\ 2 & 0 \end{bmatrix}$  and  $B = \begin{bmatrix} -3 \\ 4 \end{bmatrix}$  then  $AB$  is equal to

A. not possible

B.  $\begin{bmatrix} -6 & 12 & 2 \end{bmatrix}$ 

C.  $\begin{bmatrix} -3 \\ 6 & 1 \end{bmatrix}$ 

B.  $\begin{bmatrix} -6 & 12 & 2 \end{bmatrix}$ 

C.  $\begin{bmatrix} -3 \\ 6 & 1 \end{bmatrix}$ 

A.  $\begin{bmatrix} -3 \\ 9 \end{bmatrix}$ 

43. If  $A = \begin{bmatrix} x & y & z \\ -2 & 0 & -1 \\ 3 & 1 & 0 \end{bmatrix}$  is skew symmetric, then  $(x, y, z)$  is equal to

A.  $(0, 2, -3)$ 

B.  $(0, -1, 3)$ 

C.  $(0, -2, 3)$ 

D.  $(1, 2, 3)$ 

A. 
$$(0,2,-3)$$

C. 
$$(0, -2, 3)$$

B. 
$$(0, -1, 3)$$

$$44. \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}^{4} = \begin{bmatrix} 1 & 0 & 0 \end{bmatrix}$$

A. 
$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$
B. 
$$\begin{bmatrix} 2 & 0 & 0 \\ 0 & 2 & 0 \\ 0 & 0 & 2 \end{bmatrix}$$

$$B. \begin{bmatrix} 2 & 0 & 0 \\ 0 & 2 & 0 \\ 0 & 0 & 2 \end{bmatrix}$$

C. 
$$\begin{bmatrix} 4 & 0 & 0 \\ 0 & 4 & 0 \\ 0 & 0 & 4 \end{bmatrix}$$

C. 
$$\begin{bmatrix} 4 & 0 & 0 \\ 0 & 4 & 0 \\ 0 & 0 & 4 \end{bmatrix}$$
D. 
$$\begin{bmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & 0 \end{bmatrix}$$

45. If 
$$A = \begin{bmatrix} 12 & \frac{1}{3} \\ 3 & 5 \end{bmatrix}$$
, then the value of  $|A^4|$  is equal to

A. 
$$(27)^4$$

B. 
$$(13)^4$$

C. 
$$(59)^4$$

D. 
$$(60)^4 - 1$$

- 46. The matrix  $\begin{bmatrix} 5 & 10 & 3 \\ -2 & -4 & 6 \\ -1 & -2 & b \end{bmatrix}$  is a singular matrix if
  - A. b = -3
  - B. *b*= 0

- C. b = 3
- $D. b \in \mathbb{R}$

D.  $\frac{1}{|A|^n}$ 

- 47. If A is a square matrix of order n then |adj A| is equal to
  - A.  $|A|^{n-1}$
  - B.  $|A|^n$
  - C.  $|A|^{2n}$

- 48. If A is matrix of order 4 and |A| = 5, then |Adj A| is equal to
  - A. 1

C.  $5^2$ 

B. 20

- D. 125
- 49. The minor of -4 and 9 and the cofactors of -4 and 9 in the matrix  $\begin{bmatrix} -1 & -2 & 3 \\ -4 & -5 & -6 \\ -7 & 8 & 9 \end{bmatrix}$  are respectively
  - A. 42, 3; -42, 3
  - B. -42, -3; 42, -3
  - C. 42, 3; -42, -3
  - D. 42, 3; 42, 3
- 50. If  $A = \begin{bmatrix} 2 & 3 & 4 \\ 5 & 6 & 7 \\ 8 & 0 & 0 \end{bmatrix}$  and  $B = \begin{bmatrix} -1 & 2 & -9 \\ 6 & 7 & 8 \\ 9 & 0 & 0 \end{bmatrix}$ , then  $(B^t A^t)^t$  is equal to
  - A. \begin{bmatrix} 9 & 0 & 0 \\ 18 & 0 & 0 \\ 8 & 0 & 0 \end{bmatrix} \\ \begin{bmatrix} 9 & 18 & 8 \\ 18 & 0 & 0 \end{bmatrix} \\ \end{bmatrix}
  - B.  $\begin{bmatrix} 18 & 0 & 0 \\ 8 & 0 & 0 \end{bmatrix}$

- C.  $\begin{bmatrix} 9 & 18 & 8 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$  $\begin{bmatrix} 2 & 3 & 4 \\ 5 & 6 & 7 \end{bmatrix}$
- D. 5 6 7 8 0 0.


# FAST PAST PAPERS

## **BASIC MATH**

$$1.6.09 - 4.693 =$$

- (A) 1.397
- (B) 1.403
- (C) 1.407

- (D) 1.497
- (E) 2.603



2. What is the area of the region enclosed by the figure above?

- (A) 116
- (B) 144
- (C) 176

- (D) 179
- (E) 284

3. If 
$$p = 0.2$$
 and  $n = 100$ , then  $\sqrt{\frac{p(1-p)}{n}} =$ 

(A)  $-\sqrt{0.002}$ 

- (C) 0
- (D) 0.04

(B)  $\sqrt{0.02} - 0.02$ 

(E) 0.4

4. If each of 4 subsidiaries of Corporation R has been granted a line of credit of \$700,000 and each of the other 3 subsidiaries of Corporation R has been granted a line of credit of \$112,000, what is the average (arithmetic mean) line of credit granted to a subsidiary of Corporation *R*?

- (A) \$1,568,000
- (B) \$448,000 (C) \$406,000

- (D) \$313,600
- (E) \$116,000
- 5. If x is a number such that  $x^2 3x + 2 = 0$  and  $x^2 x 2 = 0$ , what is the value of x?
  - (A) -2

  - (B) -1
  - (C) 0

- (D) 1
- (E) 2

6. In traveling from a dormitory to a certain city, a student went  $\frac{1}{5}$  of the way by foot,  $\frac{2}{3}$  of the way by bus, and the remaining 8 kilometers by car. What is the distance, in kilometers, from the dormitory to the city?

(A) 30

(D) 90

(B)45

(E) 120

- (C) 60
- 7. A certain elevator has a safe weight limit of 2,000 pounds. What is the greatest possible number of people who can safely ride on the elevator at one time with the average (arithmetic mean) weight of half the riders being 180 pounds and the average weight of the others being 215 pounds?
  - (A) 7

(D) 10

(B) 8

(E) 11

(C)9

8. After paying a 10 percent tax on all income over \$3,000, a person had a net income of \$12,000. What was the income before taxes?

- (A) \$13,300 (D) \$10,000 (B) \$13,000 (E) \$9,000 (C) \$12,900 9. 1-[2-(3-[4-5]+6)+7]=
  - (A) -2(D) 2 (B) 0(E) 16(C) 1
- purchased together, the price is \$239. The amount saved by purchasing the camera and lens together is approximately what percent of the total price of the camera and lens when purchased separately? (D) 33% (A) 14% (B) 16% (E) 86%

10. The price of a model M camera is \$209 and the price of a special lens is \$69. When the camera and lens are

- 11. If 0.497 mark has the value of one dollar, what is the value to the nearest dollar of 350 marks? (C) \$524 (A) \$174 (B) \$176
- (D) \$696 (E) \$704 12. A right cylindrical container with radius 2 meters and height 1 meter is filled to capacity with oil. How many empty right cylindrical cans, each with radius  $\frac{1}{2}$  meter and height 4 meters, can be filled to capacity with the oil in this
  - container? (B)2(C)4(A) 1 (D) 8 (E) 16
- 13. If a sequence of 8 consecutive odd integers with increasing values has 9 as its 7th term, what is the sum of the terms of the sequence?
- (A) 22(B) 32(C) 36(D) 40 (E)44
- 14. A rectangular floor is covered by a rug except for a strip p meters wide along each of the four edges. If the floor is mmeters by *n* meters, what is the area of the rug, in square meters?
  - (A)mn p(m+n)(B)mn - 2p(m + n) $(C)mn-p^2$ (D) (m - p)(n - p)(E) (m-2p)(n-2p)

(C) 29%

- 15. Working alone, R can complete a certain kind of job in 9 hours. R and S, working together at their respective rates, can complete one of these jobs in 6 hours. In how many hours can S, working alone, complete one of these jobs?
  - (C) 9(A) 18 (B) 12 (D) 6(E)3
- 16. A family made a down payment of \$75 and borrowed the balance on a set of encyclopedias that cost \$400. The balance with interest was paid in 23 monthly payments of \$16 each and a final payment of \$9. The amount of interest paid was what percent of the amount borrowed?
  - (A) 6%
  - (B) 12%
  - (C) 14%
  - (D) 16%
  - (E) 20%
- 17. If  $x \neq 0$  and  $x = \sqrt{4xy 4y^2}$ , then, in terms of y,  $x = \sqrt{4xy 4y^2}$ 
  - (A) 2y
  - (B) y

(C) 
$$\frac{y}{2}$$

(D) 
$$\frac{-4y^2}{1-2y}$$

18. Solution Y is 30 percent liquid X and 70 percent water. If 2 kilograms of water evaporate from 8 kilograms of solution Y and 2 kilograms of solution Y are added to the remaining 6 kilograms of liquid, what percent of this new solution is liquid *X*?


(B) 
$$33\frac{1}{3}\%$$

(C) 
$$37\frac{1}{2}\%$$

$$19.\frac{1}{\frac{1}{0.03} + \frac{1}{0.37}} =$$

- (A) 0.004
- (B) 0.02775
- (C) 2.775

- (D) 3.6036
- (E) 36.036




- 20. If each side of  $\triangle ACD$  above has length 3 and if AB has length 1, what is the area of region BCDE?
  - (A)  $\frac{9}{4}$
  - (B)  $\frac{7}{4}\sqrt{3}$

- (C)  $\frac{9}{4}\sqrt{3}$
- (D)  $\frac{7}{2}\sqrt{3}$
- (E)  $6 + \sqrt{3}$

## <u>IQ</u>

### **QUESTION 1**


Which number is missing?



6, 4, 5, 2

### **QUESTION 2**


Which letter completes the puzzle?



1, 2, 4, 6

### **QUESTION 3**


Which symbol replaces the question mark and completes the puzzle?



ALARM CLOCK, DIE, BULB

### **QUESTION 4**


Which number replaces the question mark and completes the puzzle?



QUESTION 5


22, 23, 11, 10

What is missing from the last circle?



**QUESTION 6** 


Which letter replaces the question mark and completes the puzzle?



O, M, B, V

### **QUESTION 7**


What is missing from the bottom left circle?



2, 8, 6, 9

### **QUESTION 8**

Which letter completes the puzzle?



J, H, M, B

### **QUESTION 9**

Which number replaces the question mark and completes the puzzle?

32 45 60 77 ?

99, 96, 89, 44

**QUESTION 10** 


Which number replaces the question mark and completes the puzzle?

3	5
4	1
4	7
5	3
5	?

9, 8, 5, 3

**QUESTION 11** 


What is missing from the last circle?



V, W, X, M

**QUESTION 12** 


Which number replaces the question mark and completes the puzzle?



1, 2, 4, 3

### **QUESTION 13**


Which letter completes the puzzle?



B, C, A, D

### **QUESTION 14**

Which number replaces the question mark and completes the puzzle?




### **QUESTION 15**


What is missing from the last circle?







Which number completes the puzzle?



**QUESTION 17** 

6, 5, 4, 1













Which of the bottom letters replace the question mark and completes the puzzle?



















W, M, N, B

**QUESTION 18** 

What is missing from the last oval?
















4, 1, 2, 6


**QUESTION 19:** 

Which number completes the puzzle?









1, 2, 3, 5

QUESTION 20:

Which letter replaces the question mark and completes the puzzle?













C, M, N, B

# FAST PAST PAPERS

## **ENGLISH**

### **ANALOGIES**

1. <b>A</b> . C. E.	DOOR: WALL toll: road gate: fence key: lock	B. D.	guard : bo bridge : riv				
2. A. C. E.	CARNIVORE : MEAT carnivore : vegetables vegetarian : vitamins pollinator : plants	B. D.	herbivore botanist : l	: plants herbs			
SYNO	NYMS						
	onym of ACCESS	B. rapio	dity mpetence		C. welcome		
	onym of PRUDENT erous	B. over	rcritical		C. famous		
	ONYMS	L. Caut	ious				
	onym of ANIMATED thy	B. hum E. reali			C. dull		
6. Antonym of EXTROVERT A. clown D. neurotic		B. hero E. intro			C. ectomorph		
SENT	ENCE COMPLETION						
7. The they we A.		heir own B. reluctantc	_	first, they were C. frustra	to leave each other, but e	ventually	
	uel is loyal to his roots (h approach.	-			hael, however, favors a less tra	aditional,	
	. patient . liberal	B. contempora E. forgiving	ry	C. diverse			
PREP(	OSITIONS						
9. The A. by	play was made B. into	a movie. C. with	D. for	E. across			
10. The	e whole nation was ind B. after	the president. C. before	D. for	E. in front	of		

# FAST PAST PAPERS

## ANEES HUSSAIN FAST PAST PAPER

|--|

	SECTION - I		SECTION - III		SECTION - IV		SECTION - V		
	MATHEMATICS			BASIC MATH		IQ		ENGLISH	
1	Α	41	D	1	Α	1 6		1	С
2	В	42	Α	2	С	2	1	2	В
3	D	43	Α	3	D	3	ALARM CLOCK	3	D
4	В	44	Α	4	В	4	23	4	E
5	В	45	С	5	Е	5	5	5	С
6	Α	46	D	6	С	6	0	6	E
7	В	47	Α	7	В	7	2	7	В
8	Α	48	D	8	В	8	Н	8	В
9	Α	49	В	9	D	9	96	9	В
10	В	50	Α	10	Α	10	9	10	Α
11	С			11	E	11	Х		
12	В			12	С	12	3		
13	В			13	В	13	Α		
14	В			14	E	14	13		
15	В			15	Α	15	Т		
16	Α			16	D	16	6		
17	С			17	Α	17	W		
18	D			18	С	18	4		
19	В			19	В	19	1		
20	D			20	В	20	С		
21	С								
22	Α								
23	В								
24	С								
25	В								
26	Α								
27	D								
28	С								
29	D								
30	Α								
31	D								
32	Α								
33	В								
34	В								
35	Α								
36	В								
37	В								
38	Α								
39	С								
40	Α					<u> </u>			
		l '		1	I		T		
W		W		W		W		W	
R		R		R		R		R	