

2.Create two simple html pages named “page1.html, page2.html” then use the suitable directive to automatically redirect from localhost/page1.html to localhost/page2.html.

```
sudo nano /var/www/html/q2/page1.html
```



```
sudo nano /var/www/html/q2/page2.html
```

```
<!DOCTYPE html>
<html>
<body>

<h1>Page 1</h1>

</body>
</html>
```

```
sudo nano /var/www/html/q2/.htaccess
Redirect 301 /q2/page1.html /q2/page2.html
```



3. Ask for user name and password when accessing a directory


```
sudo nano /var/www/html/q3/secure/.htaccess
```

```
AuthType Basic
```

```
AuthName "Authentication Required"
```

```
AuthUserFile "/var/www/html/q3/.htpasswd"
```

```
Require valid-user
```



```
GNU nano 6.2 /var/www/html/q3/secure/.htaccess
AuthType Basic
AuthName "Authentication Required"
AuthUserFile "/var/www/html/q3/.htpasswd"
Require valid-user
```

```
sudo htpasswd -c /var/www/html/q3/.htpasswd abdo
```

```
sudo nano /var/www/html/q3/secure/index.html
```

```
sudo nano /etc/apache2/apache2.conf
```


```
<Directory /var/www/html/q3/secure>
```


```
AllowOverride All
```

```
</Directory>
```

```
sudo service apache2 restart
```

```
http://localhost/q3/secure/
```





4. Apply authentication before downloading PDF files.

```
sudo touch /var/www/html/q4/document1.pdf
```

```
sudo touch /var/www/html/q4/document2.pdf
```

```
sudo touch /var/www/html/q4/doc.html
```



```
sudo nano /var/www/html/q4/index.html
```

```
abdo@abdo: ~  
GNU nano 6.2 /var/www/html/q4/index.html  
<!DOCTYPE html>  
<html>  
<body>  
  <h1>PDF Files Authentication</h1>  
  <p>Try to access:</p>  
  <ul>  
    <li><a href="doc.html">doc file (no auth)</a></li>  
    <li><a href="document1.pdf">PDF file 1 (requires auth)</a></li>  
    <li><a href="document2.pdf">PDF file 2 (requires auth)</a></li>  
  </ul>  
</body>  
</html>
```

```
sudo nano /etc/apache2/apache2.conf
```

```
<Files "/*.pdf">  
  AuthType Basic  
  AuthName "PDF Files: Auth is required"  
  AuthUserFile /var/www/html/q4/.htpasswd-pdf  
  Require valid-user  
</Files>
```


```
sudo htpasswd -c /var/www/html/q4/.htpasswd-pdf pdfuser
```



5. Create a directory then allow access to one of your classmates only.


sudo nano /etc/apache2/apache2.conf

```
<Directory /var/www/html/q5>  
    Require ip 192.168.1.11  
</Directory>
```



6. Disable listing the directory content (hint use indexes)

```
<Directory /var/www/html/q6>  
    Options -Indexes  
</Directory>
```



7. Change the default index page to be default.html instead of index.html (use DirectoryIndex)

```
sudo nano /var/www/html/q7/.htaccess
```

```
DirectoryIndex default.html
```

