

1581. Customer Who Visited but Did Not Make Any Transactions

```
SELECT customer_id, COUNT(*) AS count_no_trans
FROM Visits v
LEFT JOIN Transactions t
ON v.visit_id = t.visit_id
WHERE t.transaction_id IS NULL
GROUP BY customer_id;
```

1661. Average Time of Process per Machine

```
SELECT a.machine_id, ROUND(AVG(b.timestamp - a.timestamp), 3) AS processing_time
FROM Activity a
JOIN Activity b
ON a.machine_id = b.machine_id
AND a.process_id = b.process_id
AND a.activity_type = 'start'
AND b.activity_type = 'end'
GROUP BY a.machine_id;
```

570. Managers with at Least 5 Direct Reports

```
SELECT e.name
FROM Employee e
JOIN Employee m
ON e.id = m.managerId
GROUP BY e.id, e.name
HAVING COUNT(*) >= 5;
```

1193. Monthly Transactions I

```
SELECT DATE_FORMAT(trans_date, '%Y-%m') AS month, country, COUNT(*) AS
trans_count,

SUM(CASE WHEN state = 'approved' THEN 1 ELSE 0 END) AS approved_count,

SUM(amount) AS trans_total_amount,

SUM(CASE WHEN state = 'approved' THEN amount ELSE 0 END) AS
approved_total_amount

FROM Transactions

GROUP BY DATE_FORMAT(trans_date, '%Y-%m'), country;
```

1070. Product Sales Analysis III

```
SELECT s.product_id, s.year AS first_year,s.quantity,s.price
FROM Sales s
JOIN (

SELECT

product_id,

MIN(year) AS first_year

FROM Sales

GROUP BY product_id) f ON s.product_id = f.product_id

AND s.year = f.first_year;
```

1045. Customers Who Bought All Products

Write your MySQL query statement below

```
SELECT customer_id
FROM Customer
GROUP BY customer_id
HAVING COUNT(DISTINCT product_key) = ( SELECT COUNT(*)
FROM Product);
```

626. Exchange Seats

```
SELECT
    CASE WHEN id % 2 = 1 AND id <> (SELECT MAX(id) FROM Seat)
        THEN id + 1
    WHEN id % 2 = 0
        THEN id - 1
    ELSE id
    END AS id, student
FROM Seat
ORDER BY id;
```

1321. Restaurant Growth

```
WITH daily AS (
    SELECT visited_on, SUM(amount) AS amount
    FROM Customer
    GROUP BY visited_on)
SELECT d1.visited_on, SUM(d2.amount) AS amount, ROUND(AVG(d2.amount), 2) AS
average_amount
FROM daily d1
JOIN daily d2
ON d2.visited_on BETWEEN DATE_SUB(d1.visited_on, INTERVAL 6 DAY)
    AND d1.visited_on
GROUP BY d1.visited_on
HAVING COUNT(*) = 7
ORDER BY d1.visited_on;
```

1731. The Number of Employees Which Report to Each Employee

```
SELECT
    m.employee_id,
    m.name,
    COUNT(e.employee_id) AS reports_count,
    ROUND(AVG(e.age)) AS average_age
FROM Employees e
JOIN Employees m
ON e.reports_to = m.employee_id
GROUP BY m.employee_id, m.name
ORDER BY m.employee_id
```

1789. Primary Department for Each Employee

```
SELECT employee_id, department_id
FROM Employee
WHERE primary_flag = 'Y'
OR employee_id IN (
    SELECT employee_id
    FROM Employee
    GROUP BY employee_id
    HAVING COUNT(*) = 1
);
```