

GFD-NET



Cytoscape Plug-in

GFD-Net is a Cytoscape plugin designed to visualize and analyze the functional dissimilarity of gene networks. GFD-Net can analyze a gene network based on Gene Ontology (GO) and calculate a quantitative measure of its functional dissimilarity, i.e. a quantitative value of the degree of dissimilarity between the connected genes in it. After the analysis, users can visualize the information retrieved from GO. For each gene the user can see its associated GO terms and its function (specified by a GO term) chosen as the most cohesive function in the set. For each edge the user can see the genes at it sends, the function chosen as the most cohesive function in the set for each one and the dissimilarity between them.

Juan José Díaz Montaña

juanjo.diazmo@gmail.com

19/05/2013

Introduction

This manual aims to provide basic knowledge for any user, regardless of their computer skills, to be able to use the Cytoscape plug-in GFD-Net.

GFD-Net is a Cytoscape plug-in that allows the user to analyze genetic networks. GFD-Net analyzes the networks based on Gene Ontology, calculates a quantitative measure of its consistency and provides additional information about the genes that form it and the interactions between them.

GFD-Net is distributed as a single file called GFDNET.jar.

What is it for?

GFD-Net provides a new approach to assessing the functional dissimilarity of a gene network, i.e. the degree of dissimilarity between genes forming it considering the relationships the network defines between them. This will reveal the quality or reliability of a network obtained from an experiment and see in which sense or with which function the genes are more consistent with each other since a gene may have more than one function in the body.

Consistency is measured from a repository of "real" biological information as the Gene Ontology (GO), which provides a controlled vocabulary that describes the gene and gene product attributes in any organism. Each gene is associated with multiple GO terms, and through them it is possible to compare the functional similarity.

It is important to note that GFD-Net is designed to analyze completely connected networks whose genes are all known in GO.

Requirements and installation

Requirements


In order to run Cytoscape and the plug-in, it is necessary to install an updated version of Java (<http://www.java.com>). Furthermore, the current version of the plug-in is designed to Cytoscape 2.8.X (<http://www.cytoscape.org>). It is also strongly advised to set locally the GO database for better performance (see the guide below).

Installing the plug-in

Once Cytoscape is installed, there are two ways to install the plugin:

Installing using the jar file through Cytoscape

Click on Plugins > Install Plugin. Select the file GFDNET.jar and it will be installed. Then, run Cytoscape. GFD-Net should already appear in the Plugins menu.



Installing through the Cytoscape Plugin Manager

Click on Plugins > Manage Plugins. The manager is displayed showing all the installed plugins and all the available plugins. GFD-Net can be found at Available for Install > Ontology analysis. Select it and click on the Install button to install it. Then, run Cytoscape. GFD-Net should already appear in the Plugins menu.

Uninstalling

Click on Plugins > Manage Plugins. The manager is displayed showing all the installed plugins and all the available plugins. GFD-Net can be found at Currently Installed > Ontology analysis. Select it and click on the Delete button to uninstall it.

Installing and Uninstalling Manually (Not recommended)

To install GFD-Net copy the file GFDNET.jar to the subfolder plugins in the Cytoscape folder. Cytoscape is installed by default at C:\Program Files\Cytoscape_v2.8.3. Then, run Cytoscape. GFD-Net should already appear in the Plugins menu.

This may not work in MAC OS X. The problem is solved launching Cytoscape from the command line using

```
java -jar cytoscape.jar -p plugins/
```

where plugins is the folder that contains all the plugins.

To uninstall GFD-Net just remove the jar from the folder. It is very important to note that this uninstalling system is only valid if the plugin was just copied into the folder. If the plugin was installed any other way, remove the jar may cause errors on Cytoscape.

Setting a local GO database

The first step in order to set a local GO database is to install MySQL (<http://www.mysql.com>). Guide to install MySQL can be found for Linux users (<http://dev.mysql.com/doc/refman/5.1/en/linux-installation.html>) and Windows users (<http://dev.mysql.com/downloads>). Once installed it is possible to create a user (e.g. name: root, password: root)

Next, it is necessary to download the GO database. Gene Ontology only provides support for Linux users. That means that, in order to get a database for Windows you will need another source.

- *Full version:*
 - *Linux:* <http://archive.geneontology.org/latest-full>. Concretely, go-XXXX.assocdb-tables.tar.gz is required.
- *Reduced version:*
 - *Linux:* <http://archive.geneontology.org/latest-lite>

Finally we can import the database into a local MySQL database (e.g. name: go). (See <http://archive.geneontology.org/latest-full/README> for more detail.)

Note for reviewers

In order to help in the review process we are providing the GO database for Windows user. This database will not be updated and should be used exclusively for review purposes. It is available at <https://www.dropbox.com/s/x5fh9h47q77cr0m/GO-SCE-20130311.zip>


Once downloaded and unzip, we can import GO in a local database name go writing the following instruction in the command line:

```
mysql -uroot -proot  
  
mysql> create database go;  
  
mysql> use go;  
  
mysql> source GO-SCE-20130311.sql;
```


Use of GFD-Net

Launch the plug-in


To launch the plugin you must load a network in Cytoscape. This can be done from the menu *File> Import> Network (Multiple File Types)...* or through the keyboard shortcut *Ctrl + L*.



It must be taken into consideration that Cytoscape only creates a network view if you have less than 10000 nodes. If the network is greater, it must be created manually. This can be done by clicking the right mouse button on the network in the control panel to the left and clicking "Create View".




After correctly loading the network and its view, launch the plugin from the menu *Plugins> GFD-Net*. The GFD-Net buttons are then added to the toolbar but only "Configure DB Connection", "Set Ontology" and "Refresh" can be used.




Configuration


The first thing to do in order to run the GFD-Net approximation is to configure their parameters correctly. For this purpose the best way is to use the following steps.

Configure the BD

To set the connection to the database click the  button. A dialog is displayed giving the user the option to connect to the online GO database provided online by the European Bioinformatics Institute (<http://www.ebi.ac.uk>) or to a local database (or not necessarily local; any address can be accessed). It is strongly advised to use a local database because of the extreme slowness of the online database, which makes it difficult to use.




When choosing to use a local database, a form is displayed asking for the database address, user and password. This allows you to not only access databases in our local system but also in any other accessible address.


A screenshot of a database connection dialog box. It has a title bar with a close button (X). Inside, there are three input fields: "URL:" with the text "localhost/GO", "User:" with the text "root", and "Password:" with four dots. At the bottom, there are two buttons: "Accept" and "Cancel".

Once the database connection is successfully established, the "Set Organism" and "Execute GFD-NET" buttons are enabled.

To install a database locally, download the wanted GO database version from their website (<http://www.geneontology.org>) and follow the instructions they provide to install it. The simplest way is to use a MySQL server.


Set an ontology


By default, GFD-Net runs on the biological processes ontology, but this can be changed by clicking on  and choosing any other ontology.

A screenshot of a dialog box for selecting an ontology. It has a title bar with a close button (X). Inside, there are three buttons: "Biological Process" (which is highlighted with a blue border), "Cellular Component", and "Molecular Function".


If GFD-Net has already been executed, setting a new ontology would restore the original network and lose the information obtained in the previous run.

Set an organism

It is not possible to execute GFD-Net without having an organism set. This can be done by clicking . A dialog is then displayed allowing the choice between the main organisms of GO. In case you want to use another organism, select "Other ...". Select the organism and click "OK" to set it.



If choosing "Other ..." another dialog will be displayed showing a list of the genre contained in the database. Clicking on one of these genres will display a list of species that belong to it. With one genus and one species selected click "OK" to set the organism.




After choosing the organism, a panel is displayed on the right indicating that the organism is being loaded. The duration of the process depends on the information available on GO about the organism and the connection used (local installation in GO is highly recommended). However, the load may take a long time only the first time that an organism is loaded.

It should be noted that in GO the name of an organism is formed by its genre and specie put together. However, when extracting the genre and specie from the database, the first word is taken as the genre and the rest as specie.


If GFD-Net has been already executed, setting a new organism would restore the original network losing the information obtained in the previous run.

Refresh

If you want to change the network you are working on simply load a new one (it is advised to close the current one) and, having the view on the new network as current view, click on . This way the plugin returns to its initial state but is working on the new network.

Execution:

Execute GFD-Net

To run GFD-Net, you must set the organism and the ontology as well as the database connection. Clicking on  will display a panel on the right indicating that GFD-Net is running. The duration of the process depends on the size and complexity of the network introduced and on the amount of information about the organism that is contained in GO.


Once GFD-Net is executed, all nodes that were not found in GO are removed from the network, a panel is displayed on the right containing information about the results and the user is able to interact with the network.

To execute GFD-Net in several networks or several ontologies or organisms there are two ways:

- Open the new network and refresh, or choose the new body or ontology. All the information of the current analysis will be lost and the program will be ready ready to run a new execution. It is important to take in mind that when several networks are loaded at the same time the probability of malfunction of the product is much higher.*
- Open a new Cytoscape and make new analysis there. As it is possible to open as many instances of Cytoscape as wanted, it is possible to have many executions at the same time and see the result of all of them just changing the window.*


Information Visualization

Once GFD-Net is executed, a panel is displayed on the right containing information about the results (ontology, genre, specie and value of dissimilarity of the whole network) and a ranking of the dissimilarity between each pair of nodes. The user can interact with the network in order to visualize the information obtained for each node or edge. Clicking on an interaction in the ranking will show it on the network view and double-clicking will display more info about it.




Interaction (Edge) Information

Clicking on an edge will show the names of the genes located at its ends, the representation chosen for each of them and the dissimilarity value between them. Double-clicking on the name of a node will display the information obtained about it.



Gene (Node) Information

Clicking on a node adds information about it to the panel on the right, including its name and a list of its representations (“representations” is a GO term). The first representation of the list will be shaded indicating that is a representation chosen by GFD-Net. This means that the function indicated by the GO term is the most cohesive function for the gene in the network.



By double-clicking on one of the representations in the list, the browser will display the website for that GO term in AmiGO, a Gene Ontology online browser.

Advanced User

For advanced users who want to use GFD-Net differently or independently of Cytoscape, it can be done using the existing API. Unfortunately, this API has not been released yet. Release date is pending.

Troubleshooting

Below is a list of common user mistakes when using the plugin as well as tips on how to avoid them.

- *Opening a new session keeps the plug-in loaded but eliminates the network. It should be loaded again, and the plugin must be refreshed to continue using it.*
- *Saving the session does not save the state of the plug-in or information obtained by it.*
- *Changing the network without refreshing causes malfunctions on the plugin.*
- *The best way to avoid errors is to work with only one network loaded into Cytoscape and having selected its view at all times.*
- *Trying to load very large or well-known organisms using the online database may not work. This is because it takes too long to retrieve all the information, and the database breaks the connection after a certain time.*