

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <title>Book Store</title>
    <meta name="description" content="This Is Our Book Store" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="author" content="Abdulrahman Abdrbbeh" />
    <meta name="keywords" content="Html, web, course" />
    <meta name="robots" content="index| noindex ,follow|nofollow" />
    <!-- <style></style> -->
    <!-- <script></script> -->
    <!-- <link rel="stylesheet" href="" /> -->
  </head>

  <body>
    This Is My Book Store, Welcome
    <!-- Comments -->
    <!-- This Is Comment -->

    <!-- Headings -->
    <h1>Book Store</h1>
    <h2>Book Store</h2>
    <h3>Book Store</h3>
    <h4>Book Store</h4>
    <h5>Book Store</h5>
    <h6>Book Store</h6>

    <!-- Paragraph Element -->
    <p>This Is My Book Store, Welcome</p>
    <p>We Have A Big Sale</p>

    <!-- Elements Attributes -->
    <!-- Search about : (list of global attributes) -->
    <p class="one">Book Store</p>
    <p hidden>Book Store</p>
    <p id="osama">Book Store</p>
    <p dir="rtl">Book Store</p>
    <p title="osama">Book Store</p>
    <h1 align="left|right|center|justify">Book Store</h1>

    <!-- Formatting Elements -->
    <p><b>Bold</b></p>
    <p><strong>strong</strong></p>
    <p><i>Italic</i></p>
    <p><em>Emphasized</em></p>
    <p><mark>Mark</mark></p>
    <p><u>Underline</u></p>
    <p><small>Small</small></p>
    <p><del>Delete</del></p>
    <p><ins>Insert</ins></p>
    <p>3<sup>2</sup>=9</p>
    <p>h<sub>2</sub>o</p>

    <!-- Links - Anchor Tag -->

```

```
<a href="https://google.com" target="_blank" title="Go To Google">Google</a>
<a href="test.html" target="_blank" title="Go To Test Page">Test</a>
<a href="#osama" target="_blank" title="Go To Osama">Osama Paragraph</a>
<a href="mailto:abdrbbeh@gmail.com">Contact Me</a>

<!-- Image -->


</body>
</html>
```