

Session 5:

1. Import a CSV file of Zomato restaurant listings into Power BI and use the 'Split Column by Delimiter' feature to separate the 'Restaurant Name - Area' column into two columns: 'Restaurant Name' and 'Area'.

Ans: Step 1: Import CSV


1. Open Power BI Desktop
2. Click "Get Data"
3. Select "Text/CSV"
4. Choose zomato.csv
5. Click "Transform Data"

Step 2: Split Column

6. Select column "Restaurant Name - Area"
7. Go to Transform tab
8. Click "Split Column" → "By Delimiter"
9. Choose delimiter: "-"
10. Click OK

Step 3: Rename Columns

11. Rename Column1 → Restaurant Name
12. Rename Column2 → Area



Get Data (Power Query)

Preview file data

File path: C:\Users\Abdul Ahad\OneDrive\Desktop\TOPS\1\Session 5\zomato.csv

File origin: 65001: Unicode (UTF-8) Delimiter: Comma Data type detection: Based on first 200 rows

Restaurant Name - Area	Rating	Cost for Two	Cuisine
Dominos - Surat	4.2	500	Pizza
KFC - Mumbai	4	600	Fast Food
McDonalds - Delhi	3.8	400	Burgers
Pizza Hut - Bangalore	4.7	700	Pizza
Subway - Ahmedabad	3.9	350	Healthy Food
Starbucks - Pune	4.5	800	Cafe
Barbeque Nation - Hyderab...	4.3	1200	Buffet
Haldiram's - Nagpur	4	450	Indian
Bikanervala - Jaipur	4.1	500	Sweets
Wow Momo - Kolkata	3.7	300	Snacks

Back Cancel Add table using examples Load

#transform data button

Get Data (Power Query)

Preview file data

File path: C:\Users\Abdul Ahad\OneDrive\Desktop\TOP5\1\Session 5\zomato.csv

File origin

65001: Unicode (UTF-8)

Delimiter

Comma

Data type detection

Based on first 200 rows

Restaurant Name - Area

1.2 Rating

1.2 Cost for Two

1.2 Cuisine

Dominos - Surat	4.2	500	Pizza
KFC - Mumbai	4	600	Fast Food
McDonalds - Delhi	3.8	400	Burgers
Pizza Hut - Bangalore	4.1	700	Pizza
Subway - Ahmedabad	3.9	350	Healthy Food
Starbucks - Pune	4.5	800	Cafe
Barbeque Nation - Hyderab...	4.3	1200	Buffet
Haldiram's - Nagpur	4	450	Indian
Bikanervala - Jaipur	4.1	500	Sweets
Wow Momo - Kolkata	3.7	300	Snacks

Load

Transform data

Back

Cancel

Add table using examples

Load

#Splitting column

The screenshot shows the Power BI Desktop interface. The 'Table.TransformColumnTypes' function is being applied to the 'zomato' table. The function is being edited in the formula bar, and a context menu is open over the 'Cuisine' column, showing options like 'Copy', 'Remove', 'Split Column', etc. The 'Cuisine' column is highlighted in blue. The 'Table.TransformColumnTypes' function is being applied to the 'zomato' table, with the following parameters: {\"Restaurant Name - Area\", type text}, {\"Rating\", type number}, {\"Cost for Two\", type number}. The 'Cuisine' column is highlighted in blue.

fx

Table.TransformColumns

Restaurant Name - Area

1.2

1	Dominos - Surat
2	KFC - Mumbai
3	McDonalds - Delhi
4	Pizza Hut - Bangalore
5	Subway - Ahmedabad
6	Starbucks - Pune
7	Barbeque Nation - Hyderabad
8	Haldiram's - Nagpur
9	Bikanervala - Jaipur
10	Wow Momo - Kolkata

Split Column by Delimiter

Specify the delimiter used to split the text column.

Select or enter delimiter

--Custom--

-

Split at

☐ Left-most delimiter

☐ Right-most delimiter

☒ Each occurrence of the delimiter

Advanced options

Quote Character

"

☐ Split using special characters

Insert special character

OK

Cancel

For Two",

Session 5

FileHomeTransformAdd ColumnViewToolsHelp

Group By

Use First Row as Headers

Count Rows

Table

Data Type: Text

Replace Values

Unpivot Columns

Move

Convert to List

Pivot Column

Any Column

Split Column

Format

Extract

Parse

Text Column

Statistics

Standard Scientific

Information

Number Column

Trigonometry

Rounding

Information

Date & Time Column

Date

Time

Duration

Run R script

Run Python script

Scripts

Queries [1]

zomato

Table.TransformColumnTypes(#"Split Column by Delimiter",{"Restaurant Name - Area.1", type text}, {"Restaurant Name - Area.2", type text})

Restaurant Name - Area.1

Restaurant Name - Area.2

1.2

Rating

Cost for Two

Cuisine

1	Dominos	Surat	4.2	500	Pizza
2	KFC	Mumbai	4	600	Fast Food
3	McDonalds	Delhi	3.8	400	Burgers
4	Pizza Hut	Bangalore	4.1	700	Pizza
5	Subway	Ahmedabad	3.9	350	Healthy Food
6	Starbucks	Pune	4.5	800	Cafe
7	Barbeque Nation	Hyderabad	4.3	1200	Buffet
8	Haldiram's	Nagpur	4	450	Indian
9	Bikanervala	Jaipur	4.1	500	Sweets
10	Wow Momo	Kolkata	3.7	300	Snacks

Query Settings

PROPERTIES

Name

zomato

All Properties

APPLIED STEPS

Source

Promoted headers

Changed column type

Split Column by Delimiter

Changed Type

5 COLUMNS, 10 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 15:04

#rename

The screenshot shows the Power BI Desktop interface with a query named 'zomato'. The formula bar contains the following DAX expression:

```
Table.TransformColumnTypes(#Split Column by Delimiter,{"Restaurant Name - Area.1", type text}, {"Restaurant Name - Area.2", type text})
```

A right-click context menu is open over the 'Restaurant Name - Area.1' column header. The 'Rename...' option is highlighted. The 'APPLIED STEPS' pane on the right shows the sequence of transformations: Source, Promoted headers, Changed column type, Split Column by Delimiter, and Changed Type.

Restaurant Name - Area.1	Area.2	Rating	Cost for Two	Cuisine
1 Dominos		4.2	500	Pizza
2 KFC		4	600	Fast Food
3 McDonalds		3.8	400	Burgers
4 Pizza Hut		4.1	700	Pizza
5 Subway		3.9	350	Healthy Food
6 Starbucks		4.5	800	Cafe
7 Barbeque Nation		4.3	1200	Buffet
8 Haldiram's		4	450	Indian
9 Bikanervala		4.1	500	Sweets
10 Wow Momo		3.7	300	Snacks

#name changed

The screenshot shows the same Power BI Desktop interface after the column has been renamed. The formula bar now contains:

```
Table.RenameColumns(#Changed Type,{"Restaurant Name - Area.1", "Restaurant Name"}, {"Restaurant Name - Area.2", "Area"})
```

The 'APPLIED STEPS' pane on the right now includes 'Renamed Columns' as the final step. The data table is updated to reflect these changes.

Restaurant Name	Area	Rating	Cost for Two	Cuisine
1 Dominos	Surat	4.2	500	Pizza
2 KFC	Mumbai	4	600	Fast Food
3 McDonalds	Delhi	3.8	400	Burgers
4 Pizza Hut	Bangalore	4.1	700	Pizza
5 Subway	Ahmedabad	3.9	350	Healthy Food
6 Starbucks	Pune	4.5	800	Cafe
7 Barbeque Nation	Hyderabad	4.3	1200	Buffet
8 Haldiram's	Nagpur	4	450	Indian
9 Bikanervala	Jaipur	4.1	500	Sweets
10 Wow Momo	Kolkata	3.7	300	Snacks

2. Use the 'Merge Columns' feature in Power BI to combine 'First Name' and 'Last Name' columns from a Flipkart user data table into a single 'Full Name' column, separated by a space.

Ans: 1. Open Power Query Editor

2. Hold Ctrl and select:

First Name, Last Name

3. Go to Transform tab

4. Click "Merge Columns"

5. Choose Separator: Space

6. Name new column: Full Name

7. Click OK

#Merge Column

The screenshot shows the Power BI Power Query Editor interface. The 'Transform' tab is active, and the 'Merge Columns' button is highlighted in the ribbon. The data table has four columns: 'First Name', 'Last Name', 'Email', and 'City'. The formula bar shows the M code: `= Table.TransformColumnTypes(#"Promoted Headers",{{"First Name", type text}, {"Last Name", type text}, {"Email", type text}, {"City", type text}})`. The 'Query Settings' pane on the right shows the 'Properties' and 'Applied Steps' sections. The 'Applied Steps' list includes 'Source', 'Promoted Headers', and 'Changed Type'.

	First Name	Last Name	Email	City
1	Abdul	Ahad	abdul@gmail.com	Surat
2	Rohit	Sharma	rohit@gmail.com	Mumbai
3	Neha	Verma	neha@gmail.com	Delhi
4	Amit	Kumar	amit@gmail.com	Patna
5	Priya	Singh	priya@gmail.com	Jaipur
6	Rahul	Yadav	rahul@gmail.com	Lucknow
7	Sneha	Patel	sneha@gmail.com	Ahmedabad
8	Vikas	Gupta	vikas@gmail.com	Kanpur
9	Pooja	Mehta	pooja@gmail.com	Pune
10	Arjun	Reddy	arjun@gmail.com	Hyderabad

#name change to “Full Name”

The screenshot shows the Power BI Desktop interface. A table with 10 rows and 2 columns ('First Name', 'Last Name') is visible. The 'Merge Columns' dialog box is open, allowing the user to merge the selected columns. The 'Separator' is set to 'Space' and the 'New column name (optional)' is 'Full Name'. The 'OK' button is highlighted.

First Name	Last Name
1 Abdul	
2 Rohit	
3 Neha	
4 Amit	
5 Priya	
6 Rahul	
7 Sneha	
8 Vikas	
9 Pooja	
10 Arjun	

#name changed

The screenshot shows the Power BI Desktop interface after the columns have been merged. The formula bar shows the formula: `Table.CombineColumns(#'Changed Type',{"First Name", "Last Name"},Combiner.CombineTextByDelimiter("~ ",...))`. The resulting table has 10 rows and 3 columns ('Full Name', 'Email', 'City'). The 'Full Name' column contains the concatenated first and last names separated by a tilde (~).

Full Name	Email	City
1 Abdul Ahad	abdul@gmail.com	Surat
2 Rohit Sharma	rohit@gmail.com	Mumbai
3 Neha Verma	neha@gmail.com	Delhi
4 Amit Kumar	amit@gmail.com	Patna
5 Priya Singh	priya@gmail.com	Jaipur
6 Rahul Yadav	rahul@gmail.com	Lucknow
7 Sneha Patel	sneha@gmail.com	Ahmedabad
8 Vikas Gupta	vikas@gmail.com	Kanpur
9 Pooja Mehta	pooja@gmail.com	Pune
10 Arjun Reddy	arjun@gmail.com	Hyderabad

3. Replace all instances of the value 'Cancelled' with 'Order Failed' in the 'Order Status' column of a Swiggy orders dataset using Power BI's 'Replace Values' function.

Ans: **Code (Steps in Power BI)**

1. Open Power Query Editor
2. Select "Order Status" column
3. Right-click on column
4. Click "Replace Values"
5. In "Value to Find": Cancelled
6. In "Replace With": Order Failed
7. Click OK

#replace values

The screenshot displays the Power BI Power Query Editor interface. The main data table has columns: Order ID, Customer Name, Restaurant, and Order Status. The 'Order Status' column is selected, and a right-click context menu is open, showing the 'Replace Values...' option. The formula bar at the top shows the query transformation: `= Table.TransformColumnTypes(#"Promoted headers", {{"Order ID", Int64.Type}, {"Customer Name", type text}},`. The 'Query Settings' pane on the right shows the 'swiggy_orders' source and the 'Changed column type' step in the 'APPLIED STEPS' list.

Order ID	Customer Name	Restaurant	Order Status
1	101 Abdul Ahad	Dominos	Delivered
2	102 Rohit Sharma	KFC	Cancelled
3	103 Neha Verma	McDonalds	Pending
4	104 Amit Kumar	Subway	Cancelled
5	105 Priya Singh	Pizza Hut	Delivered
6	106 Rahul Yadav	Burger King	Cancelled
7	107 Sneha Patel	Starbucks	Delivered
8	108 Vikas Gupta	Haldiram's	Pending
9	109 Pooja Mehta	Barbeque Nation	Cancelled
10	110 Arjun Reddy	Wow Momo	Delivered

#replacing value

Usko replace karna hai with "Order Failed"

Replace Values

Replace one value with another in the selected columns.

Value To Find

Cancelled

Replace With

Order Failed

Advanced options

OK Cancel

Query Settings

PROPERTIES

Name

swiggy_orders

All Properties

APPLIED STEPS

Source

Promoted headers

Changed column type

5 COLUMNS, 10 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 15:37

#value replaced

Table.ReplaceValue("Changed column type", "Cancelled", "Order Failed", Replacer.ReplaceText, {"Order Status"})

Order ID	Customer Name	Restaurant	Order Status	Amount
1	Abdul Ahad	Dominos	Delivered	450
2	102 Rohit Sharma	KFC	Order Failed	600
3	103 Neha Verma	McDonalds	Pending	300
4	104 Amit Kumar	Subway	Order Failed	350
5	105 Priya Singh	Pizza Hut	Delivered	700
6	106 Rahul Yadav	Burger King	Order Failed	250
7	107 Sneha Patel	Starbucks	Delivered	800
8	108 Vikas Gupta	Haldiram's	Pending	400
9	109 Pooja Mehta	Barbeque Nation	Order Failed	1200
10	110 Arjun Reddy	Wow Momo	Delivered	280

Query Settings

PROPERTIES

Name

swiggy_orders

All Properties

APPLIED STEPS

Source

Promoted headers

Changed column type

Replaced Value

5 COLUMNS, 10 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 15:44

4. Change the data type of the 'Order Amount' column from Text to Decimal Number in a Paytm transaction table in Power BI, and verify that the column now supports numerical calculations.

Ans: **Code (Steps in Power BI)**

1. Open Power Query Editor
2. Select "Order Amount" column
3. Go to Transform tab
4. Click "Data Type" icon (ABC icon)
5. Select "Decimal Number"
6. Click "Replace Current" (if asked)

#previously

The screenshot shows the Power BI Power Query Editor interface. The 'Transform' tab is active. The 'Data Type' icon (ABC) is selected in the 'Text Column' group. The 'Order Amount' column is highlighted. The 'Query Settings' pane on the right shows the 'APPLIED STEPS' list, which includes 'Renamed Columns' at the bottom. The main data view shows a table with 10 rows and 5 columns: Order ID, Customer Name, Restaurant, Order Status, and Order Amount. The 'Order Amount' column is currently displaying text values.

Order ID	Customer Name	Restaurant	Order Status	Order Amount
1	101 Abdul Ahad	Dominos	Delivered	450
2	102 Rohit Sharma	KFC	Order Failed	600
3	103 Neha Verma	McDonalds	Pending	300
4	104 Amit Kumar	Subway	Order Failed	350
5	105 Priya Singh	Pizza Hut	Delivered	700
6	106 Rahul Yadav	Burger King	Order Failed	250
7	107 Sneha Patel	Starbucks	Delivered	800
8	108 Vikas Gupta	Haldiram's	Pending	400
9	109 Pooja Mehta	Barbeque Nation	Order Failed	1200
10	110 Arjun Reddy	Wow Momo	Delivered	280

#now change with “Decimal Number”

Session 5

FileHomeTransformAdd ColumnViewToolsHelp

GroupByUse First Row as HeadersCount Rows

Table

Queries [3]

- zomato
- flipkart_users
- swiggy_orders

Data Type: Text

Decimal Number

Fixed decimal number

Whole Number

Percentage

Date/Time

Date

Time

Date/Time/Zone

Duration

Text

True/False

Binary

Replace Values

Unpivot Columns

Move

Convert to List

Split Column

Format

ABC Extract

Parse

Merge Columns

Statistics

Standard Scientific

Trigonometry

Rounding

Information

Date

Time

Duration

Date & Time Column

Run R script

Run Python script

nameColumns("#Changed Type",{"Amount", "Order Amount"})

	Customer Name	Restaurant	Order Status	Order Amount
1	Abdul Ahad	Dominos	Delivered	450
2	Rohit Sharma	KFC	Order Failed	600
3	Neha Verma	McDonalds	Pending	300
4	Amit Kumar	Subway	Order Failed	350
5	Priya Singh	Pizza Hut	Delivered	700
6	Rahul Yadav	Burger King	Order Failed	250
7	Sneha Patel	Starbucks	Delivered	800
8	Vikas Gupta	Haldiram's	Pending	400
9	Pooja Mehta	Barbeque Nation	Order Failed	1200
10	Arjun Reddy	Wow Momo	Delivered	280

Query Settings

PROPERTIES

Name

swiggy_orders

All Properties

APPLIED STEPS

Source

Promoted headers

Changed column type

Replaced Value

Changed Type

Renamed Columns

5 COLUMNS, 10 ROWS Column profiling based on top 1000 rowsPREVIEW DOWNLOADED AT 15:49

#now changed

Session 5

FileHomeTransformAdd ColumnViewToolsHelp

GroupByUse First Row as HeadersCount Rows

Table

Queries [3]

- zomato
- flipkart_users
- swiggy_orders

Data Type: Decimal Number

Replace Values

Unpivot Columns

Move

Convert to List

Split Column

Format

ABC Extract

Parse

Merge Columns

Statistics

Standard Scientific

Trigonometry

Rounding

Information

Date

Time

Duration

Date & Time Column

Run R script

Run Python script

Detect Data Type

Fill

Pivot Column

Table.TransformColumnTypes("#Renamed Columns",{"Order Amount", type number})

Order ID	Customer Name	Restaurant	Order Status	Order Amount
101	Abdul Ahad	Dominos	Delivered	450
102	Rohit Sharma	KFC	Order Failed	600
103	Neha Verma	McDonalds	Pending	300
104	Amit Kumar	Subway	Order Failed	350
105	Priya Singh	Pizza Hut	Delivered	700
106	Rahul Yadav	Burger King	Order Failed	250
107	Sneha Patel	Starbucks	Delivered	800
108	Vikas Gupta	Haldiram's	Pending	400
109	Pooja Mehta	Barbeque Nation	Order Failed	1200
110	Arjun Reddy	Wow Momo	Delivered	280

Query Settings

PROPERTIES

Name

swiggy_orders

All Properties

APPLIED STEPS

Source

Promoted headers

Changed column type

Replaced Value

Changed Type

Renamed Columns

Changed Type1

5 COLUMNS, 10 ROWS Column profiling based on top 1000 rowsPREVIEW DOWNLOADED AT 15:53

#Verified amount data become decimal,sigma sign is showing

1. Go to Data panel (right side)
2. See "Order Amount"
3. If Σ symbol is there $\rightarrow$ Numeric
4. Drag "Order Amount" into visual
5. Check:

Sum of Order Amount showing $\rightarrow$ Correct

The screenshot shows the Power BI Desktop interface. The top ribbon includes 'File', 'Home', 'Help', and 'Table tools'. The 'Table tools' ribbon has options like 'Manage relationships', 'New measure', 'Quick measure', 'New column', 'New table', and 'Mark as date table'. The main workspace displays a table named 'flipkart_users' with columns: Full Name, Email, and City. The table contains 10 rows of user data. On the right, the 'Data' panel is open, showing a search bar and a list of tables: 'flipkart_users', 'swiggy_orders', and 'zomato'. Under 'swiggy_orders', the fields 'Customer Name', 'Order Amount', 'Order ID', and 'Order Status' are listed. The 'Order Amount' field is highlighted, indicating it is selected for visualization.

Full Name	Email	City
Abdul Ahad	abdul@gmail.com	Surat
Rohit Sharma	rohit@gmail.com	Mumbai
Neha Verma	neha@gmail.com	Delhi
Amit Kumar	amit@gmail.com	Patna
Priya Singh	priya@gmail.com	Jaipur
Rahul Yadav	rahul@gmail.com	Lucknow
Sneha Patel	sneha@gmail.com	Ahmedabad
Vikas Gupta	vikas@gmail.com	Kanpur
Pooja Mehta	pooja@gmail.com	Pune
Arjun Reddy	arjun@gmail.com	Hyderabad

5. In a Movie Ticket Booking dataset (like BookMyShow), use the 'Fill Down' operation in Power BI to fill missing 'Movie Name' values based on the previous row's value.

Hint: Blank rows for 'Movie Name' should inherit the name from the last non-blank entry above.

Ans: 1. Open Power Query Editor

2. Select "Movie Name" column

3. Go to Transform tab

4. Click "Fill"

5. Click "Down"

#previously

The screenshot shows the Power Query Editor interface. The main area displays a table with 10 rows and 5 columns: Booking ID, Movie Name, City, Seats, and Amount. The data is as follows:

Booking ID	Movie Name	City	Seats	Amount
1	Avengers	Mumbai	2	500
2		Mumbai	3	750
3		Mumbai	1	250
4	Titanic	Delhi	2	400
5		Delhi	4	800
6	Inception	Bangalore	2	600
7		Bangalore	3	900
8		Bangalore	1	300
9	Avatar	Hyderabad	2	700
10		Hyderabad	3	1050

The interface includes a ribbon with various transformation options. The right-hand pane shows the 'Query Settings' for 'movie_ticket_data', including 'PROPERTIES' and 'APPLIED STEPS'.

#fill down option

The screenshot shows the Power BI Desktop interface with the 'Transform' ribbon selected. The 'Fill Down' button is highlighted in the 'Text Column' group. The data table below shows the 'movie_ticket_data' query with 10 rows and 5 columns: Booking ID, Movie Name, City, Seats, and Amount. The 'City' column contains values like Mumbai, Delhi, Bangalore, and Hyderabad. The 'Amount' column contains values like 500, 750, 250, 400, 800, 600, 900, 300, 700, and 1050.

Booking ID	Movie Name	City	Seats	Amount
1	Avengers	Mumbai	2	500
2		Mumbai	3	750
3		Mumbai	1	250
4	Titanic	Delhi	2	400
5		Delhi	4	800
6	Inception	Bangalore	2	600
7		Bangalore	3	900
8		Bangalore	1	300
9	Avatar	Hyderabad	2	700
10		Hyderabad	3	1050

#replace with null

The screenshot shows the Power BI Desktop interface with the 'Transform' ribbon selected. The 'Replace with null' button is highlighted in the 'Text Column' group. The data table below shows the 'movie_ticket_data' query with 10 rows and 5 columns: Booking ID, Movie Name, City, Seats, and Amount. The 'City' column contains values like Mumbai, Delhi, Bangalore, and Hyderabad. The 'Amount' column contains values like 500, 750, 250, 400, 800, 600, 900, 300, 700, and 1050.

Booking ID	Movie Name	City	Seats	Amount
1	Avengers	Mumbai	2	500
2		null	3	750
3		null	1	250
4	Titanic	Delhi	2	400
5		null	4	800
6	Inception	Bangalore	2	600
7		null	3	900
8		null	1	300
9	Avatar	Hyderabad	2	700
10		null	3	1050

#now filled down

Session 5

File

Home

Transform

Add Column

View

Tools

Help

Group By

Use First Row as Headers

Count Rows

Transpose

Reverse Rows

Detect Data Type

Rename

Replace Values

Fill

Pivot Column

Convert to List

Unpivot Columns

Move

Convert to List

Split Column

Format

Parse

Merge Columns

Extract

Parse

Statistics

Standard Scientific

Information

Trigonometry

Rounding

Information

Date

Time

Duration

Run R script

Run Python script

Queries [4]

zomato

flipkart_users

swiggy_orders

movie_ticket_data

Table

Any Column

Text Column

Number Column

Date & Time Column

Table.FillDown("#Replaced Value",{"Movie Name"})

1	2	3	4	5	6
Booking ID	Movie Name	City	Seats	Amount	
1	Avengers	Mumbai	2	500	
2	Avengers	Mumbai	3	750	
3	Avengers	Mumbai	1	250	
4	Titanic	Delhi	2	400	
5	Titanic	Delhi	4	800	
6	Inception	Bangalore	2	600	
7	Inception	Bangalore	3	900	
8	Inception	Bangalore	1	300	
9	Avatar	Hyderabad	2	700	
10	Avatar	Hyderabad	3	1050	

Query Settings

PROPERTIES

Name

movie_ticket_data

All Properties

APPLIED STEPS

Source

Promoted headers

Changed column type

Replaced Value

Filled Down

5 COLUMNS, 10 ROWS

Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 16:43