

Session 6:

1. In Power BI Desktop, import a CSV file containing a list of food delivery orders (with columns like OrderID, Restaurant, FoodItem, Month1, Month2, Month3) and use the Unpivot Columns feature in Power Query Editor to convert the Month columns into two columns: 'Month' and 'OrderCount'.

Ans:

1. Open Power BI → Get Data → Load CSV

2. Click "Transform Data"

3. Select columns:

Month1, Month2, Month3

4. Go to Transform tab

5. Click "Unpivot Columns"

6. Rename:

Attribute → Month

Value → OrderCount

#previously

	OrderID	Restaurant	FoodItem	Month1	Month2	Month3
1	101	Dominos	Pizza		10	15
2	102	KFC	Burger		8	12
3	103	Subway	Sandwich		5	9
4	104	McDonalds	Fries		7	11
5	105	Pizza Hut	Pizza		12	18
6	106	Starbucks	Coffee		6	10
7	107	Haldiram's	Snacks		9	14
8	108	Barbeque Nation	Buffet		4	8
9	109	Wow Momo	Momos		11	16
10	110	Burger King	Burger		13	17

#attribute and value

Session 6

FileHomeTransformAdd ColumnViewToolsHelp

GroupBy

Use First Row as Headers

Count Rows

Table

Data Type: Whole Number

Replace Values

Unpivot Columns

Fill

Pivot Column

Move

Convert to List

Split Column

Format

Extract

Parse

Statistics

Standard Scientific

Information

10²

Rounding

Information

Date

Time

Duration

Date & Time Column

R

Py

Run R script

Run Python script

Scripts

Queries [1]

fx

= Table.RenameColumns("#Unpivoted Columns",{"Attribute", "Month"}, {"Value", "OrderCount"})

food_delivery_orders

Restaurant	FoodItem	Month	OrderCount
1 Dominos	Pizza	OrderID	101
2 Dominos	Pizza	Month1	10
3 Dominos	Pizza	Month2	15
4 Dominos	Pizza	Month3	20
5 KFC	Burger	OrderID	102
6 KFC	Burger	Month1	8
7 KFC	Burger	Month2	12
8 KFC	Burger	Month3	18
9 Subway	Sandwich	OrderID	103
10 Subway	Sandwich	Month1	5
11 Subway	Sandwich	Month2	9
12 Subway	Sandwich	Month3	14
13 McDonalds	Fries	OrderID	104
14 McDonalds	Fries	Month1	7
15 McDonalds	Fries	Month2	11
16 McDonalds	Fries	Month3	16
17 Pizza Hut	Pizza	OrderID	105
18 Pizza Hut	Pizza	Month1	12
19 Pizza Hut	Pizza	Month2	18
20 Pizza Hut	Pizza	Month3	25
21 Starbucks	Coffee	OrderID	106
22 Starbucks	Coffee	Month1	6

4 COLUMNS. 40 ROWS

Column profiling based on top 1000 rows

Query Settings

PROPERTIES

Name

food_delivery_orders

All Properties

APPLIED STEPS

Source

Promoted headers

Changed column type

Unpivoted Columns

Renamed Columns

PREVIEW DOWNLOADED AT 17:12

Session 6

FileHomeTransformAdd ColumnViewToolsHelp

GroupBy

Use First Row as Headers

Count Rows

Table

Data Type: Any

Replace Values

Unpivot Columns

Fill

Pivot Column

Move

Convert to List

Split Column

Format

Extract

Parse

Statistics

Standard Scientific

Information

10²

Rounding

Information

Date

Time

Duration

Date & Time Column

R

Py

Run R script

Run Python script

Scripts

Queries [1]

fx

= Table.UnpivotOtherColumns("#Changed column type", {"Restaurant", "FoodItem"}, "Attribute", "Value")

food_delivery_orders

Restaurant	FoodItem	Attribute	Value
1 Dominos	Pizza	OrderID	101
2 Dominos	Pizza	Month1	10
3 Dominos	Pizza	Month2	15
4 Dominos	Pizza	Month3	20
5 KFC	Burger	OrderID	102
6 KFC	Burger	Month1	8
7 KFC	Burger	Month2	12
8 KFC	Burger	Month3	18
9 Subway	Sandwich	OrderID	103
10 Subway	Sandwich	Month1	5
11 Subway	Sandwich	Month2	9
12 Subway	Sandwich	Month3	14
13 McDonalds	Fries	OrderID	104
14 McDonalds	Fries	Month1	7
15 McDonalds	Fries	Month2	11
16 McDonalds	Fries	Month3	16
17 Pizza Hut	Pizza	OrderID	105
18 Pizza Hut	Pizza	Month1	12
19 Pizza Hut	Pizza	Month2	18
20 Pizza Hut	Pizza	Month3	25
21 Starbucks	Coffee	OrderID	106
22 Starbucks	Coffee	Month1	6

4 COLUMNS. 40 ROWS

Column profiling based on top 1000 rows

Query Settings

PROPERTIES

Name

food_delivery_orders

All Properties

APPLIED STEPS

Source

Promoted headers

Changed column type

Unpivoted Columns

PREVIEW DOWNLOADED AT 17:10

#month,OrderCount

2. Using Power Query Editor, apply the Group By transformation on a dataset of Flipkart product sales to calculate the total sales amount for each product category and display the result in a new table.

Ans: 1. Open Power Query Editor

2. Go to Home tab

3. Click "Group By"

4. In Group By window:

Group by column: Category


New column name: Total Sales

Operation: Sum

Column: Sales Amount

5. Click OK

#previously



The screenshot displays the Microsoft Power Query Editor interface. The main area shows a table with 4 columns and 10 rows of data. The columns are ProductID, ProductName, Category, and Sales Amount. The data is as follows:

ProductID	ProductName	Category	Sales Amount
101	iPhone 13	Mobile	60000
102	Samsung Galaxy	Mobile	45000
103	MacBook Air	Laptop	90000
104	HP Pavilion	Laptop	70000
105	Boat Headphones	Accessories	2000
106	Noise Earbuds	Accessories	3000
107	Redmi Note	Mobile	15000
108	Dell Inspiron	Laptop	65000
109	Charger	Accessories	1000
110	OnePlus Nord	Mobile	30000

The 'Query Settings' pane on the right shows the 'APPLIED STEPS' list with 'Changed column type' selected. The 'Properties' pane shows the 'Name' of the query as 'flipkart_sales_data'.

#group by window

Group By

Specify the column to group by and the desired output.

☒ Basic ☐ Advanced

Category

New column name: Total Sales

Operation: Sum

Column: Sales Amount

OK Cancel

Query Settings

PROPERTIES

Name: flipkart_sales_data

APPLIED STEPS

Source

Promoted headers

Changed column type

#after groupby window

Table.Group(#"Changed column type", {"Category"}, {"Total Sales", each List.Sum([Sales Amount]), type nullable

Category

Total Sales

1 Mobile 150000

2 Laptop 225000

3 Accessories 6000

Query Settings

PROPERTIES

Name: flipkart_sales_data

APPLIED STEPS

Source

Promoted headers

Changed column type

Grouped Rows

3. Add a Custom Column in Power Query Editor to a Spotify-style playlist dataset that combines the 'Artist' and 'SongTitle' columns into a single 'DisplayName' column formatted as 'Artist - SongTitle'.

Ans: **Code (Steps in Power BI)**

1. Open Power Query Editor

2. Go to Add Column tab

3. Click "Custom Column"

4. Column Name: DisplayName

5. Formula:

[Artist] & " - " & [SongTitle]

6. Click OK

#previously,in Column tab, use custom column

Session 6

File Home Transform Add Column View Tools Help

Column From Examples Custom Column Invoke Custom Function General

Conditional Column Index Column Duplicate Column

Format Merge Columns Extract Parse From Text

Statistics Standard Scientific From Number

Trigonometry Rounding Information From Date & Time

Queries [3]

food_delivery_orders

flipkart_sales_data

spotify_playlist_data

fx = Table.TransformColumnTypes(#"Promoted headers", {{"Artist", type text}, {"SongTitle", type text}, {"Album", type text}})

	Artist	SongTitle	Album	Duration
1	Arijit Singh	Tum Hi Ho	Aashiqui 2	4.22
2	Atif Aslam	Jeene Laga Hoon	Ramayi Vastavaiya	3.56
3	Neha Kakkar	Oilbar	Satyameva Jayate	3.15
4	Armaan Malik	Bol Do Na Zara	Azhar	4.53
5	Shreya Ghoshal	Sun Raha Hai Na Tu	Aashiqui 2	5.12
6	KK	Tu Hi Meri Shab Hai	Gangster	4.38
7	Jubin Nautiyal	Raataan Lambiyen	Shershaah	3.5
8	Darshan Raval	Kabhi Tumhe	Shershaah	3.28
9	Badshah	Genda Phool	Single	2.5
10	Honey Singh	Blue Eyes	Single	3.4

Query Settings

PROPERTIES

Name

spotify_playlist_data

All Properties

APPLIED STEPS

Source


Promoted headers

Changed column type


4 COLUMNS, 10 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 19:55

#Custom column window and click “OK”



#After Custom column window



4. Create a Conditional Column in Power Query Editor for a Zomato restaurant ratings dataset that assigns a 'Status' of 'Top Rated' if the rating is above 4.5, 'Average' if between 3 and 4.5, and 'Needs Improvement' if below 3.

Hint: Use the 'Conditional Column' feature and set up appropriate IF logic for each range.

Ans: **Code (Steps in Power BI)**

1. Open Power Query Editor
2. Go to Add Column tab
3. Click "Conditional Column"

4. Column Name: Status

5. Set conditions:

IF Rating > 4.5 → "Top Rated"

ELSE IF Rating >= 3 → "Average"

ELSE → "Needs Improvement"

6. Click OK

#previously,Condition column tab

The screenshot shows the Power Query Editor interface. The 'Add Column' tab is active, and the 'Conditional Column' option is selected. The data table displays restaurant ratings, and the 'Status' column is being created based on the rating conditions.

Restaurant	City	Rating	Cost for Two	Status
1 Dominos	Surat	4.7	500	Top Rated
2 KFC	Mumbai	4.2	600	Average
3 McDonalds	Delhi	3.5	400	Average
4 Subway	Ahmedabad	2.8	350	Needs Improvement
5 Pizza Hut	Bangalore	4.6	700	Average
6 Starbucks	Pune	4.9	800	Top Rated
7 Haldiram's	Nagpur	3.2	450	Needs Improvement
8 Bikanervala	Jaipur	2.5	500	Needs Improvement
9 Barbeque Nation	Hyderabad	4.4	1200	Average
10 Wow Momo	Kolkata	3	300	Needs Improvement

#Conditional tab

New column name: Status

Row 1:

Column Name: Rating

Operator: is greater than

Value: 4.5

Output: Top Rated

Row 2 (Add Clause):

Column Name: Rating

Operator: is greater than or equal to

Value: 3

Output: Average

Else:

Needs Improvement

×

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name

Status

	Column Name	Operator	Value ⓘ		Output ⓘ	
If	Rating ▾	is greater than ▾	ABC 123 ▾ 4.5	Then	ABC 123 ▾ Top Rated	...
Else If	Rating ▾	is greater than or... ▾	ABC 123 ▾ 3	Then	ABC 123 ▾ Average	

Add Clause

Else ⓘ

ABC 123 ▾ Needs Improvement

OK

Cancel

#After conditional tab window, “Status” column formed

Session 6

FileHomeTransformAdd ColumnViewToolsHelp

Column From Custom Invoke Custom Examples Column Function

Conditional ColumnIndex ColumnDuplicate Column

Format

Merge ColumnsExtractParse

Statistics Standard Scientific

TrigonometryRoundingInformation

DateTimeDuration

GeneralFrom TextFrom NumberFrom Date & Time

Queries [4]

food_delivery_ordersflipkart_sales_dataspotify_playlist_datazomato_ratings_data

fx

= Table.AddColumn(#"Changed column type", "Status", each if [Rating] > 4.5 then "Top Rated" else if [Rating] >= 3

123

Status

	Restaurant	City	Rating	Cost for Two	Status
1	Dominos	Surat	4.7	500	Top Rated
2	KFC	Mumbai	4.2	600	Average
3	McDonalds	Delhi	3.5	400	Average
4	Subway	Ahmedabad	2.8	350	Needs Improvement
5	Pizza Hut	Bangalore	4.6	700	Top Rated
6	Starbucks	Pune	4.9	800	Top Rated
7	Haldiram's	Nagpur	3.2	450	Average
8	Bikanervala	Jaipur	2.5	500	Needs Improvement
9	Barbeque Nation	Hyderabad	4.4	1200	Average
10	Wow Momo	Kolkata	3	300	Average

Query Settings

PROPERTIES

Name

zomato_ratings_data

All Properties

APPLIED STEPS

Source

Promoted headers

Changed column type

Added Conditional Column

5 COLUMNS, 10 ROWSColumn profiling based on top 1000 rowsPREVIEW DOWNLOADED AT 21:13

5. Use Power Query Editor's AI-powered 'Add Column from Examples' feature to generate a new column in a BookMyShow movie bookings dataset that extracts the first word from each movie title as the 'MovieKeyword'.

Hint: Start typing the desired output for a few rows and let Power BI suggest the transformation.

Ans: **Code (Steps in Power BI)**

1. Open Power Query Editor
2. Go to Add Column tab
3. Click "Column from Examples" → "From Selection"

4. New column name: MovieKeyword

5. First few rows me manually type karo:

Avengers Endgame → Avengers

Titanic Movie → Titanic

Spider Man No Way Home → Spider

6. Press Enter

7. Click OK

#previously,Column from examples,From Selection

The screenshot shows the Power Query Editor interface. The 'Add Column' tab is active, and the 'Column from Examples' option is selected. The 'From Selection' option is chosen. The main area displays a table with columns: BookingID, MovieTitle, City, Seats, and Amount. The 'MovieTitle' column is highlighted, and the 'MovieKeyword' column is being generated based on the first word of the movie titles. The 'Query Settings' pane on the right shows the 'Properties' and 'Applied Steps' sections.

BookingID	MovieTitle	City	Seats	Amount
1	Avengers Endgame	Mumbai	2	500
2	Titanic Movie	Delhi	3	750
3	Spider Man No Way Home	Bangalore	2	600
4	Inception Film	Hyderabad	1	300
5	Avatar The Way of Water	Pune	4	1000
6	Doctor Strange Multiverse	Mumbai	2	550
7	Batman Dark Knight	Delhi	3	800
8	KGF Chapter 2	Bangalore	2	650
9	Pushpa The Rise	Hyderabad	3	900
10	Jawan Movie	Pune	2	700

Session 6

FileHomeTransformAdd ColumnViewToolsHelp

Column From ExamplesCustom ColumnInvoke Custom FunctionGeneral

Conditional ColumnIndex ColumnDuplicate Column

ABC123ExtractFormatABC123Parse

Merge Columns

StatisticsStandard Scientific

10²

TrigonometryRoundingInformation

DateTimeDuration

From Text

From Number

From Date & Time

Queries [5]

food_delivery_orders

flipkart_sales_data

spotify_playlist_data

zomato_ratings_data

bookmyshow_movie_data

Add Column From Examples

Enter sample values to create a new column (Ctrl+Enter to apply).
Transform: if [BookingID] = 1 then "Avengers" else if [BookingID] = 2 then "Titanic" else if [BookingID] = 3 then "Spider" else if [BookingID] = 4 then "Inception" else...

OKCancel

	1 ² BookingID	A ⁸ C MovieTitle	A ⁸ C City	1 ² 3 Seats	Custom
1		1 Avengers Endgame	Mumbai		2 Avengers
2		2 Titanic Movie	Delhi		3 Titanic
3		3 Spider Man No Way Home	Bangalore		2 Spider
4		4 Inception Film	Hyderabad		1 Inception
5		5 Avatar The Way of Water	Pune		4 Avatar
6		6 Doctor Strange Multiverse	Mumbai		2 Doctor
7		7 Batman Dark Knight	Delhi		3 Batman
8		8 KGF Chapter 2	Bangalore		2 KGF
9		9 Pushpa The Rise	Hyderabad		3 Pushpa
10		10 Jawan Movie	Pune		2 Javan

Query Settings

PROPERTIES

Namebookmyshow_movie_data

All Properties

APPLIED STEPS

SourcePromoted headersChanged column typeColumn From Examples

5 COLUMNS, 10 ROWSColumn profiling based on top 1000 rowsPREVIEW DOWNLOADED AT 21:25

#Extract

Session 6

FileHomeTransformAdd ColumnViewToolsHelp

Column From ExamplesCustom ColumnInvoke Custom FunctionGeneral

Conditional ColumnIndex ColumnDuplicate Column

ABC123ExtractFormatABC123Parse

Merge Columns

StatisticsStandard Scientific

10²

TrigonometryRoundingInformation

DateTimeDuration

From Text

From Number

From Date & Time

Queries [5]

food_delivery_orders

flipkart_sales_data

spotify_playlist_data

zomato_ratings_data

bookmyshow_movie_data

Table.TransformColumnTypes(#"Promoted headers", {{"BookingID", Int64.Type}, {"MovieTitle", type text}, {"City",

	1 ² BookingID	A ⁸ C MovieTitle	A ⁸ C City	1 ² 3 Seats	1 ² 3 Amount
1		1 Avengers Endgame	Mumbai	2	500
2		2 Titanic Movie	Delhi	3	750
3		3 Spider Man No Way Home	Bangalore	2	600
4		4 Inception Film	Hyderabad	1	300
5		5 Avatar The Way of Water	Pune	4	1000
6		6 Doctor Strange Multiverse	Mumbai	2	550
7		7 Batman Dark Knight	Delhi	3	800
8		8 KGF Chapter 2	Bangalore	2	650
9		9 Pushpa The Rise	Hyderabad	3	900
10		10 Jawan Movie	Pune	2	700

Query Settings

PROPERTIES

Namebookmyshow_movie_data

All Properties

APPLIED STEPS

SourcePromoted headersChanged column type

5 COLUMNS, 10 ROWSColumn profiling based on top 1000 rowsPREVIEW DOWNLOADED AT 21:25

#a invisible space as delimiter

AutoSave On Session 6.docx • Saved Snipping Tool

File Home Insert Design Layout References Mailings

Queries [5]

- food_delivery_orders
- flipkart_sales_data
- spotify_playlist_data
- zomato_ratings_data
- bookmyshow_movie_data

Table.TransformColumnTypes(#"Promoted headers", {{"BookingID", Int64.Type}, {"MovieTitle", type text}, {"City", type text}, {"Seats", Int64.Type}, {"Amount", Int64.Type}})

Text Before Delimiter

Enter the delimiter that marks the end of what you would like to extract.

Delimiter

Advanced options

OK Cancel

Query Settings

PROPERTIES

Name

bookmyshow_movie_data

APPLIED STEPS

- Source
- Promoted headers
- Changed column type

5 COLUMNS, 10 ROWS Column profiling based on top 1000 rows

Page 11 of 11 522 words English (India) Accessibility: Investigate PREVIEW DOWNLOADED AT 21:25

#all first name came

Session 6

File Home Transform Add Column View Tools Help

Conditional Column Index Column Duplicate Column

Table.AddColumn(#"Changed column type", "Text Before Delimiter", each Text.BeforeDelimiter([MovieTitle], " "))

Query Settings

PROPERTIES

Name

bookmyshow_movie_data

APPLIED STEPS

- Source
- Promoted headers
- Changed column type
- Inserted Text Before Delimiter

	MovieTitle	City	Seats	Amount	Text Before Delimiter
1	1 Avengers Endgame	Mumbai	2	500	Avengers
2	2 Titanic Movie	Delhi	3	750	Titanic
3	3 Spider Man No Way Home	Bangalore	2	600	Spider
4	4 Inception Film	Hyderabad	1	300	Inception
5	5 Avatar The Way of Water	Pune	4	1000	Avatar
6	6 Doctor Strange Multiverse	Mumbai	2	550	Doctor
7	7 Batman Dark Knight	Delhi	3	800	Batman
8	8 KGF Chapter 2	Bangalore	2	650	KGF
9	9 Pushpa The Rise	Hyderabad	3	900	Pushpa
10	10 Jawan Movie	Pune	2	700	Jawan

6 COLUMNS, 10 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 22:29