

Session 7:

- 1.) Import two CSV files into Power BI: one with a list of restaurants (restaurant_id, name, city) and another with customer reviews (review_id, restaurant_id, rating). Use Merge Queries to join these tables on restaurant_id using an Inner Join, and create a table visual showing each restaurant's name and its average rating.

ANSWERS:

restaurant_id	name	average_rating
101	The Gourmet Kitchen	3.8125
102	Spice Symphony	3.8125
103	Urban Bites	3.8125
104	Flavors of India	3.8125
105	The Daily Roast	3.8125
106	Coastal Cravings	3.8125
107	Saffron Grill	3.8125
108	Baking Bistro	3.8125


- 2.) Use Append Queries in Power BI to combine two tables: one with this month's Zomato orders and another with last month's orders (both with columns: order_id, user_id, amount). After appending, create a summary table showing total orders and total amount spent per user.

ANSWERS:

user_id	total_Order_perUsers	total_amount_perUser
508.00	5,037.00	3430
518.00	6,039.00	2721
519.00	4,030.00	2276
520.00	5,026.00	1785
503.00	5,035.00	1466
502.00	3,013.00	1301
509.00	3,003.00	1119
504.00	4,008.00	868
512.00	2,005.00	854
514.00	1,015.00	846
507.00	2,002.00	839
513.00	4,013.00	659
501.00	1,014.00	476
Total	45,240.00	18640

3.) Given a folder containing multiple CSV files of IPL match scores (same columns: match_id, team, runs), use Power BI's 'Combine Files from Folder' feature to load all data into a single table and create a bar chart showing total runs per team.


ANSWERS:



4.) Open the Query Dependencies View in Power BI for your current report and take a screenshot showing how your queries (from the previous tasks) are connected. Write 2-3 sentences explaining what the arrows and boxes represent in your setup.

Hint: Focus on how Merge, Append, and Folder Combine steps create dependencies between queries.

ANSWERS:



Summary of Your Query Dependencies View

- **The Boxes (Data):** The top icons represent your raw source CSV files on your computer. The lower blocks represent the individual tables inside Power BI (IPL_Match_1001_1002, IPL_Match_1003_1004, and IPL-Mtach-Table).
- **The Arrows (Flow):** The lines show the direction of the data. They illustrate how your separate match files flow downwards and merge/append into the single final table at the bottom.
- **Dependency:** This setup proves that IPL-Mtach-Table relies entirely on the files above it; if you update or refresh the source files, the changes will automatically flow down into your final table.