SESSION 17

1.Write an SQL query using CASE WHEN to classify orders in a 'FoodOrders' table as 'Small', 'Medium', or 'Large' based on the total_amount: 'Small' for less than 300, 'Medium' for 300 to 999, and 'Large' for 1000 and above.

```
SELECT
  *,
  CASE
    WHEN total_amount < 300 THEN 'Small'
    WHEN total_amount BETWEEN 300 AND 999 THEN 'Medium'
    WHEN total_amount >= 1000 THEN 'Large'
  END AS order_category
FROM FoodOrders;
```

Explanation:

The CASE WHEN statement classifies orders based on their total_amount.

- **Small:** Amount less than 300.
- **Medium:** Amount between 300 and 999.
- **Large:** Amount 1000 or above.

The order_category column displays the category assigned to each order.

2.Given a 'Movies' table with a 'rating' column (out of 10), write an SQL query that adds a new column 'popularity' which shows 'Blockbuster' for ratings 8 and above, 'Hit' for 5 to 7.9, and 'Average' for below 5 using CASE WHEN ELSE END.

```
SELECT
  *,
  CASE
```

```
    WHEN rating >= 8 THEN 'Blockbuster'
    WHEN rating >= 5 THEN 'Hit'
    ELSE 'Average'
  END AS popularity
FROM Movies;
```

Explanation:

The CASE WHEN ELSE END statement classifies movies according to their ratings out of 10.

- **Blockbuster:** Rating 8 or above.
- **Hit:** Rating 5 to 7.9.
- **Average:** Rating below 5.

The popularity column displays the popularity category assigned to each movie.

3.For a 'FlipkartProducts' table with a 'price' column, write an SQL query to create a 'price_category' column that bins prices as 'Budget' (below 500), 'Standard' (500 to 2000), and 'Premium' (above 2000) using CASE WHEN.

```
SELECT
  *,
  CASE
    WHEN price < 500 THEN 'Budget'
    WHEN price BETWEEN 500 AND 2000 THEN 'Standard'
    ELSE 'Premium'
  END AS price_category
FROM FlipkartProducts;
```

Explanation:

The CASE WHEN statement classifies products into three categories based on their prices.

- **Budget:** Price below ₹500.
- **Standard:** Price between ₹500 and ₹2000 (inclusive).

- **Premium:** Price above ₹2000.

The price_category column displays the category assigned to each product.

**4.Write an SQL query for a 'SpotifyTracks' table that uses CASE WHEN to assign a 'duration_label' column: 'Short' for tracks under 180 seconds, 'Medium' for 180-300 seconds, and 'Long' for over 300 seconds.

Hint: Use multiple WHEN conditions to cover all possible durations.**

```
SELECT
  *,
  CASE
    WHEN duration < 180 THEN 'Short'
    WHEN duration BETWEEN 180 AND 300 THEN 'Medium'
    WHEN duration > 300 THEN 'Long'
  END AS duration_label
FROM SpotifyTracks;
```

Explanation:

The CASE WHEN statement classifies tracks into three categories based on their duration in seconds.

- **Short:** Tracks with a duration under 180 seconds.
- **Medium:** Tracks with a duration between 180 and 300 seconds (inclusive).
- **Long:** Tracks with a duration over 300 seconds.

The duration_label column displays the category assigned to each track.