CSS Lists, Tables, and Forms Notes

1. Overview

- CSS properties target lists (, ,), tables (, ,), forms (<input>, <fieldset>, <leqend>).
- Goals: Control bullet styles, table borders/backgrounds, form control appearance for consistency/usability.

2. List Styling

- **list-style-type**: Sets bullet/marker style.
 - Unordered: none, disc, circle, square.
 - Ordered: decimal (1,2,3), decimal-leading-zero (01,02,03), lower-alpha (a,b,c), upper-alpha (A,B,C), lower-roman (i,ii,iii), upper-roman (I,II,III).
- list-style-image: Image as bullet (e.g., list-style-image: url("images/star.png")).
- list-style-position: Marker placement.
 - outside: Outside text (default).
 - inside: Inside, indented.
- list-style: Shorthand for type, image, position (e.g., list-style: inside circle).
- margin: Vertical spacing (e.g., margin: 10px 0px).

3. Table Styling

- width: Table width (e.g., width: 600px).
- padding: Cell spacing (e.g., padding: 7px 10px).
- text-transform: Uppercase headers (e.g., text-transform: uppercase).
- · letter-spacing,
- font-size: Header style (e.g., letter-spacing: 0.1em; font-size: 90%).
- border-top,
- border-bottom: Header borders (e.g., border-bottom: 2px solid #111111).
- text-align: Align content (e.g., text-align: right for numbers).
- background-color: Shade rows (e.g., tr.even { background-color: #efefef }).
- :hover: Highlight rows (e.g., tr:hover { background-color: #e3e6e5 }).
- empty-cells: Empty cell borders (show, hide, inherit).
- border-spacing: Cell gaps (e.g., border-spacing: 5px 15px).
- border-collapse: Merge borders (collapse) or separate (separate).
- Design Tips:
 - Padding for readability.
 - Bold/uppercase headers.

- Subtle row shading.
- Right-align numbers.

4. Form Styling

• Text Inputs:

- font-size, color, background-color: Text style (e.g., font-size: 120%; color: #5a5854).
- border, border-radius: Borders, corners (e.g., border: 1px solid #bdbdbd; border-radius 5px).
- padding: Spacing (e.g., padding: 5px 5px 30px).
- background-image: Icons (e.g., background-image: url("images/email.png")).
- : focus, : hover: Interaction styles (e.g., background-color: #ffffff).

• Submit Buttons:

- color, text-shadow: Text style (e.g., color: #444444; text-shadow: 0px 1px 1px #ffffff).
- border-bottom: 3D effect (e.g., border-bottom: 2px solid #b2b2b2).
- background-color, gradients: Appearance (e.g., background: -webkit-gradient(...)).
- : hover: Hover style (e.g., background-color: #a0dbc4).

• Fieldsets & Legends:

- width, border, border-radius: Fieldset style (e.g., width: 350px; border-radius: 10px).
- background-color, padding: Legend style (e.g., background-color: #efefef; padding: 10px 20px).
- text-transform: Uppercase legend (e.g., text-transform: uppercase).

• Aligning Controls:

- Problem: Misaligned labels.
- Solution: float: left, fixed width (e.g., width: 100px), text-align: right, padding.
- Use <div> for row spacing (e.g., margin: 10px).
- cursor: Cursor style (e.g., cursor: pointer).
- Cross-Browser Consistency: Use Formalize (http://formalize.me).

• Design Tips:

- Vertical alignment for usability.
- Interactive styles for feedback.
- Consistent submit buttons.

5. Web Developer Toolbar

- Firefox/Chrome extension (www.chrispederick.com/work/web-developer).
- Shows CSS styles, HTML structure, element outlines; supports screen size changes, validation.

6. Example Application

- List: Poetry events with image bullets, increased line height.
- Table: Workshop schedule, no cell gaps, shaded rows, rounded headers.
- Form: Registration, styled fieldset, aligned controls, interactive inputs, prominent submit button.

7. Summary

- Lists: Control markers with list-style-type, list-style-image, list-style-position.
- Tables: Manage borders, spacing with border-spacing, border-collapse, empty-cells.
- Forms: Align controls, style inputs, enhance interactivity.
- CSS ensures consistency and improves user experience.