


Abdul Wahid

Lab Report

Email Footprinting & Header Analysis (eMailTrackerPro)



eMailTrackerPro


eMailTrackerPro is an email communication tracking and footprinting tool developed by Visualware. It is used to trace email messages by analyzing their headers — the hidden technical data embedded in every email. By examining these headers, the tool can identify the sender's IP address, geographic location, ISP (Internet Service Provider), mail servers used, and the route the email traveled from sender to recipient. In Threat Intelligence, this tool is critical for identifying malicious email senders, tracing phishing attacks, uncovering spoofed email addresses, and gathering evidence about threat actors who use email as an attack vector.

Objective: To perform email footprinting by tracing a real received email using eMailTrackerPro, extracting the sender's IP address, geographic location, and routing information to demonstrate data collection through email analysis.

eMailTrackerPro Setup Wizard launched.

The eMailTrackerPro Setup Wizard opened.

Clicked **Next** to begin the installation process.



License Agreement screen.


Clicked **I Agree** to accept the terms and proceed with the installation.



Choose Components screen.


The setup wizard displayed two components available for installation:

Click **Next** to continue.




Choose Install Location screen.

The default installation path was set to C:\Program Files (x86)\eMailTrackerPro. clicked **Next** to proceed. Installation completed successfully.




eMailTrackerPro main window launched — Edition Selection popup appeared

Clicked **OK** to close the popup and proceed with the Advanced Edition.





eMailTrackerPro main inbox window loaded.

The main eMailTrackerPro window displayed the inbox with tabs for View, Check Mail, Rules & Filters, Views & Search, and Trace.



Navigated to My Trace Reports section.






Trace Headers window opened — ready to paste email headers.


Clicked the **Trace Headers** icon from the New Email Trace section. The **Visualware eMailTrackerPro Trial** popup appeared with two options:

- **Trace an email I have received** — selected



Gmail email opened — "Show original" selected to find email headers.

Clicked the **three-dot menu (⋮)** next to the reply button and selected **"Show original"** from the dropdown list to access the full raw email headers.



Original email message details reviewed in Gmail.

The "Show original" view displayed the complete email metadata:

This information confirms the email's authentication status and reveals the sender's IP address (209.85.220.69) which will be used for tracing.


Original Message

Message ID	[redacted]
Created at:	
From:	
To:	
Subject:	
SPF:	
DKIM:	
DMARC:	


Email headers pasted into eMailTrackerPro — Trace initiated.

The complete raw email headers were copied from Gmail's "Show original" view and pasted into the **Email headers** field in the eMailTrackerPro trace window.

Clicked **Trace** to begin the email tracing process.



Trace results displayed — Map, Table, and Email Summary.



eMailTrackerPro HTML Report -

Clicked **View Report** to open the complete identification report in the browser. The **eMailTrackerPro Report** showed:



Conclusion

Using eMailTrackerPro, a successful email footprinting operation was performed on a real received email. The tool extracted the sender's IP address (209.85.220.69), confirmed geographic origin (America), analyzed all hop routing data, and generated a complete HTML identification report. In a real threat intelligence scenario, if the email had been malicious, this information would allow analysts to identify the threat actor's approximate location, ISP, and mail routing path — enabling blacklisting, abuse reporting, and attribution of the attack.