

GLOSSARY

Acute angle:	An angle which is less than 90° .
Acute angled triangle:	A triangle which has one of its angle acute angle.
Adjacent angles:	Two angles with a common vertex and a common arm are called adjacent angles.
Angle:	The amount of turning between two arms about a common point.
Antecedent:	The first element of a ratio.
Altitude:	Shortest distance from top to the base of a geometric figure.
Arc:	A part of a circle.
Area:	The space occupied within the boundary of a shape is called an area.
Area of parallelogram:	Area of Parallelogram = Base x Altitude
Area of triangle:	Area of Triangle = $\frac{1}{2}$ x Base x Altitude
Associative property addition:	The property that when any three numbers (fractions) are added in any order, their sum is always the same.
Associative property multiplication:	The property when any three numbers (fractions) are added in any order, their sum is always the same.
Average:	The quantity that represents the given quantities.
Bar graph:	It represents each part of the information in the form of bars (vertical or horizontal).
Block graph:	The graph in which we choose a suitable symbol to represent each part of the information.
Bisecting:	Dividing into two equal parts.
Bracket:	Symbols --- , $()$, $\{ \}$ and $[]$
Capacity:	The amount of liquid a container can hold.
Chord:	A line segment joining any two points of a circle.
Commutative property of Multiplication:	The property that any two numbers when multiplied to each other in any order, their product is always same.
Commutative property of addition:	The property that when any two numbers (fractions) are added in any order their sum is always same.

Consequent:	The second element of a ratio
Composite number:	A natural number having more than two factors.
Cube:	A three dimensional solid object having equal length, width and height.
Cuboid:	A three dimensional solid object having un equal length, width and height.
Data:	Information presented in the form of numbers.
Decimal fraction:	A common fraction with a denominator as 10,000, written with a decimal point.
Denominator:	Lower number of the common fraction.
Direct proportion:	The relationship between two ratios in which increase in one quantity causes a proportional increase in the other quantity and decrease in one quantity causes a impropotional decrease in the other quantity.
Directed numbers (Integers):	Zero, positive numbers and negative numbers are called directed numbers or integers.
Divisibility:	A division in which when a number is divided by another, the remainder is zero.
Edge:	A one dimensional line segment joining two vertices.
Equation:	A sentence which shows the relation of equality between two algebraic expressions.
Equivalent fraction:	The fractions that have the same value.
Equivalent triangle:	A triangle in which all the three sides are equal in length.
Even number:	A number which is exactly divisible by 2.
Factors:	The divisor of a number.
Factorization:	A number represented as a product of its factors.
Graph:	A pictorial representation of a data.
HCF:	Highest Common Factor.
Hypotenuse:	Side of a triangle which is opposite to the right angle.
Index notation:	A short way of writing a number being multiplied by itself several times.
Integer:	A whole number that can be positive, negative or zero.
Inverse proportion:	The relationship between the two ratios in which increase in one quantity causes a proportional decrease in the other quantity and a decrease in one quantity causes a proportional increase in the other quantity.

GLOSSARY

Isosceles triangle:	A triangle with its two sides equal in length.
L.C.M	Least Common Multiple.
Like decimals:	The decimals having same number of decimal places.
Like fractions:	Fraction having same denominator.
Mass:	Quantity of matter present in a body.
Million:	The smallest seven digit number i.e. 1,000,000 (Ten hundred thousand).
Mixed fraction:	A fraction contains both a whole number and a proper common fraction.
Natural number:	A number that occurs commonly and obviously in nature.
Obtuse angle:	An angle which is more than 90° .
Obtuse angled triangle:	A triangle which has one of its angles obtuse angle.
Odd number:	A number which is not exactly divisible by 2.
Parallelogram:	A quadrilateral having two pairs of opposite sides parallel.
Percentage:	The word percent is a short form of the Latin word "Percentum". Percent means out of hundred or per hundred.
Perimeter:	The distance along the sides of a closed shape.
Pie Graph:	A circular graph used to show many data quantities.
Positive integer:	A natural number.
Prime factorization:	A factorization in which every factor is a prime factor.
Prime number:	A natural number having exactly two distinct factors.
Proper fraction:	A fraction whose numerator is less than the denominator.
Proportion:	The quality of two ratios.
Quadrilateral:	A four sided closed figure.
Quotient:	The number shows how many times the divisor has been repeatedly subtracted.
Ratio:	A comparison of two quantities of the same kind.
Radius:	The distance from the centre of the circle to the boundary of the circle.
Rectangle:	A quadrilateral whose opposite sides are equal and have four right angles.
Reflex angle:	An angle of measure greater than 180° .
Right angle:	An angle whose measure is 90° .
Right angled triangle:	A triangle which has one of its angle of the measure 90° .
Right bisector:	A bisector which makes a right angle with the given line segment.

Round off decimals:	To round off a decimal nearest to the whole number, check the first decimal place and accordingly round off the number.
Scalene triangle:	A triangle whose all sides are of different measures.
Simplification:	The process of getting a simplified number.
Sentence:	Group of numbers and terms which has complete sense and a relation. There are three types of sentences. 1. True sentences 2. False sentences 3. Open sentences
Square:	A quadrilateral whose all four sides are equal and has four right angles.
Straight angle:	An angle whose measure equals to 180° .
Subtraction:	Symbol (-). The process of finding the difference between two numbers/quantities.
Supplementary angles:	Two angles whose sum of the measures is equal to 180° .
Symbol:	A sign used to represent an operation, element or relation.
Trapezium:	A quadrilateral having one pair of opposite sides parallel.
Unit fraction:	Numerator is equal to the denominator.
Unitary method:	The process of finding the price of one (unit) item, from which we find the price of a number of similar items.
Unlike decimals:	The decimals having different number of decimal places.
Unlike fractions:	Fractions whose denominators are not same.
Variable:	An alphabetical letter which represents any of the given numbers.
Vertex:	An angular point of any shape.
Volume:	The measurement of the space occupied by a three dimensional solid object.
Volume of a cube:	Volume of a cube = Side x Side x Side
Volume of a cuboid:	Volume of a Cuboid = Length x Breadth x Height
Whole number:	A number having no fractional or decimal part and no negatives.