Frequencies

Notes

Output Created		06-NOV-2026 05:45:22
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Age BMI Gender ASAstatus Studygroupanddrugadministration Postoperativepainmanagementassessmentthrough VAS Didpatientexperiencedanyadverseeffects Ifyesindicatetheadverseeffect Overallpatientsatisfaction Waspainreliefadequate /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Statistics

		Age	BMI	Gender	ASA status	Study group and drug administration	Post operative pain management assessment through VAS
N	Valid	118	118	118	118	118	118
	Missing	0	0	0	0	0	0

Statistics

		Did patient experienced any adverse effects	If yes , indicate the adverse effect	Overall patient satisfaction	Was pain relief adequate
N	Valid	118	118	118	118
	Missing	0	0	0	0

Frequency Table

Age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18-25 years	49	41.5	41.5	41.5
	26-40 years	30	25.4	25.4	66.9
	41-60 years	30	25.4	25.4	92.4
	Above 60 years	9	7.6	7.6	100.0
	Total	118	100.0	100.0	

BMI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18.5 - 24.9	57	48.3	48.3	48.3
	25.0 - 29.9	34	28.8	28.8	77.1
	30.0 - 39.9	13	11.0	11.0	88.1
	Above 40	5	4.2	4.2	92.4
	Less than 18.5	9	7.6	7.6	100.0
	Total	118	100.0	100.0	

Gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Female	50	42.4	42.4	42.4
	Male	68	57.6	57.6	100.0
	Total	118	100.0	100.0	

ASA status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ASA 1	74	62.7	62.7	62.7
	ASA 2	27	22.9	22.9	85.6
	ASA 3	15	12.7	12.7	98.3
	ASA 4	2	1.7	1.7	100.0
	Total	118	100.0	100.0	

Study group and drug administration

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Grouop B : IV Ketorolac	1	.8	.8	.8
	Group A : IV paracetamol	59	50.0	50.0	50.8
	Group B : IV Ketorolac	58	49.2	49.2	100.0
	Total	118	100.0	100.0	

Post operative pain management assessment through VAS

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mild (1-3)	36	30.5	30.5	30.5
	Moderate (4-6)	37	31.4	31.4	61.9
	Severe (7-8)	41	34.7	34.7	96.6
	Worst pain possible (9-10)	4	3.4	3.4	100.0
	Total	118	100.0	100.0	

Did patient experienced any adverse effects

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	48	40.7	40.7	40.7
	Yes	70	59.3	59.3	100.0
	Total	118	100.0	100.0	

If yes , indicate the adverse effect

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Allergic reactions	3	2.5	2.5	2.5
	Bleeding or suspected bleeding complication	4	3.4	3.4	5.9
	Bleeding or suspected bleeding complication, Allergic reactions	2	1.7	1.7	7.6
	Difficult breathing , low SPO2	1	.8	.8	8.5
	Difficult breathing , Low SPO2	1	.8	.8	9.3
	Dizziness	6	5.1	5.1	14.4
	Dizziness, Allergic reactions	2	1.7	1.7	16.1
	Dizziness, Bleeding or suspected bleeding complication	2	1.7	1.7	17.8
	Dizziness, GI discomfort	6	5.1	5.1	22.9
	Dizziness, Head ache , urinary retension	1	.8	.8	23.7
	GI discomfort	9	7.6	7.6	31.4
	GI discomfort, Allergic reactions	5	4.2	4.2	35.6
	GI discomfort, Bleeding or suspected bleeding complication	2	1.7	1.7	37.3
	GI discomfort, Bleeding or suspected bleeding complication, Hypotension	1	.8	.8	38.1
	Low SPO2 , difficult breathing	2	1.7	1.7	39.8
	Nausea, Dizziness	1	.8	.8	40.7
	Nausea, Vomitting	10	8.5	8.5	49.2
	Nausea, Vomitting, Difficult breathing	1	.8	.8	50.0
	Nausea, Vomitting, Difficult breathing	1	.8	.8	50.8
	Nausea, Vomitting, Dizziness	3	2.5	2.5	53.4
	Nausea, Vomitting, Dizziness, Bleeding or suspected bleeding complication	1	.8	.8	54.2
	Nausea, Vomitting, Dizziness, GI discomfort	1	.8	.8	55.1

If yes , indicate the adverse effect

		Frequency	Percent	Valid Percent	Cumulative Percent
	Nausea, Vomitting, Dizziness, restlessness	1	.8	.8	55.9
	Nausea, Vomitting, GI discomfort	1	.8	.8	56.8
	Nausea, Vomitting, restlessness	2	1.7	1.7	58.5
	No adverse effect reported	48	40.7	40.7	99.2
	Restlessness	1	.8	.8	100.0
	Total	118	100.0	100.0	

Overall patient satisfaction

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Dissatisfied	7	5.9	5.9	5.9
	Neutral	28	23.7	23.7	29.7
	Satisfied	37	31.4	31.4	61.0
	Very dissatisfied	6	5.1	5.1	66.1
	Very satisfied	40	33.9	33.9	100.0
	Total	118	100.0	100.0	

Was pain relief adequate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	16	13.6	13.6	13.6
	Uncertain	17	14.4	14.4	28.0
	Yes	85	72.0	72.0	100.0
	Total	118	100.0	100.0	

Frequencies

Notes

Output Created		06-NOV-2026 06:27:47
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Treatment_Group_Clean /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Cleaned IV Treatment Group

N	Valid	118
	Missing	0

Cleaned IV Treatment Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	IV Paracetamol	59	50.0	50.0	50.0
	IV Ketorolac	59	50.0	50.0	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 06:32:56
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Didpatientexperiencedanyadverseeffects BY Ifyesindicatetheadverseeffect /FORMAT=AVALUE TABLES /CELLS=COUNT /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Did patient experienced any adverse effects * If yes , indicate the adverse effect	118	100.0%	0	0.0%	118	100.0%

Did patient experienced any adverse effects * If yes , indicate the adverse effect Crosstabulation

Count

		If yes , indicate the adverse effect			
		Allergic reactions	Bleeding or suspected bleeding complication	Bleeding or suspected bleeding complication, Allergic reactions	Difficult breathing , low SPO2
Did patient experienced any adverse effects	No	0	0	0	0
	Yes	3	4	2	1
Total		3	4	2	1

Did patient experienced any adverse effects * If yes , indicate the adverse effect Crosstabulation

Count

		If yes , indicate the adverse effect			
		Difficult breathing , Low SPO2	Dizziness	Dizziness, Allergic reactions	Dizziness, Bleeding or suspected bleeding complication
Did patient experienced any adverse effects	No	0	0	0	0
	Yes	1	6	2	2
Total		1	6	2	2

Did patient experienced any adverse effects * If yes , indicate the adverse effect Crosstabulation

Count

		If yes , indicate the adverse effect			
		Dizziness, GI discomfort	Dizziness, Head ache , urinary retension	GI discomfort	GI discomfort, Allergic reactions
Did patient experienced any adverse effects	No	0	0	0	0
	Yes	6	1	9	5
Total		6	1	9	5

Did patient experienced any adverse effects * If yes , indicate the adverse effect Crosstabulation

Count

		If yes , indicate the adverse effect			
		GI discomfort, Bleeding or suspected bleeding complication	GI discomfort, Bleeding or suspected bleeding complication, Hypotension	Low SPO2 , difficult breathing	Nausea, Dizziness
Did patient experienced any adverse effects	No	0	0	0	0
	Yes	2	1	2	1
Total		2	1	2	1

Did patient experienced any adverse effects * If yes , indicate the adverse effect Crosstabulation

Count

		If yes , indicate the adverse effect			
		Nausea, Vomitting	Nausea, Vomitting, Difficult breathing	Nausea, Vomitting, Difficult breathing	Nausea, Vomitting, Dizziness
Did patient experienced any adverse effects	No	0	0	0	0
	Yes	10	1	1	3
Total		10	1	1	3

Did patient experienced any adverse effects * If yes , indicate the adverse effect Crosstabulation

Count

		If yes , indicate the adverse effect			
		Nausea, Vomitting, Dizziness, Bleeding or suspected bleeding complication	Nausea, Vomitting, Dizziness, GI discomfort	Nausea, Vomitting, Dizziness, restlessness	Nausea, Vomitting, GI discomfort
Did patient experienced any adverse effects	No	0	0	0	0
	Yes	1	1	1	1
Total		1	1	1	1

Did patient experienced any adverse effects * If yes , indicate the adverse effect Crosstabulation

Count

		If yes , indicate the adverse effect			
		Nausea, Vomitting, restlessness	No adverse effect reported	Restlessness	Total
Did patient experienced any adverse effects	No	0	48	0	48
	Yes	2	0	1	70
Total		2	48	1	118

Frequencies

Notes

Output Created		06-NOV-2026 06:45:52
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Adverse_Effect_Clean.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Standardised Adverse Effect Descriptions

N	Valid	118
	Missing	0

Standardised Adverse Effect Descriptions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Allergic reactions	3	2.5	2.5	2.5
	Bleeding or suspected bleeding complication	4	3.4	3.4	5.9
	Bleeding or suspected bleeding complication, Allergic reactions	2	1.7	1.7	7.6
	Difficult breathing, Low SpO2	2	1.7	1.7	9.3
	Dizziness	6	5.1	5.1	14.4
	Dizziness, Allergic reactions	2	1.7	1.7	16.1
	Dizziness, Bleeding or suspected bleeding complication	2	1.7	1.7	17.8
	Dizziness, GI discomfort	6	5.1	5.1	22.9
	Dizziness, Headache, urinary retention	1	.8	.8	23.7
	GI discomfort	9	7.6	7.6	31.4
	GI discomfort, Allergic reactions	5	4.2	4.2	35.6
	GI discomfort, Bleeding or suspected bleeding complication	2	1.7	1.7	37.3
	GI discomfort, Bleeding or suspected bleeding complication, Hypotension	1	.8	.8	38.1
	Low SpO2, difficult breathing	2	1.7	1.7	39.8
	Nausea, Dizziness	1	.8	.8	40.7
	Nausea, Vomiting	10	8.5	8.5	49.2
	Nausea, Vomiting, Difficult breathing	2	1.7	1.7	50.8
	Nausea, Vomiting, Dizziness	3	2.5	2.5	53.4
	Nausea, Vomiting, Dizziness, Bleeding or suspected bleeding complication	1	.8	.8	54.2

Standardised Adverse Effect Descriptions

		Frequency	Percent	Valid Percent	Cumulative Percent
	Nausea, Vomiting, Dizziness, GI discomfort	1	.8	.8	55.1
	Nausea, Vomiting, Dizziness, restlessness	1	.8	.8	55.9
	Nausea, Vomiting, GI discomfort	1	.8	.8	56.8
	Nausea, Vomiting, restlessness	2	1.7	1.7	58.5
	No adverse effect reported	48	40.7	40.7	99.2
	Restlessness	1	.8	.8	100.0
	Total	118	100.0	100.0	

Frequencies

Notes

Output Created		06-NOV-2026 06:47:30
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Adverse_Effect_Clean.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Standardised Adverse Effect Descriptions

N	Valid	118
	Missing	0

Standardised Adverse Effect Descriptions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Allergic reactions	3	2.5	2.5	2.5
	Bleeding or suspected bleeding complication	4	3.4	3.4	5.9
	Bleeding or suspected bleeding complication, Allergic reactions	2	1.7	1.7	7.6
	Difficult breathing, Low SpO2	4	3.4	3.4	11.0
	Dizziness	6	5.1	5.1	16.1
	Dizziness, Allergic reactions	2	1.7	1.7	17.8
	Dizziness, Bleeding or suspected bleeding complication	2	1.7	1.7	19.5
	Dizziness, GI discomfort	6	5.1	5.1	24.6
	Dizziness, Headache, urinary retention	1	.8	.8	25.4
	GI discomfort	9	7.6	7.6	33.1
	GI discomfort, Allergic reactions	5	4.2	4.2	37.3
	GI discomfort, Bleeding or suspected bleeding complication	2	1.7	1.7	39.0
	GI discomfort, Bleeding or suspected bleeding complication, Hypotension	1	.8	.8	39.8
	Nausea, Dizziness	1	.8	.8	40.7
	Nausea, Vomiting	10	8.5	8.5	49.2
	Nausea, Vomiting, Difficult breathing	2	1.7	1.7	50.8
	Nausea, Vomiting, Dizziness	3	2.5	2.5	53.4
	Nausea, Vomiting, Dizziness, Bleeding or suspected bleeding complication	1	.8	.8	54.2
	Nausea, Vomiting, Dizziness, GI discomfort	1	.8	.8	55.1

Standardised Adverse Effect Descriptions

		Frequency	Percent	Valid Percent	Cumulative Percent
	Nausea, Vomiting, Dizziness, restlessness	1	.8	.8	55.9
	Nausea, Vomiting, GI discomfort	1	.8	.8	56.8
	Nausea, Vomiting, restlessness	2	1.7	1.7	58.5
	No adverse effect reported	48	40.7	40.7	99.2
	Restlessness	1	.8	.8	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 20:39:35
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Age BY ASAstatus /FORMAT=AVALUE TABLES /CELLS=COUNT /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Notes

Dimensions Requested	2
Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Age * ASA status	118	100.0%	0	0.0%	118	100.0%

Age * ASA status Crosstabulation

Count

		ASA status				
		ASA 1	ASA 2	ASA 3	ASA 4	Total
Age	18-25 years	47	1	1	0	49
	26-40 years	18	9	3	0	30
	41-60 years	5	12	11	2	30
	Above 60 years	4	5	0	0	9
Total		74	27	15	2	118

Crosstabs

Notes

Output Created		06-NOV-2026 20:47:41
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Age_ASA_Eligible BY Treatment_Group_Clean /FORMAT=AVALUE TABLES /CELLS=COUNT /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Age_ASA_Eligible * Cleaned IV Treatment Group	118	100.0%	0	0.0%	118	100.0%

Age_ASA_Eligible * Cleaned IV Treatment Group Crosstabulation

Count

		Cleaned IV Treatment Group		
		IV Paracetamol	IV Ketorolac	Total
Age_ASA_Eligible	.00	15	11	26
	1.00	44	48	92
Total		59	59	118

Frequencies

Notes

Output Created		06-NOV-2026 20:50:23
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Typeofsurgery Relevantmedicalhistory Historyofchronicpain /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

		Type of surgery	Relevant medical history	History of chronic pain
N	Valid	118	118	118
	Missing	0	0	0

Frequency Table

Type of surgery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laparoscopic hernia repair	23	19.5	19.5	19.5
	Open hernia repair	87	73.7	73.7	93.2
	Surgery converted from laparoscopic to open	8	6.8	6.8	100.0
	Total	118	100.0	100.0	

Relevant medical history

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ARDS , Difficult breathing	2	1.7	1.7	1.7
	Asthma	1	.8	.8	2.5
	Bleeding disorder	2	1.7	1.7	4.2
	Diabetes mellitus	4	3.4	3.4	7.6
	Diabetes mellitus, Nill	1	.8	.8	8.5
	Epilepsy , Hypotension	1	.8	.8	9.3
	Fever , history of heart attack	1	.8	.8	10.2
	HCV positive	2	1.7	1.7	11.9
	Hypertension	13	11.0	11.0	22.9
	Hypertension, ARDS , Difficult breathing	1	.8	.8	23.7
	Hypertension, Diabetes mellitus	10	8.5	8.5	32.2
	Hypertension, Diabetes mellitus, Bleeding disorder	3	2.5	2.5	34.7
	Hypertension, Diabetes mellitus, Kidney failure	3	2.5	2.5	37.3
	Hypertension, Kidney failure	1	.8	.8	38.1
	Hypertension, Previous history of hearth attack	1	.8	.8	39.0
	Hypotension	2	1.7	1.7	40.7
	Hypotension , ARDS	1	.8	.8	41.5
	Nill	66	55.9	55.9	97.5
	Peptic ulcer	1	.8	.8	98.3
	Previous history of heart attack	2	1.7	1.7	100.0
	Total	118	100.0	100.0	

History of chronic pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	99	83.9	83.9	83.9
	Yes	19	16.1	16.1	100.0
	Total	118	100.0	100.0	

```
>Warning # 657. Command name: EXECUTE
>The INDEX function is deprecated. Consider using the CHAR.INDEX function.
```

Frequencies

Notes

Output Created		06-NOV-2026 21:01:26
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Medical_Exclusion_Flag.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Recorded Kidney Failure or Bleeding Disorder

N	Valid	118
	Missing	0

Recorded Kidney Failure or Bleeding Disorder

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not Recorded	109	92.4	92.4	92.4
	Recorded	9	7.6	7.6	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 21:01:26
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Age_ASA_Eligible BY Medical_Exclusion_Flag...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Age_ASA_Eligible * Recorded Kidney Failure or Bleeding Disorder	118	100.0%	0	0.0%	118	100.0%

Age_ASA_Eligible * Recorded Kidney Failure or Bleeding Disorder Crosstabulation

Count

		Recorded Kidney Failure or Bleeding Disorder		
		Not Recorded	Recorded	Total
Age_ASA_Eligible	.00	19	7	26
	1.00	90	2	92
Total		109	9	118

Frequencies

Notes

Output Created		06-NOV-2026 21:15:04
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Preliminary_Eligibility.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Preliminary Patient Eligibility

N	Valid	118
	Missing	0

Preliminary Patient Eligibility

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Does Not Meet Checked Criteria	28	23.7	23.7	23.7
	Meets Checked Criteria	90	76.3	76.3	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 21:15:04
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Preliminary_Eligibility BY Treatment_Group_Clean...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Notes

Dimensions Requested	2
Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Preliminary Patient Eligibility * Cleaned IV Treatment Group	118	100.0%	0	0.0%	118	100.0%

Preliminary Patient Eligibility * Cleaned IV Treatment Group Crosstabulation

			Cleaned IV ...
			IV Paracetamol
Preliminary Patient Eligibility	Does Not Meet Checked Criteria	Count	17
		% within Preliminary Patient Eligibility	60.7%
	Meets Checked Criteria	Count	42
		% within Preliminary Patient Eligibility	46.7%
Total		Count	59
		% within Preliminary Patient Eligibility	50.0%

Preliminary Patient Eligibility * Cleaned IV Treatment Group Crosstabulation

			Cleaned IV ...
			IV Ketorolac
Preliminary Patient Eligibility	Does Not Meet Checked Criteria	Count	11
		% within Preliminary Patient Eligibility	39.3%
	Meets Checked Criteria	Count	48
		% within Preliminary Patient Eligibility	53.3%
Total		Count	59
		% within Preliminary Patient Eligibility	50.0%

Preliminary Patient Eligibility * Cleaned IV Treatment Group Crosstabulation

			Total
Preliminary Patient Eligibility	Does Not Meet Checked Criteria	Count	28
		% within Preliminary Patient Eligibility	100.0%
	Meets Checked Criteria	Count	90
		% within Preliminary Patient Eligibility	100.0%
Total		Count	118
		% within Preliminary Patient Eligibility	100.0%

Frequencies

Notes

Output Created		06-NOV-2026 21:22:46
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Liver_Review_Flag.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Liver-Related Medical History Requiring Review

N	Valid	118
	Missing	0

Liver-Related Medical History Requiring Review

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not Mentioned	116	98.3	98.3	98.3
	Requires Review	2	1.7	1.7	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 21:22:46
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Preliminary_Eligibility BY Liver_Review_Flag...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Preliminary Patient Eligibility * Liver-Related Medical History Requiring Review	118	100.0%	0	0.0%	118	100.0%

Preliminary Patient Eligibility * Liver-Related Medical History Requiring Review Crosstabulation

Count

		Liver-Related Medical History Requiring Review		
		Not Mentioned	Requires Review	Total
Preliminary Patient Eligibility	Does Not Meet Checked Criteria	28	0	28
	Meets Checked Criteria	88	2	90
Total		116	2	118

Crosstabs

Notes

Output Created		06-NOV-2026 21:22:46
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Preliminary_Eligibility BY Typeofsurgery...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Preliminary Patient Eligibility * Type of surgery	118	100.0%	0	0.0%	118	100.0%

Preliminary Patient Eligibility * Type of surgery Crosstabulation

Count

		Type of surgery	
		Laparoscopic hernia repair	Open hernia repair
Preliminary Patient Eligibility	Does Not Meet Checked Criteria	6	17
	Meets Checked Criteria	17	70
Total		23	87

Preliminary Patient Eligibility * Type of surgery Crosstabulation

Count

		Type of surgery	
		Surgery converted from laparoscopic to open	Total
Preliminary Patient Eligibility	Does Not Meet Checked Criteria	5	28
	Meets Checked Criteria	3	90
Total		8	118

Crosstabs

Notes

Output Created		06-NOV-2026 21:41:07
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Preliminary_Eligibility BY Historyofchronicpain /CELLS=COUNT ROW.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Preliminary Patient Eligibility * History of chronic pain	118	100.0%	0	0.0%	118	100.0%

Preliminary Patient Eligibility * History of chronic pain Crosstabulation

			History of ..
			No
Preliminary Patient Eligibility	Does Not Meet Checked Criteria	Count	18
		% within Preliminary Patient Eligibility	64.3%
	Meets Checked Criteria	Count	81
		% within Preliminary Patient Eligibility	90.0%
Total		Count	99
		% within Preliminary Patient Eligibility	83.9%

Preliminary Patient Eligibility * History of chronic pain Crosstabulation

			History of ...
			Yes
Preliminary Patient Eligibility	Does Not Meet Checked Criteria	Count	10
		% within Preliminary Patient Eligibility	35.7%
	Meets Checked Criteria	Count	9
		% within Preliminary Patient Eligibility	10.0%
Total		Count	19
		% within Preliminary Patient Eligibility	16.1%

Preliminary Patient Eligibility * History of chronic pain Crosstabulation

			Total
Preliminary Patient Eligibility	Does Not Meet Checked Criteria	Count	28
		% within Preliminary Patient Eligibility	100.0%
	Meets Checked Criteria	Count	90
		% within Preliminary Patient Eligibility	100.0%
Total		Count	118
		% within Preliminary Patient Eligibility	100.0%

Frequencies

Notes

Output Created		06-NOV-2026 22:17:20
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Age_Code Gender_Code.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Statistics

		Patient Age Group	Patient Gender
N	Valid	118	118
	Missing	0	0

Frequency Table

Patient Age Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18-25 years	49	41.5	41.5	41.5
	26-40 years	30	25.4	25.4	66.9
	41-60 years	30	25.4	25.4	92.4
	Above 60 years	9	7.6	7.6	100.0
	Total	118	100.0	100.0	

Patient Gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Female	50	42.4	42.4	42.4
	Male	68	57.6	57.6	100.0
	Total	118	100.0	100.0	

Frequencies

Notes

Output Created		06-NOV-2026 22:34:55
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=BMI_Code ASA_Code.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Statistics

		Patient BMI Category	Patient ASA Physical Status
N	Valid	118	118
	Missing	0	0

Frequency Table

Patient BMI Category

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Less than 18.5	9	7.6	7.6	7.6
	18.5 - 24.9	57	48.3	48.3	55.9
	25.0 - 29.9	34	28.8	28.8	84.7
	30.0 - 39.9	13	11.0	11.0	95.8
	Above 40	5	4.2	4.2	100.0
	Total	118	100.0	100.0	

Patient ASA Physical Status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ASA 1	74	62.7	62.7	62.7
	ASA 2	27	22.9	22.9	85.6
	ASA 3	15	12.7	12.7	98.3
	ASA 4	2	1.7	1.7	100.0
	Total	118	100.0	100.0	

Frequencies

Notes

Output Created		06-NOV-2026 22:42:16
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Treatment_Group_Clean.

Notes

Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Cleaned IV Treatment Group

N	Valid	118
	Missing	0

Cleaned IV Treatment Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	IV Paracetamol	59	50.0	50.0	50.0
	IV Ketorolac	59	50.0	50.0	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 22:42:16
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.

Notes

Syntax		CROSSTABS /TABLES=Studygroupanddrugadministration BY Treatment_Group_Clean...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Study group and drug administration * Cleaned IV Treatment Group	118	100.0%	0	0.0%	118	100.0%

Study group and drug administration * Cleaned IV Treatment Group Crosstabulation

Count

		Cleaned IV Treatment Group		
		IV Paracetamol	IV Ketorolac	Total
Study group and drug administration	Grouop B : IV Ketorolac	0	1	1
	Group A : IV paracetamol	59	0	59
	Group B : IV Ketorolac	0	58	58
Total		59	59	118

Frequencies

Notes

Output Created		06-NOV-2026 22:51:44
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=VAS_Code.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Postoperative VAS Pain Severity

N	Valid	118
	Missing	0

Postoperative VAS Pain Severity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mild (1-3)	36	30.5	30.5	30.5
	Moderate (4-6)	37	31.4	31.4	61.9
	Severe (7-8)	41	34.7	34.7	96.6
	Worst Pain (9-10)	4	3.4	3.4	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 22:51:44
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=PostoperativepainmanagementassessmentthroughVAS BY VAS_Code...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Post operative pain management assessment through VAS * Postoperative VAS Pain Severity	118	100.0%	0	0.0%	118	100.0%

Post operative pain management assessment through VAS * Postoperative VAS Pain Severity Crosstabulation

Count

		Postoperative VAS Pain Severity		
		Mild (1-3)	Moderate (4-6)	Severe (7-8)
Post operative pain management assessment through VAS	Mild (1-3)	36	0	0
	Moderate (4-6)	0	37	0
	Severe (7-8)	0	0	41
	Worst pain possible (9-10)	0	0	0
Total		36	37	41

Post operative pain management assessment through VAS * Postoperative VAS Pain Severity Crosstabulation

Count

		Postoperative ...	
		Worst Pain (9-10)	Total
Post operative pain management assessment through VAS	Mild (1-3)	0	36
	Moderate (4-6)	0	37
	Severe (7-8)	0	41
	Worst pain possible (9-10)	4	4
Total		4	118

Frequencies

Notes

Output Created		06-NOV-2026 22:55:14
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Satisfaction_Code.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Patient Satisfaction Level

N	Valid	118
	Missing	0

Patient Satisfaction Level

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very dissatisfied	6	5.1	5.1	5.1
	Dissatisfied	7	5.9	5.9	11.0
	Neutral	28	23.7	23.7	34.7
	Satisfied	37	31.4	31.4	66.1
	Very satisfied	40	33.9	33.9	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 22:55:14
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Overallpatientsatisfaction BY Satisfaction_Code...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Overall patient satisfaction * Patient Satisfaction Level	118	100.0%	0	0.0%	118	100.0%

Overall patient satisfaction * Patient Satisfaction Level Crosstabulation

Count

		Patient Satisfaction Level			
		Very dissatisfied	Dissatisfied	Neutral	Satisfied
Overall patient satisfaction	Dissatisfied	0	7	0	0
	Neutral	0	0	28	0
	Satisfied	0	0	0	37
	Very dissatisfied	6	0	0	0
	Very satisfied	0	0	0	0
Total		6	7	28	37

Overall patient satisfaction * Patient Satisfaction Level Crosstabulation

Count

		Patient ...	
		Very satisfied	Total
Overall patient satisfaction	Dissatisfied	0	7
	Neutral	0	28
	Satisfied	0	37
	Very dissatisfied	0	6
	Very satisfied	40	40
Total		40	118

Frequencies

Notes

Output Created		06-NOV-2026 22:58:28
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Pain_Relief_Code.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Adequacy of Postoperative Pain Relief

N	Valid	118
	Missing	0

Adequacy of Postoperative Pain Relief

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	16	13.6	13.6	13.6
	Uncertain	17	14.4	14.4	28.0
	Yes	85	72.0	72.0	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 22:58:29
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Waspainreliefadequate BY Pain_Relief_Code...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Was pain relief adequate * Adequacy of Postoperative Pain Relief	118	100.0%	0	0.0%	118	100.0%

Was pain relief adequate * Adequacy of Postoperative Pain Relief Crosstabulation

Count

		Adequacy of Postoperative Pain Relief			
		No	Uncertain	Yes	Total
Was pain relief adequate	No	16	0	0	16
	Uncertain	0	17	0	17
	Yes	0	0	85	85
Total		16	17	85	118

Frequencies

Notes

Output Created		06-NOV-2026 23:01:14
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Adverse_Effect_Code.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Postoperative Adverse Effects

N	Valid	118
	Missing	0

Postoperative Adverse Effects

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No Adverse Effects	48	40.7	40.7	40.7
	Adverse Effects Reported	70	59.3	59.3	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 23:01:14
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Didpatientexperiencedanyadverseeffects BY Adverse_Effect_Code...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Did patient experienced any adverse effects * Postoperative Adverse Effects	118	100.0%	0	0.0%	118	100.0%

Did patient experienced any adverse effects * Postoperative Adverse Effects Crosstabulation

Count

		Postoperative Adverse Effects		
		No Adverse Effects	Adverse Effects Reported	Total
Did patient experienced any adverse effects	No	48	0	48
	Yes	0	70	70
Total		48	70	118

Frequencies

Notes

Output Created		06-NOV-2026 23:16:04
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES= Ketorolac_Indicator High_Pain_Flag Positive_Satisfaction_Flag.

Notes

Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

		IV Ketorolac Treatment Indicator	Severe or Worst Postoperative Pain	Positive Patient Satisfaction
N	Valid	118	118	118
	Missing	0	0	0

Frequency Table

IV Ketorolac Treatment Indicator

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	IV Paracetamol	59	50.0	50.0	50.0
	IV Ketorolac	59	50.0	50.0	100.0
	Total	118	100.0	100.0	

Severe or Worst Postoperative Pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mild or Moderate Pain	73	61.9	61.9	61.9
	Severe or Worst Pain	45	38.1	38.1	100.0
	Total	118	100.0	100.0	

Positive Patient Satisfaction

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not Satisfied or Neutral	41	34.7	34.7	34.7
	Satisfied or Very Satisfied	77	65.3	65.3	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 23:16:05
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Ketorolac_Indicator...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * IV Ketorolac Treatment Indicator	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * IV Ketorolac Treatment Indicator Crosstabulation

Count

		IV Ketorolac Treatment Indicator		
		IV Paracetamol	IV Ketorolac	Total
Cleaned IV Treatment Group	IV Paracetamol	59	0	59
	IV Ketorolac	0	59	59
Total		59	59	118

Crosstabs

Notes

Output Created		06-NOV-2026 23:16:05
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=VAS_Code BY High_Pain_Flag /CELLS=COUNT.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Postoperative VAS Pain Severity * Severe or Worst Postoperative Pain	118	100.0%	0	0.0%	118	100.0%

Postoperative VAS Pain Severity * Severe or Worst Postoperative Pain Crosstabulation

Count

		Severe or Worst Postoperative Pain		
		Mild or Moderate Pain	Severe or Worst Pain	Total
Postoperative VAS Pain Severity	Mild (1-3)	36	0	36
	Moderate (4-6)	37	0	37
	Severe (7-8)	0	41	41
	Worst Pain (9-10)	0	4	4
Total		73	45	118

Crosstabs

Notes

Output Created		06-NOV-2026 23:16:05
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Satisfaction_Code BY Positive_Satisfaction_Flag...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Patient Satisfaction Level * Positive Patient Satisfaction	118	100.0%	0	0.0%	118	100.0%

Patient Satisfaction Level * Positive Patient Satisfaction Crosstabulation

Count

		Positive Patient Satisfaction		
		Not Satisfied or Neutral	Satisfied or Very Satisfied	Total
Patient Satisfaction Level	Very dissatisfied	6	0	6
	Dissatisfied	7	0	7
	Neutral	28	0	28
	Satisfied	0	37	37
	Very satisfied	0	40	40
Total		41	77	118

Frequencies

Notes

Output Created		06-NOV-2026 23:32:27
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES= Satisfaction_3Level VAS_3Level.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

		Recoded Patient Satisfaction (3 Levels)	Recoded VAS Pain Severity (3 Levels)
N	Valid	118	118
	Missing	0	0

Frequency Table

Recoded Patient Satisfaction (3 Levels)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Dissatisfied	13	11.0	11.0	11.0
	Neutral	28	23.7	23.7	34.7
	Satisfied	77	65.3	65.3	100.0
	Total	118	100.0	100.0	

Recoded VAS Pain Severity (3 Levels)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mild Pain	36	30.5	30.5	30.5
	Moderate Pain	37	31.4	31.4	61.9
	Severe or Worst Pain	45	38.1	38.1	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		06-NOV-2026 23:32:27
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Satisfaction_Code BY Satisfaction_3Level...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Patient Satisfaction Level * Recoded Patient Satisfaction (3 Levels)	118	100.0%	0	0.0%	118	100.0%

Patient Satisfaction Level * Recoded Patient Satisfaction (3 Levels) Crosstabulation

Count

		Recoded Patient Satisfaction (3 Levels)			
		Dissatisfied	Neutral	Satisfied	Total
Patient Satisfaction Level	Very dissatisfied	6	0	0	6
	Dissatisfied	7	0	0	7
	Neutral	0	28	0	28
	Satisfied	0	0	37	37
	Very satisfied	0	0	40	40
Total		13	28	77	118

Crosstabs

Notes

Output Created		06-NOV-2026 23:32:27
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=VAS_Code BY VAS_3Level /CELLS=COUNT.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Postoperative VAS Pain Severity * Recoded VAS Pain Severity (3 Levels)	118	100.0%	0	0.0%	118	100.0%

Postoperative VAS Pain Severity * Recoded VAS Pain Severity (3 Levels) Crosstabulation

Count

		Recoded VAS Pain Severity (3 Levels)			
		Mild Pain	Moderate Pain	Severe or Worst Pain	Total
Postoperative VAS Pain Severity	Mild (1-3)	36	0	0	36
	Moderate (4-6)	0	37	0	37
	Severe (7-8)	0	0	41	41
	Worst Pain (9-10)	0	0	4	4
Total		36	37	45	118

Frequencies

Notes

Output Created		06-NOV-2026 23:41:38
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Coding_Verification.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Final Verification of Coded Data

N	Valid	118
	Missing	0

Final Verification of Coded Data

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Coding Verified	118	100.0	100.0	100.0

Crosstabs

Notes

Output Created		06-NOV-2026 23:41:38
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Coding_Verification...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Final Verification of Coded Data	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Final Verification of Coded Data Crosstabulation

Count

		Final Verification of Coded Data: Coding Verified	Total
Cleaned IV Treatment Group	IV Paracetamol	59	59
	IV Ketorolac	59	59
Total		118	118

```
>Warning # 67. Command name: GET FILE
>The document is already in use by another user or process. If you make
>changes to the document they may overwrite changes made by others or your
>changes may be overwritten by others.
>File opened C:\Users\Ghousia computer\Downloads\Ali Awais
Khan\Hernia_Research_Cleaned.sav

>Warning # 5334. Command name: SAVE
>The SAVE command has succeeded. However, due to contention for the specified
>file, the data have been saved to a file with a different name.
>Saved to C:\Users\Ghousia computer\Downloads\Ali Awais
Khan\Hernia_Research_Cleaned_1.sav.
```

Frequencies

Notes

Output Created		07-NOV-2026 12:11:36
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES= Age_Code Gender_Code BMI_Code ASA_Code Treatment_Group_Clean VAS_Code Satisfaction_Code Pain_Relief_Code Adverse_Effect_Code /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02

[DataSet4] C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav

Statistics

		Patient Age Group	Patient Gender	Patient BMI Category	Patient ASA Physical Status	Cleaned IV Treatment Group
N	Valid	118	118	118	118	118
	Missing	0	0	0	0	0

Statistics

		Postoperative VAS Pain Severity	Patient Satisfaction Level	Adequacy of Postoperative Pain Relief	Postoperative Adverse Effects
N	Valid	118	118	118	118
	Missing	0	0	0	0

Frequency Table

Patient Age Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18-25 years	49	41.5	41.5	41.5
	26-40 years	30	25.4	25.4	66.9
	41-60 years	30	25.4	25.4	92.4
	Above 60 years	9	7.6	7.6	100.0
	Total	118	100.0	100.0	

Patient Gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Female	50	42.4	42.4	42.4
	Male	68	57.6	57.6	100.0
	Total	118	100.0	100.0	

Patient BMI Category

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Less than 18.5	9	7.6	7.6	7.6
	18.5 - 24.9	57	48.3	48.3	55.9
	25.0 - 29.9	34	28.8	28.8	84.7
	30.0 - 39.9	13	11.0	11.0	95.8
	Above 40	5	4.2	4.2	100.0
	Total	118	100.0	100.0	

Patient ASA Physical Status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ASA 1	74	62.7	62.7	62.7
	ASA 2	27	22.9	22.9	85.6
	ASA 3	15	12.7	12.7	98.3
	ASA 4	2	1.7	1.7	100.0
	Total	118	100.0	100.0	

Cleaned IV Treatment Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	IV Paracetamol	59	50.0	50.0	50.0
	IV Ketorolac	59	50.0	50.0	100.0
	Total	118	100.0	100.0	

Postoperative VAS Pain Severity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mild (1-3)	36	30.5	30.5	30.5
	Moderate (4-6)	37	31.4	31.4	61.9
	Severe (7-8)	41	34.7	34.7	96.6
	Worst Pain (9-10)	4	3.4	3.4	100.0
	Total	118	100.0	100.0	

Patient Satisfaction Level

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very dissatisfied	6	5.1	5.1	5.1
	Dissatisfied	7	5.9	5.9	11.0
	Neutral	28	23.7	23.7	34.7
	Satisfied	37	31.4	31.4	66.1
	Very satisfied	40	33.9	33.9	100.0
	Total	118	100.0	100.0	

Adequacy of Postoperative Pain Relief

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	16	13.6	13.6	13.6
	Uncertain	17	14.4	14.4	28.0
	Yes	85	72.0	72.0	100.0
	Total	118	100.0	100.0	

Postoperative Adverse Effects

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No Adverse Effects	48	40.7	40.7	40.7
	Adverse Effects Reported	70	59.3	59.3	100.0
	Total	118	100.0	100.0	

Frequencies

Notes

Output Created		07-NOV-2026 12:25:45
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Age_Code Gender_Code /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	00:00:01.27
	Elapsed Time	00:00:00.91

Statistics

		Patient Age Group	Patient Gender
N	Valid	118	118
	Missing	0	0

Frequency Table


Patient Age Group


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18-25 years	49	41.5	41.5	41.5
	26-40 years	30	25.4	25.4	66.9
	41-60 years	30	25.4	25.4	92.4
	Above 60 years	9	7.6	7.6	100.0
	Total	118	100.0	100.0	

Patient Gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Female	50	42.4	42.4	42.4
	Male	68	57.6	57.6	100.0
	Total	118	100.0	100.0	

Bar Chart


Patient Age Group
Frequency
50
40
30
20
10
0
18-25 years
26-40 years
41-60 years
Above 60 years
Patient Age Group


Patient Gender
Frequency
60
40
20
0
Female
Male
Patient Gender

Crosstabs

Notes

Output Created		07-NOV-2026 12:25:46
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Age_Code BY Gender_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW COLUMN.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Patient Age Group * Patient Gender	118	100.0%	0	0.0%	118	100.0%


Patient Age Group * Patient Gender Crosstabulation

			Patient Gender		
			Female	Male	Total
Patient Age Group	18-25 years	Count	18	31	49
		% within Patient Age Group	36.7%	63.3%	100.0%
		% within Patient Gender	36.0%	45.6%	41.5%
	26-40 years	Count	14	16	30
		% within Patient Age Group	46.7%	53.3%	100.0%
		% within Patient Gender	28.0%	23.5%	25.4%
	41-60 years	Count	13	17	30
		% within Patient Age Group	43.3%	56.7%	100.0%
		% within Patient Gender	26.0%	25.0%	25.4%
	Above 60 years	Count	5	4	9
		% within Patient Age Group	55.6%	44.4%	100.0%
		% within Patient Gender	10.0%	5.9%	7.6%
Total		Count	50	68	118
		% within Patient Age Group	42.4%	57.6%	100.0%
		% within Patient Gender	100.0%	100.0%	100.0%

Graph

Notes

Output Created		07-NOV-2026 12:25:46
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Syntax		GRAPH /BAR(GROUPED)=COUNT BY Age_Code BY Gender_Code.
Resources	Processor Time	00:00:00.30
	Elapsed Time	00:00:00.17



Frequencies

Notes

Output Created		07-NOV-2026 12:36:16
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=BMI_Code ASA_Code /BARCHART FREQ /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

[DataSet3]

Warnings

Text: BMI_Code Command: FREQUENCIES
An undefined variable name, or a scratch or system variable was specified in a variable list which accepts only standard variables. Check spelling and verify the existence of this variable.
Execution of this command stops.

Text: ASA_Code Command: FREQUENCIES
An undefined variable name, or a scratch or system variable was specified in a variable list which accepts only standard variables. Check spelling and verify the existence of this variable.

Crosstabs

Notes

Output Created		07-NOV-2026 12:36:16
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=BMI_Code BY ASA_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW COLUMN.

Notes

Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Warnings

Text: BMI_Code Command: CROSSTABS
An undefined variable name, or a scratch or system variable was specified in a variable list which accepts only standard variables. Check spelling and verify the existence of this variable.
Execution of this command stops.

Text: ASA_Code Command: CROSSTABS
An undefined variable name, or a scratch or system variable was specified in a variable list which accepts only standard variables. Check spelling and verify the existence of this variable.

Graph

Notes

Output Created		07-NOV-2026 12:36:16
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Syntax		GRAPH /BAR(GROUPED)=COUNT BY BMI_Code BY ASA_Code.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

```
>Error # 701 in column 24.  Text: BMI_Code
>An undefined variable name, or a scratch or system variable was specified in a
>variable list which accepts only standard variables.  Check spelling and
>verify the existence of this variable.
>Execution of this command stops.

>Error # 701 in column 36.  Text: ASA_Code
>An undefined variable name, or a scratch or system variable was specified in a
```

```
>variable list which accepts only standard variables.  Check spelling and
>verify the existence of this variable.

>Warning # 17848
>The requested bar chart type cannot be drawn with the provided data.  Instead,
>Graphics will attempt to draw a simple bar chart.
```

File Information

Notes

Output Created		07-NOV-2026 12:38:10
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
Syntax		DISPLAY DICTIONARY.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

```
[DataSet4] C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.s
av
```

Variable Information

Variable	Position	Label	Measurement Level	Role	Column Width
Timestamp	1	<none>	Scale	Input	11
HospitalType	2	Hospital Type :	Nominal	Input	7
Age	3	<none>	Nominal	Input	14
BMI	4	<none>	Nominal	Input	14
Gender	5	<none>	Nominal	Input	6
ASAstatus	6	ASA status	Nominal	Input	5
Typeofhernia	7	Type of hernia	Nominal	Input	17
Typeofsurgery	8	Type of surgery	Nominal	Input	43
Relevantmedicalhistory	9	Relevant medical history	Nominal	Input	50
Historyofchronicpain	10	History of chronic pain	Nominal	Input	3
Durationofsurgery	11	Duration of surgery	Nominal	Input	16
Studygroupanddrugadministration	12	Study group and drug administration	Nominal	Input	24
Timeofadministration	13	Time of administration	Nominal	Input	34
Additionalanalgesicsused	14	Additional analgesics used	Nominal	Input	3
PostoperativepainmanagementassessmentthroughVAS	15	Post operative pain management assessment through VAS	Nominal	Input	28
Heartratebeatsmin	16	Heart rate (beats / min)	Nominal	Input	12
Respiratoryrate	17	Respiratory rate	Nominal	Input	12
SPO2	18	<none>	Nominal	Input	12
Didpatientexperiencedanyadverseeffects	19	Did patient experienced any adverse effects	Nominal	Input	3
Ifyesindicatetheadverseeffect	20	If yes , indicate the adverse effect	Nominal	Input	50
Overallpatientsatisfaction	21	Overall patient satisfaction	Nominal	Input	17

Variable Information

Variable	Alignment	Print Format	Write Format
Timestamp	Right	DATE11	DATE11
HospitalType	Left	A7	A7
Age	Left	A14	A14
BMI	Left	A14	A14
Gender	Left	A6	A6
ASAstatus	Left	A5	A5
Typeofhernia	Left	A17	A17
Typeofsurgery	Left	A43	A43
Relevantmedicalhistory	Left	A50	A50
Historyofchronicpain	Left	A3	A3
Durationofsurgery	Left	A16	A16
Studygroupanddrugadministration	Left	A24	A24
Timeofadministration	Left	A34	A34
Additionalanalgesicsused	Left	A3	A3
PostoperativepainmanagementassessmentthroughVAS	Left	A28	A28
Heartratebeatsmin	Left	A12	A12
Respiratoryrate	Left	A12	A12
SPO2	Left	A12	A12
Didpatientexperiencedanyadverseeffects	Left	A3	A3
Ifyesindicatetheadverseeffect	Left	A73	A73
Overallpatientsatisfaction	Left	A17	A17

Variable Information

Variable	Position	Label	Measurement Level	Role	Column Width
Waspainreliefadequate	22	Was pain relief adequate	Nominal	Input	9
Treatment_Group_Clean	23	Cleaned IV Treatment Group	Nominal	Input	23
Adverse_Effect_Clean	24	Standardised Adverse Effect Descriptions	Nominal	Input	26
Age_ASA_Eligible	25	<none>	Nominal	Input	18
Medical_Exclusion_Flag	26	Recorded Kidney Failure or Bleeding Disorder	Nominal	Input	24
Preliminary_Eligibility	27	Preliminary Patient Eligibility	Nominal	Input	25
Liver_Review_Flag	28	Liver-Related Medical History Requiring Review	Nominal	Input	19
Age_Code	29	Patient Age Group	Ordinal	Input	10
Gender_Code	30	Patient Gender	Nominal	Input	13
BMI_Code	31	Patient BMI Category	Ordinal	Input	10
ASA_Code	32	Patient ASA Physical Status	Ordinal	Input	10
VAS_Code	33	Postoperative VAS Pain Severity	Ordinal	Input	10
Satisfaction_Code	34	Patient Satisfaction Level	Ordinal	Input	19
Pain_Relief_Code	35	Adequacy of Postoperative Pain Relief	Ordinal	Input	18
Adverse_Effect_Code	36	Postoperative Adverse ...	Nominal	Input	21
Ketorolac_Indicator	37	IV Ketorolac Treatment Indicator	Nominal	Input	21

Variable Information

Variable	Alignment	Print Format	Write Format
Waspainreliefadequate	Left	A9	A9
Treatment_Group_Clean	Right	F1	F1
Adverse_Effect_Clean	Left	A200	A200
Age_ASA_Eligible	Right	F8.2	F8.2
Medical_Exclusion_Flag	Right	F1	F1
Preliminary_Eligibility	Right	F1	F1
Liver_Review_Flag	Right	F1	F1
Age_Code	Right	F1	F1
Gender_Code	Right	F1	F1
BMI_Code	Right	F1	F1
ASA_Code	Right	F1	F1
VAS_Code	Right	F1	F1
Satisfaction_Code	Right	F1	F1
Pain_Relief_Code	Right	F1	F1
Adverse_Effect_Code	Right	F1	F1
Ketorolac_Indicator	Right	F1	F1

Variable Information

Variable	Position	Label	Measurement Level	Role	Column Width
High_Pain_Flag	38	Severe or Worst Postoperative Pain	Nominal	Input	16
Positive_Satisfaction_Flag	39	Positive Patient Satisfaction	Nominal	Input	28
Satisfaction_3Level	40	Recoded Patient Satisfaction (3 Levels)	Ordinal	Input	21
VAS_3Level	41	Recoded VAS Pain Severity (3 Levels)	Ordinal	Input	12
Coding_Verification	42	Final Verification of Coded Data	Nominal	Input	21

Variable Information

Variable	Alignment	Print Format	Write Format
High_Pain_Flag	Right	F1	F1
Positive_Satisfaction_Flag	Right	F1	F1
Satisfaction_3Level	Right	F1	F1
VAS_3Level	Right	F1	F1
Coding_Verification	Right	F1	F1

Variables in the working file

Variable Values

Value		Label
Treatment_Group_Clean	1	IV Paracetamol
	2	IV Ketorolac
Medical_Exclusion_Flag	0	Not Recorded
	1	Recorded
Preliminary_Eligibility	0	Does Not Meet Checked Criteria
	1	Meets Checked Criteria
Liver_Review_Flag	0	Not Mentioned
	1	Requires Review
Age_Code	1	18-25 years
	2	26-40 years
	3	41-60 years
	4	Above 60 years
Gender_Code	1	Female
	2	Male
BMI_Code	1	Less than 18.5
	2	18.5 - 24.9
	3	25.0 - 29.9
	4	30.0 - 39.9
	5	Above 40
ASA_Code	1	ASA 1
	2	ASA 2
	3	ASA 3
	4	ASA 4
VAS_Code	1	Mild (1-3)
	2	Moderate (4-6)
	3	Severe (7-8)
	4	Worst Pain (9-10)
Satisfaction_Code	1	Very dissatisfied
	2	Dissatisfied
	3	Neutral
	4	Satisfied
	5	Very satisfied
Pain_Relief_Code	1	No
	2	Uncertain
	3	Yes
Adverse_Effect_Code	0	No Adverse Effects
	1	Adverse Effects Reported

Variable Values

Value		Label
Ketorolac_Indicator	0	IV Paracetamol
	1	IV Ketorolac
High_Pain_Flag	0	Mild or Moderate Pain
	1	Severe or Worst Pain
Positive_Satisfaction_Flag	0	Not Satisfied or Neutral
	1	Satisfied or Very Satisfied
Satisfaction_3Level	1	Dissatisfied
	2	Neutral
	3	Satisfied
VAS_3Level	1	Mild Pain
	2	Moderate Pain
	3	Severe or Worst Pain
Coding_Verification	0	Review Required
	1	Coding Verified

File Information

Notes

Output Created		07-NOV-2026 12:38:18
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
Syntax		DISPLAY DICTIONARY.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Variable Information

Variable	Position	Label	Measurement Level	Role	Column Width
Timestamp	1	<none>	Scale	Input	11
HospitalType	2	Hospital Type :	Nominal	Input	7
Age	3	<none>	Nominal	Input	14
BMI	4	<none>	Nominal	Input	14
Gender	5	<none>	Nominal	Input	6
ASAstatus	6	ASA status	Nominal	Input	5
Typeofhernia	7	Type of hernia	Nominal	Input	17
Typeofsurgery	8	Type of surgery	Nominal	Input	43
Relevantmedicalhistory	9	Relevant medical history	Nominal	Input	50
Historyofchronicpain	10	History of chronic pain	Nominal	Input	3
Durationofsurgery	11	Duration of surgery	Nominal	Input	16
Studygroupanddrugadministration	12	Study group and drug administration	Nominal	Input	24
Timeofadministration	13	Time of administration	Nominal	Input	34
Additionalanalgesicsused	14	Additional analgesics used	Nominal	Input	3
PostoperativepainmanagementassessmentthroughVAS	15	Post operative pain management assessment through VAS	Nominal	Input	28
Heartratebeatsmin	16	Heart rate (beats / min)	Nominal	Input	12
Respiratoryrate	17	Respiratory rate	Nominal	Input	12
SPO2	18	<none>	Nominal	Input	12
Didpatientexperiencedanyadverseeffects	19	Did patient experienced any adverse effects	Nominal	Input	3
Ifyesindicatetheadverseeffect	20	If yes , indicate the adverse effect	Nominal	Input	50
Overallpatientsatisfaction	21	Overall patient satisfaction	Nominal	Input	17

Variable Information

Variable	Alignment	Print Format	Write Format
Timestamp	Right	DATE11	DATE11
HospitalType	Left	A7	A7
Age	Left	A14	A14
BMI	Left	A14	A14
Gender	Left	A6	A6
ASAstatus	Left	A5	A5
Typeofhernia	Left	A17	A17
Typeofsurgery	Left	A43	A43
Relevantmedicalhistory	Left	A50	A50
Historyofchronicpain	Left	A3	A3
Durationofsurgery	Left	A16	A16
Studygroupanddrugadministration	Left	A24	A24
Timeofadministration	Left	A34	A34
Additionalanalgesicsused	Left	A3	A3
PostoperativepainmanagementassessmentthroughVAS	Left	A28	A28
Heartratebeatsmin	Left	A12	A12
Respiratoryrate	Left	A12	A12
SPO2	Left	A12	A12
Didpatientexperiencedanyadverseeffects	Left	A3	A3
Ifyesindicatetheadverseeffect	Left	A73	A73
Overallpatientsatisfaction	Left	A17	A17

Variable Information

Variable	Position	Label	Measurement Level	Role	Column Width
Waspainreliefadequate	22	Was pain relief adequate	Nominal	Input	9
Treatment_Group_Clean	23	Cleaned IV Treatment Group	Nominal	Input	23
Adverse_Effect_Clean	24	Standardised Adverse Effect Descriptions	Nominal	Input	26
Age_ASA_Eligible	25	<none>	Nominal	Input	18
Medical_Exclusion_Flag	26	Recorded Kidney Failure or Bleeding Disorder	Nominal	Input	24
Preliminary_Eligibility	27	Preliminary Patient Eligibility	Nominal	Input	25
Liver_Review_Flag	28	Liver-Related Medical History Requiring Review	Nominal	Input	19
Age_Code	29	Patient Age Group	Ordinal	Input	10
Gender_Code	30	Patient Gender	Nominal	Input	13
BMI_Code	31	Patient BMI Category	Ordinal	Input	10
ASA_Code	32	Patient ASA Physical Status	Ordinal	Input	10
VAS_Code	33	Postoperative VAS Pain Severity	Ordinal	Input	10
Satisfaction_Code	34	Patient Satisfaction Level	Ordinal	Input	19
Pain_Relief_Code	35	Adequacy of Postoperative Pain Relief	Ordinal	Input	18
Adverse_Effect_Code	36	Postoperative Adverse ...	Nominal	Input	21
Ketorolac_Indicator	37	IV Ketorolac Treatment Indicator	Nominal	Input	21

Variable Information

Variable	Alignment	Print Format	Write Format
Waspainreliefadequate	Left	A9	A9
Treatment_Group_Clean	Right	F1	F1
Adverse_Effect_Clean	Left	A200	A200
Age_ASA_Eligible	Right	F8.2	F8.2
Medical_Exclusion_Flag	Right	F1	F1
Preliminary_Eligibility	Right	F1	F1
Liver_Review_Flag	Right	F1	F1
Age_Code	Right	F1	F1
Gender_Code	Right	F1	F1
BMI_Code	Right	F1	F1
ASA_Code	Right	F1	F1
VAS_Code	Right	F1	F1
Satisfaction_Code	Right	F1	F1
Pain_Relief_Code	Right	F1	F1
Adverse_Effect_Code	Right	F1	F1
Ketorolac_Indicator	Right	F1	F1

Variable Information

Variable	Position	Label	Measurement Level	Role	Column Width
High_Pain_Flag	38	Severe or Worst Postoperative Pain	Nominal	Input	16
Positive_Satisfaction_Flag	39	Positive Patient Satisfaction	Nominal	Input	28
Satisfaction_3Level	40	Recoded Patient Satisfaction (3 Levels)	Ordinal	Input	21
VAS_3Level	41	Recoded VAS Pain Severity (3 Levels)	Ordinal	Input	12
Coding_Verification	42	Final Verification of Coded Data	Nominal	Input	21

Variable Information

Variable	Alignment	Print Format	Write Format
High_Pain_Flag	Right	F1	F1
Positive_Satisfaction_Flag	Right	F1	F1
Satisfaction_3Level	Right	F1	F1
VAS_3Level	Right	F1	F1
Coding_Verification	Right	F1	F1

Variables in the working file

Variable Values

Value		Label
Treatment_Group_Clean	1	IV Paracetamol
	2	IV Ketorolac
Medical_Exclusion_Flag	0	Not Recorded
	1	Recorded
Preliminary_Eligibility	0	Does Not Meet Checked Criteria
	1	Meets Checked Criteria
Liver_Review_Flag	0	Not Mentioned
	1	Requires Review
Age_Code	1	18-25 years
	2	26-40 years
	3	41-60 years
	4	Above 60 years
Gender_Code	1	Female
	2	Male
BMI_Code	1	Less than 18.5
	2	18.5 - 24.9
	3	25.0 - 29.9
	4	30.0 - 39.9
	5	Above 40
ASA_Code	1	ASA 1
	2	ASA 2
	3	ASA 3
	4	ASA 4
VAS_Code	1	Mild (1-3)
	2	Moderate (4-6)
	3	Severe (7-8)
	4	Worst Pain (9-10)
Satisfaction_Code	1	Very dissatisfied
	2	Dissatisfied
	3	Neutral
	4	Satisfied
	5	Very satisfied
Pain_Relief_Code	1	No
	2	Uncertain
	3	Yes
Adverse_Effect_Code	0	No Adverse Effects
	1	Adverse Effects Reported

Variable Values

Value		Label
Ketorolac_Indicator	0	IV Paracetamol
	1	IV Ketorolac
High_Pain_Flag	0	Mild or Moderate Pain
	1	Severe or Worst Pain
Positive_Satisfaction_Flag	0	Not Satisfied or Neutral
	1	Satisfied or Very Satisfied
Satisfaction_3Level	1	Dissatisfied
	2	Neutral
	3	Satisfied
VAS_3Level	1	Mild Pain
	2	Moderate Pain
	3	Severe or Worst Pain
Coding_Verification	0	Review Required
	1	Coding Verified

Frequencies

Notes

Output Created		07-NOV-2026 20:47:51
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=BMI_Code ASA_Code /BARCHART FREQ /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:00.39
	Elapsed Time	00:00:00.38

Statistics

		Patient BMI Category	Patient ASA Physical Status
N	Valid	118	118
	Missing	0	0

Frequency Table


Patient BMI Category


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Less than 18.5	9	7.6	7.6	7.6
	18.5 - 24.9	57	48.3	48.3	55.9
	25.0 - 29.9	34	28.8	28.8	84.7
	30.0 - 39.9	13	11.0	11.0	95.8
	Above 40	5	4.2	4.2	100.0
	Total	118	100.0	100.0	

Patient ASA Physical Status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ASA 1	74	62.7	62.7	62.7
	ASA 2	27	22.9	22.9	85.6
	ASA 3	15	12.7	12.7	98.3
	ASA 4	2	1.7	1.7	100.0
	Total	118	100.0	100.0	

Bar Chart


Patient BMI Category
Frequency
60
50
40
30
20
10
0
Less than 18.5
18.5 - 24.9
25.0 - 29.9
30.0 - 39.9
Above 40
Patient BMI Category


Patient ASA Physical Status
Frequency
80
60
40
20
0
ASA 1
ASA 2
ASA 3
ASA 4
Patient ASA Physical Status

Crosstabs

Notes

Output Created		07-NOV-2026 20:47:51
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=BMI_Code BY ASA_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW COLUMN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Patient BMI Category * Patient ASA Physical Status	118	100.0%	0	0.0%	118	100.0%

Patient BMI Category * Patient ASA Physical Status Crosstabulation

			Patient ASA Physical Status		
			ASA 1	ASA 2	ASA 3
Patient BMI Category	Less than 18.5	Count	8	1	0
		% within Patient BMI Category	88.9%	11.1%	0.0%
		% within Patient ASA Physical Status	10.8%	3.7%	0.0%
	18.5 - 24.9	Count	45	6	5
		% within Patient BMI Category	78.9%	10.5%	8.8%
		% within Patient ASA Physical Status	60.8%	22.2%	33.3%
	25.0 - 29.9	Count	17	11	5
		% within Patient BMI Category	50.0%	32.4%	14.7%
		% within Patient ASA Physical Status	23.0%	40.7%	33.3%
	30.0 - 39.9	Count	4	5	4
		% within Patient BMI Category	30.8%	38.5%	30.8%
		% within Patient ASA Physical Status	5.4%	18.5%	26.7%
	Above 40	Count	0	4	1
		% within Patient BMI Category	0.0%	80.0%	20.0%
		% within Patient ASA Physical Status	0.0%	14.8%	6.7%
Total		Count	74	27	15
		% within Patient BMI Category	62.7%	22.9%	12.7%
		% within Patient ASA Physical Status	100.0%	100.0%	100.0%


Patient BMI Category * Patient ASA Physical Status Crosstabulation

			Patient ASA ...	
			ASA 4	Total
Patient BMI Category	Less than 18.5	Count	0	9
		% within Patient BMI Category	0.0%	100.0%
		% within Patient ASA Physical Status	0.0%	7.6%
	18.5 - 24.9	Count	1	57
		% within Patient BMI Category	1.8%	100.0%
		% within Patient ASA Physical Status	50.0%	48.3%
	25.0 - 29.9	Count	1	34
		% within Patient BMI Category	2.9%	100.0%
		% within Patient ASA Physical Status	50.0%	28.8%
	30.0 - 39.9	Count	0	13
		% within Patient BMI Category	0.0%	100.0%
		% within Patient ASA Physical Status	0.0%	11.0%
	Above 40	Count	0	5
		% within Patient BMI Category	0.0%	100.0%
		% within Patient ASA Physical Status	0.0%	4.2%
Total		Count	2	118
		% within Patient BMI Category	1.7%	100.0%
		% within Patient ASA Physical Status	100.0%	100.0%

Graph

Notes

Output Created		07-NOV-2026 20:47:51
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Syntax		GRAPH /BAR(GROUPED)=COUNT BY BMI_Code BY ASA_Code.
Resources	Processor Time	00:00:00.19
	Elapsed Time	00:00:00.15



Frequencies

Notes

Output Created		07-NOV-2026 21:05:05
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Treatment_Group_Clean /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.17
	Elapsed Time	00:00:00.15


Statistics

Cleaned IV Treatment Group

N	Valid	118
	Missing	0

Cleaned IV Treatment Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	IV Paracetamol	59	50.0	50.0	50.0
	IV Ketorolac	59	50.0	50.0	100.0
	Total	118	100.0	100.0	



Frequencies

Notes

Output Created		07-NOV-2026 21:05:06
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Treatment_Group_Clean /PIECHART PERCENT /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:00.17
	Elapsed Time	00:00:00.15


Statistics

Cleaned IV Treatment Group

N	Valid	118
	Missing	0

Cleaned IV Treatment Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	IV Paracetamol	59	50.0	50.0	50.0
	IV Ketorolac	59	50.0	50.0	100.0
	Total	118	100.0	100.0	



Notes

Output Created		07-NOV-2026 21:17:32
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=VAS_Code /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Notes

Output Created		07-NOV-2026 21:17:32
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=VAS_Code /PIECHART PERCENT /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Notes

Output Created		07-NOV-2026 21:17:33
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY VAS_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW ...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Notes

Output Created		07-NOV-2026 21:17:33
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Syntax		GRAPH /BAR(GROUPED)=COUNT BY VAS_Code BY Treatment_Group_Clean.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Notes

Output Created		07-NOV-2026 21:17:53
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=VAS_Code /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Notes

Output Created		07-NOV-2026 21:17:53
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=VAS_Code /PIECHART PERCENT /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Notes

Output Created		07-NOV-2026 21:17:53
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY VAS_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW ...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Notes

Output Created		07-NOV-2026 21:17:53
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
Syntax		GRAPH /BAR(GROUPED)=COUNT BY VAS_Code BY Treatment_Group_Clean.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Dataset Display

Notes

Output Created		07-NOV-2026 21:21:49
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
Syntax		DATASET DISPLAY.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Datasets	Datasets Creation Timestamps	Associated Files
DataSet3[a]	07-NOV-2026 12:10:10.00	
DataSet4	07-NOV-2026 12:11:23.00	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav

a. Active dataset

Frequencies

Notes

Output Created		07-NOV-2026 21:23:35
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=VAS_Code.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

```
[DataSet4] C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
```

Statistics

Postoperative VAS Pain Severity

N	Valid	118
	Missing	0

Postoperative VAS Pain Severity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mild (1-3)	36	30.5	30.5	30.5
	Moderate (4-6)	37	31.4	31.4	61.9
	Severe (7-8)	41	34.7	34.7	96.6
	Worst Pain (9-10)	4	3.4	3.4	100.0
	Total	118	100.0	100.0	

Frequencies

Notes

Output Created		07-NOV-2026 21:24:36
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=VAS_Code /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.17
	Elapsed Time	00:00:00.14


Statistics

Postoperative VAS Pain Severity

N	Valid	118
	Missing	0

Postoperative VAS Pain Severity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mild (1-3)	36	30.5	30.5	30.5
	Moderate (4-6)	37	31.4	31.4	61.9
	Severe (7-8)	41	34.7	34.7	96.6
	Worst Pain (9-10)	4	3.4	3.4	100.0
	Total	118	100.0	100.0	



Frequencies

Notes

Output Created		07-NOV-2026 21:24:36
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=VAS_Code /PIECHART PERCENT /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:00.19
	Elapsed Time	00:00:00.15


Statistics

Postoperative VAS Pain Severity

N	Valid	118
	Missing	0

Postoperative VAS Pain Severity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mild (1-3)	36	30.5	30.5	30.5
	Moderate (4-6)	37	31.4	31.4	61.9
	Severe (7-8)	41	34.7	34.7	96.6
	Worst Pain (9-10)	4	3.4	3.4	100.0
	Total	118	100.0	100.0	



Crosstabs

Notes

Output Created		07-NOV-2026 21:24:36
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY VAS_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW ...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Postoperative VAS Pain Severity	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain ...	
			Mild (1-3)	Moderate (4-6)
Cleaned IV Treatment Group	IV Paracetamol	Count	18	19
		% within Cleaned IV Treatment Group	30.5%	32.2%
		% within Postoperative VAS Pain Severity	50.0%	51.4%
	IV Ketorolac	Count	18	18
		% within Cleaned IV Treatment Group	30.5%	30.5%
		% within Postoperative VAS Pain Severity	50.0%	48.6%
Total		Count	36	37
		% within Cleaned IV Treatment Group	30.5%	31.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain Severity	
			Severe (7-8)	Worst Pain (9-10)
Cleaned IV Treatment Group	IV Paracetamol	Count	20	2
		% within Cleaned IV Treatment Group	33.9%	3.4%
		% within Postoperative VAS Pain Severity	48.8%	50.0%
	IV Ketorolac	Count	21	2
		% within Cleaned IV Treatment Group	35.6%	3.4%
		% within Postoperative VAS Pain Severity	51.2%	50.0%
Total		Count	41	4
		% within Cleaned IV Treatment Group	34.7%	3.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%


Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Total
Cleaned IV Treatment Group	IV Paracetamol	Count	59
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
	IV Ketorolac	Count	59
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
Total		Count	118
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	100.0%

Graph

Notes

Output Created		07-NOV-2026 21:24:36
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Syntax		GRAPH /BAR(GROUPED)=COUNT BY VAS_Code BY Treatment_Group_Clean.
Resources	Processor Time	00:00:00.20
	Elapsed Time	00:00:00.16



Frequencies

Notes

Output Created		08-NOV-2026 02:09:06
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Satisfaction_Code /BARCHART FREQ /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:01.26
	Elapsed Time	00:00:00.35

[DataSet1] C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav


Statistics

Patient Satisfaction Level

N	Valid	118
	Missing	0

Patient Satisfaction Level

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very dissatisfied	6	5.1	5.1	5.1
	Dissatisfied	7	5.9	5.9	11.0
	Neutral	28	23.7	23.7	34.7
	Satisfied	37	31.4	31.4	66.1
	Very satisfied	40	33.9	33.9	100.0
	Total	118	100.0	100.0	



Frequencies

Notes

Output Created		08-NOV-2026 02:09:06
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Satisfaction_Code /PIECHART PERCENT /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.17
	Elapsed Time	00:00:00.13


Statistics

Patient Satisfaction Level

N	Valid	118
	Missing	0

Patient Satisfaction Level

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very dissatisfied	6	5.1	5.1	5.1
	Dissatisfied	7	5.9	5.9	11.0
	Neutral	28	23.7	23.7	34.7
	Satisfied	37	31.4	31.4	66.1
	Very satisfied	40	33.9	33.9	100.0
	Total	118	100.0	100.0	



Crosstabs

Notes

Output Created		08-NOV-2026 02:09:06
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.

Notes

Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Satisfaction_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW ...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Patient Satisfaction Level	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Patient Satisfaction Level Crosstabulation

			Patient Satisfaction Level	
			Very dissatisfied	Dissatisfied
Cleaned IV Treatment Group	IV Paracetamol	Count	3	1
		% within Cleaned IV Treatment Group	5.1%	1.7%
		% within Patient Satisfaction Level	50.0%	14.3%
	IV Ketorolac	Count	3	6
		% within Cleaned IV Treatment Group	5.1%	10.2%
		% within Patient Satisfaction Level	50.0%	85.7%
Total		Count	6	7
		% within Cleaned IV Treatment Group	5.1%	5.9%
		% within Patient Satisfaction Level	100.0%	100.0%

Cleaned IV Treatment Group * Patient Satisfaction Level Crosstabulation

			Patient Satisfaction Level	
			Neutral	Satisfied
Cleaned IV Treatment Group	IV Paracetamol	Count	8	16
		% within Cleaned IV Treatment Group	13.6%	27.1%
		% within Patient Satisfaction Level	28.6%	43.2%
	IV Ketorolac	Count	20	21
		% within Cleaned IV Treatment Group	33.9%	35.6%
		% within Patient Satisfaction Level	71.4%	56.8%
Total		Count	28	37
		% within Cleaned IV Treatment Group	23.7%	31.4%
		% within Patient Satisfaction Level	100.0%	100.0%


Cleaned IV Treatment Group * Patient Satisfaction Level Crosstabulation

			Patient ...	
			Very satisfied	Total
Cleaned IV Treatment Group	IV Paracetamol	Count	31	59
		% within Cleaned IV Treatment Group	52.5%	100.0%
		% within Patient Satisfaction Level	77.5%	50.0%
	IV Ketorolac	Count	9	59
		% within Cleaned IV Treatment Group	15.3%	100.0%
		% within Patient Satisfaction Level	22.5%	50.0%
Total		Count	40	118
		% within Cleaned IV Treatment Group	33.9%	100.0%
		% within Patient Satisfaction Level	100.0%	100.0%

Graph

Notes

Output Created		08-NOV-2026 02:09:07
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Syntax		GRAPH /BAR(GROUPED)=COUNT BY Satisfaction_Code BY Treatment_Group_Clean.
Resources	Processor Time	00:00:00.20
	Elapsed Time	00:00:00.15



Frequencies

Notes

Output Created		08-NOV-2026 02:19:27
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Pain_Relief_Code /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.10


Statistics

Adequacy of Postoperative Pain Relief

N	Valid	118
	Missing	0

Adequacy of Postoperative Pain Relief

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	16	13.6	13.6	13.6
	Uncertain	17	14.4	14.4	28.0
	Yes	85	72.0	72.0	100.0
	Total	118	100.0	100.0	



Frequencies

Notes

Output Created		08-NOV-2026 02:19:28
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Pain_Relief_Code /PIECHART PERCENT /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:00.16
	Elapsed Time	00:00:00.11


Statistics

Adequacy of Postoperative Pain Relief

N	Valid	118
	Missing	0

Adequacy of Postoperative Pain Relief

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	16	13.6	13.6	13.6
	Uncertain	17	14.4	14.4	28.0
	Yes	85	72.0	72.0	100.0
	Total	118	100.0	100.0	



Crosstabs


Notes

Output Created		08-NOV-2026 02:19:28
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Pain_Relief_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW ...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Adequacy of Postoperative Pain Relief	118	100.0%	0	0.0%	118	100.0%

Graph



Cleaned IV Treatment Group * Adequacy of Postoperative Pain Relief Crosstabulation


			Adequacy of ...	
			No	Uncertain
Cleaned IV Treatment Group	IV Paracetamol	Count	5	5
		% within Cleaned IV Treatment Group	8.5%	8.5%
		% within Adequacy of Postoperative Pain Relief	31.3%	29.4%
	IV Ketorolac	Count	11	12
		% within Cleaned IV Treatment Group	18.6%	20.3%
		% within Adequacy of Postoperative Pain Relief	68.8%	70.6%
Total		Count	16	17
		% within Cleaned IV Treatment Group	13.6%	14.4%
		% within Adequacy of Postoperative Pain Relief	100.0%	100.0%

Cleaned IV Treatment Group * Adequacy of Postoperative Pain Relief Crosstabulation

			Adequacy of ...	
			Yes	Total
Cleaned IV Treatment Group	IV Paracetamol	Count	49	59
		% within Cleaned IV Treatment Group	83.1%	100.0%
		% within Adequacy of Postoperative Pain Relief	57.6%	50.0%
	IV Ketorolac	Count	36	59
		% within Cleaned IV Treatment Group	61.0%	100.0%
		% within Adequacy of Postoperative Pain Relief	42.4%	50.0%
Total		Count	85	118
		% within Cleaned IV Treatment Group	72.0%	100.0%
		% within Adequacy of Postoperative Pain Relief	100.0%	100.0%

Notes

Output Created		08-NOV-2026 02:19:28
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Syntax		GRAPH /BAR(GROUPED)=COUNT BY Pain_Relief_Code BY Treatment_Group_Clean.
Resources	Processor Time	00:00:00.17
	Elapsed Time	00:00:00.14



Frequencies

Notes

Output Created		08-NOV-2026 02:34:19
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Adverse_Effect_Code /BARCHART FREQ /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:00.41
	Elapsed Time	00:00:00.12


Statistics

Postoperative Adverse Effects

N	Valid	118
	Missing	0

Postoperative Adverse Effects

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No Adverse Effects	48	40.7	40.7	40.7
	Adverse Effects Reported	70	59.3	59.3	100.0
	Total	118	100.0	100.0	



Frequencies

Notes

Output Created		08-NOV-2026 02:34:19
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Adverse_Effect_Code /PIECHART PERCENT /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.10


Statistics

Postoperative Adverse Effects

N	Valid	118
	Missing	0

Postoperative Adverse Effects

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No Adverse Effects	48	40.7	40.7	40.7
	Adverse Effects Reported	70	59.3	59.3	100.0
	Total	118	100.0	100.0	



Crosstabs

Notes

Output Created		08-NOV-2026 02:34:19
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.

Notes

Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Adverse_Effect_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW ...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Postoperative Adverse Effects	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Postoperative Adverse Effects Crosstabulation

			Postoperative ...
			No Adverse Effects
Cleaned IV Treatment Group	IV Paracetamol	Count	21
		% within Cleaned IV Treatment Group	35.6%
		% within Postoperative Adverse Effects	43.8%
	IV Ketorolac	Count	27
		% within Cleaned IV Treatment Group	45.8%
		% within Postoperative Adverse Effects	56.3%
Total		Count	48
		% within Cleaned IV Treatment Group	40.7%
		% within Postoperative Adverse Effects	100.0%


Cleaned IV Treatment Group * Postoperative Adverse Effects Crosstabulation

			Postoperative ... Adverse Effects Reported	Total
Cleaned IV Treatment Group	IV Paracetamol	Count	38	59
		% within Cleaned IV Treatment Group	64.4%	100.0%
		% within Postoperative Adverse Effects	54.3%	50.0%
	IV Ketorolac	Count	32	59
		% within Cleaned IV Treatment Group	54.2%	100.0%
		% within Postoperative Adverse Effects	45.7%	50.0%
Total		Count	70	118
		% within Cleaned IV Treatment Group	59.3%	100.0%
		% within Postoperative Adverse Effects	100.0%	100.0%

Graph

Notes

Output Created		08-NOV-2026 02:34:19
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Syntax		GRAPH /BAR(GROUPED)=COUNT BY Adverse_Effect_Code BY Treatment_Group_Clean.
Resources	Processor Time	00:00:00.16
	Elapsed Time	00:00:00.11



Frequencies

Notes

Output Created		08-NOV-2026 02:34:19
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	70
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Adverse_Effect_Clean /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Statistics

Standardised Adverse Effect Descriptions

N	Valid	70
	Missing	0

Standardised Adverse Effect Descriptions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Allergic reactions	3	4.3	4.3	4.3
	Bleeding or suspected bleeding complication	4	5.7	5.7	10.0
	Bleeding or suspected bleeding complication, Allergic reactions	2	2.9	2.9	12.9
	Difficult breathing, Low SpO2	4	5.7	5.7	18.6
	Dizziness	6	8.6	8.6	27.1
	Dizziness, Allergic reactions	2	2.9	2.9	30.0
	Dizziness, Bleeding or suspected bleeding complication	2	2.9	2.9	32.9
	Dizziness, GI discomfort	6	8.6	8.6	41.4
	Dizziness, Headache, urinary retention	1	1.4	1.4	42.9
	GI discomfort	9	12.9	12.9	55.7
	GI discomfort, Allergic reactions	5	7.1	7.1	62.9
	GI discomfort, Bleeding or suspected bleeding complication	2	2.9	2.9	65.7
	GI discomfort, Bleeding or suspected bleeding complication, Hypotension	1	1.4	1.4	67.1
	Nausea, Dizziness	1	1.4	1.4	68.6
	Nausea, Vomiting	10	14.3	14.3	82.9
	Nausea, Vomiting, Difficult breathing	2	2.9	2.9	85.7
	Nausea, Vomiting, Dizziness	3	4.3	4.3	90.0

Standardised Adverse Effect Descriptions

		Frequency	Percent	Valid Percent	Cumulative Percent
	Nausea, Vomiting, Dizziness, Bleeding or suspected bleeding complication	1	1.4	1.4	91.4
	Nausea, Vomiting, Dizziness, GI discomfort	1	1.4	1.4	92.9
	Nausea, Vomiting, Dizziness, restlessness	1	1.4	1.4	94.3
	Nausea, Vomiting, GI discomfort	1	1.4	1.4	95.7
	Nausea, Vomiting, restlessness	2	2.9	2.9	98.6
	Restlessness	1	1.4	1.4	100.0
	Total	70	100.0	100.0	

Frequencies

Notes

Output Created		08-NOV-2026 02:55:40
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Treatment_Group_Clean /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Statistics

Cleaned IV Treatment Group

N	Valid	118
	Missing	0

Cleaned IV Treatment Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	IV Paracetamol	59	50.0	50.0	50.0
	IV Ketorolac	59	50.0	50.0	100.0
	Total	118	100.0	100.0	

Crosstabs

Notes

Output Created		08-NOV-2026 02:55:40
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Grou p_Clean BY VAS_Code /CELLS=COUNT ...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Postoperative VAS Pain Severity	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain ...	
			Mild (1-3)	Moderate (4-6)
Cleaned IV Treatment Group	IV Paracetamol	Count	18	19
		Expected Count	18.0	18.5
		% within Cleaned IV Treatment Group	30.5%	32.2%
	IV Ketorolac	Count	18	18
		Expected Count	18.0	18.5
		% within Cleaned IV Treatment Group	30.5%	30.5%
Total		Count	36	37
		Expected Count	36.0	37.0
		% within Cleaned IV Treatment Group	30.5%	31.4%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain Severity	
			Severe (7-8)	Worst Pain (9-10)
Cleaned IV Treatment Group	IV Paracetamol	Count	20	2
		Expected Count	20.5	2.0
		% within Cleaned IV Treatment Group	33.9%	3.4%
	IV Ketorolac	Count	21	2
		Expected Count	20.5	2.0
		% within Cleaned IV Treatment Group	35.6%	3.4%
Total		Count	41	4
		Expected Count	41.0	4.0
		% within Cleaned IV Treatment Group	34.7%	3.4%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Total
Cleaned IV Treatment Group	IV Paracetamol	Count	59
		Expected Count	59.0
		% within Cleaned IV Treatment Group	100.0%
	IV Ketorolac	Count	59
		Expected Count	59.0
		% within Cleaned IV Treatment Group	100.0%
Total		Count	118
		Expected Count	118.0
		% within Cleaned IV Treatment Group	100.0%

Crosstabs

Notes

Output Created		08-NOV-2026 02:55:40
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.

Notes

Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Satisfaction_Code /CELLS=COUNT ...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Patient Satisfaction Level	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Patient Satisfaction Level Crosstabulation

			Patient Satisfaction Level	
			Very dissatisfied	Dissatisfied
Cleaned IV Treatment Group	IV Paracetamol	Count	3	1
		Expected Count	3.0	3.5
		% within Cleaned IV Treatment Group	5.1%	1.7%
	IV Ketorolac	Count	3	6
		Expected Count	3.0	3.5
		% within Cleaned IV Treatment Group	5.1%	10.2%
Total		Count	6	7
		Expected Count	6.0	7.0
		% within Cleaned IV Treatment Group	5.1%	5.9%

Cleaned IV Treatment Group * Patient Satisfaction Level Crosstabulation

			Patient Satisfaction Level	
			Neutral	Satisfied
Cleaned IV Treatment Group	IV Paracetamol	Count	8	16
		Expected Count	14.0	18.5
		% within Cleaned IV Treatment Group	13.6%	27.1%
	IV Ketorolac	Count	20	21
		Expected Count	14.0	18.5
		% within Cleaned IV Treatment Group	33.9%	35.6%
Total		Count	28	37
		Expected Count	28.0	37.0
		% within Cleaned IV Treatment Group	23.7%	31.4%

Cleaned IV Treatment Group * Patient Satisfaction Level Crosstabulation

			Patient ...	
			Very satisfied	Total
Cleaned IV Treatment Group	IV Paracetamol	Count	31	59
		Expected Count	20.0	59.0
		% within Cleaned IV Treatment Group	52.5%	100.0%
	IV Ketorolac	Count	9	59
		Expected Count	20.0	59.0
		% within Cleaned IV Treatment Group	15.3%	100.0%
Total		Count	40	118
		Expected Count	40.0	118.0
		% within Cleaned IV Treatment Group	33.9%	100.0%

Crosstabs

Notes

Output Created		08-NOV-2026 02:55:40
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Pain_Relief_Code /CELLS=COUNT ...
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Adequacy of Postoperative Pain Relief	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Adequacy of Postoperative Pain Relief Crosstabulation

			Adequacy of ...	
			No	Uncertain
Cleaned IV Treatment Group	IV Paracetamol	Count	5	5
		Expected Count	8.0	8.5
		% within Cleaned IV Treatment Group	8.5%	8.5%
	IV Ketorolac	Count	11	12
		Expected Count	8.0	8.5
		% within Cleaned IV Treatment Group	18.6%	20.3%
Total		Count	16	17
		Expected Count	16.0	17.0
		% within Cleaned IV Treatment Group	13.6%	14.4%

Cleaned IV Treatment Group * Adequacy of Postoperative Pain Relief Crosstabulation

			Adequacy of ...	
			Yes	Total
Cleaned IV Treatment Group	IV Paracetamol	Count	49	59
		Expected Count	42.5	59.0
		% within Cleaned IV Treatment Group	83.1%	100.0%
	IV Ketorolac	Count	36	59
		Expected Count	42.5	59.0
		% within Cleaned IV Treatment Group	61.0%	100.0%
Total		Count	85	118
		Expected Count	85.0	118.0
		% within Cleaned IV Treatment Group	72.0%	100.0%

Crosstabs

Notes

Output Created		08-NOV-2026 02:55:40
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Adverse_Effect_Code /CELLS=COUNT ...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Postoperative Adverse Effects	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Postoperative Adverse Effects Crosstabulation

			Postoperative ...
			No Adverse Effects
Cleaned IV Treatment Group	IV Paracetamol	Count	21
		Expected Count	24.0
		% within Cleaned IV Treatment Group	35.6%
	IV Ketorolac	Count	27
		Expected Count	24.0
		% within Cleaned IV Treatment Group	45.8%
Total		Count	48
		Expected Count	48.0
		% within Cleaned IV Treatment Group	40.7%

Cleaned IV Treatment Group * Postoperative Adverse Effects Crosstabulation

			Postoperative ...	
			Adverse Effects Reported	Total
Cleaned IV Treatment Group	IV Paracetamol	Count	38	59
		Expected Count	35.0	59.0
		% within Cleaned IV Treatment Group	64.4%	100.0%
	IV Ketorolac	Count	32	59
		Expected Count	35.0	59.0
		% within Cleaned IV Treatment Group	54.2%	100.0%
Total		Count	70	118
		Expected Count	70.0	118.0
		% within Cleaned IV Treatment Group	59.3%	100.0%

Crosstabs

Notes

Output Created		08-NOV-2026 03:04:36
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Grou p_Clean BY VAS_Code /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT EXPECTED ROW COLUMN...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Postoperative VAS Pain Severity	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain ...	
			Mild (1-3)	Moderate (4-6)
Cleaned IV Treatment Group	IV Paracetamol	Count	18	19
		Expected Count	18.0	18.5
		% within Cleaned IV Treatment Group	30.5%	32.2%
		% within Postoperative VAS Pain Severity	50.0%	51.4%
	IV Ketorolac	Count	18	18
		Expected Count	18.0	18.5
		% within Cleaned IV Treatment Group	30.5%	30.5%
		% within Postoperative VAS Pain Severity	50.0%	48.6%
Total		Count	36	37
		Expected Count	36.0	37.0
		% within Cleaned IV Treatment Group	30.5%	31.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain Severity	
			Severe (7-8)	Worst Pain (9-10)
Cleaned IV Treatment Group	IV Paracetamol	Count	20	2
		Expected Count	20.5	2.0
		% within Cleaned IV Treatment Group	33.9%	3.4%
		% within Postoperative VAS Pain Severity	48.8%	50.0%
	IV Ketorolac	Count	21	2
		Expected Count	20.5	2.0
		% within Cleaned IV Treatment Group	35.6%	3.4%
		% within Postoperative VAS Pain Severity	51.2%	50.0%
Total		Count	41	4
		Expected Count	41.0	4.0
		% within Cleaned IV Treatment Group	34.7%	3.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Total
Cleaned IV Treatment Group	IV Paracetamol	Count	59
		Expected Count	59.0
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
	IV Ketorolac	Count	59
		Expected Count	59.0
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
Total		Count	118
		Expected Count	118.0
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	.051[a]	3	.997
Likelihood Ratio	.051	3	.997
Linear-by-Linear Association	.011	1	.917
N of Valid Cases	118		

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.00.

Crosstabs

Notes

Output Created		08-NOV-2026 03:16:08
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY VAS_Code /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT EXPECTED ROW COLUMN /METHOD=EXACT TIMER...
Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.34
	Dimensions Requested	2
	Cells Available	524245
	Time for Exact Statistics	0:00:00.04

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Postoperative VAS Pain Severity	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain ...	
			Mild (1-3)	Moderate (4-6)
Cleaned IV Treatment Group	IV Paracetamol	Count	18	19
		Expected Count	18.0	18.5
		% within Cleaned IV Treatment Group	30.5%	32.2%
		% within Postoperative VAS Pain Severity	50.0%	51.4%
	IV Ketorolac	Count	18	18
		Expected Count	18.0	18.5
		% within Cleaned IV Treatment Group	30.5%	30.5%
		% within Postoperative VAS Pain Severity	50.0%	48.6%
Total		Count	36	37
		Expected Count	36.0	37.0
		% within Cleaned IV Treatment Group	30.5%	31.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain Severity	
			Severe (7-8)	Worst Pain (9-10)
Cleaned IV Treatment Group	IV Paracetamol	Count	20	2
		Expected Count	20.5	2.0
		% within Cleaned IV Treatment Group	33.9%	3.4%
		% within Postoperative VAS Pain Severity	48.8%	50.0%
	IV Ketorolac	Count	21	2
		Expected Count	20.5	2.0
		% within Cleaned IV Treatment Group	35.6%	3.4%
		% within Postoperative VAS Pain Severity	51.2%	50.0%
Total		Count	41	4
		Expected Count	41.0	4.0
		% within Cleaned IV Treatment Group	34.7%	3.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Total
Cleaned IV Treatment Group	IV Paracetamol	Count	59
		Expected Count	59.0
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
	IV Ketorolac	Count	59
		Expected Count	59.0
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
Total		Count	118
		Expected Count	118.0
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.051[a]	3	.997	1.000	
Likelihood Ratio	.051	3	.997	1.000	
Fisher-Freeman-Halton Exact Test	.209			1.000	
Linear-by-Linear Association	.011[b]	1	.917	1.000	.500
N of Valid Cases	118				

Chi-Square Tests

	Point Probability
Pearson Chi-Square	
Likelihood Ratio	
Fisher-Freeman-Halton Exact Test	
Linear-by-Linear Association	.082
N of Valid Cases	

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.00.

b. The standardized statistic is .104.

Crosstabs

Notes

Output Created		08-NOV-2026 03:16:46
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.

Notes

Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY VAS_Code /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT EXPECTED ROW COLUMN /METHOD=EXACT TIMER...
Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.04
	Dimensions Requested	2
	Cells Available	524245
	Time for Exact Statistics	0:00:00.04

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Postoperative VAS Pain Severity	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain ...	
			Mild (1-3)	Moderate (4-6)
Cleaned IV Treatment Group	IV Paracetamol	Count	18	19
		Expected Count	18.0	18.5
		% within Cleaned IV Treatment Group	30.5%	32.2%
		% within Postoperative VAS Pain Severity	50.0%	51.4%
	IV Ketorolac	Count	18	18
		Expected Count	18.0	18.5
		% within Cleaned IV Treatment Group	30.5%	30.5%
		% within Postoperative VAS Pain Severity	50.0%	48.6%
Total		Count	36	37
		Expected Count	36.0	37.0
		% within Cleaned IV Treatment Group	30.5%	31.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain Severity	
			Severe (7-8)	Worst Pain (9-10)
Cleaned IV Treatment Group	IV Paracetamol	Count	20	2
		Expected Count	20.5	2.0
		% within Cleaned IV Treatment Group	33.9%	3.4%
		% within Postoperative VAS Pain Severity	48.8%	50.0%
	IV Ketorolac	Count	21	2
		Expected Count	20.5	2.0
		% within Cleaned IV Treatment Group	35.6%	3.4%
		% within Postoperative VAS Pain Severity	51.2%	50.0%
Total		Count	41	4
		Expected Count	41.0	4.0
		% within Cleaned IV Treatment Group	34.7%	3.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Total
Cleaned IV Treatment Group	IV Paracetamol	Count	59
		Expected Count	59.0
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
	IV Ketorolac	Count	59
		Expected Count	59.0
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
Total		Count	118
		Expected Count	118.0
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.051[a]	3	.997	1.000	
Likelihood Ratio	.051	3	.997	1.000	
Fisher-Freeman-Halton Exact Test	.209			1.000	
Linear-by-Linear Association	.011[b]	1	.917	1.000	.500
N of Valid Cases	118				

Chi-Square Tests

	Point Probability
Pearson Chi-Square	
Likelihood Ratio	
Fisher-Freeman-Halton Exact Test	
Linear-by-Linear Association	.082
N of Valid Cases	

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.00.

b. The standardized statistic is .104.

NPar Tests

Notes

Output Created		08-NOV-2026 03:23:56
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable (s) used in that test.
Syntax		NPAR TESTS /M-W=VAS_Code BY Treatment_Group_Clean(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Number of Cases Allowed[a]	449389

a. Based on availability of workspace memory.

Mann-Whitney Test

Ranks

	Cleaned IV Treatment Group	N	Mean Rank	Sum of Ranks
Postoperative VAS Pain Severity	IV Paracetamol	59	59.17	3491.00
	IV Ketorolac	59	59.83	3530.00
	Total	118		

Test Statistics[a]

	Postoperative VAS Pain Severity
Mann-Whitney U	1721.000
Wilcoxon W	3491.000
Z	-.111
Asymp. Sig. (2-tailed)	.912

a. Grouping Variable: Cleaned IV Treatment Group

Crosstabs

Notes

Output Created		08-NOV-2026 03:30:07
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Satisfaction_Code /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT EXPECTED ROW COLUMN /COUNT ROUND CELL /METHOD=EXACT TIMER...
Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.05
	Dimensions Requested	2
	Cells Available	524245
	Time for Exact Statistics	0:00:00.03

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Patient Satisfaction Level	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Patient Satisfaction Level Crosstabulation

			Patient Satisfaction Level	
			Very dissatisfied	Dissatisfied
Cleaned IV Treatment Group	IV Paracetamol	Count	3	1
		Expected Count	3.0	3.5
		% within Cleaned IV Treatment Group	5.1%	1.7%
		% within Patient Satisfaction Level	50.0%	14.3%
	IV Ketorolac	Count	3	6
		Expected Count	3.0	3.5
		% within Cleaned IV Treatment Group	5.1%	10.2%
		% within Patient Satisfaction Level	50.0%	85.7%
Total		Count	6	7
		Expected Count	6.0	7.0
		% within Cleaned IV Treatment Group	5.1%	5.9%
		% within Patient Satisfaction Level	100.0%	100.0%

Cleaned IV Treatment Group * Patient Satisfaction Level Crosstabulation

			Patient Satisfaction Level	
			Neutral	Satisfied
Cleaned IV Treatment Group	IV Paracetamol	Count	8	16
		Expected Count	14.0	18.5
		% within Cleaned IV Treatment Group	13.6%	27.1%
		% within Patient Satisfaction Level	28.6%	43.2%
	IV Ketorolac	Count	20	21
		Expected Count	14.0	18.5
		% within Cleaned IV Treatment Group	33.9%	35.6%
		% within Patient Satisfaction Level	71.4%	56.8%
Total		Count	28	37
		Expected Count	28.0	37.0
		% within Cleaned IV Treatment Group	23.7%	31.4%
		% within Patient Satisfaction Level	100.0%	100.0%

Cleaned IV Treatment Group * Patient Satisfaction Level Crosstabulation

			Patient ...	
			Very satisfied	Total
Cleaned IV Treatment Group	IV Paracetamol	Count	31	59
		Expected Count	20.0	59.0
		% within Cleaned IV Treatment Group	52.5%	100.0%
		% within Patient Satisfaction Level	77.5%	50.0%
	IV Ketorolac	Count	9	59
		Expected Count	20.0	59.0
		% within Cleaned IV Treatment Group	15.3%	100.0%
		% within Patient Satisfaction Level	22.5%	50.0%
Total		Count	40	118
		Expected Count	40.0	118.0
		% within Cleaned IV Treatment Group	33.9%	100.0%
		% within Patient Satisfaction Level	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	21.490[a]	4	<.001	<.001	
Likelihood Ratio	22.752	4	<.001	<.001	
Fisher-Freeman-Halton Exact Test	21.758			<.001	
Linear-by-Linear Association	13.093[b]	1	<.001	<.001	<.001
N of Valid Cases	118				

Chi-Square Tests

	Point Probability
Pearson Chi-Square	
Likelihood Ratio	
Fisher-Freeman-Halton Exact Test	
Linear-by-Linear Association	.000
N of Valid Cases	

a. 4 cells (40.0%) have expected count less than 5. The minimum expected count is 3.00.

b. The standardized statistic is -3.618.

Crosstabs

Notes

Output Created		08-NOV-2026 03:38:44
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Pain_Relief_Code /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT EXPECTED ROW COLUMN...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Adequacy of Postoperative Pain Relief	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Adequacy of Postoperative Pain Relief Crosstabulation

			Adequacy of ...	
			No	Uncertain
Cleaned IV Treatment Group	IV Paracetamol	Count	5	5
		Expected Count	8.0	8.5
		% within Cleaned IV Treatment Group	8.5%	8.5%
		% within Adequacy of Postoperative Pain Relief	31.3%	29.4%
	IV Ketorolac	Count	11	12
		Expected Count	8.0	8.5
		% within Cleaned IV Treatment Group	18.6%	20.3%
		% within Adequacy of Postoperative Pain Relief	68.8%	70.6%
Total		Count	16	17
		Expected Count	16.0	17.0
		% within Cleaned IV Treatment Group	13.6%	14.4%
		% within Adequacy of Postoperative Pain Relief	100.0%	100.0%

Cleaned IV Treatment Group * Adequacy of Postoperative Pain Relief Crosstabulation

			Adequacy of ...	
			Yes	Total
Cleaned IV Treatment Group	IV Paracetamol	Count	49	59
		Expected Count	42.5	59.0
		% within Cleaned IV Treatment Group	83.1%	100.0%
		% within Adequacy of Postoperative Pain Relief	57.6%	50.0%
	IV Ketorolac	Count	36	59
		Expected Count	42.5	59.0
		% within Cleaned IV Treatment Group	61.0%	100.0%
		% within Adequacy of Postoperative Pain Relief	42.4%	50.0%
Total		Count	85	118
		Expected Count	85.0	118.0
		% within Cleaned IV Treatment Group	72.0%	100.0%
		% within Adequacy of Postoperative Pain Relief	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	7.121[a]	2	.028
Likelihood Ratio	7.272	2	.026
Linear-by-Linear Association	5.901	1	.015
N of Valid Cases	118		

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.00.

Crosstabs

Notes

Output Created		08-NOV-2026 03:44:23
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY Adverse_Effect_Code /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT EXPECTED ROW COLUMN...

Notes

Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Postoperative Adverse Effects	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Postoperative Adverse Effects Crosstabulation

			Postoperative ...
			No Adverse Effects
Cleaned IV Treatment Group	IV Paracetamol	Count	21
		Expected Count	24.0
		% within Cleaned IV Treatment Group	35.6%
		% within Postoperative Adverse Effects	43.8%
	IV Ketorolac	Count	27
		Expected Count	24.0
		% within Cleaned IV Treatment Group	45.8%
		% within Postoperative Adverse Effects	56.3%
Total		Count	48
		Expected Count	48.0
		% within Cleaned IV Treatment Group	40.7%
		% within Postoperative Adverse Effects	100.0%

Cleaned IV Treatment Group * Postoperative Adverse Effects Crosstabulation

			Postoperative ... Adverse Effects Reported	Total
Cleaned IV Treatment Group	IV Paracetamol	Count	38	59
		Expected Count	35.0	59.0
		% within Cleaned IV Treatment Group	64.4%	100.0%
		% within Postoperative Adverse Effects	54.3%	50.0%
	IV Ketorolac	Count	32	59
		Expected Count	35.0	59.0
		% within Cleaned IV Treatment Group	54.2%	100.0%
		% within Postoperative Adverse Effects	45.7%	50.0%
Total		Count	70	118
		Expected Count	70.0	118.0
		% within Cleaned IV Treatment Group	59.3%	100.0%
		% within Postoperative Adverse Effects	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.264[a]	1	.261		
Continuity Correction[b]	.878	1	.349		
Likelihood Ratio	1.267	1	.260		
Fisher's Exact Test				.349	.174
Linear-by-Linear Association	1.254	1	.263		
N of Valid Cases	118				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 24.00.

b. Computed only for a 2x2 table

Frequencies

Notes

Output Created		08-NOV-2026 03:57:17
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Satisfaction_Code /PIECHART PERCENT /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.13
	Elapsed Time	00:00:00.10


Statistics

Patient Satisfaction Level

N	Valid	118
	Missing	0

Patient Satisfaction Level

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very dissatisfied	6	5.1	5.1	5.1
	Dissatisfied	7	5.9	5.9	11.0
	Neutral	28	23.7	23.7	34.7
	Satisfied	37	31.4	31.4	66.1
	Very satisfied	40	33.9	33.9	100.0
	Total	118	100.0	100.0	



Frequencies

Notes

Output Created		08-NOV-2026 04:02:42
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=VAS_Code /BARCHART FREQ /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:00.17
	Elapsed Time	00:00:00.10


Statistics

Postoperative VAS Pain Severity

N	Valid	118
	Missing	0

Postoperative VAS Pain Severity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mild (1-3)	36	30.5	30.5	30.5
	Moderate (4-6)	37	31.4	31.4	61.9
	Severe (7-8)	41	34.7	34.7	96.6
	Worst Pain (9-10)	4	3.4	3.4	100.0
	Total	118	100.0	100.0	



Frequencies

Notes

Output Created		08-NOV-2026 04:06:17
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Age_Code /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.11
	Elapsed Time	00:00:00.10


Statistics

Patient Age Group

N	Valid	118
	Missing	0

Patient Age Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18-25 years	49	41.5	41.5	41.5
	26-40 years	30	25.4	25.4	66.9
	41-60 years	30	25.4	25.4	92.4
	Above 60 years	9	7.6	7.6	100.0
	Total	118	100.0	100.0	



Frequencies

Notes

Output Created		08-NOV-2026 04:10:01
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=BMI_Code /BARCHART FREQ /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.10


Statistics

Patient BMI Category

N	Valid	118
	Missing	0

Patient BMI Category

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Less than 18.5	9	7.6	7.6	7.6
	18.5 - 24.9	57	48.3	48.3	55.9
	25.0 - 29.9	34	28.8	28.8	84.7
	30.0 - 39.9	13	11.0	11.0	95.8
	Above 40	5	4.2	4.2	100.0
	Total	118	100.0	100.0	



Frequencies

Notes

Output Created		08-NOV-2026 04:14:17
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Pain_Relief_Code /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.11
	Elapsed Time	00:00:00.10


Statistics

Adequacy of Postoperative Pain Relief

N	Valid	118
	Missing	0

Adequacy of Postoperative Pain Relief

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	16	13.6	13.6	13.6
	Uncertain	17	14.4	14.4	28.0
	Yes	85	72.0	72.0	100.0
	Total	118	100.0	100.0	



Crosstabs

Notes

Output Created		08-NOV-2026 04:19:38
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.

Notes

Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY VAS_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW ...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Postoperative VAS Pain Severity	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain ...	
			Mild (1-3)	Moderate (4-6)
Cleaned IV Treatment Group	IV Paracetamol	Count	18	19
		% within Cleaned IV Treatment Group	30.5%	32.2%
		% within Postoperative VAS Pain Severity	50.0%	51.4%
	IV Ketorolac	Count	18	18
		% within Cleaned IV Treatment Group	30.5%	30.5%
		% within Postoperative VAS Pain Severity	50.0%	48.6%
Total		Count	36	37
		% within Cleaned IV Treatment Group	30.5%	31.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain Severity	
			Severe (7-8)	Worst Pain (9-10)
Cleaned IV Treatment Group	IV Paracetamol	Count	20	2
		% within Cleaned IV Treatment Group	33.9%	3.4%
		% within Postoperative VAS Pain Severity	48.8%	50.0%
	IV Ketorolac	Count	21	2
		% within Cleaned IV Treatment Group	35.6%	3.4%
		% within Postoperative VAS Pain Severity	51.2%	50.0%
Total		Count	41	4
		% within Cleaned IV Treatment Group	34.7%	3.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Total
Cleaned IV Treatment Group	IV Paracetamol	Count	59
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
	IV Ketorolac	Count	59
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
Total		Count	118
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	100.0%

Graph

Notes

Output Created		08-NOV-2026 04:19:38
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Syntax		GRAPH /BAR(GROUPED)=COUNT BY VAS_Code BY Treatment_Group_Clean.
Resources	Processor Time	00:00:00.20
	Elapsed Time	00:00:00.17

Crosstabs

Notes

Output Created		08-NOV-2026 04:20:25
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.

Notes

Syntax		CROSSTABS /TABLES=Treatment_Group_Clean BY VAS_Code /FORMAT=AVALUE TABLES /CELLS=COUNT ROW ...
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Cleaned IV Treatment Group * Postoperative VAS Pain Severity	118	100.0%	0	0.0%	118	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain ...	
			Mild (1-3)	Moderate (4-6)
Cleaned IV Treatment Group	IV Paracetamol	Count	18	19
		% within Cleaned IV Treatment Group	30.5%	32.2%
		% within Postoperative VAS Pain Severity	50.0%	51.4%
	IV Ketorolac	Count	18	18
		% within Cleaned IV Treatment Group	30.5%	30.5%
		% within Postoperative VAS Pain Severity	50.0%	48.6%
Total		Count	36	37
		% within Cleaned IV Treatment Group	30.5%	31.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%

Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Postoperative VAS Pain Severity	
			Severe (7-8)	Worst Pain (9-10)
Cleaned IV Treatment Group	IV Paracetamol	Count	20	2
		% within Cleaned IV Treatment Group	33.9%	3.4%
		% within Postoperative VAS Pain Severity	48.8%	50.0%
	IV Ketorolac	Count	21	2
		% within Cleaned IV Treatment Group	35.6%	3.4%
		% within Postoperative VAS Pain Severity	51.2%	50.0%
Total		Count	41	4
		% within Cleaned IV Treatment Group	34.7%	3.4%
		% within Postoperative VAS Pain Severity	100.0%	100.0%


Cleaned IV Treatment Group * Postoperative VAS Pain Severity Crosstabulation

			Total
Cleaned IV Treatment Group	IV Paracetamol	Count	59
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
	IV Ketorolac	Count	59
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	50.0%
Total		Count	118
		% within Cleaned IV Treatment Group	100.0%
		% within Postoperative VAS Pain Severity	100.0%

Graph

Notes

Output Created		08-NOV-2026 04:20:25
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Syntax		GRAPH /BAR(GROUPED)=COUNT BY VAS_Code BY Treatment_Group_Clean.
Resources	Processor Time	00:00:00.17
	Elapsed Time	00:00:00.13



Frequencies

Notes

Output Created		08-NOV-2026 04:28:46
Comments		
Input	Data	C:\Users\Ghousia computer\Downloads\Ali Awais Khan\Hernia_Research_Cleaned_1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Adverse_Effect_Code /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.28
	Elapsed Time	00:00:00.21


Statistics

Postoperative Adverse Effects

N	Valid	118
	Missing	0

Postoperative Adverse Effects

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No Adverse Effects	48	40.7	40.7	40.7
	Adverse Effects Reported	70	59.3	59.3	100.0
	Total	118	100.0	100.0	


Postoperative Adverse Effects
Frequency
60
40
20
0
No Adverse Effects
Adverse Effects Reported
Postoperative Adverse Effects