B

26. Scrollspy, spinners

Reja:

▼ **Scrollspy**

> 💡 **Scrollspy -** kursorning joylashgan joyiga qarab navigatsion menudagi elementni aktiv ko'rinishga olib keluvchi Bootstrapning maxsus komponenti

Navbar   @fat   @mdo   Dropdown ▾

@fat

Placeholder content for the scrollspy example. You got the finest architecture. Passport stamps, she's cosmopolitan. Fine, fresh, fierce, we got it on lock. Never planned that one day I'd be losing you. She eats your heart out. Your kiss is cosmic, every move is magic. I mean the ones, I mean like she's the one. Greetings loved ones let's take a journey. Just own the night like the 4th of July! But you'd rather get wasted.

@mdo

```
<style>
  .scrollspy-example {
    position: relative;
    height: 200px;
    margin-top: .5rem;
    overflow: auto;
  }
</style>

---------------------

<nav id="navbar-example2" class="navbar navbar-light bg-light px-3">
  <a class="navbar-brand" href="#">Navbar</a>
  <ul class="nav nav-pills">
    <li class="nav-item">
      <a class="nav-link" href="#fat">@fat</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#mdo">@mdo</a>
    </li>
    <li class="nav-item dropdown">
      <a class="nav-link dropdown-toggle active" data-bs-toggle="dropdown" href="#" role="button" aria-expanded="false">Dropdown</a>
      <ul class="dropdown-menu">
        <li><a class="dropdown-item active" href="#one">one</a></li>
        <li><a class="dropdown-item" href="#two">two</a></li>
        <li><hr class="dropdown-divider"></li>
        <li><a class="dropdown-item" href="#three">three</a></li>
      </ul>
    </li>
  </ul>
</nav>
<div data-bs-spy="scroll" data-bs-target="#navbar-example2" data-bs-offset="0" class="scrollspy-example" tabindex="0">
  <h4 id="fat">@fat</h4>
  <p>Placeholder content for the scrollspy example. You got the finest architecture. Passport stamps, she's cosmopolitan. Fine, fresh,
  <h4 id="mdo">@mdo</h4>
  <p>Placeholder content for the scrollspy example. 'Cause she's the muse and the artist. (This is how we do) So you wanna play with ma
  <h4 id="one">one</h4>
```

```
    <p>Placeholder content for the scrollspy example. Takes you miles high, so high, 'cause she's got that one international smile. There
    <h4 id="two">two</h4>
    <p>Placeholder content for the scrollspy example. It's time to bring out the big balloons. I'm walking, I'm walking on air (tonight).
    <h4 id="three">three</h4>
    <p>Placeholder content for the scrollspy example. If you wanna dance, if you want it all, you know that I'm the girl that you should
    <p>And some more placeholder content, for good measure.</p>
</div>
```

Ichma-ich (nested) nav uchun misol


```
<style>
  .scrollspy-example {
    position: relative;
    height: 350px;
    overflow: auto;
  }
</style>

------------------

<div class="container">
  <div class="row">
    <div class="col-4">
      <nav id="navbar-example3" class="navbar navbar-light bg-light flex-column">
        <a class="navbar-brand" href="#">Navbar</a>
        <nav class="nav nav-pills flex-column">
          <a class="nav-link" href="#item-1">Item 1</a>
          <nav class="nav nav-pills flex-column">
            <a class="nav-link ms-3 my-1" href="#item-1-1">Item 1-1</a>
            <a class="nav-link ms-3 my-1" href="#item-1-2">Item 1-2</a>
          </nav>
          <a class="nav-link" href="#item-2">Item 2</a>
          <a class="nav-link active" href="#item-3">Item 3</a>
          <nav class="nav nav-pills flex-column">
            <a class="nav-link ms-3 my-1" href="#item-3-1">Item 3-1</a>
            <a class="nav-link ms-3 my-1 active" href="#item-3-2">Item 3-2</a>
          </nav>
        </nav>
      </nav>
    </div>
    <div class="col-8">
      <div data-bs-spy="scroll" data-bs-target="#navbar-example3" data-bs-offset="0" class="scrollspy-example" tabindex="0">
        <h4 id="item-1">Item 1</h4>
        <p>Placeholder content for the scrollspy example. This one relates to item 1. Takes you miles high, so high, 'cause she's got t
        <h5 id="item-1-1">Item 1-1</h5>
```

```
              <p>Placeholder content for the scrollspy example. This one relates to the item 1-1. You got the finest architecture. Passport s
              <h5 id="item-1-2">Item 1-2</h5>
              <p>Placeholder content for the scrollspy example. This one relates to the item 1-2. Her love is like a drug. All my girls vinta
              <h4 id="item-2">Item 2</h4>
              <p>Placeholder content for the scrollspy example. This one relates to item 2. Don't need apologies. There is no fear now, let g
              <h4 id="item-3">Item 3</h4>
              <p>Placeholder content for the scrollspy example. This one relates to item 3. Word on the street, you got somethin' to show me,
              <h5 id="item-3-1">Item 3-1</h5>
              <p>Placeholder content for the scrollspy example. This one relates to item 3-1. Baby do you dare to do this? This is no big dea
              <h5 id="item-3-2">Item 3-2</h5>
              <p>Placeholder content for the scrollspy example. This one relates to item 3-2. You're original, cannot be replaced. All night
          </div>
        </div>
      </div>
    </div>
```

Ro'yhatlar guruhi uchun misol

| Item 1 |
| Item 2 |
| **Item 3** |
| Item 4 |

Item 3

Placeholder content for the scrollspy list-group example. This one relates to item 3. We go higher and higher. Never one without the other, we made a pact. I'm walking on air. Someone said you had your tattoo removed. Now I'm floating like a butterfly. Tone, tan fit and ready, turn it up cause its gettin' heavy. Cause once you're mine, once you're mine. You just gotta ignite the light and let it shine! So we hit the boulevard. Do you ever feel, feel so paper thin. I

```
<style>
  .scrollspy-example {
    position: relative;
    height: 350px;
    overflow: auto;
  }
</style>

-------------------

<div class="container">
  <div class="row">
    <div class="col-4">
      <div id="list-example" class="list-group">
        <a class="list-group-item list-group-item-action" href="#list-item-1">Item 1</a>
        <a class="list-group-item list-group-item-action" href="#list-item-2">Item 2</a>
        <a class="list-group-item list-group-item-action" href="#list-item-3">Item 3</a>
        <a class="list-group-item list-group-item-action active" href="#list-item-4">Item 4</a>
      </div>
    </div>
    <div class="col-8">
      <div data-bs-spy="scroll" data-bs-target="#list-example" data-bs-offset="0" class="scrollspy-example" tabindex="0">
        <h4 id="list-item-1">Item 1</h4>
        <p>Placeholder content for the scrollspy list-group example. This one relates to item 1. Don't need apologies. There is no fear
        <h4 id="list-item-2">Item 2</h4>
        <p>Placeholder content for the scrollspy list-group example. This one relates to item 2. Yeah, she dances to her own beat. Oh,
        <h4 id="list-item-3">Item 3</h4>
        <p>Placeholder content for the scrollspy list-group example. This one relates to item 3. We go higher and higher. Never one wit
        <h4 id="list-item-4">Item 4</h4>
        <p>Placeholder content for the scrollspy list-group example. This one relates to item 4. Summer after high school when we first
      </div>
    </div>
  </div>
</div>
```

▼ **Spinners**

💡 **Spinner -** elementning yuklanyotganini bildirish uchun mo'ljallangan Bootstrapning maxsus komponenti

```
<div class="spinner-border" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
```

Turli xil ranglari

```
<div class="spinner-border text-primary" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
<div class="spinner-border text-secondary" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
<div class="spinner-border text-success" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
<div class="spinner-border text-danger" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
<div class="spinner-border text-warning" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
<div class="spinner-border text-info" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
<div class="spinner-border text-light" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
<div class="spinner-border text-dark" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
```

O'sayotgan (growing) spinner

```
<div class="spinner-grow" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
```

O'lchamlari (sizing)

```
<div class="spinner-border spinner-border-sm" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
<div class="spinner-grow spinner-grow-sm" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
```

```
<div class="spinner-border" style="width: 3rem; height: 3rem;" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
<div class="spinner-grow" style="width: 3rem; height: 3rem;" role="status">
  <span class="visually-hidden">Loading...</span>
</div>
```

Tugma bilan birga ishlatish

```
<button class="btn btn-primary" type="button" disabled>
  <span class="spinner-border spinner-border-sm" role="status" aria-hidden="true"></span>
  <span class="visually-hidden">Loading...</span>
</button>
<button class="btn btn-primary" type="button" disabled>
  <span class="spinner-border spinner-border-sm" role="status" aria-hidden="true"></span>
  Loading...
</button>
```

https://getbootstrap.com/docs/5.0/components/spinners/

https://getbootstrap.com/docs/5.0/components/spinners/