

# 32. Float, interactions, overflow

# Reja:

## **▼** Float



**Float utilities -** maxsus klasslar to'plami bo'lib, ular yordamida elementning float xossasi uchun qiymatlar ko'rsatish imkoniyati mavjud



Float start on all viewport sizes

Float end on all viewport sizes

Don't float on all viewport sizes

<div class="float-start">Float start on all viewport sizes</div><br><div class="float-end">Float end on all viewport sizes</div><br><div class="float-none">Don't float on all viewport sizes</div>

## Responsive ko'rinishlari


- .float-start
- .float-end
- .float-none
- .float-sm-start
- .float-sm-end
- .float-sm-none
- .float-md-start
- .float-md-end
- .float-md-none
- .float-lg-start
- .float-lg-end
- .float-lg-none
- .float-xl-start
- .float-xl-end
- .float-xl-none
- .float-xxl-start
- .float-xxl-end
- .float-xxl-none

Float end on viewports sized SM (small) or wider Float end on viewports sized MD (medium) or wider Float end on viewports sized LG (large) or wider Float end on viewports sized XL (extra-large) or wider

<div class="float-sm-end">Float end on viewports sized SM (small) or wider</div><br><div class="float-md-end">Float end on viewports sized MD (medium) or wider</div><br><div class="float-lg-end">Float end on viewports sized LG (large) or wider</div><br><div class="float-xl-end">Float end on viewports sized LG (large) or wider</div><br><div class="float-xl-end">Float end on viewports sized XL (extra-large) or wider</div><br></div</tr>

#### Float

These utility classes float an element to the left or right, or disable floating, based on the current viewport size using the CSS float property. Important is included to avoid specificity issues. These use the same viewport breakpoints as our grid system.





#### **▼** Interactions



Interactions - klasslar toʻplami boʻlib, foydalanuvchi va veb sahifadagi kontent orasidagi oʻzaro munosabatini (interaction) belgilaydi

Foydalanuvchi xatboshiga sichqoncha bilan bosganda butun kontent belgilanadi

Foydalanuvchi xatboshiga sichqoncha bilan bosganda default holat yuz beradi

Foydalanuvchi xatboshiga sichqoncha bilan bosganda kontent belgilanmaydi

Foydalanuvchi xatboshiga sichqoncha bilan bosganda butun kontent belgilanadi
Foydalanuvchi xatboshiga sichqoncha bilan bosganda default holat yuz beradi

Foydalanuvchi xatboshiga sichqoncha bilan bosganda kontent belgilanmaydi

## Bu havola bosilmaydigaan

Bu havola bosiladigan (default holati).

```
<a href="#" class="pe-none" tabindex="-1" aria-disabled="true">Bu havola</a>
bosilmaydigaan

<a href="#" class="pe-auto">Bu havola</a>
bosiladigan (default holati).
```

#### Interactions

Change the way in which the content is selected when the user interacts with it. This paragraph will be entirely selected when clicked by the user. This paragraph has default select behavior. This paragraph will not be selectable when clicked by the user. Bootstrap provides .pe-none and .pe-auto





#### **▼** Overflow



**Overflow utilities -** maxsus klasslar toʻplami boʻlib, ular yordamida elementning overflow xossasi uchun qiymatlar koʻrsatish imkoniyati mavjud

## CSS | 24. Z-index va Overflow

Dars davomida z-index va overflow xossalarini yaxshiroq tushunib olamiz.----Z-index qo'shimcha ma'lumot: https://spyrestudios.com/what-is-z-index-and-how-do...

https://www.youtube.com/watch?v=AL9luzust7l



Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur in accumsan ante, sed semper est. Nullam quis iaculis massa. Aenean at velit interdum, finibus erat quis, facilisis elit.

Cras sodales justo mi, at egestas enim ultrices efficitur. Praesent lacinia placerat lorem, non tempus leo aliquet quis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Proin ac lorem ut magna lacinia pretium.

Maecenas mollis aliquet augue quis fermentum.

Cras porttitor bibendum

augue quis fermentum.
Cras porttitor bibendum
convallis. Pellentesque
pulvinar eget nisl a
dignissim. Proin et
ullamcorper dolor.
Aenean non laoreet
dolor. Sed id sagittis
libero. Nunc in ornare
leo, sed blandit magna.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur in accumsan ante, sed semper est. Nullam quis iaculis massa. Aenean at velit interdum, finibus erat quis, facilisis elit.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur in accumsan ante, sed semper est. Nullam quis iaculis massa. Aenean at velit interdum, finibus erat quis, facilisis elit. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur in accumsan ante, sed semper est. Nullam quis iaculis massa. Aenean at velit interdum, finibus erat quis, facilisis elit.

```
<style>
   display: inline-block;
   width: 200px;
   height: 200px;
   padding: 10px;
    background-color: lightblue;
</style>
<div class="overflow-auto">
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur in accumsan ante, sed semper est. Nullam quis iaculis massa. Aenea
</div>
<div class="overflow-hidden">
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur in accumsan ante, sed semper est. Nullam quis iaculis massa. Aenea
</div>
<div class="overflow-visible">
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur in accumsan ante, sed semper est. Nullam quis iaculis massa. Aenea
</div>
<div class="overflow-scroll">
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur in accumsan ante, sed semper est. Nullam quis iaculis massa. Aenea
</div>
```

## Overflow

Adjust the overflow property on the fly with four default values and classes. These classes are not responsive by default. This is an example of using .overflow-auto on an element with set width and height dimensions. By design, this content will vertically scroll.



B https://getbootstrap.com/docs/5.0/utilities/overflow/