



# 11. Tables

Reja:

## ▼ Tables (jadvallar)



Bootstrap yordamida turli xil ko'rinishga ega bo'lgan jadvallar tuzish imkoniyati mavjud

```
<table class="table">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">Ism</th>
      <th scope="col">Familiya</th>
      <th scope="col">Yoshi</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th scope="row">1</th>
      <td>Ulugbek</td>
      <td>Samigjonov</td>
      <td>23</td>
    </tr>
    <tr>
      <th scope="row">2</th>
      <td>Sarvar</td>
      <td>Tojiev</td>
      <td>24</td>
    </tr>
    <tr>
      <th scope="row">3</th>
      <td colspan="2">Nuriddin Kosimov</td>
      <td>24</td>
    </tr>
  </tbody>
</table>
```

## ▼ Jadval turlari

## ▼ Rangli jadvallar

Class	Heading	Heading
Default	Cell	Cell
Primary	Cell	Cell
Secondary	Cell	Cell
Success	Cell	Cell
Danger	Cell	Cell
Warning	Cell	Cell
Info	Cell	Cell
Light	Cell	Cell
Dark	Cell	Cell

```
<table class="table table-primary">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">Ism</th>
      <th scope="col">Familiya</th>
      <th scope="col">Yoshi</th>
    </tr>
  </thead>
  <tbody>
    <tr class="table-secondary">
      <th scope="row">1</th>
      <td>Ulugbek</td>
      <td>Samigjonov</td>
      <td>23</td>
    </tr>
    <tr>
      <th scope="row">2</th>
      <td class="table-success">Sarvar</td>
      <td>Tojiev</td>
      <td>24</td>
    </tr>
    <tr>
      <th scope="row">3</th>
      <td colspan="2">Nuriddin Kosimov</td>
      <td>24</td>
    </tr>
  </tbody>
</table>
```

```
</tbody>
</table>
```

## ▼ Zebra-chiziqli jadvallar

```
<table class="table table-striped">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">Ism</th>
      <th scope="col">Familiya</th>
      <th scope="col">Yoshi</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th scope="row">1</th>
      <td>Ulugbek</td>
      <td>Samigjonov</td>
      <td>23</td>
    </tr>
    <tr>
      <th scope="row">2</th>
      <td>Sarvar</td>
      <td>Tojiev</td>
      <td>24</td>
    </tr>
    <tr>
      <th scope="row">3</th>
      <td colspan="2">Nuriddin Kosimov</td>
      <td>24</td>
    </tr>
  </tbody>
</table>
```

## ▼ Hoverable jadvallar

```
<table class="table table-hover">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">Ism</th>
      <th scope="col">Familiya</th>
      <th scope="col">Yoshi</th>
    </tr>
  </thead>
  <tbody>
    <tr>
```

```

        <th scope="row">1</th>
        <td>Ulugbek</td>
        <td>Samigjonov</td>
        <td>23</td>
    </tr>
    <tr>
        <th scope="row">2</th>
        <td>Sarvar</td>
        <td>Tojiev</td>
        <td>24</td>
    </tr>
    <tr>
        <th scope="row">3</th>
        <td colspan="2">Nuriddin Kosimov</td>
        <td>24</td>
    </tr>
</tbody>
</table>

```

## ▼ Chegarali jadvallar

```

<table class="table table-bordered">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">Ism</th>
      <th scope="col">Familiya</th>
      <th scope="col">Yoshi</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th scope="row">1</th>
      <td>Ulugbek</td>
      <td>Samigjonov</td>
      <td>23</td>
    </tr>
    <tr>
      <th scope="row">2</th>
      <td>Sarvar</td>
      <td>Tojiev</td>
      <td>24</td>
    </tr>
    <tr>
      <th scope="row">3</th>
      <td colspan="2">Nuriddin Kosimov</td>
      <td>24</td>
    </tr>
  </tbody>
</table>

```

## ▼ Chegarasiz jadvallar

```
<table class="table table-borderless">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">Ism</th>
      <th scope="col">Familiya</th>
      <th scope="col">Yoshi</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th scope="row">1</th>
      <td>Ulugbek</td>
      <td>Samigjonov</td>
      <td>23</td>
    </tr>
    <tr>
      <th scope="row">2</th>
      <td>Sarvar</td>
      <td>Tojiev</td>
      <td>24</td>
    </tr>
    <tr>
      <th scope="row">3</th>
      <td colspan="2">Nuriddin Kosimov</td>
      <td>24</td>
    </tr>
  </tbody>
</table>
```

## ▼ Ixcham jadvallar

```
<table class="table table-sm">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">Ism</th>
      <th scope="col">Familiya</th>
      <th scope="col">Yoshi</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th scope="row">1</th>
      <td>Ulugbek</td>
      <td>Samigjonov</td>
```

```

        <td>23</td>
    </tr>
    <tr>
        <th scope="row">2</th>
        <td>Sarvar</td>
        <td>Tojiev</td>
        <td>24</td>
    </tr>
    <tr>
        <th scope="row">3</th>
        <td colspan="2">Nuriddin Kosimov</td>
        <td>24</td>
    </tr>
</tbody>
</table>

```

## ▼ Moslashuvchan jadvallar



**.table-responsive** klassiga qo'shimcha ravishda **.table-responsive-{breakpoint}** klassidan foydalanib, faqatgina ma'lum bir breakpointgacha responsive bo'lgan jadval yaratish mumkin

```

<div class="table-responsive">
  <table class="table">
    <thead>
      <tr>
        <th scope="col">#</th>
        <th scope="col">Ism</th>
        <th scope="col">Familiya</th>
        <th scope="col">Yoshi</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <th scope="row">1</th>
        <td>Ulugbek</td>
        <td>Samigjonov</td>
        <td>23</td>
      </tr>
      <tr>
        <th scope="row">2</th>
        <td>Sarvar</td>
        <td>Tojiev</td>
        <td>24</td>
      </tr>
      <tr>
        <th scope="row">3</th>

```

```
<td colspan="2">Nuriddin Kosimov</td>
<td>24</td>
</tr>
</tbody>
</table>
</div>
```

## Tables

Due to the widespread use of elements across third-party widgets like calendars and date pickers, Bootstrap's tables are opt-in. Add the base class `.table` to any , then extend

 <https://getbootstrap.com/docs/5.0/content/tables/>

