

21. Collapse, Dropdowns, List group

Reja:

▼ Collapse



Collapse - veb sahifamizdagi kontentni ko'rinishini (visibility) ya'ni uning sahifada ko'rinishi yoki berkitilishini CSS va JS yordamida boshqaruvchi element

Ishlash uslubi

- .collapse klassi kontentni veb sahifadan berkitadi
- .collapsing klassi bir holatdan ikkinchisiga o'tayotganda amal qiladi
- .collapse.show kontentni veb sahifada ko'rinishini ta'minlaydi

Bir necha (multiple) kontentlar

```
>
 <a class="btn btn-primary" data-bs-toggle="collapse" href="#multiCollapseExample1" role="button" aria-expanded="false" aria-controls=</pre>
 <button class="btn btn-primary" type="button" data-bs-toggle="collapse" data-bs-target="#multiCollapseExample2" aria-expanded="false"</pre>
 <button class="btn btn-primary" type="button" data-bs-toggle="collapse" data-bs-target=".multi-collapse" aria-expanded="false" aria-c</pre>
<div class="row">
 <div class="col">
    <div class="collapse multi-collapse" id="multiCollapseExample1">
      <div class="card card-body">
       Some placeholder content for the first collapse component of this multi-collapse example. This panel is hidden by default but r
      </div>
   </div>
  </div>
  <div class="col">
    <div class="collapse multi-collapse" id="multiCollapseExample2">
      <div class="card card-body">
       Some placeholder content for the second collapse component of this multi-collapse example. This panel is hidden by default but
  </div>
</div>
```

Collapse

The collapse JavaScript plugin is used to show and hide content. Buttons or anchors are used as triggers that are mapped to specific elements you toggle. Collapsing an element will animate the height from its current value to 0. Given how CSS handles animations, you cannot use padding on a



B https://getbootstrap.com/docs/5.0/components/collapse/

▼ Dropdowns




Dropdowns - havolalar yoki tugmalar ro'yhatini ekranga chiqarish uchun mo'ljallangan maxsus komponent

```
Action
Another action
Something else here
```

```
<div class="dropdown">
      <button class="btn btn-secondary dropdown-toggle" type="button" id="dropdownMenuButton1" data-bs-toggle="dropdown" aria-expanded="fal</pre>
          Dropdown button
      </button>
     <a class="dropdown-item" href="#">Action</a>
           <a class="dropdown-item" href="#">Another action</a>
          <a class="dropdown-item" href="#">Something else here</a>
    </div>
<div class="dropdown">
     < a \ class = "btn \ btn-secondary \ dropdown-toggle" \ href="#" \ role="button" \ id="dropdownMenuLink" \ data-bs-toggle="dropdown" \ aria-expanded="fallow for the context of the cont
          Dropdown link
     <a class="dropdown-item" href="#">Action</a>
            <a class="dropdown-item" href="#">Another action</a>
            <a class="dropdown-item" href="#">Something else here</a>
      </div>
```

Dropdown turlari



```
</div>
```

O'Ichamlari (sizing)

```
<div class="dropdown">
    <button class="btn btn-secondary btn-lg dropdown-toggle" type="button" id="dropdownMenuButton1" data-bs-toggle="dropdown" aria-expand</pre>
          Dropdown large button
     </button>
     <a class="dropdown-item" href="#">Action</a>
           <a class="dropdown-item" href="#">Another action</a>
          <a class="dropdown-item" href="#">Something else here</a>
     </div>
<div class="dropdown">
     < button \ class="btn \ btn-secondary \ btn-sm \ dropdown-toggle" \ type="button" \ id="dropdownMenuButton1" \ data-bs-toggle="dropdown" \ aria-expanded \ aria-expanded \ button \ button \ aria-expanded \ button \ but
         Dropdown small button
     </button>
     <a class="dropdown-item" href="#">Action</a>
           <a class="dropdown-item" href="#">Another action</a>
          <a class="dropdown-item" href="#">Something else here</a>
     </div>
```

To'q (dark) dropdown

Turli xil joylashuvga ega bo'lgan dropdown menu

```
<div class="btn-group dropup">
 <button type="button" class="btn btn-secondary dropdown-toggle" data-bs-toggle="dropdown" aria-expanded="false">
 </button>
 <!-- Dropdown menu links -->
 </div>
<div class="btn-group dropend">
 <button type="button" class="btn btn-secondary dropdown-toggle" data-bs-toggle="dropdown" aria-expanded="false">
  Dropright
 </button>
 <!-- Dropdown menu links -->
 </div>
<div class="btn-group dropstart">
 <button type="button" class="btn btn-secondary dropdown-toggle" data-bs-toggle="dropdown" aria-expanded="false">
  Dropstart
 </button>
 <!-- Dropdown menu links -->
```

```
</div>
```

Tugmalar (buttons) ro'yhati

Dropdowns

Toggle contextual overlays for displaying lists of links and more with the Bootstrap dropdown plugin.



B https://getbootstrap.com/docs/5.0/components/dropdowns

▼ List group



List group (ro'yhat guruhi) - kontentlar ketma-ketligini ekranga chiqarish uchun mo'ljallangan maxsus komponent

An item

A second item

A third item

A fourth item

And a fifth one

```
  An item
  A second item
  A third item
  A fourth item
  And a fifth one
```

Active item yaratish

An active item
A second item
A third item
A fourth item
And a fifth one

```
  An active item
  A second item
  A third item
  A fourth item
  cli class="list-group-item">And a fifth one
```

Disabled item yaratish

```
A disabled item

A second item

A third item

A fourth item

And a fifth one
```

```
  A disabled item
  A second item
  A third item
  A fourth item
  And a fifth one
```

Tugmalar ro'yhati

```
<div class="list-group">
  <button type="button" class="list-group-item list-group-item-action active" aria-current="true">
    The current button
  </button>
  <button type="button" class="list-group-item list-group-item-action">A second item</button>
  <button type="button" class="list-group-item list-group-item-action">A third button item</button>
  <button type="button" class="list-group-item list-group-item-action">A fourth button item</button>
  <button type="button" class="list-group-item list-group-item-action" disabled>A disabled button item</button>
  </div>
```

Flush ko'rinishidagi ro'yhatlar guruhi

An item	
A second item	
A third item	
A fourth item	
And a fifth one	

```
  An item
  A second item
  A third item
  li class="list-group-item">A fourth item
  li class="list-group-item">And a fifth one
```

Gorizontal ro'yhatlar guruhi

An item	item A second item	A third item
class="list-g; <li class="list-g;</td><th>s=" list-group="" list-group-horizontal"=""> ass="list-group-item">An item ass="list-group-item">A second itemass="list-group-item">A third item<th></th>		

Maxsus ko'rinishga ega bo'lgan ro'yhatlar guruhi

List group item heading 3 days ago Some placeholder content in a paragraph. And some small print.				
List group item heading Some placeholder content in a parag And some muted small print.	3 days ago raph.			
List group item heading Some placeholder content in a parag And some muted small print.	3 days ago			

```
<div class="list-group">
 <a href="#" class="list-group-item list-group-item-action active" aria-current="true">
   <small>3 days ago</small>
   </div>
   Some placeholder content in a paragraph.
   <small>And some small print.</small>
 </a>
 <a href="#" class="list-group-item list-group-item-action">
   <div class="d-flex w-100 justify-content-between">
    <h5 class="mb-1">List group item heading</h5>
    <small class="text-muted">3 days ago</small>
   </div>
   Some placeholder content in a paragraph.
   <small class="text-muted">And some muted small print./small>
 <a href="#" class="list-group-item list-group-item-action">
   <div class="d-flex w-100 justify-content-between">
     <h5 class="mb-1">List group item heading</h5>
     <small class="text-muted">3 days ago</small>
   Some placeholder content in a paragraph.
   <small class="text-muted">And some muted small print./small>
</div>
```

List group

List groups are a flexible and powerful component for displaying a series of content. Modify and extend them to support just about any content within.



