Model::Main


StateMachine1::CourseStateMachine
intialization
entry/entryIntilaizeCourse
[current date = registation start date]
AddStudent. [class size < max & current date < registration end date]
Registration open
entry/Add student to student list
not enough students
entry/increment class size
[class size=min]
enough students
entry/increment class size
cancel course
Course cancelled
do/notify registerd students
[current date = registration end date & class size <min]
cancel course
Delete(student list)
[current date = registration end date & min <=class size <max]
registration closed
[class size = max]
[current date =semester start date]

Model1::Example1


Department
-Title: String
-college: String
1
1
offers
5..*
0.2
is prerequests for
Course
-Title: String
-Number: int
-credts: int
+Add()
+Delete()
+Modify()
prerequests
*
has a prerequests
Student
-name: String
-gpa: double
-id: int
-credits pass: int
+Add()
+Delete()
+Update()
10..20
*
advisee
1.30
member of
1
advising
0.30
1..*
Instructor
-Name: Sting
-ID: int
+Add()
+Delete()
+Modify()
advisor
1
has section
enrolled in
1
teaches
0.7
teaching
0.2
Section
-Number: int
-Location: String
-time: String
+open()
+cancel()
+AddStudent()
+DeleteStudent()
+modify()
0.2
taught by
has to study
-grade: letter grade
-done: boolean
-semester
«enumeration»
letter grade
A
A-
B plus
B

Collaboration1::Interaction1::sequenceDigramATM


sd sequenceDigramATM
Client
ATM
Bank server
1 : insert(crediCard)
loop .
[1..3] or pin invalid
2 : enter pin no
3 : pin no
4 : checkValdity(CC no , pin no)
5 : result
alt .
[invalid pin]
6 : wrong pin no
[valid pin]
7 : List of acceptable amounts
8 : select(amount)
9 : LessThanBalance(account no , amount)
10 : *
alt .
[amount > balance]
11 : amount too high
[amount <=balance]
12 : deduct(account no , amount)
13 : giveOut(amount)
14 : eject card
15 : take card