

Date: _____

Day: _____

Abdul Hakeem Fahim

SU12-BSSEM-F25-037

Programming Fundamental Theory.

Section 2-A

Assignment No 1

Task 16

```
# include <iostream>
```

```
using namespace std;
```

```
int main() {
```

```
    float Fee, balance, charges = 10;
```

```
    cout << " Enter Balance : ";
```

```
    cin >> balance;
```

```
    cout << " Enter checks : ";
```

```
    cin >> checks;
```

```
    if (balance < 400) { charges += 15; }
```

```
    if (checks < 20 * 0.10);
```

```
    else if (checks < 40) { Fee = checks * 0.08; }
```

```
    else if (checks < 50) { Fee = checks * 0.06; }
```

```
    else { Fee = checks * 0.04; }
```

```
    charges += Fee;
```

```
    cout << "The bank services fee for month"
```

```
    << charges;
```

```
    return 0;
```

```
# include <iostream>
```

```
using namespace std;
```

```
int n;
```

```
cout << "Number Headphone Type" << endl;
```

```
cout << "1 Noise canceling" << endl;
```

```
cout << "2 wirelease" << endl;
```

```
cout << "3 wired Budget" << endl;
```

```
cout << "Select the Number 1-3: ";
```

```
cin >> n;
```

```
if (n == 1) {
```

```
    cout << "opt: " << n << endl;
```

```
    cout << "Model: Noise canceling" << endl;
```

```
    cout << "Price: $249.00"; }
```

```
else if (n == 2) {
```

```
    cout << "opt: " << n << endl;
```

```
    cout << "Model: wireless" << endl;
```

```
    cout << "Price: $199.00"; }
```

```
else if (n == 3) {
```

```
    cout << "opt: " << n << endl;
```

```
    cout << "Model: wired Budget" << endl;
```

```
    cout << "Price: $49.00"; }
```


Date: _____

Day: _____

```
else cout << "Invalid input ";  
return 0;
```

Task No/B

```
#include <iostream>  
using namespace std;  
int main () {  
    int n, bill, month;  
  
    cout << "1. Standard Adult membership/n2.  
    chld membership/n3. Senior citizen membership/n4  
    Quit the program" << endl;  
    cout << "Select the option 1-4 : ";  
    cin >> n;  
  
    if (n == 1) {  
        cout << "Enter the Month : ";  
        cin >> month;  
        bill = month * 40;  
        cout << " --- Bill --- " << endl;  
        cout << "Standard Adult membership" << endl;  
        cout << "Month : " << month << endl;  
        cout << "Total Bill : " << bill << endl; }  
    else if (n == 2) {  
        cout << "Enter the month : ";  
        cin >> month;
```



```

bill = month * do ;
cout << " --- Bill --- " << endl ;
cout << "child membership." << endl ;
cout << "month : " << month << endl ;
cout << "Total Bill : " << bill ; }
else if (n == 3) {
    cout << "Enter the month : ";
    cin >> month ;
    bill = month * 30 ;
    cout << " --- Bill --- " << endl ;
    cout << "General citizen membership" << endl ;
    cout << "month : " << month << endl ;
    cout << "total bill : " << bill ; }
else if (n == 4) { }
else cout << "invalid input";
return 0 ;
}

```


Program 05:

```
#include <iostream>
```

```
using namespace std;
```

```
int main () {
```

```
    int n;
```

```
    float gb, bill;
```

```
    cout << " $ 39.99 per month" << endl;
```

```
    cout << " $ 59.99 per month" << endl;
```

```
    cout << " $ 69.99 per month" << endl;
```

```
    cout << " select the option 1-3;
```

```
    cin >> n;
```

```
    if (n == 1) {
```

```
        cout << " GB:";
```

```
        cin >> gb;
```

```
        bill = 39.99;
```

```
        if (gb > 4) {
```

```
            bill = bill + (gb - 4) * 10;
```

```
        }
```

```
    else if (n == 2) {
```

```
        cout << " GB:";
```

```
        cin >> gb;
```

```
        bill = 59.99;
```

```
        if (gb > 8) {
```

```
            bill = bill + (gb - 8) * 5;
```

```
        }
```


int hour;

hour = sec / 3600;

cout << "Total hour: " << hour;
}

else if (sec >= 86400) {

int days;

days = sec / 86400;

cout << "Total days: " << days;
}

else

cout << "Invalid input";

return 0;

}

Program 5

```
#include <iostream>
```

```
using namespace std;
```

```
int main() {
```

```
    int sec;
```

```
    cout << "Enter Record: ";
```

```
    cin >> sec;
```

```
    if (sec >= 0 && sec < 3600) {
```

```
        int min;
```

```
        min = sec / 60;
```

```
        cout << "Sec is " << sec << " min is " << min << endl;
```

```
    }
```

```
    else if (sec >= 3600 && sec < 86400) {
```