

Version: v3.4.6.1 DB Last Update: 18 - June - 2011

DepPolicy_History VARCHAR2(50) BookID VARCHAR2(25) AstID DepCode NUMBER(12) SalvageValue FLOAT SalvageYear NUMBER(12) LastBV **FLOAT** CurrentBV **FLOAT** DATE **BVUpdate** NUMBER(1) IsDelete NUMBER(12) SalvageMonth SalvagePercent NUMBER(12)

DepPolicy			
CatDepID	VARCHAR2(50)	<pk></pk>	
AstCatID	VARCHAR2(25)	<fk2></fk2>	
DepCode	NUMBER(12)	<fk1></fk1>	
SalvageValue	FLOAT		
SalvageYear	NUMBER(12)		
SalvageMonth	NUMBER(12)		
SalvagePercent	NUMBER(12)		


	DepLogs	
DepLogID	NUMBER(12)	<pk></pk>
updDate	DATE	
DepPrdtype	NUMBER(12)	
totDepValue	FLOAT	
totAstCount	FLOAT	
totAstValue	FLOAT	
UpdMonth	NUMBER(12)	
UpdYear	NUMBER(12)	
BookID	NUMBER(12)	

Insurer			
InsCode	NUMBER(12)	<pk></pk>	
InsName	VARCHAR2(25)		
IsDeleted	NUMBER(1)		

	CompGroups	
GrpID	VARCHAR(25)	<pk></pk>
GrpDesc LvlID	VARCHAR2(100)	
LvIID	NUMBER(37)	
isDeleted	NUMBER(1)	
ispeleten	NOMBER(1)	

	CompLvI	
LvIID LvIDesc isDeleted	NUMBER(37) VARCHAR2(200) NUMBER(1)	<pk></pk>

	OrgHier	
HierCode GrpID isWareHouse isDeleted	VARCHAR2(25) VARCHAR2(25) NUMBER(12) NUMBER(1)	<pk></pk>



BarCode_Struct

BarStructID NUMBER(37) <pk>
BarStructDesc VARCHAR2(25)
BarStructLength NUMBER(37)
BarStructPreFix VARCHAR2(10)
ValueSep VARCHAR2(5)
BarCode VARCHAR2(100)
IsDeleted NUMBER(1)

AssetDetails

PODetails

FLOAT

FLOAT

NUMBER(37)

NUMBER(37)

NUMBER(37)

NUMBER(1)

NUMBER(1)

NUMBER(12)

NUMBER(37)

VARCHAR2(25)

VARCHAR2(200)

<pk>

<fk2>

<fk1>

POItmID

POCode

ItemCode

POItmDesc

AddCharges

POItmQty

IsDeleted

PORecQty

IsTrans

Unit

POItmBaseCost

StatusID NUMBER(4) <pk>
StatusDesc VARCHAR2(50)

LocID = LocID

AssetCoding

AssetCodingID NUMBER(12) <pk>
CompanyID NUMBER(12)
StartSerial NUMBER(37)
EndSerial NUMBER(37)
Status NUMBER(1)
IsDeleted NUMBER(1)

AstID = AstID

GLCodes

GLCode NUMBER(12) <pk>
GLDesc varchar2(50)
isDeleted number(1)
CompanyId NUMBER(12)

PurchaseOrder

e NUMBER(37)

POCode <pk> SuppID VARCHAR2(25) <fk1> **PODate** DATE CostID : VARCHAR2(25) Quotation Amount **FLOAT** AddCharges **FLOAT** VARCHAR2(200) ModeDelivery VARCHAR2(200) Payterm VARCHAR2(200) Remarks VARCHAR2(50) Approvedby Preparedby VARCHAR2(50) **POStatus** NUMBER(12) **IsDeleted** NUMBER(1) SuppID **IsTrans** NUMBER(1) ReferenceNo VARCHAR2(25) VARCHAR2(50) CostID <fk2> RequestedBy VARCHAR2(25) NUMBER(37) Discount

VARCHAR2(200)

TermnCon

-AstID = AstID

1/3

<pk>

<fk1>

TypeID = TypeID

AddCostHistory

FLOAT

DATE

FLOAT

NUMBER(37)

NUMBER(37)

VARCHAR2(50)

NUMBER(1)

VARCHAR2(25) <fk2>

AddCostID

TypeID

AddCost

ActionDate

LoginName

isDeleted

PrevItemCost

AstID

AddCostType

NUMBER(37)

TypeDesc

isDeleted NUMBER(1)

VARCHAR(255)

CompanyInfo ID NUMBER(5) <pk> Name VARCHAR2(50) Address VARCHAR2(200) VARCHAR2(50) State PCode VARCHAR2(50) City VARCHAR2(50) Country VARCHAR2(50) VARCHAR2(50) Phone VARCHAR2(50) Fax Email VARCHAR2(50) Image BLOB

Location VARCHAR2(255) LocID VARCHAR2(100) LocDesc NUMBER(1) IsDeleted ID1 NUMBER(37) VARCHAR2(50) Code LocLevel NUMBER(12) LocationFullPath NVARCHAR(MAX) CompCode NVARCHAR(255)


LocID = To_Loc LocID = Fr_loc

	Ast_History	
HistoryID	NUMBER(37)	<pk></pk>
AstID	VARCHAR2(25)	<fk3></fk3>
Fr_loc	VARCHAR2(255)	<fk1></fk1>
To_Loc	VARCHAR2(255)	<fk2></fk2>
InvSchCode	NUMBER(37)	
HisDate	DATE	
Status	INTEGER	
IsDeleted	NUMBER(1)	
DeptName	NVARCHAR2(MAX)	
Remarks	NVARCHAR2(MAX)	

-CustodianID = CustodianID-

Report_AssetSubCategory		
MainCat	VARCHAR2(50)	
SubCat	VARCHAR2(50)	
Invest_OB	float	
Invest_Add	FLOAT	
Invest_Ded	FLOAT	
Invest_CB	FLOAT	
Depr_OB	FLOAT	
Depr_Add	FLOAT	
Depr_Ded	FLOAT	
Depr_CB	FLOAT	
NetValue	FLOAT	
1	Dook History town	

BookHistory_temp			
DepHistID BookID DepCode DepValue AccDepValue DepDate CurrentBV IsDeleted AssetId SalvageYear SalvageMonth	NUMBER(37) VARCHAR2(50) NUMBER(12) FLOAT FLOAT DATE FLOAT NUMBER(1) VARCHAR2(100) NUMBER(12) NUMBER(12)	<pk></pk>	



-AstID = AstId

CustodianID = ToCustodian

CostCenter CostID VARCHAR2(50) <pk> CostNumber VARCHAR2(50) CostName VARCHAR2(50) IsDeleted NUMBER(1)


		Supplier	
	SuppID	VARCHAR2(25)	<pk></pk>
CumalD	SuppName	VARCHAR2(100)	•
= SuppID	SuppCell	VARCHAR2(50)	
_	SuppFax	VARCHAR2(50)	
	SuppPhone	VARCHAR2(50)	
	SuppEmail	VARCHAR2(50)	
	IsDeleted	NUMBER(1)	

Ast_Cust_history		
HistoryID AstId ToCustodian Fromcustodian HisDate	NUMBER(37) VARCHAR2(50) VARCHAR2(25) VARCHAR2(25) DATE	<fk2></fk2>
IsDeleted	NUMBER(1)	

CustodianID = Fromcustodian

	Ast_INV_Schedule		
InvSchCode InvDesc InvStartDate InvEndDate IsDeleted Closed	NUMBER(37) VARCHAR2(100) DATE DATE NUMBER(1) NUMBER(1)	<pk></pk>	

Report CompanyAssets VARCHAR(25) AstNum VARCHAR(25) AstID PurDate DATE VARCHAR(25) OracleRef VARCHAR(25) CompRef VARCHAR(25) AstCat1 AstCat2 VARCHAR(25) AstCat3 VARCHAR(25) VARCHAR(25) CC1 VARCHAR(25) CC2 CC3 VARCHAR(25) VARCHAR(25) CustodianID CustodianName VARCHAR(25) FLOAT Cost



Department

DeptId NUMBER(37) <pk>
DeptName VARCHAR2(200)
IsDeleted NUMBER(1)

DeptId = DeptId

	Address	
AddressID	NUMBER(37)	<pk></pk>
AddressDesc	VARCHAR2(200)	
IsDeleted	NUMBER(1)	

SysConfig		
ID	Number(12)	
Depr_Period	varchar2(50)	
FinancialYearStart	varchar2(50)	
FinyrStartDate	DATE	

AstBooks_temp		
BookID VARCHAR2(50)		
AstID	VARCHAR2(25)	
DepCode	NUMBER(12)	
SalvageValue	FLOAT	
SalvageYear	NUMBER(12)	
LastBV	FLOAT	
CurrentBV	FLOAT	
BVUpdate	DATE	
IsDelete	NUMBER(1)	
SalvageMonth	NUMBER(12)	

Report AssetCategory MainCat VARCHAR2(50) Invest_OB float Invest_Add FLOAT FLOAT Invest_Ded Invest_CB FLOAT Depr_OB **FLOAT** Depr Add FLOAT Depr_Ded FLOAT Depr CB FLOAT NetValue FLOAT

AppUsers

LoginName VARCHAR2(50) <pk>
RoleID NUMBER(12) <fk>
UserName VARCHAR2(50)
Password VARCHAR2(50)
IsDeleted NUMBER(1)
UserAccess NUMBER(5)

	DB Version
Version	VARCHAR2(50)
LastUpdate	DATE

	Brand	
AstBrandID	NUMBER(12)	<pk></pk>
AstBrandName	VARCHAR2(100)	
IsDeleted	NUMBER(1)	

NonBarCodedTemp		
NonBCode	NVARCHAR2(50)	<pk></pk>
DeviceID	NUMBER(12)	-
LocID	NVARCHAR2(255)	
AstCatID	NVARCHAR2(15)	
AstDesc	NVARCHAR2(255)	

	Disposal_Method	
DispCode DispDesc IsDeleted	NUMBER(12) VARCHAR2(50) NUMBER(1)	<pk></pk>

	Units	its	
UnitID	NUMBER(12)	<pk></pk>	
UnitDesc	varchar2(50)		
IsDeleted	NUMBER(1)		
I			

	Devices	
DeviceID	NUMBER(12)	<pk></pk>
DeviceDesc	VARCHAR2(50)	
ComType	NUMBER(12)	
DeviceIP	VARCHAR2(50)	
Status	NUMBER(1)	
IsDeleted	NUMBER(1)	

	Roles	
RoleID	Number(12)	<pk></pk>
Description	varchar(50)	
AppUser	Number(7)	
CompanyInfo	Number(7)	
Location	Number(7)	
DepPolicy	Number(7)	
Brands	Number(7)	
Designation	Number(7)	
Department	Number(7)	
Custodian	Number(7)	
Insurer	Number(7)	
DisposalMethod	Number(7)	
Supplier	Number(7)	
DepreciationMethod	Number(7)	
InvSch	Number(7)	
AssetsBooks	Number(7)	
AddressBook	Number(7)	
AssetsCat	Number(7)	
CostCenter	Number(7)	
AssetItems	Number(7)	
Company	Number(7)	
PO	Number(7)	
POApproval	Number(7)	
POTrans	Number(7)	
DeviceConfig	Number(7)	
SysConfig	Number(7)	
DataSend	Number(7)	
DataRecieve	Number(7)	
AstAdmin	Number(7)	
AstDetail AstTrans	Number(7) Number(7)	
AstSrc		
InterComTrans	Number(7) Number(7)	
	Number(7)	
Anonym Roles	Number(7)	
IsDeleted	Number(1)	
AstDetails	Number(7)	
AstTaging	Number(7)	
AssetsLedger	Number(7)	
DisposedAssets	Number(7)	
SoldAssets	Number(7)	
DamagedAssets	Number(7)	
InterCoTrans	Number(7)	
Units	Number(7)	
DepMan	Number(7)	
BarStuct	Number(7)	
BarCodePolicy	Number(7)	
AssetCoding	Number(7)	
CompLvl	Number(7)	
CompGroup	Number(7)	
GroupHier	Number(7)	
GLCode	Number(7)	
ReportDesigner	Number(7)	
_		

	ReportsFiles	
ReportName	VARCHAR(100)	<pk></pk>
ReportData	NVARCHAR2(max)	
Query	VARCHAR(2000)	
Type	NUMBER(1)	
IsDeleted	NUMBER(1)	

RoleReports		
RoleID	int	<ak></ak>
ReportName	VARCHAR(50)	<ak></ak>
IsDeleted	NUMBER(1)	

SysSettings		
ID	INT	
FYDate	VARCHAR(100)	
DepRunType	INT	
DeletePermt	INT	
ExportToServ	NUMBER(1)	
CodingMode	NUMBER(1)	
dtFormat	VARCHAR(100)	

OfflineMachines		
MachineID	int	<pk></pk>
MachineDesc	nvarchar(50)	
ServerName	nvarchar(50)	
DatabaseName	nvarchar(50)	
UserName	nvarchar(50)	
Password	nvarchar(50)	
Port	nvarchar(50)	
LastAssetNumber	LONG	
StartSerial	LONG	
EndSerial	LONG	
CompanyID	int	
IsDeleted	Number(1)	