

COMS3002 Software Engineering

Software Requirement Specification (SRS)



WITS
UNIVERSITY

Group 8

Abdulkadir Dere - 752817
Jesse Wright - 721386
Liam Leibrandt - 814078
Brenda Lin - 747243

School of Computer Science
University of Witwatersrand
28 August 2017

Contents

1	Introduction	2
1.1	Purpose	2
1.2	Scope	2
1.3	Glossary	3
1.4	References	3
1.5	Overview	3
2	Overall Description	3
2.1	Product Perspective	3
2.2	Requirements Gathering	4
2.3	Product Functions	4
2.4	User Characteristics	5
2.5	General Constraints	6
2.6	Assumptions and Dependencies	7
3	Detailed Requirements	8
3.1	External Interface Requirements	8
3.1.1	User Interfaces	8
3.1.2	Hardware Interfaces	8
3.1.3	Software Interfaces	8
3.1.4	Communication Interfaces	9
3.2	Functional Requirements	9
3.3	Performance Requirements	16
3.4	Design Constraints	16
3.5	Software System Attributes	16

1 Introduction

1.1 Purpose

We will be developing an Online Postgraduate Application Approval Workflow solution for the EIE (The School of Electrical and Information Engineering). This solution is specifically developed to improve the postgraduate approval process of applicants to their graduate program. We plan to improve the efficiency and accuracy of this process by converting this currently manual process to an electronic process. Our solution will be a web application.

1.2 Scope

Our aim for the project is to create an online postgraduate application approval system for the school of electrical and information engineering. This system will be as paperless as possible to keep the paperwork of the activity to a minimum. This system will be a web application.

Business Process

The PGO will receive completed applications from students and required documents from SIMS. These applications will be checked to make sure they are ready to process. Once they are checked, the applications with the required information can be sent to one of the three users that will either recommend or not recommend an application. The three actors are the Research Group Lead, Identified Supervisor and the PGC. The application will be sent to either one of these actors based on the program that the application is for. If an interview is needed, one of the three actors can book an interview with the applicant. After the interview the user can recommend/not recommend the application. The application will then be sent to the PGC who will then accept or reject the application based on the the application being recommended or not and based on faculty rules and regulations. The PGFO will receive an email/notification about the application's status. The applicant and the schools PGO will also receive an email notifying them whether the application was accepted or rejected with an explanation.

1.3 Glossary

Term/Acronym/Abbreviation	Description/Definition
PGO	Postgraduate Officer
PGC	Postgraduate Coordinator
PGFO	Postgraduate Faculty Officer
Evaluator	Person who is responsible of evaluating the application for the recommendation phase.
EIE	The School of Electrical and Information Engineering
PAAS	Postgraduate Application Approval System
SIMS	Students Information Management System
Applicant	User who registers on the system to apply (formal request) for postgraduate degree
Application	Formal request submitted by the applicant to apply for a postgraduate degree
Associated Documentation	Any documentation that is associated with the application form. Retrieved from SIMS. These documents may also need to be analysed with the application by the users.
CRUD	Create, Read (View), Update (Edit) and Delete (Archive). Used to manage entities in the system
UX	User Experience

1.4 References

1. Clark Wimberly, sitepoint
<https://www.sitepoint.com/5-simple-ux-principles-guide-product-design/>
2. nancydehra, BRIGHT HUB PROJECT MANAGEMENT,
<http://www.brighthubpm.com/project-planning/60264-techniques-used-in-business-requirements-gathering/>

1.5 Overview

Section 2 gives a general overview of the system. It explains the database requirements as well as what the product entails. Section 3 gives more specific requirements. It covers aspects such as hardware, software and performance requirements.

2 Overall Description

2.1 Product Perspective

The solution we are developing will be a web application. This web application will be used by the employees of the EIE who are responsible for the postgraduate approval process of applicants to their graduate program.

Our solution, the Postgraduate Application Approval System (PAAS), will provide these employees with an almost completely paperless electronic way of approving postgraduate applicants.

The PAAS will be designed to:

- Send notification emails to PGO about applications that need to be processed.
- Redirect PGO to SIMS.

- Receive and view applications and associated documents.
- Forward documents to Evaluator (Research Group Leads, Identified Supervisors or PGCs).
- Set up interviews for applicant and notify them by email.
- Allow applications to be recommended by Evaluators.
- Send application to PGC.
- Allow PGC to accept/decline application.
- Send the accepted/declined applications back to PGO.
- Send notification email to PGFO.
- Send email to applicant whether he/she has been accepted.
- Print documents if needed at any time.
- Login users.

2.2 Requirements Gathering

Brainstorming: We got together as a group and identifying as many possible solutions to the problem that the EIE is facing. We then simplified the solution details. Brainstorming helps casts a broad net, determining various discrete possibilities. Then simplifying and prioritizing the details of the solution. [2]

Observation: We were given a step-by-step walkthrough of the business process, which we believe is a more subjective form of obtaining requirements than pure observation. We then took those steps and converted them into functions for the PAAS. [2]

2.3 Product Functions

We will be converting what the PAAS is designed to do into use cases.

Use Case List:

- Send Email
- Redirect To SIMS
- View Documents
- Forward Documents
- Setup Interview
- Recommend Application
- Accept Application
- Print Document
- Login User

CRUD (Create, Read [View], Update [Edit], Delete [Archive]) Use Case List:

- ie. Manage PGO = Create PGO, View PGO, Update PGO, Archive PGO

- Manage PGO
- Manage PGC
- Manage PGFO
- Manage Evaluator (Research Group Lead or Identified Supervisor)
- Manage Application
- Manage Interview
- Manage Document

2.4 User Characteristics

The users are the people and other systems that interact with the PAAS system. A user can be primary user or a secondary user. A primary user interacts directly with the PAAS and a secondary user interacts with the PAAS indirectly.

User List:

User	Primary/Secondary	Interaction with PAAS
PGO	Primary	<ul style="list-style-type: none"> • Receives email from PAAS about applications for processing. • Gets redirected to SIMS. • View applications and associated documents. • Forward documents to Evaluators. • Send notification email to PGFO. • Ability to print documents.
Evaluator	Primary	<ul style="list-style-type: none"> • Receive documents from PGO. • View applications and associated documents. • Setup applicant interviews. • Recommend/Don't recommend application. • Send documents to PGC and PGO. • Ability to print documents.
PGC	Primary	<ul style="list-style-type: none"> • Receive documents from PGO and Evaluators. • View applications and associated documents. • Accept/Reject application. • Send documents to PGO. • Ability to print documents.
PGFO	Primary	<ul style="list-style-type: none"> • Receive email notifications from PGO. • Send email to applicant on whether or not they accepted. • Ability to print documents.
SIMS	Secondary	<ul style="list-style-type: none"> • PGO gets redirected to SIMS from PAAS.
Applicant	Secondary	<ul style="list-style-type: none"> • Receives interview emails. • Receives email about application status.

2.5 General Constraints

Implementation

Not all internet browsers may work with our system. Moving from manual to digital may be time consuming, and are subject to human error. The number of active users may start out small due to human resistance towards new technology, especially those who are not computer savvy. Teaching new users how to use the system will be time-consuming.

Due to time constraints and the fact that we are students, the system may not be fully-functional as planned.

Hardware

Any device that makes use of a supported browser will be able to use the system. We cannot guarantee that all devices will be supported.

The system will require an internet connection.

Software

One needs a supported browser. There will not be an application available for mobile or computer, because it is a web-application.

The software may not be fully implemented as planned due to the fact that we are students and have time constraints.

Legal Issues

To obtain a web domain. The source code will belong to the University and therefore, if the client wants the rights to the source code, they might have to go through legal protocols to obtain it from Wits University.

As students we may not be given permission to access SIMS.

Reliability and Fault Tolerance

The system needs to be reliable and should be able to recover the student documents. It is extremely frustrating for applicants to re-upload applications because of the unreliability of the system.

The system also needs have as little faults as possible, since we are working with an important process at the university, this process cannot be put on hold because of a faulty system.

Security

The system is working with sensitive information and cannot be compromised. Student details and marks are very private pieces of data and cannot be leaked because of a poorly designed system.

User

Based on the security issue mentioned above, users will only be able to access the system with a username and password. Therefore users should not have access to other users' data.

The PGO should not have access to make the final decision until the recommendation for the application is received from the relevant users.

2.6 Assumptions and Dependencies

- We are assuming all users have a supported browser. We are assuming all users will use the system.
- We are assuming all users are computer literate.

- The system will be dependant on an online database (Web Service).
- We are assuming that we can access SIMS. The associated documentation are dependant on SIMS.
- We are assuming that all applicants and users use email actively.
- We are assuming that applicants can submit more than one application.
- We are assuming that all users may need to print the application documents.

3 Detailed Requirements

3.1 External Interface Requirements

3.1.1 User Interfaces

The user interfaces may be different depending on what type of user is logged into the system. But all interfaces will follow some fundamental UX principles.

Some of these UX principles are digestibility, clarity, trust, familiarity and delight. Digestibility gives the user the feeling of I get it. The format, components and layout of the interface should be as clear as possible so that the user can have a feeling knowing exactly what to do because of past experiences and familiarity. Clarity is used in terms of the components, fields, layout, validation, error messages and format. The formats, validation and error messages have to be clear in terms of language, ie. the field requires a valid email address. A user should never feel unsure when entering their details. The use of components such as date-time picker gives the user a feeling clarity and trust. The users of the PAAS should have a feeling of familiarity from the previous forms that used to fill in manually. The electronic forms should be designed around the manual forms, the formats and positions need to be as similar as possible to allow for an easier transition. A user should have a feeling of delight when using the system, they should never feel frustrated because this will lead to the users being reluctant to using the system. [1]

3.1.2 Hardware Interfaces

Since this solution is a web-based application, the hardware devices used must support the use of web browsers, as well as the ability to display a GUI and process input from the user in order to perform the interactions between client and server. To display the GUI of the application, a display device must be used, preferably with a DPI (dots per inch) above 300. If the DPI of the device is too low, the GUI may be too pixelated to view or give meaning to. For input, a keyboard is required. It may be a digitally displayed keyboard (on the display of a device) or a physical external keyboard. The keyboard is required for basic functionality of the application. Also on the aspect of input, a mouse or trackpad is required in order to perform basic mouse down functions as well as cursor movement. The device must have sufficient processing power and memory in order to run the web browser which will be the host of the web application on the device.

3.1.3 Software Interfaces

The software used for this web-based application will be web browsers. The web browsers which this applications functionality will be tested on are FireFox, Google Chrome and the mobile versions of these. As discussed above in section 3.1.2, the hardware devices need to be able to support FireFox and Google Chrome web browsers.

3.1.4 Communication Interfaces

The system will make use of email functionality to notify the users, both primary and secondary. The email function is used to notify applicants about the status about their application. The PGO will receive emails when there are new applications to be processes.

3.2 Functional Requirements

Use Case 1:	Redirect to SIMS
Primary Actor:	PGO
Secondary Actor:	SIMS
Precondition:	<ol style="list-style-type: none">1. The PGO must be logged in.2. The PGO must have an application that needs to be processed.
Main Success Scenario:	<ol style="list-style-type: none">1. The user will prompt the system to redirect to the SIMS.2. The system will open a new tab which redirects to the SIMS.
Exception Scenarios:	None.

Use Case 2:	View Documents
Primary Actor:	PGO, Evaluator, PGC
Precondition:	<ol style="list-style-type: none">1. The user must be logged in.2. The user must have an application that needs to be processed and/or the associated documents.
Main Success Scenario:	<ol style="list-style-type: none">1. The user will prompt the system to view a certain document.2. The system will open a the document to be viewed.
Exception Scenarios:	None.

Use Case 3:	Set Up Interview
Primary Actor:	Evaluator, PGC
Secondary Actor:	Applicant
Precondition:	<ol style="list-style-type: none"> 1. The user must be logged in. 2. The user must have an application that needs to be processed. 3. The application should not be evaluated.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will prompt the system that they want to setup an interview with the applicant. 2. The system will open a the interview form. 3. The system will prompt the user to enter in the details of the interview such as a date, time, venue etc. 4. The user will fill in these details. 5. The system will prompt the user to confirm the interview details. 6. The user will confirm the details. 7. The system will notify the user that the interview creation was successful. 8. The system will redirect the user to the home page.
Exception Scenarios:	<ol style="list-style-type: none"> 1. The user will not confirm the details of the interview. 2. The system will keep the details intact, since the user could have made a small mistake that the user needs to change. <ol style="list-style-type: none"> 1. The system will notify the user that the interview creation was not successful. 2. The system will redirect the user back to the interview form.

Use Case 4:	Recommend Application
Primary Actor:	Evaluator, PGC
Precondition:	<ol style="list-style-type: none"> 1. The user must be logged in. 2. The user must have an application that needs to be processed. 3. The application should not be evaluated.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will prompt the system to a recommend an application. 2. The system will prompt the user to confirm the recommendation. 3. The user will confirm the recommendation. 4. The system will initiate the Forward Documents Use Case
Exception Scenarios:	<ol style="list-style-type: none"> 1. The user will not recommend the application. 2. The system will prompt the user to confirm the recommendation. 3. The user will confirm the recommendation. 4. The system will initiate the Forward Documents Use Case <ol style="list-style-type: none"> 1. The user will not confirm the recommendation. 2. The system will redirect back to the previous screen.

Use Case 5:	Accept Application
Primary Actor:	PGC
Precondition:	<ol style="list-style-type: none"> 1. The user must be logged in. 2. The user must have an application that needs to be processed. 3. The application should be evaluated. 4. The application should not be accepted/declined.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will prompt the system to accept an application. 2. The system will prompt the user to confirm the acceptance. 3. The user will confirm the acceptance. 4. The system will initiate the Forward Documents Use Case
Exception Scenarios:	<ol style="list-style-type: none"> 1. The user will not accept the application. 2. The system will prompt the user to confirm the acceptance. 3. The user will confirm the acceptance. 4. The system will initiate the Forward Documents Use Case <ol style="list-style-type: none"> 1. The user will not confirm the acceptance. 2. The system will redirect back to the previous screen.

Use Case 6:	Print Document
Primary Actor:	PGO, Evaluator, PGC, PGFO
Precondition:	<ol style="list-style-type: none"> 1. The user must be logged in. 2. The user must have an application that needs to be processed and/or the associated documents.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will prompt the system to print a certain document. 2. The system will print the document.
Exception Scenarios:	None.

Use Case 7:	Login User
Primary Actor:	PGO, Evaluator, PGC, PGFO
Precondition:	The user cannot be logged in.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will prompt the system to log in. 2. The system will prompt the user to enter in the user-name/email address and password. 3. The user will enter these details and login. 4. The system will direct the user to the home page.
Exception Scenarios:	<ol style="list-style-type: none"> 1. The user will enter in the incorrect details. 2. The system will show an error message and prompt the user to enter the details correctly. 3. The user will enter these details and login. 4. The system will direct the user to the home page.

Use Case 8:	Forward Documents
Primary Actor:	PGO, Evaluator, PGC, PGFO
Precondition:	<ol style="list-style-type: none"> 1. The user must be logged in. 2. The user must have an application that needs to be processed and/or the associated documents. 3. The user needs to have completed his/her task.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will prompt the system to send the applicant's documents. 2. The system will prompt the user to select the user to send it to. 3. The user will select the user. 4. The system will prompt the user to confirm the selection. 5. The user will confirm. 6. The system will notify the user with a success message that the documents were successfully sent.
Exception Scenarios:	<ol style="list-style-type: none"> 1. The user will not confirm the selection. 2. The system will redirect the user to the previous page.

Use Case 9:	Send Email
Primary Actor:	PGO, Evaluator, PGC, PGFO
Precondition:	The user must be logged in.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will prompt the system to send an email. 2. The system will prompt the user to select the user to send it to. 3. The user will select the user. 4. The system will prompt the user to confirm the selection. 5. The user will confirm. 6. The system will prompt the user to select a predefined email, depending on the user, or allow the user to write their own email. 7. The user will select the type of email. 8. The user will send the email. 9. The system will notify the user with a success message that the email was successfully sent.
Exception Scenarios:	<ol style="list-style-type: none"> 1. The user will not confirm the selection. 2. The system will redirect the user to the previous page.

Use Case 10:	Create User
Primary Actor:	PGO
Precondition:	The user must be logged in.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will request to create a new user for the system. 2. The system will prompt the user to insert a username and password for the new user. 3. The system will prompt the user to confirm the selection. 4. The user will confirm. 5. The system will notify the user with a success message that the user has been successfully created.
Exception Scenarios:	<ol style="list-style-type: none"> 1. The username has already been taken or the user-name/password is invalid (blank). 2. An error message will be displayed and system will redirect the user to the previous page. <ol style="list-style-type: none"> 1. The user will not confirm the selection. 2. The system will redirect the user to the previous page.

Use Case 11:	View User
Primary Actor:	PGO
Precondition:	The user must be logged in.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will request to view a user in the system. 2. The system will prompt the user to enter a username. 3. The system will prompt the user to confirm the selection. 4. The user will confirm. 5. The system will display the user in the system.
Exception Scenarios:	<ol style="list-style-type: none"> 1. The username doesn't exist or is invalid (blank). 2. An error message will be displayed and system will redirect the user to the previous page. 1. The user will not confirm the selection. 2. The system will redirect the user to the previous page.

Use Case 12:	Update User
Primary Actor:	PGO, Evaluator, PGC, PGFO
Precondition:	The user must be logged in.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will request to update their profile. 2. The system will display the user in the system and allow the user to edit the users attributes. 3. The user will enter in the details that they want to change. 4. The user will confirm these changes. 5. The system will notify the user with a success message that the user has been successfully updated.
Exception Scenarios:	None.

Use Case 13:	Archive User
Primary Actor:	PGO
Precondition:	The user must be logged in.
Main Success Scenario:	<ol style="list-style-type: none"> 1. The user will request to archive (delete) a user in the system. 2. The system will prompt the user to enter a username. 3. The system will prompt the user to confirm the selection. 4. The user will confirm. 5. The system will notify the user with a success message that the user has been successfully archived (Deleted).
Exception Scenarios:	None.

3.3 Performance Requirements

This application is more dependent on the accuracy of communication and information than it is dependent on the overall performance and speed of the application. We aim to have a reliable platform on which communication is priority. Although performance is not negligible, it is not a requirement at the expense of a loss of accuracy in the communication between applicant and PGO. The application will not be demanding on the hardware but it will be demanding on the bandwidth available to the device. The slower the connection to the server where the database is stored, the slower the overall interaction with the web app will be.

3.4 Design Constraints

The application will not be optimized for systems that run Safari browsers since there are no such devices available to our team for testing. Running the web application on a safari browser is not recommended and will be done at the user's own risk.

We have a major time constraint, since we are students, we have other obligations as well. Therefore the application design could suffer from this design constraint.

3.5 Software System Attributes

Availability: The system will be running constantly.

Security: The system's security and reliability is mentioned in Section 2.4

Maintainability: PGO will be admin and be able to create and archive users.

After testing and feedback, the developers would be able to update the system to suit the user's needs.