

Natas Level 0

Natas Level 0

Username: `natas0`

Password: `natas0`

URL: `http://natas0.natas.labs.overthewire.org`

Open the link on your browser & log in.

Username: `natas0`

Password: `natas0`

You can find the password for the next level on this page.

Click-right button on your mouse. Then click View page source.

You can find the password for the next level on this page.

`<!--The password for natas1 is 0nzCigAq7t2iALyvU9xcHIYN4MlkIwlq -->`

Password is: `0nzCigAq7t2iALyvU9xcHIYN4MlkIwlq`

Now go and play second level.

Natas Level 0 → Level 1

Natas Level 0 → Level 1

Username: `natas1`

URL: `http://natas1.natas.labs.overthewire.org`

Open the link on your browser & log in.

Username: `natas1`

Password: `0nzCigAq7t2iALyvU9xcHIYN4Miklwlq`

You can find the password for the next level on this page, but
rightclicking has been blocked!

Click right button on your mouse. Then click View page source.

next level on this page, but rightclicking has been blocked!

<!--The password for natas2 is TguMNxKo1DSa1tujBLuZJnDUICcUAPII -->

Password is: `TguMNxKo1DSa1tujBLuZJnDUICcUAPII`

Now go and play next level.

Natas Level 1 → Level 2

Natas Level 1 → Level 2

Username: `natas2`

URL: `http://natas2.natas.labs.overthewire.org`

Open the link on your browser & log in.

Username: `natas2`

Password: `TguMNxKo1DSa1tujBLuZJnDUICcUAPII`

There is nothing on this page

Click right button on your mouse. Then click View page source.
There is nothing on the page. But we found a path (files/pixel.png)

There is nothing on this page

Now open this link: <http://natas2.natas.labs.overthewire.org/files/>
Now we found

Index of /files

<u>Name</u>	<u>Last modified</u>	<u>Size</u>	<u>Description</u>
 Parent Directory		-	
 pixel.png	2026-04-03 15:07	303	
 users.txt	2026-04-03 15:07	145	

Apache/2.4.58 (Ubuntu) Server at natas2.natas.labs.overthewire.org Port 80

Click the users.txt

```
# username:password
alice:BYNdCesZqW
bob:jw2ueICLvT
charlie:G5vCvkVV3m
natas3:3gqisGdR0pjm6tpkDKdIW02hSvchLeYH
eve:zo4mJWyNj2
mallory:9urtcpzBmH
```

Password is: 3gqisGdR0pjm6tpkDKdIW02hSvchLeYH
Now go and play next level.

Natas Level 2 → Level 3

Natas Level 2 → Level 3

Username: natas3

URL: <http://natas3.natas.labs.overthewire.org>

Open the link on your browser & log in.

Username: natas3

Password is: 3gqisGdR0pjm6tpkDKdIWO2hSvchLeYH

There is nothing on this page

There is nothing on this page. Now check the robots.txt so,

Link is: natas3.natas.labs.overthewire.org/robots.txt

```
User-agent: *  
Disallow: /s3cr3t/
```

Here we found a new path.

Then search: <http://natas3.natas.labs.overthewire.org/s3cr3t/>

Index of /s3cr3t

Name	Last modified	Size	Description
 Parent Directory		-	
 users.txt	2026-04-03 15:07	40	

Apache/2.4.58 (Ubuntu) Server at natas3.natas.labs.overthewire.org Port 80

Now click users.txt.

```
natas4:QryZXc2e0zahULdHrtHxzyYkj59kUxLQ
```

Password is: QryZXc2e0zahULdHrtHxzyYkj59kUxLQ

Now go and play next level.

Natas Level 3 → Level 4

```
Natas Level 3 → Level 4
```

```
Username: natas4
```

```
URL:      http://natas4.natas.labs.overthewire.org
```

Open the link on your browser & log in.

Username: natas4

Password is: QryZXc2e0zahULdHrtHxzyYkj59kUxLQ

Access disallowed. You are visiting from "" while authorized users should come only from "http://natas5.natas.labs.overthewire.org/"

[Refresh page](#)

Open the burpsuite and browser.



Intercept is off

If you turn Intercept on, messages between Burp's browser and your target servers are held here. This enables you to analyze and modify these messages, before you forward them.

[Learn more](#)

[Open browser](#)

Open the link <http://natas4.natas.labs.overthewire.org> and sign in

Sign in

<http://natas4.natas.labs.overthewire.org>

Your connection to this site is not private

Username

Password

Username: natas4

Password is: QryZXc2e0zahULdHrtHxzyYkj59kUxLQ


Intercept on the burpsuite, then refresh the page

Access disallowed. You are visiting from "" while authorized users should come only from "http://natas5.natas.labs.overthewire.org/"

[Refresh page](#)

```
GET /index.php HTTP/1.1
Host: natas4.natas.labs.overthewire.org
Authorization: Basic bmFOYXM0OEFyeVpYYzJlMmphaFVMZEhydEh4enlZa2o1OWtVeExR
Accept-Language: en-US,en;q=0.9
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Referer: http://natas4.natas.labs.overthewire.org/
Accept-Encoding: gzip, deflate, br
Connection: keep-alive
```


Replace 4 with 5, right-click the request, and send it to Repeater.



Click the sent button.

Access granted. The password for natas5 is 0n35PkggAPm2zbEpOU802c0x0Msn1ToK
Password is : 0n35PkggAPm2zbEpOU802c0x0Msn1ToK
Now go and play next level.


Natas Level 4 → Level 5



Open the link on your browser & log in.

Username: natas5

Password is: 0n35PkggAPm2zbEpOU802c0x0Msn1ToK



Click-right button on your mouse. Then click inspect, then go to the storage option.
Go to the cookies.

Name	Value
_ga_RD0K2239G0	GS2.1.s1781624337\$023\$g1\$t1781624795\$j34\$0\$0
_ga	GA1.1.2034413918.1777998434
loggedin	0

Replace 0 with 1 and refresh the web page.

Access granted. The password for natas6 is
0RoJwHdSKWFTYR5WuiAewauSuNaBXned

Password is : 0RoJwHdSKWFTYR5WuiAewauSuNaBXned
Now go and play next level.

Natas Level 5 → Level 6

Natas Level 5 → Level 6

Username: natas6

URL: <http://natas6.natas.labs.overthewire.org>

Open the link on your browser & log in.

Username: natas6

Password is: 0RoJwHdSKWFTYR5WuiAewauSuNaBXned

Input secret:

[View sourcecode](#)

Go to the View sourcecode.

```
include "includes/secret.inc";

if(array_key_exists("submit", $_POST)) {
    if($secret == $_POST['secret']) {
        print "Access granted. The password for natas7 is <censored>";
    } else {
        print "Wrong secret";
    }
}
?>
```

here , they give us a path. Now go to the link is

<http://natas6.natas.labs.overthewire.org/includes/secret.inc>

There is nothing. Click-right button on your mouse. Then click view page source option

```
1 <?
2 $secret = "FOEIUWGHFEEUHOFUOIU";
3 ?>
4
```

Secret code is FOEIUWGHFEEUHOFUOIU. Copy that paste there.

Input secret:

[View sourcecode](#)

Access granted. The password for natas7 is
bmg8SvU1LizuWjx3y7xkNERkHxGre0GS

Input secret:

[View sourcecode](#)

Password is bmg8SvU1LizuWjx3y7xkNERkHxGre0GS
Now go and play next level.

Natas Level 6 → Level 7

Natas Level 6 → Level 7

Username: natas7

URL: <http://natas7.natas.labs.overthewire.org>

Open the link on your browser & log in.

Username: natas7

Password is: bmg8SvU1LizuWjx3y7xkNERkHxGre0GS

[Home](#) [About](#)

Click on home page.now open the source code.

```
this is the front page
```

```
<!-- hint: password for webuser natas8 is in /etc/natas_webpass/natas8 -->
</div>
```

They give us a hint. Now copy the path, then open the link

http://natas7.natas.labs.overthewire.org/index.php?page=/etc/natas_webpass/natas8

[Home](#) [About](#)

xcoXLmzMkoIP9D7hlgPlh9XD7OgLAe5Q

Password is xcoXLmzMkoIP9D7hlgPlh9XD7OgLAe5Q

Now go and play next level.

Natas Level 7 → Level 8

Natas Level 7 → Level 8

Username: natas8

URL: <http://natas8.natas.labs.overthewire.org>

Open the link on your browser & log in.

Username: natas8

Password is : xcoXLmzMkoIP9D7hlgPlh9XD7OgLAe5Q

Input secret:

Submit Query

[View sourcecode](#)

Click the View sourcecode.

```

$encodedSecret = "3d3d516343746d4d6d6c315669563362";

function encodeSecret($secret) {
    return bin2hex(strrev(base64_encode($secret)));
}

if(array_key_exists("submit", $_POST)) {
    if(encodeSecret($_POST['secret']) == $encodedSecret) {
        print "Access granted. The password for natas9 is <censored>";
    } else {
        print "Wrong secret";
    }
}
?>

```

Copy the number **3d3d516343746d4d6d6c315669563362**

Go to the cyberchef and paste the number

Recipe	Input
From Hex Delimiter None	3d3d516343746d4d6d6c315669563362 abc 32 1
	Output ==QcCtmMml1ViV3b

Now go to any online tool and reverse the string. like,


Browserling
<https://www.browserling.com/tools/text-reverse>

Reverse Text - Reverse String - Online

World's simplest online text and string reverser for web developers and programmers. **Just paste your data in the form below, press the Reverse button, and you' ...**

b3ViV1lmMmtCcQ==

Decode it by base64.

Recipe

From Base64

Alphabet
A-Za-z0-9+/=

☒ Remove non-alphabet chars ☐ Strict mode

Input

b3ViV1lmMmtCcQ==

abc 16 1

Output

oubWYf2kBq

Secret code is oubWYf2kBq

Input secret:

Submit Query

[View sourcecode](#)

Access granted. The password for natas9 is
ZE1ck82lmdGIoEr1hQgWND6j2Wzz6b6t

Input secret:

Submit Query

[View sourcecode](#)

Password is ZE1ck82lmdGIoEr1hQgWND6j2Wzz6b6t
Now go and play next level.

Natas Level 8 → Level 9

Natas Level 8 → Level 9


Username: natas9

URL: <http://natas9.natas.labs.overthewire.org>

Open the link on your browser & log in.

Username: natas9

Password is ZE1ck82lmdGIoEr1hQgWND6j2Wzz6b6t



Click on View sourcecode.

Output:

```
<pre>
<?
$key = "";

if(array_key_exists("needle", $_REQUEST)) {
    $key = $_REQUEST["needle"];
}

if($key != "") {
    passthru("grep -i $key dictionary.txt");
}
?>
</pre>
```

They give us a text file. Now, we find out the key.

Each level has access to the password of the next level. Your job is to somehow obtain that next password and level up. All passwords are also stored in `/etc/natas_webpass/`. E.g. the password for `natas5` is stored in the file `/etc/natas_webpass/natas5` and only readable by `natas4` and `natas5`.

```
grep -i; cat /etc/natas_webpass/natas10; dictionary.txt
```

Find words containing:

Output:

[View sourcecode](#)

Find words containing:

Output:

t7I5VHvpa14sJTUGV0cbEsbYfFP2dm0u

[View sourcecode](#)

Password is `t7I5VHvpa14sJTUGV0cbEsbYfFP2dm0u`
Now go and play second level.

Natas Level 9 → Level 10

Natas Level 9 → Level 10

Username: `natas10`

URL: `http://natas10.natas.labs.overthewire.org`

Open the link on your browser & log in.

Username: natas10

Password is t7I5VHvpa14sJTUGV0cbEsbYfFP2dm0u

For security reasons, we now filter on certain characters

Find words containing:

Output:

[View sourcecode](#)

Click on View sourcecode.

```
..
$key = "";

if(array_key_exists("needle", $_REQUEST)) {
    $key = $_REQUEST["needle"];
}

if($key != "") {
    if(preg_match('/[;|&|/',$key)) {
        print "Input contains an illegal character!";
    } else {
        passthru("grep -i $key dictionary.txt");
    }
}
?>
</pre>
```

The key is a /etc/natas_webpass/natas11 to find the password.

For security reasons, we now filter on certain characters

Find words containing:

Output:

[View sourcecode](#)

Now search.

For security reasons, we now filter on certain characters

Find words containing:

Output:

```
/etc/natas_webpass/natas11:UJdqkK1pTu6VLt9UHWAgRZz6sVUZ3lEk
dictionary.txt:African
dictionary.txt:Africans
dictionary.txt:Allah
dictionary.txt:Allah's
dictionary.txt:American
dictionary.txt:Americanism
dictionary.txt:Americanism's
dictionary.txt:Americanisms
```

Password is UJdqkK1pTu6VLt9UHWAgRZz6sVUZ3lEk

Now go and play second level.