

Burp Suite — Practical Tool Guide

Proxy, HTTP History, Scope, Repeater, Intruder, Decoder, and Comparer - and what to do with them step by step in a web lab.

➔ Abdullah Nasser Almsan – Personal Pentest Reference

Usage note: This workflow is kept Community-compatible where possible. Some automated Scanner capabilities require professional editions.

SCOPE

Define the target

PROXY

Observe requests

REPEATER

Test manually

EVIDENCE

Compare and save

Contents

1. Set the target and Scope
2. Proxy and HTTP History
3. Repeater
4. Intruder - organized use
5. Decoder and Comparer
6. Connect Burp with CLI tools
7. Fast web-lab workflow

1. Set the target and Scope

Use Scope to reduce noise and avoid testing outside the authorized target.

BURP SUITE — Use the built-in browser

Proxy → Intercept → Open Browser

The Burp browser is preconfigured to pass traffic through Burp.

BURP SUITE — Add a host to Scope

Target → Site map → Right click host → Add to scope

After setting Scope, enable in-scope filters in Proxy/Target to reduce mistakes and accidental traffic to other hosts.

2. Proxy and HTTP History

Proxy is the observation and modification point for web traffic.

BURP SUITE — Toggle interception

Proxy → Intercept → Intercept is on/off

BURP SUITE — Forward or discard a request

Forward / Drop

BURP SUITE — Review all requests

Proxy → HTTP history

Even with Intercept off, HTTP history is often the fastest place to review traffic.

BURP SUITE — Send an important request to Repeater

Right click request → Send to Repeater

3. Repeater

Repeater is the main tool for controlled manual testing of one request.

BURP SUITE — Change one parameter and resend

Repeater → edit Query/Body/Header → Send

HTTP REQUEST — Change a cookie or Authorization header

Cookie: session=[VALUE]
Authorization: Bearer [TOKEN]

BURP SUITE — Compare the response

Review Status / Length / Headers / Body / Timing

Change one variable at a time and retain the baseline response so the reason for a difference stays clear.

4. Intruder - organized use

Use Intruder when a specific request position needs controlled repetition.

BURP SUITE — Send to Intruder

Right click request → Send to Intruder

BURP SUITE — Mark payload positions

Intruder → Positions → Clear \$ → Add \$ around the value to vary

BURP SUITE — Load a payload list

Intruder → Payloads → Load / Paste list

BURP SUITE — Analyze results

Sort by Status / Length / Words / Time

Note: Intruder can generate many requests. Use small, focused lists in the lab and do not test real accounts without authorization.

5. Decoder and Comparer

These helpers make encoded data and response differences easier to understand.

BURP SUITE — Decoder

Right click data → Send to Decoder

Use URL/Base64/HTML operations to decode, edit, and re-encode when needed.

BURP SUITE — Comparer

Send to Comparer → Compare words/bytes

Comparer is useful for comparing a baseline response with the response after changing one parameter.

6. Connect Burp with CLI tools

Use Burp as a proxy so cURL, SQLmap, or Nikto traffic appears in HTTP history.

KALI TERMINAL — cURL through Burp

```
curl -x http://127.0.0.1:8080 -k https://[TARGET]/
```

KALI TERMINAL — SQLmap through Burp proxy

```
sqlmap -u "https://[TARGET]/item?id=1" --proxy http://127.0.0.1:8080 --batch
```

BURP + TERMINAL — Save a raw request for SQLmap

Save/copy the raw request from Burp to request.txt

```
sqlmap -r request.txt --batch
```

7. Fast web-lab workflow

Step	Tool	Goal
1	Browse	Open the site in Burp Browser and define Scope.
2	History	Find important endpoints, parameters, and cookies.
3	Repeater	Test a manual change, one variable at a time.
4	Intruder	Use only where controlled repetition is needed.
5	Decoder / Comparer	Understand encoding or response differences.
6	Evidence	Save the request/response that proves the result.

Prepared as a quick-reference companion to the canonical Arabic guide. Use only in labs or systems you are explicitly authorized to test.

References:

<https://portswigger.net/burp/documentation/desktop/tools>

<https://portswigger.net/burp/documentation/desktop/tools/proxy>

<https://portswigger.net/burp/documentation/desktop/tools/repeater>

<https://portswigger.net/burp/documentation/desktop/tools/intruder>

<https://portswigger.net/burp/documentation/desktop/tools/target/scope>