

Shell Command Matrix — Equivalent Commands

Kali/Linux ↔ Windows CMD/PowerShell ↔ Meterpreter ↔ Web Shell: identity, location, files, system, network, and basic file reading.

➤ Abdullah Nasser Almsan – Personal Pentest Reference

Usage note: A fast map for remembering the equivalent command after switching environments. It complements the deeper shell guides rather than replacing them.

IDENTITY

Who am I?

LOCATION

Where am I?

FILES

What is around me?

SYSTEM

What OS is this?

Contents

1. Fast matrix: where am I and who am I?
2. Files and navigation
3. Web Shell rule
4. First 60 seconds workflow

1. Fast matrix: where am I and who am I?

Task	Linux / Kali / SSH	Windows CMD	Meterpreter	Web Shell / RCE
Identity	whoami / id	whoami / whoami / groups	getuid	Run the target OS command: Linux → whoami; id / Windows → whoami
Current directory	pwd	cd or echo %CD%	getwd / pwd	Linux → pwd / Windows → cd
List files	ls -la	dir	dir / ls	Use target OS commands
Change directory	cd /path	cd C:\path	cd [PATH]	Use target OS commands
Read file	cat file / less file	type file	cat [FILE]	Linux → cat / Windows → type or PowerShell Get-Content
System	uname -a / cat /etc/os-release	systeminfo / ver	sysinfo	Test the appropriate OS command
Network	ip a / ip route	ipconfig /all / route print	ipconfig / route	Use target OS commands
Processes	ps aux	tasklist	ps	Use target OS commands

2. Files and navigation

Task	Linux	Windows	Meterpreter
List	ls -lah	dir /a	ls
Hidden	ls -la	dir /a:h	ls then inspect attributes
Recursive	find . -maxdepth 3 -type f	dir /s /b	search -f * with care
Read	cat / less / head / tail	type / more	cat
Search text	grep -Rni "text" .	findstr /spin "text" *	Open/download the file or use shell when needed

3. Web Shell rule

There is no special “web browsing command.” The web interface is only the execution channel; file commands come from the operating system hosting the application.

A URL such as /uploads/a.php is not the same as a filesystem path such as /var/www/html/uploads/a.php.

WEB SHELL / COMMAND PARAMETER — Linux test

```
whoami; id; pwd; uname -a; ls -la
```

WEB SHELL / COMMAND PARAMETER — Windows test

```
whoami & cd & ver & dir
```

4. First 60 seconds workflow

Order	Question	Goal
1	Identity	Who am I and what privileges do I have?
2	Location	Where am I and what files are nearby?
3	OS	Linux or Windows? Version and architecture?
4	Network	IP, routes, listening ports.
5	Files → Next	Search only for the lab objective, then move to the relevant service / PrivEsc / File Transfer guide.

Prepared as a quick-reference companion to the canonical Arabic guide. Use only in labs or systems you are explicitly authorized to test.

References:

[Project shell references in this library](#)